



**1.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.99	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.96	-13	Pass	2986
30	809	0.1	Peak	808.7	-39.87	-13	Pass	7791
809	829	0.1	Peak	814.2	27.25	60	Pass	401
829	1000	0.1	Peak	831.1	-51.36	-13	Pass	1711
1000	3000	1	Peak	1629	-35.77	-13	Pass	2001
3000	10000	1	Peak	7187	-29.77	-13	Pass	7001




**1.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-59.44	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.38	-13	Pass	2986
30	809	0.1	Peak	807.7	-38.8	-13	Pass	7791
809	829	0.1	Peak	817.7	26.79	60	Pass	401
829	1000	0.1	Peak	833.1	-46.19	-13	Pass	1711
1000	3000	1	Peak	1635	-34.53	-13	Pass	2001
3000	10000	1	Peak	7196	-28.82	-13	Pass	7001




**1.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.37	-13	Pass	401
0.15	30	0.01	Peak	0.36	-63.62	-13	Pass	2986
30	809	0.1	Peak	807.5	-48.12	-13	Pass	7791
809	829	0.1	Peak	817.7	27.2	60	Pass	401
829	1000	0.1	Peak	829	-50.15	-13	Pass	1711
1000	3000	1	Peak	1636	-34.71	-13	Pass	2001
3000	10000	1	Peak	7664	-30.14	-13	Pass	7001




**1.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-57.57	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.19	-13	Pass	2986
30	809	0.1	Peak	807.1	-52.84	-13	Pass	7791
809	829	0.1	Peak	821.2	26.74	60	Pass	401
829	1000	0.1	Peak	831.2	-26.32	-13	Pass	1711
1000	3000	1	Peak	1643	-34.29	-13	Pass	2001
3000	10000	1	Peak	7229	-30.28	-13	Pass	7001




**1.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-58.3	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.25	-13	Pass	2986
30	809	0.1	Peak	803.4	-53.46	-13	Pass	7791
809	829	0.1	Peak	821.2	27.07	60	Pass	401
829	1000	0.1	Peak	829.2	-40.94	-13	Pass	1711
1000	3000	1	Peak	1642	-34.96	-13	Pass	2001
3000	10000	1	Peak	6961	-29.09	-13	Pass	7001




**1.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-57.37	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.13	-13	Pass	2986
30	809	0.1	Peak	808.7	-45.03	-13	Pass	7791
809	829	0.1	Peak	814.35	26.92	60	Pass	401
829	1000	0.1	Peak	831.2	-51.45	-13	Pass	1711
1000	3000	1	Peak	1629	-35.2	-13	Pass	2001
3000	10000	1	Peak	7606	-29.82	-13	Pass	7001




**1.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-58.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.75	-13	Pass	2986
30	809	0.1	Peak	808.8	-45.58	-13	Pass	7791
809	829	0.1	Peak	814.4	27.29	60	Pass	401
829	1000	0.1	Peak	831.3	-51.08	-13	Pass	1711
1000	3000	1	Peak	1629	-35.5	-13	Pass	2001
3000	10000	1	Peak	7199	-29.4	-13	Pass	7001



**1.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.79	-13	Pass	2986
30	809	0.1	Peak	808	-33.11	-13	Pass	7791
809	829	0.1	Peak	816.85	26.9	60	Pass	401
829	1000	0.1	Peak	829.6	-47.48	-13	Pass	1711
1000	3000	1	Peak	1634	-34.23	-13	Pass	2001
3000	10000	1	Peak	7663	-29.89	-13	Pass	7001






**1.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-58.53	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.28	-13	Pass	2986
30	809	0.1	Peak	808.7	-43.97	-13	Pass	7791
809	829	0.1	Peak	816.8	27.14	60	Pass	401
829	1000	0.1	Peak	829.7	-51.08	-13	Pass	1711
1000	3000	1	Peak	1634	-34.17	-13	Pass	2001
3000	10000	1	Peak	9615	-29.87	-13	Pass	7001




**1.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.042	-58.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.83	-13	Pass	2986
30	809	0.1	Peak	808	-50.87	-13	Pass	7791
809	829	0.1	Peak	819.3	27.16	60	Pass	401
829	1000	0.1	Peak	829.1	-46.46	-13	Pass	1711
1000	3000	1	Peak	1639	-34.38	-13	Pass	2001
3000	10000	1	Peak	7210	-29.86	-13	Pass	7001




**1.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-58.62	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.32	-13	Pass	2986
30	809	0.1	Peak	808.9	-48.42	-13	Pass	7791
809	829	0.1	Peak	819.4	27.3	60	Pass	401
829	1000	0.1	Peak	833.4	-49.83	-13	Pass	1711
1000	3000	1	Peak	1639	-33.69	-13	Pass	2001
3000	10000	1	Peak	6959	-29.58	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-56.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.35	-13	Pass	2986
30	809	0.1	Peak	806.6	-41.78	-13	Pass	7791
809	829	0.1	Peak	814.65	26.8	60	Pass	401
829	1000	0.1	Peak	831.5	-51.67	-13	Pass	1711
1000	3000	1	Peak	1629	-34.7	-13	Pass	2001
3000	10000	1	Peak	7654	-30.38	-13	Pass	7001



**1.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-56.87	-13	Pass	401
0.15	30	0.01	Peak	0.39	-64.62	-13	Pass	2986
30	809	0.1	Peak	808.8	-42.66	-13	Pass	7791
809	829	0.1	Peak	814.55	27.39	60	Pass	401
829	1000	0.1	Peak	831.5	-50.87	-13	Pass	1711
1000	3000	1	Peak	1629	-34.78	-13	Pass	2001
3000	10000	1	Peak	6971	-29.95	-13	Pass	7001



## 1. LTE\_Band48


### 1.1. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.5	-40	Pass	2986
30	1000	0.1	RMS	864.11	-63.25	-40	Pass	9701
1000	3000	1	RMS	2959	-48.29	-40	Pass	2001
3000	3500	1	RMS	3319	-44.45	-40	Pass	501
3500	3750	1	RMS	3550	22.86	60	Pass	401
3750	6500	1	RMS	3781	-47.7	-40	Pass	2751
6500	26500	1	RMS	25997	-49.82	-40	Pass	20003




**1.2. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.2	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.77	-40	Pass	2986
30	1000	0.1	RMS	848.3	-62.89	-40	Pass	9701
1000	3000	1	RMS	2948	-48.28	-40	Pass	2001
3000	3500	1	RMS	3319	-44.81	-40	Pass	501
3500	3750	1	RMS	3550	22.01	60	Pass	401
3750	6500	1	RMS	3781	-48.08	-40	Pass	2751
6500	26500	1	RMS	26011	-49.86	-40	Pass	20003



**1.3. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.54	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.87	-40	Pass	2986
30	1000	0.1	RMS	830	-63.19	-40	Pass	9701
1000	3000	1	RMS	2945	-48.26	-40	Pass	2001
3000	3500	1	RMS	3392	-45.1	-40	Pass	501
3500	3750	1	RMS	3622.5	22.74	60	Pass	401
3750	6500	1	RMS	3777	-49.19	-40	Pass	2751
6500	26500	1	RMS	25995	-49.81	-40	Pass	20003






**1.4. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.78	-40	Pass	401
0.15	30	0.01	RMS	0.6	-71.1	-40	Pass	2986
30	1000	0.1	RMS	846.1	-63.21	-40	Pass	9701
1000	3000	1	RMS	2961	-48.27	-40	Pass	2001
3000	3500	1	RMS	3392	-45.31	-40	Pass	501
3500	3750	1	RMS	3622.5	21.81	60	Pass	401
3750	6500	1	RMS	6325	-49.22	-40	Pass	2751
6500	26500	1	RMS	25996	-49.83	-40	Pass	20003




**1.5. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.83	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.73	-40	Pass	2986
30	1000	0.1	RMS	825.9	-63.14	-40	Pass	9701
1000	3000	1	RMS	2956	-48.26	-40	Pass	2001
3000	3500	1	RMS	3464	-44.6	-40	Pass	501
3500	3750	1	RMS	3695	23.07	60	Pass	401
3750	6500	1	RMS	3926	-47.25	-40	Pass	2751
6500	26500	1	RMS	26013	-49.84	-40	Pass	20003




**1.6. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.66	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.19	-40	Pass	2986
30	1000	0.1	RMS	849	-63.17	-40	Pass	9701
1000	3000	1	RMS	2961	-48.26	-40	Pass	2001
3000	3500	1	RMS	3464	-45.06	-40	Pass	501
3500	3750	1	RMS	3695	22.27	60	Pass	401
3750	6500	1	RMS	3926	-49.13	-40	Pass	2751
6500	26500	1	RMS	26005	-49.85	-40	Pass	20003




**1.7. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.02	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.61	-40	Pass	2986
30	1000	0.1	RMS	845.1	-62.94	-40	Pass	9701
1000	3000	1	RMS	2953	-48.24	-40	Pass	2001
3000	3500	1	RMS	3319	-44.97	-40	Pass	501
3500	3750	1	RMS	3550	23.28	60	Pass	401
3750	6500	1	RMS	3781	-47.44	-40	Pass	2751
6500	26500	1	RMS	26001	-49.82	-40	Pass	20003




**1.8. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.1	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.11	-40	Pass	2986
30	1000	0.1	RMS	848.7	-63.24	-40	Pass	9701
1000	3000	1	RMS	2945	-48.26	-40	Pass	2001
3000	3500	1	RMS	3319	-44.97	-40	Pass	501
3500	3750	1	RMS	3550	22.66	60	Pass	401
3750	6500	1	RMS	3781	-48.15	-40	Pass	2751
6500	26500	1	RMS	25996	-49.86	-40	Pass	20003




**1.9. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.79	-40	Pass	401
0.15	30	0.01	RMS	0.6	-71.29	-40	Pass	2986
30	1000	0.1	RMS	837.3	-63.09	-40	Pass	9701
1000	3000	1	RMS	2956	-48.3	-40	Pass	2001
3000	3500	1	RMS	3389	-45.11	-40	Pass	501
3500	3750	1	RMS	3620	23.08	60	Pass	401
3750	6500	1	RMS	3851	-49.11	-40	Pass	2751
6500	26500	1	RMS	26002	-49.82	-40	Pass	20003




**1.10. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.96	-40	Pass	401
0.15	30	0.01	RMS	0.6	-69.73	-40	Pass	2986
30	1000	0.1	RMS	848	-63.13	-40	Pass	9701
1000	3000	1	RMS	2952	-48.27	-40	Pass	2001
3000	3500	1	RMS	3389	-45.33	-40	Pass	501
3500	3750	1	RMS	3620	22.4	60	Pass	401
3750	6500	1	RMS	6315	-49.21	-40	Pass	2751
6500	26500	1	RMS	25995	-49.89	-40	Pass	20003



**1.11. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.14	-40	Pass	401
0.15	30	0.01	RMS	0.6	-69.66	-40	Pass	2986
30	1000	0.1	RMS	902.936	-63.2	-40	Pass	9701
1000	3000	1	RMS	2956	-48.22	-40	Pass	2001
3000	3500	1	RMS	3460	-45.22	-40	Pass	501
3500	3750	1	RMS	3690	23	60	Pass	401
3750	6500	1	RMS	6301	-49.14	-40	Pass	2751
6500	26500	1	RMS	26011	-49.81	-40	Pass	20003






**1.12. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.35	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.18	-40	Pass	2986
30	1000	0.1	RMS	856.005	-63.33	-40	Pass	9701
1000	3000	1	RMS	2958	-48.28	-40	Pass	2001
3000	3500	1	RMS	3459	-45.29	-40	Pass	501
3500	3750	1	RMS	3690	22.47	60	Pass	401
3750	6500	1	RMS	6323	-49.18	-40	Pass	2751
6500	26500	1	RMS	25993	-49.82	-40	Pass	20003




**1.13. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.12	-40	Pass	401
0.15	30	0.01	RMS	0.6	-69.91	-40	Pass	2986
30	1000	0.1	RMS	852.002	-63.32	-40	Pass	9701
1000	3000	1	RMS	2955	-48.26	-40	Pass	2001
3000	3500	1	RMS	3320	-44.86	-40	Pass	501
3500	3750	1	RMS	3550.625	22.17	60	Pass	401
3750	6500	1	RMS	6313	-49.15	-40	Pass	2751
6500	26500	1	RMS	25997	-49.73	-40	Pass	20003




**1.14. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.89	-40	Pass	401
0.15	30	0.01	RMS	0.6	-69.97	-40	Pass	2986
30	1000	0.1	RMS	846.1	-63.26	-40	Pass	9701
1000	3000	1	RMS	2954	-48.24	-40	Pass	2001
3000	3500	1	RMS	3320	-44.86	-40	Pass	501
3500	3750	1	RMS	3550	21.58	60	Pass	401
3750	6500	1	RMS	3781	-48.74	-40	Pass	2751
6500	26500	1	RMS	25999	-49.76	-40	Pass	20003




**1.15. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.35	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.36	-40	Pass	2986
30	1000	0.1	RMS	886.825	-63.15	-40	Pass	9701
1000	3000	1	RMS	2957	-48.28	-40	Pass	2001
3000	3500	1	RMS	3387	-44.83	-40	Pass	501
3500	3750	1	RMS	3617.5	22.22	60	Pass	401
3750	6500	1	RMS	6318	-49.2	-40	Pass	2751
6500	26500	1	RMS	26000	-49.81	-40	Pass	20003




**1.16. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.35	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.69	-40	Pass	2986
30	1000	0.1	RMS	965.777	-63.22	-40	Pass	9701
1000	3000	1	RMS	2957	-48.26	-40	Pass	2001
3000	3500	1	RMS	3387	-45.25	-40	Pass	501
3500	3750	1	RMS	3617.5	21.31	60	Pass	401
3750	6500	1	RMS	3849	-49.04	-40	Pass	2751
6500	26500	1	RMS	26001	-49.79	-40	Pass	20003




**1.17. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.01	-40	Pass	401
0.15	30	0.01	RMS	0.6	-70.45	-40	Pass	2986
30	1000	0.1	RMS	844	-62.99	-40	Pass	9701
1000	3000	1	RMS	2955	-48.22	-40	Pass	2001
3000	3500	1	RMS	3455	-44.97	-40	Pass	501
3500	3750	1	RMS	3685	21.97	60	Pass	401
3750	6500	1	RMS	6319	-49.18	-40	Pass	2751
6500	26500	1	RMS	25996	-49.79	-40	Pass	20003




**1.18. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.51	-40	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-40	Pass	2986
30	1000	0.1	RMS	845.4	-63.01	-40	Pass	9701
1000	3000	1	RMS	2953	-48.23	-40	Pass	2001
3000	3500	1	RMS	3455	-45.28	-40	Pass	501
3500	3750	1	RMS	3685.625	21.37	60	Pass	401
3750	6500	1	RMS	6318	-49.14	-40	Pass	2751
6500	26500	1	RMS	26006	-49.77	-40	Pass	20003



**1.19. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.24	-40	Pass	401
0.15	30	0.01	RMS	0.21	-71.83	-40	Pass	2986
30	1000	0.1	RMS	847.7	-63.11	-40	Pass	9701
1000	3000	1	RMS	2954	-48.24	-40	Pass	2001
3000	3500	1	RMS	3320	-44.38	-40	Pass	501
3500	3750	1	RMS	3550.625	23.12	60	Pass	401
3750	6500	1	RMS	6316	-49.13	-40	Pass	2751
6500	26500	1	RMS	25996	-49.78	-40	Pass	20003






**1.20. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.91	-40	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-40	Pass	2986
30	1000	0.1	RMS	848.6	-63.05	-40	Pass	9701
1000	3000	1	RMS	2957	-48.24	-40	Pass	2001
3000	3500	1	RMS	3320	-44.67	-40	Pass	501
3500	3750	1	RMS	3550.625	22.32	60	Pass	401
3750	6500	1	RMS	6325	-49.14	-40	Pass	2751
6500	26500	1	RMS	25993	-49.77	-40	Pass	20003




**1.21. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.4	-40	Pass	401
0.15	30	0.01	RMS	0.28	-71.81	-40	Pass	2986
30	1000	0.1	RMS	815.1	-63.28	-40	Pass	9701
1000	3000	1	RMS	2956	-48.26	-40	Pass	2001
3000	3500	1	RMS	3385	-44.7	-40	Pass	501
3500	3750	1	RMS	3615.625	23.03	60	Pass	401
3750	6500	1	RMS	3846	-48.16	-40	Pass	2751
6500	26500	1	RMS	25996	-49.81	-40	Pass	20003




**1.22. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.6	-40	Pass	401
0.15	30	0.01	RMS	0.37	-72	-40	Pass	2986
30	1000	0.1	RMS	846.4	-63	-40	Pass	9701
1000	3000	1	RMS	2951	-48.23	-40	Pass	2001
3000	3500	1	RMS	3385	-44.94	-40	Pass	501
3500	3750	1	RMS	3615.625	22.38	60	Pass	401
3750	6500	1	RMS	3847	-48.81	-40	Pass	2751
6500	26500	1	RMS	25999	-49.8	-40	Pass	20003




**1.23. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.02	-40	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-40	Pass	2986
30	1000	0.1	RMS	841.1	-63.15	-40	Pass	9701
1000	3000	1	RMS	2955	-48.21	-40	Pass	2001
3000	3500	1	RMS	3450	-44.7	-40	Pass	501
3500	3750	1	RMS	3680.625	22.94	60	Pass	401
3750	6500	1	RMS	3912	-48.16	-40	Pass	2751
6500	26500	1	RMS	26006	-49.84	-40	Pass	20003



**1.24. LTE Spurious Emission at Antenna Terminals\_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.69	-40	Pass	401
0.15	30	0.01	RMS	0.18	-71	-40	Pass	2986
30	1000	0.1	RMS	840.4	-63.07	-40	Pass	9701
1000	3000	1	RMS	2948	-48.28	-40	Pass	2001
3000	3500	1	RMS	3450	-44.91	-40	Pass	501
3500	3750	1	RMS	3680.625	22.33	60	Pass	401
3750	6500	1	RMS	3911	-48.53	-40	Pass	2751
6500	26500	1	RMS	26003	-49.77	-40	Pass	20003




## **Annex C. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27**

## 1. CA\_2C

### 1.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18700|18817, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.83	-13	Pass	2986
30	1000	0.1	RMS	973.983	-63.75	-13	Pass	9701
1000	1810	1	RMS	1806	-51.96	-13	Pass	811
1810	1950	1	RMS	1873.7	13.22	60	Pass	401
1950	3000	1	RMS	2957	-48.73	-13	Pass	1051
3000	20000	1	RMS	19408	-49.91	-13	Pass	17003



## 1.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18700|18817, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.51	-13	Pass	2986
30	1000	0.1	RMS	867.812	-63.76	-13	Pass	9701
1000	1810	1	RMS	1801	-52.19	-13	Pass	811
1810	1950	1	RMS	1871.95	13.76	60	Pass	401
1950	3000	1	RMS	2956	-48.76	-13	Pass	1051
3000	20000	1	RMS	19398	-49.92	-13	Pass	17003






### 1.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18700|18817, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.93	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.69	-13	Pass	9701
1000	1810	1	RMS	1805	-52.03	-13	Pass	811
1810	1950	1	RMS	1873.7	13.2	60	Pass	401
1950	3000	1	RMS	2948	-48.76	-13	Pass	1051
3000	20000	1	RMS	19399	-49.9	-13	Pass	17003



### 1.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18700|18817, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.61	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.73	-13	Pass	9701
1000	1810	1	RMS	1809	-52.18	-13	Pass	811
1810	1950	1	RMS	1872.3	12.73	60	Pass	401
1950	3000	1	RMS	2945	-48.77	-13	Pass	1051
3000	20000	1	RMS	19402	-49.92	-13	Pass	17003



### 1.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18875|18992, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.89	-13	Pass	2986
30	1000	0.1	RMS	841.5	-63.71	-13	Pass	9701
1000	1810	1	RMS	1791	-52.21	-13	Pass	811
1810	1950	1	RMS	1868.45	13.18	60	Pass	401
1950	3000	1	RMS	2957	-48.74	-13	Pass	1051
3000	20000	1	RMS	19396	-49.92	-13	Pass	17003



### 1.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18875|18992, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.3	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.83	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.82	-13	Pass	9701
1000	1810	1	RMS	1804	-52.19	-13	Pass	811
1810	1950	1	RMS	1888.75	13.56	60	Pass	401
1950	3000	1	RMS	2952	-48.72	-13	Pass	1051
3000	20000	1	RMS	19396	-49.92	-13	Pass	17003



### 1.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18875|18992, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.17	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.74	-13	Pass	9701
1000	1810	1	RMS	1806	-52.21	-13	Pass	811
1810	1950	1	RMS	1891.2	13.11	60	Pass	401
1950	3000	1	RMS	2954	-48.76	-13	Pass	1051
3000	20000	1	RMS	19406	-49.96	-13	Pass	17003



### 1.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18875|18992, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.84	-13	Pass	2986
30	1000	0.1	RMS	827.8	-63.8	-13	Pass	9701
1000	1810	1	RMS	1806	-52.21	-13	Pass	811
1810	1950	1	RMS	1888.05	12.49	60	Pass	401
1950	3000	1	RMS	2957	-48.75	-13	Pass	1051
3000	20000	1	RMS	19398	-49.92	-13	Pass	17003



### 1.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19050|19167, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.08	-13	Pass	2986
30	1000	0.1	RMS	868.213	-63.69	-13	Pass	9701
1000	1810	1	RMS	1809	-52.17	-13	Pass	811
1810	1950	1	RMS	1908.7	13.18	60	Pass	401
1950	3000	1	RMS	2958	-48.76	-13	Pass	1051
3000	20000	1	RMS	19395	-49.93	-13	Pass	17003



### 1.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19050|19167, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.71	-13	Pass	2986
30	1000	0.1	RMS	828.7	-63.7	-13	Pass	9701
1000	1810	1	RMS	1796	-52.21	-13	Pass	811
1810	1950	1	RMS	1905.55	13.65	60	Pass	401
1950	3000	1	RMS	2954	-48.74	-13	Pass	1051
3000	20000	1	RMS	19401	-49.89	-13	Pass	17003






### 1.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:19050|19167, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-69.22	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.2	-13	Pass	2986
30	1000	0.1	RMS	821.1	-63.79	-13	Pass	9701
1000	1810	1	RMS	1785	-52.19	-13	Pass	811
1810	1950	1	RMS	1885.95	13.1	60	Pass	401
1950	3000	1	RMS	2951	-48.79	-13	Pass	1051
3000	20000	1	RMS	19401	-49.93	-13	Pass	17003



### 1.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:19050|19167, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.59	-13	Pass	2986
30	1000	0.1	RMS	849.901	-63.8	-13	Pass	9701
1000	1810	1	RMS	1806	-52.23	-13	Pass	811
1810	1950	1	RMS	1905.55	12.67	60	Pass	401
1950	3000	1	RMS	2950	-48.76	-13	Pass	1051
3000	20000	1	RMS	19403	-49.96	-13	Pass	17003



### 1.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18700|18898, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.4	-13	Pass	2986
30	1000	0.1	RMS	834.3	-63.71	-13	Pass	9701
1000	1810	1	RMS	1776	-51.48	-13	Pass	811
1810	1950	1	RMS	1850.95	13.13	60	Pass	401
1950	3000	1	RMS	2946	-48.78	-13	Pass	1051
3000	20000	1	RMS	19401	-49.94	-13	Pass	17003



### 1.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18700|18898, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.01	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.59	-13	Pass	9701
1000	1810	1	RMS	1788	-52.12	-13	Pass	811
1810	1950	1	RMS	1877.9	7.73	60	Pass	401
1950	3000	1	RMS	2954	-48.79	-13	Pass	1051
3000	20000	1	RMS	19409	-49.94	-13	Pass	17003



### 1.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18700|18898, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.36	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.98	-13	Pass	2986
30	1000	0.1	RMS	992.895	-63.8	-13	Pass	9701
1000	1810	1	RMS	1776	-51.64	-13	Pass	811
1810	1950	1	RMS	1888.4	12.99	60	Pass	401
1950	3000	1	RMS	2952	-48.8	-13	Pass	1051
3000	20000	1	RMS	19409	-49.96	-13	Pass	17003



### 1.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18700|18898, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.66	-13	Pass	2986
30	1000	0.1	RMS	855.604	-63.8	-13	Pass	9701
1000	1810	1	RMS	1793	-52.18	-13	Pass	811
1810	1950	1	RMS	1880.35	6.74	60	Pass	401
1950	3000	1	RMS	2958	-48.76	-13	Pass	1051
3000	20000	1	RMS	19412	-49.94	-13	Pass	17003



### 1.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18801|18999, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.16	-13	Pass	2986
30	1000	0.1	RMS	853.203	-63.7	-13	Pass	9701
1000	1810	1	RMS	1786	-51.67	-13	Pass	811
1810	1950	1	RMS	1898.55	13.16	60	Pass	401
1950	3000	1	RMS	2949	-48.76	-13	Pass	1051
3000	20000	1	RMS	19405	-49.98	-13	Pass	17003



### 1.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18801|18999, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.61	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.09	-13	Pass	2986
30	1000	0.1	RMS	853.903	-63.68	-13	Pass	9701
1000	1810	1	RMS	1803	-52.17	-13	Pass	811
1810	1950	1	RMS	1873	7.69	60	Pass	401
1950	3000	1	RMS	2954	-48.73	-13	Pass	1051
3000	20000	1	RMS	19402	-49.94	-13	Pass	17003






### 1.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18801|18999, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.01	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.66	-13	Pass	9701
1000	1810	1	RMS	1786	-51.66	-13	Pass	811
1810	1950	1	RMS	1898.55	13	60	Pass	401
1950	3000	1	RMS	2948	-48.73	-13	Pass	1051
3000	20000	1	RMS	19399	-49.99	-13	Pass	17003



### 1.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18801|18999, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.28	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.74	-13	Pass	9701
1000	1810	1	RMS	1809	-52.16	-13	Pass	811
1810	1950	1	RMS	1871.95	6.89	60	Pass	401
1950	3000	1	RMS	2949	-48.73	-13	Pass	1051
3000	20000	1	RMS	19399	-49.88	-13	Pass	17003



### 1.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18902|19100, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.91	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.99	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.73	-13	Pass	9701
1000	1810	1	RMS	1796	-51.79	-13	Pass	811
1810	1950	1	RMS	1908.7	13.08	60	Pass	401
1950	3000	1	RMS	2956	-48.82	-13	Pass	1051
3000	20000	1	RMS	19405	-49.94	-13	Pass	17003



### 1.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18902|19100, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.6	-67.29	-13	Pass	2986
30	1000	0.1	RMS	858.406	-63.84	-13	Pass	9701
1000	1810	1	RMS	1806	-52.15	-13	Pass	811
1810	1950	1	RMS	1902.4	7.77	60	Pass	401
1950	3000	1	RMS	2962	-48.8	-13	Pass	1051
3000	20000	1	RMS	19402	-49.95	-13	Pass	17003



### 1.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18902|19100, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.87	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.79	-13	Pass	9701
1000	1810	1	RMS	1796	-51.79	-13	Pass	811
1810	1950	1	RMS	1908.7	13.12	60	Pass	401
1950	3000	1	RMS	2951	-48.77	-13	Pass	1051
3000	20000	1	RMS	19400	-49.91	-13	Pass	17003



### 1.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18902|19100, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70.47	-13	Pass	401
0.15	30	0.01	RMS	0.6	-66.87	-13	Pass	2986
30	1000	0.1	RMS	865.211	-63.62	-13	Pass	9701
1000	1810	1	RMS	1809	-52.19	-13	Pass	811
1810	1950	1	RMS	1902.4	6.75	60	Pass	401
1950	3000	1	RMS	2960	-48.8	-13	Pass	1051
3000	20000	1	RMS	19400	-49.92	-13	Pass	17003




## 2. CA\_7C

### 2.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.63	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.53	-25	Pass	2986
30	1000	0.1	RMS	840.2	-63.76	-25	Pass	9701
1000	2475	1	RMS	2473	-45.74	-25	Pass	1476
2475	2735	1	RMS	2528.3	10.74	60	Pass	401
2735	3000	1	RMS	2955.613	-48.78	-25	Pass	401
3000	12000	1	RMS	11849	-49.85	-25	Pass	9002
12000	26000	1	RMS	25998	-33.65	-25	Pass	14002



## 2.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.02	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.39	-25	Pass	2986
30	1000	0.1	RMS	857.506	-63.79	-25	Pass	9701
1000	2475	1	RMS	2475	-48.62	-25	Pass	1476
2475	2735	1	RMS	2527	10.18	60	Pass	401
2735	3000	1	RMS	2949.65	-48.79	-25	Pass	401
3000	12000	1	RMS	11856	-49.82	-25	Pass	9002
12000	26000	1	RMS	25988	-33.7	-25	Pass	14002






### 2.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.73	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.57	-25	Pass	2986
30	1000	0.1	RMS	834.9	-63.72	-25	Pass	9701
1000	2475	1	RMS	2473	-44.61	-25	Pass	1476
2475	2735	1	RMS	2528.3	12.19	60	Pass	401
2735	3000	1	RMS	2947	-48.81	-25	Pass	401
3000	12000	1	RMS	11846	-49.81	-25	Pass	9002
12000	26000	1	RMS	25995	-33.6	-25	Pass	14002



## 2.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.65	-25	Pass	2986
30	1000	0.1	RMS	846.8	-63.58	-25	Pass	9701
1000	2475	1	RMS	2475	-49.58	-25	Pass	1476
2475	2735	1	RMS	2526.35	9.3	60	Pass	401
2735	3000	1	RMS	2953.625	-48.76	-25	Pass	401
3000	12000	1	RMS	11853	-49.85	-25	Pass	9002
12000	26000	1	RMS	25994	-33.57	-25	Pass	14002



## 2.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.75	-25	Pass	2986
30	1000	0.1	RMS	853.003	-63.61	-25	Pass	9701
1000	2475	1	RMS	2474	-50.54	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.05	60	Pass	401
2735	3000	1	RMS	2956.938	-48.78	-25	Pass	401
3000	12000	1	RMS	11841	-49.81	-25	Pass	9002
12000	26000	1	RMS	25995	-33.67	-25	Pass	14002



## 2.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.64	-25	Pass	2986
30	1000	0.1	RMS	850.001	-63.62	-25	Pass	9701
1000	2475	1	RMS	2475	-50.19	-25	Pass	1476
2475	2735	1	RMS	2542.6	10.11	60	Pass	401
2735	3000	1	RMS	2953.625	-48.79	-25	Pass	401
3000	12000	1	RMS	11850	-49.8	-25	Pass	9002
12000	26000	1	RMS	25999	-33.68	-25	Pass	14002



## 2.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.67	-25	Pass	2986
30	1000	0.1	RMS	850.201	-63.62	-25	Pass	9701
1000	2475	1	RMS	2475	-50.61	-25	Pass	1476
2475	2735	1	RMS	2548.45	12.53	60	Pass	401
2735	3000	1	RMS	2951.638	-48.8	-25	Pass	401
3000	12000	1	RMS	11849	-49.76	-25	Pass	9002
12000	26000	1	RMS	25994	-33.71	-25	Pass	14002



## 2.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.75	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.03	-25	Pass	2986
30	1000	0.1	RMS	858.706	-63.77	-25	Pass	9701
1000	2475	1	RMS	2475	-50.5	-25	Pass	1476
2475	2735	1	RMS	2543.25	9.15	60	Pass	401
2735	3000	1	RMS	2956.938	-48.8	-25	Pass	401
3000	12000	1	RMS	11848	-49.84	-25	Pass	9002
12000	26000	1	RMS	25995	-33.66	-25	Pass	14002



## 2.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.46	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.41	-25	Pass	2986
30	1000	0.1	RMS	860.708	-63.51	-25	Pass	9701
1000	2475	1	RMS	2474	-50.64	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.03	60	Pass	401
2735	3000	1	RMS	2949.65	-48.78	-25	Pass	401
3000	12000	1	RMS	11851	-49.82	-25	Pass	9002
12000	26000	1	RMS	25993	-33.58	-25	Pass	14002



## 2.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.11	-25	Pass	2986
30	1000	0.1	RMS	845.2	-63.6	-25	Pass	9701
1000	2475	1	RMS	2475	-50.45	-25	Pass	1476
2475	2735	1	RMS	2563.4	10.1	60	Pass	401
2735	3000	1	RMS	2948.325	-48.82	-25	Pass	401
3000	12000	1	RMS	11844	-49.81	-25	Pass	9002
12000	26000	1	RMS	25999	-33.73	-25	Pass	14002






### 2.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.98	-25	Pass	2986
30	1000	0.1	RMS	854.103	-63.79	-25	Pass	9701
1000	2475	1	RMS	2473	-50.6	-25	Pass	1476
2475	2735	1	RMS	2568.6	12.54	60	Pass	401
2735	3000	1	RMS	2952.963	-48.81	-25	Pass	401
3000	12000	1	RMS	11851	-49.74	-25	Pass	9002
12000	26000	1	RMS	25999	-33.64	-25	Pass	14002



### 2.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.89	-25	Pass	2986
30	1000	0.1	RMS	859.207	-63.63	-25	Pass	9701
1000	2475	1	RMS	2474	-50.57	-25	Pass	1476
2475	2735	1	RMS	2565.35	9.18	60	Pass	401
2735	3000	1	RMS	2950.313	-48.78	-25	Pass	401
3000	12000	1	RMS	11850	-49.72	-25	Pass	9002
12000	26000	1	RMS	25991	-33.63	-25	Pass	14002



### 2.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.18	-25	Pass	2986
30	1000	0.1	RMS	846.1	-63.58	-25	Pass	9701
1000	2475	1	RMS	2467	-50.58	-25	Pass	1476
2475	2735	1	RMS	2501	11.7	60	Pass	401
2735	3000	1	RMS	2956.938	-48.75	-25	Pass	401
3000	12000	1	RMS	11852	-49.75	-25	Pass	9002
12000	26000	1	RMS	25996	-33.66	-25	Pass	14002



### 2.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.25	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.12	-25	Pass	2986
30	1000	0.1	RMS	842.5	-63.72	-25	Pass	9701
1000	2475	1	RMS	2475	-48.83	-25	Pass	1476
2475	2735	1	RMS	2532.85	6.25	60	Pass	401
2735	3000	1	RMS	2956.938	-48.81	-25	Pass	401
3000	12000	1	RMS	11849	-49.75	-25	Pass	9002
12000	26000	1	RMS	25999	-33.64	-25	Pass	14002



### 2.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.48	-25	Pass	2986
30	1000	0.1	RMS	838.6	-63.66	-25	Pass	9701
1000	2475	1	RMS	2463	-50.56	-25	Pass	1476
2475	2735	1	RMS	2501	11.7	60	Pass	401
2735	3000	1	RMS	2953.625	-48.78	-25	Pass	401
3000	12000	1	RMS	11849	-49.82	-25	Pass	9002
12000	26000	1	RMS	25997	-33.56	-25	Pass	14002



## 2.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.7	-25	Pass	2986
30	1000	0.1	RMS	854.003	-63.69	-25	Pass	9701
1000	2475	1	RMS	2475	-49.02	-25	Pass	1476
2475	2735	1	RMS	2534.15	6.3	60	Pass	401
2735	3000	1	RMS	2956.275	-48.76	-25	Pass	401
3000	12000	1	RMS	11849	-49.72	-25	Pass	9002
12000	26000	1	RMS	25999	-33.64	-25	Pass	14002



### 2.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.61	-25	Pass	2986
30	1000	0.1	RMS	843.4	-63.69	-25	Pass	9701
1000	2475	1	RMS	2472	-50.58	-25	Pass	1476
2475	2735	1	RMS	2553.65	12.29	60	Pass	401
2735	3000	1	RMS	2952.3	-48.8	-25	Pass	401
3000	12000	1	RMS	11849	-49.68	-25	Pass	9002
12000	26000	1	RMS	25998	-33.57	-25	Pass	14002



### 2.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.56	-25	Pass	2986
30	1000	0.1	RMS	854.003	-63.67	-25	Pass	9701
1000	2475	1	RMS	2475	-50.11	-25	Pass	1476
2475	2735	1	RMS	2541.95	6.3	60	Pass	401
2735	3000	1	RMS	2953.625	-48.81	-25	Pass	401
3000	12000	1	RMS	11848	-49.83	-25	Pass	9002
12000	26000	1	RMS	25995	-33.67	-25	Pass	14002






### 2.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.79	-25	Pass	2986
30	1000	0.1	RMS	849.1	-63.79	-25	Pass	9701
1000	2475	1	RMS	2474	-50.61	-25	Pass	1476
2475	2735	1	RMS	2553.65	12.32	60	Pass	401
2735	3000	1	RMS	2956.938	-48.81	-25	Pass	401
3000	12000	1	RMS	11850	-49.69	-25	Pass	9002
12000	26000	1	RMS	26000	-33.62	-25	Pass	14002



## 2.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.61	-25	Pass	2986
30	1000	0.1	RMS	829.6	-63.73	-25	Pass	9701
1000	2475	1	RMS	2475	-49.82	-25	Pass	1476
2475	2735	1	RMS	2542.6	6.32	60	Pass	401
2735	3000	1	RMS	2957.6	-48.82	-25	Pass	401
3000	12000	1	RMS	11852	-49.79	-25	Pass	9002
12000	26000	1	RMS	25996	-33.67	-25	Pass	14002



## 2.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.36	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.47	-25	Pass	2986
30	1000	0.1	RMS	847.9	-63.66	-25	Pass	9701
1000	2475	1	RMS	2471	-50.57	-25	Pass	1476
2475	2735	1	RMS	2568.6	12.5	60	Pass	401
2735	3000	1	RMS	2956.275	-48.79	-25	Pass	401
3000	12000	1	RMS	11851	-49.82	-25	Pass	9002
12000	26000	1	RMS	25997	-33.68	-25	Pass	14002



## 2.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.02	-25	Pass	2986
30	1000	0.1	RMS	848.4	-63.75	-25	Pass	9701
1000	2475	1	RMS	2475	-50.43	-25	Pass	1476
2475	2735	1	RMS	2552.35	6.27	60	Pass	401
2735	3000	1	RMS	2946.338	-48.81	-25	Pass	401
3000	12000	1	RMS	11846	-49.81	-25	Pass	9002
12000	26000	1	RMS	26000	-33.58	-25	Pass	14002



### 2.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.47	-25	Pass	2986
30	1000	0.1	RMS	860.107	-63.77	-25	Pass	9701
1000	2475	1	RMS	2473	-50.6	-25	Pass	1476
2475	2735	1	RMS	2568.6	12.48	60	Pass	401
2735	3000	1	RMS	2944.35	-48.82	-25	Pass	401
3000	12000	1	RMS	11854	-49.79	-25	Pass	9002
12000	26000	1	RMS	25998	-33.69	-25	Pass	14002



## 2.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.93	-25	Pass	2986
30	1000	0.1	RMS	845.9	-63.74	-25	Pass	9701
1000	2475	1	RMS	2475	-50.35	-25	Pass	1476
2475	2735	1	RMS	2551.7	6.3	60	Pass	401
2735	3000	1	RMS	2956.938	-48.8	-25	Pass	401
3000	12000	1	RMS	11851	-49.78	-25	Pass	9002
12000	26000	1	RMS	25992	-33.67	-25	Pass	14002




### 3. CA\_38C

#### 3.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.54	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.11	-25	Pass	2986
30	1000	0.1	RMS	838.3	-59.68	-25	Pass	9701
1000	2525	1	RMS	2514	-40.94	-25	Pass	1526
2525	2665	1	RMS	2570.5	11.68	60	Pass	401
2665	3000	1	RMS	2683.425	-43.1	-25	Pass	401
3000	12000	1	RMS	11846	-49.75	-25	Pass	9002
12000	26500	1	RMS	25983	-33.6	-25	Pass	14502



### 3.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.52	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.48	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.68	-25	Pass	9701
1000	2525	1	RMS	2523	-45.5	-25	Pass	1526
2525	2665	1	RMS	2580.3	7.57	60	Pass	401
2665	3000	1	RMS	2956.45	-44.77	-25	Pass	401
3000	12000	1	RMS	11851	-49.74	-25	Pass	9002
12000	26500	1	RMS	26001	-33.57	-25	Pass	14502






### 3.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.45	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.09	-25	Pass	2986
30	1000	0.1	RMS	859.307	-59.55	-25	Pass	9701
1000	2525	1	RMS	2515	-43.06	-25	Pass	1526
2525	2665	1	RMS	2570.85	13.24	60	Pass	401
2665	3000	1	RMS	2683.425	-42.54	-25	Pass	401
3000	12000	1	RMS	11848	-49.74	-25	Pass	9002
12000	26500	1	RMS	25997	-33.54	-25	Pass	14502



### 3.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-65.22	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.91	-25	Pass	2986
30	1000	0.1	RMS	859.207	-59.76	-25	Pass	9701
1000	2525	1	RMS	2523	-45.44	-25	Pass	1526
2525	2665	1	RMS	2579.95	7.64	60	Pass	401
2665	3000	1	RMS	2950.588	-44.78	-25	Pass	401
3000	12000	1	RMS	11848	-49.71	-25	Pass	9002
12000	26500	1	RMS	26002	-33.52	-25	Pass	14502



### 3.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-66.39	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.59	-25	Pass	2986
30	1000	0.1	RMS	872.215	-59.79	-25	Pass	9701
1000	2525	1	RMS	2524	-42.37	-25	Pass	1526
2525	2665	1	RMS	2580.65	12	60	Pass	401
2665	3000	1	RMS	2665	-39.71	-25	Pass	401
3000	12000	1	RMS	11852	-49.74	-25	Pass	9002
12000	26500	1	RMS	26001	-33.48	-25	Pass	14502



### 3.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.76	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.68	-25	Pass	2986
30	1000	0.1	RMS	848.3	-59.76	-25	Pass	9701
1000	2525	1	RMS	2521	-45.84	-25	Pass	1526
2525	2665	1	RMS	2588	7.57	60	Pass	401
2665	3000	1	RMS	2667.513	-44.68	-25	Pass	401
3000	12000	1	RMS	11848	-49.7	-25	Pass	9002
12000	26500	1	RMS	26002	-33.58	-25	Pass	14502



### 3.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.35	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.22	-25	Pass	2986
30	1000	0.1	RMS	852.402	-59.67	-25	Pass	9701
1000	2525	1	RMS	2524	-40.93	-25	Pass	1526
2525	2665	1	RMS	2609	13.1	60	Pass	401
2665	3000	1	RMS	2665	-39.23	-25	Pass	401
3000	12000	1	RMS	11856	-49.71	-25	Pass	9002
12000	26500	1	RMS	26008	-33.53	-25	Pass	14502



### 3.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.2	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.43	-25	Pass	2986
30	1000	0.1	RMS	822.5	-59.8	-25	Pass	9701
1000	2525	1	RMS	2524	-45.85	-25	Pass	1526
2525	2665	1	RMS	2604.45	8.18	60	Pass	401
2665	3000	1	RMS	2952.263	-44.77	-25	Pass	401
3000	12000	1	RMS	11853	-49.78	-25	Pass	9002
12000	26500	1	RMS	25986	-33.65	-25	Pass	14502



### 3.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.73	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.9	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.57	-25	Pass	9701
1000	2525	1	RMS	2505	-45.11	-25	Pass	1526
2525	2665	1	RMS	2590.8	11.82	60	Pass	401
2665	3000	1	RMS	2675.888	-40.46	-25	Pass	401
3000	12000	1	RMS	11849	-49.69	-25	Pass	9002
12000	26500	1	RMS	25999	-33.5	-25	Pass	14502



### 3.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.21	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.96	-25	Pass	2986
30	1000	0.1	RMS	985.49	-59.75	-25	Pass	9701
1000	2525	1	RMS	2522	-45.98	-25	Pass	1526
2525	2665	1	RMS	2614.6	7.72	60	Pass	401
2665	3000	1	RMS	2665	-43.62	-25	Pass	401
3000	12000	1	RMS	11851	-49.82	-25	Pass	9002
12000	26500	1	RMS	25996	-33.51	-25	Pass	14502






### 3.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-65.58	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.74	-25	Pass	2986
30	1000	0.1	RMS	840.6	-59.71	-25	Pass	9701
1000	2525	1	RMS	2506	-43.11	-25	Pass	1526
2525	2665	1	RMS	2619.15	13.26	60	Pass	401
2665	3000	1	RMS	2675.05	-38.39	-25	Pass	401
3000	12000	1	RMS	11843	-49.78	-25	Pass	9002
12000	26500	1	RMS	26004	-33.46	-25	Pass	14502



### 3.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-65.78	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.68	-25	Pass	2986
30	1000	0.1	RMS	841.9	-59.75	-25	Pass	9701
1000	2525	1	RMS	2524	-46.11	-25	Pass	1526
2525	2665	1	RMS	2614.95	7.77	60	Pass	401
2665	3000	1	RMS	2665	-43.7	-25	Pass	401
3000	12000	1	RMS	11847	-49.68	-25	Pass	9002
12000	26500	1	RMS	25992	-33.44	-25	Pass	14502



### 3.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.15	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.07	-25	Pass	2986
30	1000	0.1	RMS	856.105	-59.72	-25	Pass	9701
1000	2525	1	RMS	2496	-40.41	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.32	60	Pass	401
2665	3000	1	RMS	2683.425	-39.17	-25	Pass	401
3000	12000	1	RMS	11847	-49.74	-25	Pass	9002
12000	26500	1	RMS	26004	-33.35	-25	Pass	14502



### 3.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.04	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.67	-25	Pass	2986
30	1000	0.1	RMS	864.61	-59.66	-25	Pass	9701
1000	2525	1	RMS	2523	-45.57	-25	Pass	1526
2525	2665	1	RMS	2581	6.43	60	Pass	401
2665	3000	1	RMS	2665	-43.99	-25	Pass	401
3000	12000	1	RMS	11852	-49.78	-25	Pass	9002
12000	26500	1	RMS	25998	-33.53	-25	Pass	14502



### 3.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.21	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.32	-25	Pass	2986
30	1000	0.1	RMS	862.409	-59.72	-25	Pass	9701
1000	2525	1	RMS	2495	-42.53	-25	Pass	1526
2525	2665	1	RMS	2608.3	12.74	60	Pass	401
2665	3000	1	RMS	2683.425	-38.47	-25	Pass	401
3000	12000	1	RMS	11849	-49.72	-25	Pass	9002
12000	26500	1	RMS	26003	-33.51	-25	Pass	14502



### 3.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.44	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.84	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.79	-25	Pass	9701
1000	2525	1	RMS	2524	-45.11	-25	Pass	1526
2525	2665	1	RMS	2583.1	6.89	60	Pass	401
2665	3000	1	RMS	2665	-43.52	-25	Pass	401
3000	12000	1	RMS	11859	-49.78	-25	Pass	9002
12000	26500	1	RMS	26000	-33.58	-25	Pass	14502



### 3.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.22	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.39	-25	Pass	2986
30	1000	0.1	RMS	840.4	-59.62	-25	Pass	9701
1000	2525	1	RMS	2501	-40.61	-25	Pass	1526
2525	2665	1	RMS	2613.55	11.78	60	Pass	401
2665	3000	1	RMS	2688.45	-39.42	-25	Pass	401
3000	12000	1	RMS	11846	-49.69	-25	Pass	9002
12000	26500	1	RMS	26001	-33.5	-25	Pass	14502



### 3.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.54	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.02	-25	Pass	2986
30	1000	0.1	RMS	834.3	-59.66	-25	Pass	9701
1000	2525	1	RMS	2524	-45.81	-25	Pass	1526
2525	2665	1	RMS	2606.55	6.9	60	Pass	401
2665	3000	1	RMS	2665	-43.09	-25	Pass	401
3000	12000	1	RMS	11849	-49.65	-25	Pass	9002
12000	26500	1	RMS	25999	-33.46	-25	Pass	14502






### 3.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.58	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.9	-25	Pass	2986
30	1000	0.1	RMS	848.9	-59.5	-25	Pass	9701
1000	2525	1	RMS	2501	-38.76	-25	Pass	1526
2525	2665	1	RMS	2576.1	13.23	60	Pass	401
2665	3000	1	RMS	2688.45	-39.2	-25	Pass	401
3000	12000	1	RMS	11847	-49.7	-25	Pass	9002
12000	26500	1	RMS	25989	-33.62	-25	Pass	14502



### 3.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.31	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.16	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.64	-25	Pass	9701
1000	2525	1	RMS	2524	-45.65	-25	Pass	1526
2525	2665	1	RMS	2582.75	6.99	60	Pass	401
2665	3000	1	RMS	2665	-42.88	-25	Pass	401
3000	12000	1	RMS	11854	-49.76	-25	Pass	9002
12000	26500	1	RMS	25999	-33.43	-25	Pass	14502



### 3.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.09	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.21	-25	Pass	2986
30	1000	0.1	RMS	840.2	-59.74	-25	Pass	9701
1000	2525	1	RMS	2506	-41.67	-25	Pass	1526
2525	2665	1	RMS	2581	11.81	60	Pass	401
2665	3000	1	RMS	2693.475	-39.81	-25	Pass	401
3000	12000	1	RMS	11845	-49.77	-25	Pass	9002
12000	26500	1	RMS	25987	-33.59	-25	Pass	14502



### 3.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.71	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67	-25	Pass	2986
30	1000	0.1	RMS	851.602	-59.55	-25	Pass	9701
1000	2525	1	RMS	2524	-45.73	-25	Pass	1526
2525	2665	1	RMS	2611.1	7.03	60	Pass	401
2665	3000	1	RMS	2665	-42.54	-25	Pass	401
3000	12000	1	RMS	11853	-49.8	-25	Pass	9002
12000	26500	1	RMS	26001	-33.45	-25	Pass	14502



### 3.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.98	-25	Pass	401
0.15	30	0.01	RMS	0.6	-65.92	-25	Pass	2986
30	1000	0.1	RMS	851.402	-59.72	-25	Pass	9701
1000	2525	1	RMS	2506	-42.66	-25	Pass	1526
2525	2665	1	RMS	2581	13.5	60	Pass	401
2665	3000	1	RMS	2693.475	-38.96	-25	Pass	401
3000	12000	1	RMS	11846	-49.8	-25	Pass	9002
12000	26500	1	RMS	25997	-33.55	-25	Pass	14502



### 3.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.75	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.82	-25	Pass	2986
30	1000	0.1	RMS	829.5	-59.81	-25	Pass	9701
1000	2525	1	RMS	2522	-45.75	-25	Pass	1526
2525	2665	1	RMS	2610.4	7.01	60	Pass	401
2665	3000	1	RMS	2665	-42.36	-25	Pass	401
3000	12000	1	RMS	11851	-49.81	-25	Pass	9002
12000	26500	1	RMS	25997	-33.61	-25	Pass	14502




## 4. CA\_41C\_full

### 4.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.48	-25	Pass	2986
30	1000	0.1	RMS	851.101	-59.84	-25	Pass	9701
1000	2475	1	RMS	2474	-34.89	-25	Pass	1476
2475	2735	1	RMS	2519.2	7.22	60	Pass	401
2735	3000	1	RMS	2950.975	-44.82	-25	Pass	401
3000	12000	1	RMS	11850	-49.75	-25	Pass	9002
12000	27000	1	RMS	26001	-33.61	-25	Pass	15002



#### 4.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.13	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.33	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.71	-25	Pass	9701
1000	2475	1	RMS	2475	-44.66	-25	Pass	1476
2475	2735	1	RMS	2517.9	13.45	60	Pass	401
2735	3000	1	RMS	2956.938	-44.78	-25	Pass	401
3000	12000	1	RMS	11850	-49.74	-25	Pass	9002
12000	27000	1	RMS	25994	-33.5	-25	Pass	15002






### 4.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.4	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.92	-25	Pass	2986
30	1000	0.1	RMS	853.303	-59.75	-25	Pass	9701
1000	2475	1	RMS	2474	-36.76	-25	Pass	1476
2475	2735	1	RMS	2519.85	6.89	60	Pass	401
2735	3000	1	RMS	2956.938	-44.81	-25	Pass	401
3000	12000	1	RMS	11842	-49.8	-25	Pass	9002
12000	27000	1	RMS	25984	-33.53	-25	Pass	15002



#### 4.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.31	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.84	-25	Pass	2986
30	1000	0.1	RMS	844.6	-59.8	-25	Pass	9701
1000	2475	1	RMS	2475	-44.88	-25	Pass	1476
2475	2735	1	RMS	2518.55	12.88	60	Pass	401
2735	3000	1	RMS	2959.588	-44.83	-25	Pass	401
3000	12000	1	RMS	11846	-49.79	-25	Pass	9002
12000	27000	1	RMS	25992	-33.59	-25	Pass	15002



#### 4.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.18	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.19	-25	Pass	2986
30	1000	0.1	RMS	856.205	-59.69	-25	Pass	9701
1000	2475	1	RMS	2474	-46.65	-25	Pass	1476
2475	2735	1	RMS	2581.6	7.56	60	Pass	401
2735	3000	1	RMS	2950.313	-44.87	-25	Pass	401
3000	12000	1	RMS	11847	-49.82	-25	Pass	9002
12000	27000	1	RMS	26001	-33.53	-25	Pass	15002



#### 4.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.83	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.23	-25	Pass	2986
30	1000	0.1	RMS	831.7	-59.76	-25	Pass	9701
1000	2475	1	RMS	2475	-46.66	-25	Pass	1476
2475	2735	1	RMS	2602.4	12.95	60	Pass	401
2735	3000	1	RMS	2948.988	-44.82	-25	Pass	401
3000	12000	1	RMS	11850	-49.7	-25	Pass	9002
12000	27000	1	RMS	26000	-33.62	-25	Pass	15002



#### 4.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.09	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.9	-25	Pass	2986
30	1000	0.1	RMS	847.6	-59.7	-25	Pass	9701
1000	2475	1	RMS	2471	-46.6	-25	Pass	1476
2475	2735	1	RMS	2580.95	7.39	60	Pass	401
2735	3000	1	RMS	2950.313	-44.84	-25	Pass	401
3000	12000	1	RMS	11851	-49.79	-25	Pass	9002
12000	27000	1	RMS	25991	-33.61	-25	Pass	15002



#### 4.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.19	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.69	-25	Pass	2986
30	1000	0.1	RMS	848.1	-59.77	-25	Pass	9701
1000	2475	1	RMS	2471	-46.6	-25	Pass	1476
2475	2735	1	RMS	2601.75	12.15	60	Pass	401
2735	3000	1	RMS	2956.938	-44.81	-25	Pass	401
3000	12000	1	RMS	11850	-49.76	-25	Pass	9002
12000	27000	1	RMS	26009	-33.55	-25	Pass	15002



#### 4.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.75	-25	Pass	2986
30	1000	0.1	RMS	824.3	-59.88	-25	Pass	9701
1000	2475	1	RMS	2473	-46.74	-25	Pass	1476
2475	2735	1	RMS	2688.85	7.43	60	Pass	401
2735	3000	1	RMS	2954.95	-44.83	-25	Pass	401
3000	12000	1	RMS	11851	-49.78	-25	Pass	9002
12000	27000	1	RMS	25992	-33.56	-25	Pass	15002



#### 4.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.91	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68.1	-25	Pass	2986
30	1000	0.1	RMS	861.708	-59.59	-25	Pass	9701
1000	2475	1	RMS	2475	-46.57	-25	Pass	1476
2475	2735	1	RMS	2685.6	13.2	60	Pass	401
2735	3000	1	RMS	2951.638	-44.77	-25	Pass	401
3000	12000	1	RMS	11854	-49.69	-25	Pass	9002
12000	27000	1	RMS	26004	-33.53	-25	Pass	15002






#### 4.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-25	Pass	2986
30	1000	0.1	RMS	848.6	-59.74	-25	Pass	9701
1000	2475	1	RMS	2475	-46.58	-25	Pass	1476
2475	2735	1	RMS	2665.45	6.96	60	Pass	401
2735	3000	1	RMS	2951.638	-44.73	-25	Pass	401
3000	12000	1	RMS	11850	-49.65	-25	Pass	9002
12000	27000	1	RMS	26003	-33.52	-25	Pass	15002



#### 4.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.94	-25	Pass	2986
30	1000	0.1	RMS	850.601	-59.63	-25	Pass	9701
1000	2475	1	RMS	2475	-46.53	-25	Pass	1476
2475	2735	1	RMS	2687.55	12.2	60	Pass	401
2735	3000	1	RMS	2954.288	-44.7	-25	Pass	401
3000	12000	1	RMS	11851	-49.75	-25	Pass	9002
12000	27000	1	RMS	25998	-33.56	-25	Pass	15002



### 4.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.24	-25	Pass	2986
30	1000	0.1	RMS	861.008	-59.6	-25	Pass	9701
1000	2475	1	RMS	2459	-46.49	-25	Pass	1476
2475	2735	1	RMS	2534.15	7.63	60	Pass	401
2735	3000	1	RMS	2951.638	-44.74	-25	Pass	401
3000	12000	1	RMS	11849	-49.73	-25	Pass	9002
12000	27000	1	RMS	26002	-33.51	-25	Pass	15002



#### 4.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.43	-25	Pass	401
0.15	30	0.01	RMS	0.6	-66.93	-25	Pass	2986
30	1000	0.1	RMS	859.007	-59.62	-25	Pass	9701
1000	2475	1	RMS	2475	-43.79	-25	Pass	1476
2475	2735	1	RMS	2530.9	7.08	60	Pass	401
2735	3000	1	RMS	2957.6	-44.72	-25	Pass	401
3000	12000	1	RMS	11850	-49.67	-25	Pass	9002
12000	27000	1	RMS	26008	-33.49	-25	Pass	15002



#### 4.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.37	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.47	-25	Pass	2986
30	1000	0.1	RMS	835.2	-59.66	-25	Pass	9701
1000	2475	1	RMS	2475	-46.52	-25	Pass	1476
2475	2735	1	RMS	2534.15	7.91	60	Pass	401
2735	3000	1	RMS	2959.588	-44.7	-25	Pass	401
3000	12000	1	RMS	11847	-49.66	-25	Pass	9002
12000	27000	1	RMS	26005	-33.45	-25	Pass	15002



#### 4.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.75	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.1	-25	Pass	2986
30	1000	0.1	RMS	851.001	-59.67	-25	Pass	9701
1000	2475	1	RMS	2475	-43.33	-25	Pass	1476
2475	2735	1	RMS	2521.15	7.05	60	Pass	401
2735	3000	1	RMS	2956.275	-44.71	-25	Pass	401
3000	12000	1	RMS	11850	-49.62	-25	Pass	9002
12000	27000	1	RMS	25994	-33.49	-25	Pass	15002



#### 4.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.2	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.04	-25	Pass	2986
30	1000	0.1	RMS	857.406	-59.55	-25	Pass	9701
1000	2475	1	RMS	2474	-46.42	-25	Pass	1476
2475	2735	1	RMS	2573.8	7.49	60	Pass	401
2735	3000	1	RMS	2956.938	-44.72	-25	Pass	401
3000	12000	1	RMS	11851	-49.65	-25	Pass	9002
12000	27000	1	RMS	25999	-33.49	-25	Pass	15002



#### 4.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.82	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.78	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.42	-25	Pass	9701
1000	2475	1	RMS	2469	-46.53	-25	Pass	1476
2475	2735	1	RMS	2579.65	6.29	60	Pass	401
2735	3000	1	RMS	2956.275	-44.72	-25	Pass	401
3000	12000	1	RMS	11851	-49.53	-25	Pass	9002
12000	27000	1	RMS	26008	-33.46	-25	Pass	15002






#### 4.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-25	Pass	2986
30	1000	0.1	RMS	838.9	-59.47	-25	Pass	9701
1000	2475	1	RMS	2472	-46.6	-25	Pass	1476
2475	2735	1	RMS	2573.8	7.8	60	Pass	401
2735	3000	1	RMS	2952.963	-44.73	-25	Pass	401
3000	12000	1	RMS	11848	-49.72	-25	Pass	9002
12000	27000	1	RMS	26005	-33.44	-25	Pass	15002



#### 4.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.37	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.57	-25	Pass	2986
30	1000	0.1	RMS	852.302	-59.7	-25	Pass	9701
1000	2475	1	RMS	2473	-46.54	-25	Pass	1476
2475	2735	1	RMS	2583.55	6.83	60	Pass	401
2735	3000	1	RMS	2958.925	-44.71	-25	Pass	401
3000	12000	1	RMS	11846	-49.7	-25	Pass	9002
12000	27000	1	RMS	26001	-33.55	-25	Pass	15002



#### 4.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.47	-25	Pass	2986
30	1000	0.1	RMS	889.627	-44.45	-25	Pass	9701
1000	2475	1	RMS	2464	-46.6	-25	Pass	1476
2475	2735	1	RMS	2651.15	7.74	60	Pass	401
2735	3000	1	RMS	2948.988	-44.74	-25	Pass	401
3000	12000	1	RMS	11853	-49.71	-25	Pass	9002
12000	27000	1	RMS	25993	-33.46	-25	Pass	15002



#### 4.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.49	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.24	-25	Pass	2986
30	1000	0.1	RMS	857.906	-59.6	-25	Pass	9701
1000	2475	1	RMS	2475	-46.52	-25	Pass	1476
2475	2735	1	RMS	2677.8	6.9	60	Pass	401
2735	3000	1	RMS	2735.663	-42.58	-25	Pass	401
3000	12000	1	RMS	11850	-49.69	-25	Pass	9002
12000	27000	1	RMS	25995	-33.49	-25	Pass	15002



#### 4.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.29	-25	Pass	2986
30	1000	0.1	RMS	847.2	-59.6	-25	Pass	9701
1000	2475	1	RMS	2469	-46.61	-25	Pass	1476
2475	2735	1	RMS	2651.15	7.78	60	Pass	401
2735	3000	1	RMS	2947	-44.79	-25	Pass	401
3000	12000	1	RMS	11848	-49.65	-25	Pass	9002
12000	27000	1	RMS	26002	-33.54	-25	Pass	15002



#### 4.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.31	-25	Pass	401
0.15	30	0.01	RMS	0.6	-68	-25	Pass	2986
30	1000	0.1	RMS	846.2	-59.58	-25	Pass	9701
1000	2475	1	RMS	2456	-46.66	-25	Pass	1476
2475	2735	1	RMS	2673.25	6.76	60	Pass	401
2735	3000	1	RMS	2735	-42.83	-25	Pass	401
3000	12000	1	RMS	11851	-49.73	-25	Pass	9002
12000	27000	1	RMS	25985	-33.51	-25	Pass	15002



## 1. n2


### 1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.32	-13	51.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	906.238	-63.93	-13	50.93	Pass	9701
1000	1840	1	RMS	1840	-48.06	-13	35.06	Pass	841
1840	1920	1	RMS	1853.6	14.28	60	45.72	Pass	401
1920	3000	1	RMS	2871	-48.91	-13	35.91	Pass	1081
3000	7000	1	RMS	6933	-61.58	-13	48.58	Pass	4001
7000	20000	1	RMS	19893	-49.85	-13	36.85	Pass	13002



**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-13	40.35	Pass	401
0.15	30	0.01	RMS	0.18	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	895.331	-63.77	-13	50.77	Pass	9701
1000	1840	1	RMS	1840	-52.18	-13	39.18	Pass	841
1840	1920	1	RMS	1850.2	20.5	60	39.5	Pass	401
1920	3000	1	RMS	2870	-48.86	-13	35.86	Pass	1081
3000	7000	1	RMS	5551	-59.02	-13	46.02	Pass	4001
7000	20000	1	RMS	19901	-49.86	-13	36.86	Pass	13002






**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.08	-13	44.08	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	887.425	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-52.23	-13	39.23	Pass	841
1840	1920	1	RMS	1854.6	20.27	60	39.73	Pass	401
1920	3000	1	RMS	2870	-48.94	-13	35.94	Pass	1081
3000	7000	1	RMS	5564	-59.42	-13	46.42	Pass	4001
7000	20000	1	RMS	19904	-49.88	-13	36.88	Pass	13002




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.79	-13	51.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	901.735	-63.96	-13	50.96	Pass	9701
1000	1840	1	RMS	1829	-52.4	-13	39.4	Pass	841
1840	1920	1	RMS	1878.8	14.26	60	45.74	Pass	401
1920	3000	1	RMS	2870	-48.99	-13	35.99	Pass	1081
3000	7000	1	RMS	6928	-61.56	-13	48.56	Pass	4001
7000	20000	1	RMS	18267	-49.83	-13	36.83	Pass	13002




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-13	40.93	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	898.833	-63.97	-13	50.97	Pass	9701
1000	1840	1	RMS	1838	-52.31	-13	39.31	Pass	841
1840	1920	1	RMS	1877.8	20.24	60	39.76	Pass	401
1920	3000	1	RMS	2867	-48.93	-13	35.93	Pass	1081
3000	7000	1	RMS	5633	-59.16	-13	46.16	Pass	4001
7000	20000	1	RMS	19909	-49.79	-13	36.79	Pass	13002




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-56.73	-13	43.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	901.034	-64.05	-13	51.05	Pass	9701
1000	1840	1	RMS	1840	-52.32	-13	39.32	Pass	841
1840	1920	1	RMS	1882	20.34	60	39.66	Pass	401
1920	3000	1	RMS	2871	-48.94	-13	35.94	Pass	1081
3000	7000	1	RMS	5646	-59.9	-13	46.9	Pass	4001
7000	20000	1	RMS	19912	-49.81	-13	36.81	Pass	13002




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.45	-13	55.45	Pass	401
0.15	30	0.01	RMS	0.21	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	897.832	-63.97	-13	50.97	Pass	9701
1000	1840	1	RMS	1840	-52.39	-13	39.39	Pass	841
1840	1920	1	RMS	1906	14.27	60	45.73	Pass	401
1920	3000	1	RMS	2871	-48.96	-13	35.96	Pass	1081
3000	7000	1	RMS	5723	-60.96	-13	47.96	Pass	4001
7000	20000	1	RMS	19900	-49.77	-13	36.77	Pass	13002




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	893.329	-64.02	-13	51.02	Pass	9701
1000	1840	1	RMS	1839	-52.38	-13	39.38	Pass	841
1840	1920	1	RMS	1905.2	20.36	60	39.64	Pass	401
1920	3000	1	RMS	2870	-48.98	-13	35.98	Pass	1081
3000	7000	1	RMS	5716	-56.43	-13	43.43	Pass	4001
7000	20000	1	RMS	19906	-49.78	-13	36.78	Pass	13002




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	42.59	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	899.133	-64.02	-13	51.02	Pass	9701
1000	1840	1	RMS	1839	-52.37	-13	39.37	Pass	841
1840	1920	1	RMS	1909.6	20.2	60	39.8	Pass	401
1920	3000	1	RMS	2871	-48.95	-13	35.95	Pass	1081
3000	7000	1	RMS	5729	-55.84	-13	42.84	Pass	4001
7000	20000	1	RMS	18296	-49.86	-13	36.86	Pass	13002



**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.36	-13	54.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	888.426	-64	-13	51	Pass	9701
1000	1840	1	RMS	1840	-38.33	-13	25.33	Pass	841
1840	1920	1	RMS	1863.4	9.73	60	50.27	Pass	401
1920	3000	1	RMS	2875	-48.94	-13	35.94	Pass	1081
3000	7000	1	RMS	6926	-61.56	-13	48.56	Pass	4001
7000	20000	1	RMS	18299	-49.69	-13	36.69	Pass	13002






**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-67.87	-13	54.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	991.594	-63.91	-13	50.91	Pass	9701
1000	1840	1	RMS	1839	-51.96	-13	38.96	Pass	841
1840	1920	1	RMS	1850.4	20.59	60	39.41	Pass	401
1920	3000	1	RMS	2864	-48.96	-13	35.96	Pass	1081
3000	7000	1	RMS	5551	-59.84	-13	46.84	Pass	4001
7000	20000	1	RMS	18283	-49.81	-13	36.81	Pass	13002




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-64.92	-13	51.92	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	894.83	-64	-13	51	Pass	9701
1000	1840	1	RMS	1840	-52.31	-13	39.31	Pass	841
1840	1920	1	RMS	1864.4	20.57	60	39.43	Pass	401
1920	3000	1	RMS	2869	-48.95	-13	35.95	Pass	1081
3000	7000	1	RMS	5594	-59.32	-13	46.32	Pass	4001
7000	20000	1	RMS	19902	-49.83	-13	36.83	Pass	13002




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	869.413	-63.97	-13	50.97	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	37.69	Pass	841
1840	1920	1	RMS	1874	9.5	60	50.5	Pass	401
1920	3000	1	RMS	2869	-48.98	-13	35.98	Pass	1081
3000	7000	1	RMS	6925	-61.56	-13	48.56	Pass	4001
7000	20000	1	RMS	19901	-49.77	-13	36.77	Pass	13002




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	41.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	896.832	-63.94	-13	50.94	Pass	9701
1000	1840	1	RMS	1839	-52.36	-13	39.36	Pass	841
1840	1920	1	RMS	1872.8	20.48	60	39.52	Pass	401
1920	3000	1	RMS	2870	-48.97	-13	35.97	Pass	1081
3000	7000	1	RMS	5619	-56.77	-13	43.77	Pass	4001
7000	20000	1	RMS	18300	-49.82	-13	36.82	Pass	13002




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.05	-13	44.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	57.41	Pass	2986
30	1000	0.1	RMS	904.537	-64.07	-13	51.07	Pass	9701
1000	1840	1	RMS	1831	-52.37	-13	39.37	Pass	841
1840	1920	1	RMS	1887	20.42	60	39.58	Pass	401
1920	3000	1	RMS	2869	-48.93	-13	35.93	Pass	1081
3000	7000	1	RMS	5661	-58.2	-13	45.2	Pass	4001
7000	20000	1	RMS	19898	-49.79	-13	36.79	Pass	13002




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	892.529	-63.95	-13	50.95	Pass	9701
1000	1840	1	RMS	1840	-52.3	-13	39.3	Pass	841
1840	1920	1	RMS	1896.6	9.63	60	50.37	Pass	401
1920	3000	1	RMS	1920	-46.32	-13	33.32	Pass	1081
3000	7000	1	RMS	6920	-61.54	-13	48.54	Pass	4001
7000	20000	1	RMS	18290	-49.86	-13	36.86	Pass	13002




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-13	41.17	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	892.729	-63.97	-13	50.97	Pass	9701
1000	1840	1	RMS	1840	-52.36	-13	39.36	Pass	841
1840	1920	1	RMS	1895.4	20.5	60	39.5	Pass	401
1920	3000	1	RMS	2867	-48.94	-13	35.94	Pass	1081
3000	7000	1	RMS	5686	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	19901	-49.75	-13	36.75	Pass	13002



**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.4	-13	44.4	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	892.829	-63.95	-13	50.95	Pass	9701
1000	1840	1	RMS	1840	-52.4	-13	39.4	Pass	841
1840	1920	1	RMS	1909.4	20.44	60	39.56	Pass	401
1920	3000	1	RMS	2867	-48.95	-13	35.95	Pass	1081
3000	7000	1	RMS	5729	-56.43	-13	43.43	Pass	4001
7000	20000	1	RMS	18204	-49.84	-13	36.84	Pass	13002






**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-13	57.72	Pass	2986
30	1000	0.1	RMS	904.136	-63.96	-13	50.96	Pass	9701
1000	1840	1	RMS	1840	-36.81	-13	23.81	Pass	841
1840	1920	1	RMS	1868.2	8.58	60	51.42	Pass	401
1920	3000	1	RMS	2874	-48.97	-13	35.97	Pass	1081
3000	7000	1	RMS	6923	-61.51	-13	48.51	Pass	4001
7000	20000	1	RMS	19912	-49.81	-13	36.81	Pass	13002




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-55.13	-13	42.13	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	898.032	-63.96	-13	50.96	Pass	9701
1000	1840	1	RMS	1840	-52.05	-13	39.05	Pass	841
1840	1920	1	RMS	1850.4	20.53	60	39.47	Pass	401
1920	3000	1	RMS	2874	-48.94	-13	35.94	Pass	1081
3000	7000	1	RMS	5552	-59.65	-13	46.65	Pass	4001
7000	20000	1	RMS	19897	-49.81	-13	36.81	Pass	13002




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	904.437	-64.02	-13	51.02	Pass	9701
1000	1840	1	RMS	1839	-52.31	-13	39.31	Pass	841
1840	1920	1	RMS	1869.4	20.49	60	39.51	Pass	401
1920	3000	1	RMS	2869	-48.91	-13	35.91	Pass	1081
3000	7000	1	RMS	5608	-57.79	-13	44.79	Pass	4001
7000	20000	1	RMS	18250	-49.86	-13	36.86	Pass	13002




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	896.631	-63.91	-13	50.91	Pass	9701
1000	1840	1	RMS	1840	-47.89	-13	34.89	Pass	841
1840	1920	1	RMS	1873.8	8.21	60	51.79	Pass	401
1920	3000	1	RMS	2864	-49	-13	36	Pass	1081
3000	7000	1	RMS	6930	-61.59	-13	48.59	Pass	4001
7000	20000	1	RMS	19901	-49.82	-13	36.82	Pass	13002




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.96	-13	41.96	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	903.336	-64.02	-13	51.02	Pass	9701
1000	1840	1	RMS	1836	-52.4	-13	39.4	Pass	841
1840	1920	1	RMS	1870.4	20.55	60	39.45	Pass	401
1920	3000	1	RMS	2870	-48.98	-13	35.98	Pass	1081
3000	7000	1	RMS	5612	-57.66	-13	44.66	Pass	4001
7000	20000	1	RMS	18283	-49.79	-13	36.79	Pass	13002




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	42.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	898.833	-63.97	-13	50.97	Pass	9701
1000	1840	1	RMS	1839	-52.4	-13	39.4	Pass	841
1840	1920	1	RMS	1889.4	20.46	60	39.54	Pass	401
1920	3000	1	RMS	2867	-48.93	-13	35.93	Pass	1081
3000	7000	1	RMS	5668	-58.1	-13	45.1	Pass	4001
7000	20000	1	RMS	19917	-49.86	-13	36.86	Pass	13002




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	989.493	-63.9	-13	50.9	Pass	9701
1000	1840	1	RMS	1840	-51.58	-13	38.58	Pass	841
1840	1920	1	RMS	1891.6	8.4	60	51.6	Pass	401
1920	3000	1	RMS	1920	-46.46	-13	33.46	Pass	1081
3000	7000	1	RMS	6935	-61.57	-13	48.57	Pass	4001
7000	20000	1	RMS	19903	-49.8	-13	36.8	Pass	13002



**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-13	41.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	885.824	-63.94	-13	50.94	Pass	9701
1000	1840	1	RMS	1839	-52.35	-13	39.35	Pass	841
1840	1920	1	RMS	1890.4	20.48	60	39.52	Pass	401
1920	3000	1	RMS	2867	-48.98	-13	35.98	Pass	1081
3000	7000	1	RMS	5672	-57.99	-13	44.99	Pass	4001
7000	20000	1	RMS	18285	-49.83	-13	36.83	Pass	13002





**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.16	-13	44.16	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	890.628	-63.88	-13	50.88	Pass	9701
1000	1840	1	RMS	1840	-52.37	-13	39.37	Pass	841
1840	1920	1	RMS	1909.4	20.4	60	39.6	Pass	401
1920	3000	1	RMS	2876	-48.93	-13	35.93	Pass	1081
3000	7000	1	RMS	5728	-55.98	-13	42.98	Pass	4001
7000	20000	1	RMS	18273	-49.84	-13	36.84	Pass	13002



## 2. n7


### 2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.93	-25	45.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-25	46.3	Pass	2986
30	1000	0.1	RMS	979.386	-64.02	-25	39.02	Pass	9701
1000	2495	1	RMS	2495	-34.12	-25	9.12	Pass	1496
2495	2575	1	RMS	2503.6	15.34	60	44.66	Pass	401
2575	3000	1	RMS	2871	-48.97	-25	23.97	Pass	426
3000	7000	1	RMS	6920	-61.53	-25	36.53	Pass	4001
7000	26000	1	RMS	25200	-45.74	-25	20.74	Pass	19003




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.04	-25	34.04	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-25	46.32	Pass	2986
30	1000	0.1	RMS	883.423	-63.93	-25	38.93	Pass	9701
1000	2495	1	RMS	2495	-47.13	-25	22.13	Pass	1496
2495	2575	1	RMS	2500.2	21.61	60	38.39	Pass	401
2575	3000	1	RMS	2869	-48.99	-25	23.99	Pass	426
3000	7000	1	RMS	5001	-58.3	-25	33.3	Pass	4001
7000	26000	1	RMS	25205	-45.77	-25	20.77	Pass	19003




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.45	-25	32.45	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-25	45.62	Pass	2986
30	1000	0.1	RMS	991.895	-64.01	-25	39.01	Pass	9701
1000	2495	1	RMS	2495	-49.65	-25	24.65	Pass	1496
2495	2575	1	RMS	2504.6	21.63	60	38.37	Pass	401
2575	3000	1	RMS	2871	-49	-25	24	Pass	426
3000	7000	1	RMS	5009	-58.19	-25	33.19	Pass	4001
7000	26000	1	RMS	25198	-45.7	-25	20.7	Pass	19003




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.25	-25	40.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-25	46.27	Pass	2986
30	1000	0.1	RMS	894.13	-63.92	-25	38.92	Pass	9701
1000	2495	1	RMS	2495	-50.58	-25	25.58	Pass	1496
2495	2575	1	RMS	2533.6	15.41	60	44.59	Pass	401
2575	3000	1	RMS	2871	-48.98	-25	23.98	Pass	426
3000	7000	1	RMS	6924	-61.47	-25	36.47	Pass	4001
7000	26000	1	RMS	25192	-45.77	-25	20.77	Pass	19003




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-55.24	-25	30.24	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-25	45.97	Pass	2986
30	1000	0.1	RMS	889.327	-63.9	-25	38.9	Pass	9701
1000	2495	1	RMS	2494	-50.41	-25	25.41	Pass	1496
2495	2575	1	RMS	2532.8	21.58	60	38.42	Pass	401
2575	3000	1	RMS	2869	-48.98	-25	23.98	Pass	426
3000	7000	1	RMS	5066	-61.09	-25	36.09	Pass	4001
7000	26000	1	RMS	25205	-45.66	-25	20.66	Pass	19003




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.43	-25	30.43	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-25	45.6	Pass	2986
30	1000	0.1	RMS	896.031	-64	-25	39	Pass	9701
1000	2495	1	RMS	2494	-50.69	-25	25.69	Pass	1496
2495	2575	1	RMS	2537	21.61	60	38.39	Pass	401
2575	3000	1	RMS	2869	-48.96	-25	23.96	Pass	426
3000	7000	1	RMS	6883	-61.58	-25	36.58	Pass	4001
7000	26000	1	RMS	25193	-45.74	-25	20.74	Pass	19003



**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-25	46.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	46.56	Pass	2986
30	1000	0.1	RMS	885.724	-63.98	-25	38.98	Pass	9701
1000	2495	1	RMS	2492	-50.74	-25	25.74	Pass	1496
2495	2575	1	RMS	2566.2	15.31	60	44.69	Pass	401
2575	3000	1	RMS	2575	-34.27	-25	9.27	Pass	426
3000	7000	1	RMS	6933	-61.57	-25	36.57	Pass	4001
7000	26000	1	RMS	25193	-45.78	-25	20.78	Pass	19003






**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.8	-25	33.8	Pass	401
0.15	30	0.01	RMS	0.21	-71.9	-25	46.9	Pass	2986
30	1000	0.1	RMS	899.633	-64.04	-25	39.04	Pass	9701
1000	2495	1	RMS	2494	-50.77	-25	25.77	Pass	1496
2495	2575	1	RMS	2565.4	21.08	60	38.92	Pass	401
2575	3000	1	RMS	2869	-48.96	-25	23.96	Pass	426
3000	7000	1	RMS	5131	-58.95	-25	33.95	Pass	4001
7000	26000	1	RMS	25199	-45.68	-25	20.68	Pass	19003




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.29	-25	36.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-25	46.03	Pass	2986
30	1000	0.1	RMS	877.419	-63.92	-25	38.92	Pass	9701
1000	2495	1	RMS	2493	-50.75	-25	25.75	Pass	1496
2495	2575	1	RMS	2569.6	21.42	60	38.58	Pass	401
2575	3000	1	RMS	2575	-47.6	-25	22.6	Pass	426
3000	7000	1	RMS	5139	-60.13	-25	35.13	Pass	4001
7000	26000	1	RMS	25195	-45.69	-25	20.69	Pass	19003




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-25	46.19	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	898.233	-63.9	-25	38.9	Pass	9701
1000	2475	1	RMS	2475	-46.22	-25	21.22	Pass	1476
2475	2595	1	RMS	2523	8.78	60	51.22	Pass	401
2595	3000	1	RMS	2873	-49.01	-25	24.01	Pass	406
3000	7000	1	RMS	6922	-61.6	-25	36.6	Pass	4001
7000	26000	1	RMS	25202	-45.72	-25	20.72	Pass	19003




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.23	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	896.631	-63.99	-25	38.99	Pass	9701
1000	2475	1	RMS	2475	-50.99	-25	25.99	Pass	1476
2475	2595	1	RMS	2500.5	21.7	60	38.3	Pass	401
2595	3000	1	RMS	2866	-48.96	-25	23.96	Pass	406
3000	7000	1	RMS	5001	-58.13	-25	33.13	Pass	4001
7000	26000	1	RMS	25197	-45.72	-25	20.72	Pass	19003




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.46	-25	33.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	870.614	-63.92	-25	38.92	Pass	9701
1000	2475	1	RMS	2455	-51.03	-25	26.03	Pass	1476
2475	2595	1	RMS	2524.2	21.8	60	38.2	Pass	401
2595	3000	1	RMS	2870	-49.01	-25	24.01	Pass	406
3000	7000	1	RMS	5049	-58.94	-25	33.94	Pass	4001
7000	26000	1	RMS	25205	-45.57	-25	20.57	Pass	19003




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71	-25	46	Pass	401
0.15	30	0.01	RMS	0.24	-71.99	-25	46.99	Pass	2986
30	1000	0.1	RMS	889.227	-63.93	-25	38.93	Pass	9701
1000	2475	1	RMS	2475	-50.33	-25	25.33	Pass	1476
2475	2595	1	RMS	2528.4	8.52	60	51.48	Pass	401
2595	3000	1	RMS	2866	-48.99	-25	23.99	Pass	406
3000	7000	1	RMS	6930	-61.55	-25	36.55	Pass	4001
7000	26000	1	RMS	25201	-45.67	-25	20.67	Pass	19003




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-63.38	-25	38.38	Pass	401
0.15	30	0.01	RMS	0.27	-71.53	-25	46.53	Pass	2986
30	1000	0.1	RMS	888.426	-63.89	-25	38.89	Pass	9701
1000	2475	1	RMS	2469	-51.09	-25	26.09	Pass	1476
2475	2595	1	RMS	2523	21.83	60	38.17	Pass	401
2595	3000	1	RMS	2869	-48.99	-25	23.99	Pass	406
3000	7000	1	RMS	5046	-58.5	-25	33.5	Pass	4001
7000	26000	1	RMS	25197	-45.78	-25	20.78	Pass	19003



**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.95	-25	44.95	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-25	46.6	Pass	2986
30	1000	0.1	RMS	872.616	-64.07	-25	39.07	Pass	9701
1000	2475	1	RMS	2459	-51.08	-25	26.08	Pass	1476
2475	2595	1	RMS	2546.7	21.73	60	38.27	Pass	401
2595	3000	1	RMS	2869	-48.96	-25	23.96	Pass	406
3000	7000	1	RMS	5094	-58.32	-25	33.32	Pass	4001
7000	26000	1	RMS	25203	-45.69	-25	20.69	Pass	19003






**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.04	-25	46.04	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-25	45.91	Pass	2986
30	1000	0.1	RMS	883.523	-63.98	-25	38.98	Pass	9701
1000	2475	1	RMS	2475	-50.9	-25	25.9	Pass	1476
2475	2595	1	RMS	2546.7	8.41	60	51.59	Pass	401
2595	3000	1	RMS	2595	-44.33	-25	19.33	Pass	406
3000	7000	1	RMS	6922	-61.59	-25	36.59	Pass	4001
7000	26000	1	RMS	25201	-45.72	-25	20.72	Pass	19003




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-70.07	-25	45.07	Pass	401
0.15	30	0.01	RMS	0.2	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	584.9	-63.78	-25	38.78	Pass	9701
1000	2475	1	RMS	2472	-51.12	-25	26.12	Pass	1476
2475	2595	1	RMS	2545.5	21.73	60	38.27	Pass	401
2595	3000	1	RMS	2867	-48.97	-25	23.97	Pass	406
3000	7000	1	RMS	5091	-58.7	-25	33.7	Pass	4001
7000	26000	1	RMS	25201	-45.74	-25	20.74	Pass	19003




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-25	46.59	Pass	401
0.15	30	0.01	RMS	0.2	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	898.333	-64.04	-25	39.04	Pass	9701
1000	2475	1	RMS	2462	-51.1	-25	26.1	Pass	1476
2475	2595	1	RMS	2569.2	21.52	60	38.48	Pass	401
2595	3000	1	RMS	2872	-49	-25	24	Pass	406
3000	7000	1	RMS	5139	-59.87	-25	34.87	Pass	4001
7000	26000	1	RMS	25201	-45.69	-25	20.69	Pass	19003




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.03	-25	47.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-25	47.11	Pass	2986
30	1000	0.1	RMS	891.428	-63.92	-25	38.92	Pass	9701
1000	2450	1	RMS	2449	-51.11	-25	26.11	Pass	1451
2450	2620	1	RMS	2530.325	5.43	60	54.57	Pass	401
2620	3000	1	RMS	2869.85	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	6930	-61.56	-25	36.56	Pass	4001
7000	26000	1	RMS	25191	-45.74	-25	20.74	Pass	19003




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-25	47.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	46.74	Pass	2986
30	1000	0.1	RMS	913.743	-64.03	-25	39.03	Pass	9701
1000	2450	1	RMS	2450	-51.15	-25	26.15	Pass	1451
2450	2620	1	RMS	2500.575	21.46	60	38.54	Pass	401
2620	3000	1	RMS	2868.9	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	5002	-59.12	-25	34.12	Pass	4001
7000	26000	1	RMS	25201	-45.66	-25	20.66	Pass	19003




**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.24	-25	47.24	Pass	401
0.15	30	0.01	RMS	0.19	-70.98	-25	45.98	Pass	2986
30	1000	0.1	RMS	588.5	-63.93	-25	38.93	Pass	9701
1000	2450	1	RMS	2444	-51.17	-25	26.17	Pass	1451
2450	2620	1	RMS	2549.025	21.55	60	38.45	Pass	401
2620	3000	1	RMS	2867.95	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	5098	-58.45	-25	33.45	Pass	4001
7000	26000	1	RMS	25204	-45.79	-25	20.79	Pass	19003




**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.84	-25	44.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	884.824	-63.96	-25	38.96	Pass	9701
1000	2450	1	RMS	2446	-51.1	-25	26.1	Pass	1451
2450	2620	1	RMS	2529.475	5.32	60	54.68	Pass	401
2620	3000	1	RMS	2868.9	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	6927	-61.56	-25	36.56	Pass	4001
7000	26000	1	RMS	25196	-45.76	-25	20.76	Pass	19003



**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-25	47.24	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-25	46.79	Pass	2986
30	1000	0.1	RMS	889.527	-64.02	-25	39.02	Pass	9701
1000	2450	1	RMS	2446	-51.15	-25	26.15	Pass	1451
2450	2620	1	RMS	2510.775	21.11	60	38.89	Pass	401
2620	3000	1	RMS	2870.8	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	5022	-58.66	-25	33.66	Pass	4001
7000	26000	1	RMS	25200	-45.68	-25	20.68	Pass	19003






**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	46.51	Pass	2986
30	1000	0.1	RMS	900.634	-64.02	-25	39.02	Pass	9701
1000	2450	1	RMS	2449	-51.11	-25	26.11	Pass	1451
2450	2620	1	RMS	2558.8	21.18	60	38.82	Pass	401
2620	3000	1	RMS	2867.95	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5118	-59.6	-25	34.6	Pass	4001
7000	26000	1	RMS	25197	-45.71	-25	20.71	Pass	19003




**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.03	-25	45.03	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-25	46.38	Pass	2986
30	1000	0.1	RMS	888.126	-63.89	-25	38.89	Pass	9701
1000	2450	1	RMS	2448	-51.1	-25	26.1	Pass	1451
2450	2620	1	RMS	2526.075	5.62	60	54.38	Pass	401
2620	3000	1	RMS	2868.9	-49	-25	24	Pass	401
3000	7000	1	RMS	6930	-61.56	-25	36.56	Pass	4001
7000	26000	1	RMS	25196	-45.7	-25	20.7	Pass	19003




**2.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.54	-25	36.54	Pass	401
0.15	30	0.01	RMS	0.23	-71.57	-25	46.57	Pass	2986
30	1000	0.1	RMS	894.33	-64.07	-25	39.07	Pass	9701
1000	2450	1	RMS	2449	-51.13	-25	26.13	Pass	1451
2450	2620	1	RMS	2520.55	21.62	60	38.38	Pass	401
2620	3000	1	RMS	2868.9	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5042	-59.11	-25	34.11	Pass	4001
7000	26000	1	RMS	25193	-45.68	-25	20.68	Pass	19003



**2.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-25	46.78	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-25	46.26	Pass	2986
30	1000	0.1	RMS	907.239	-63.81	-25	38.81	Pass	9701
1000	2450	1	RMS	2447	-51.06	-25	26.06	Pass	1451
2450	2620	1	RMS	2569	21.34	60	38.66	Pass	401
2620	3000	1	RMS	2870.8	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5138	-60.99	-25	35.99	Pass	4001
7000	26000	1	RMS	25200	-45.68	-25	20.68	Pass	19003



## 1. n5


### 1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	814	0.1	RMS	813.9	-51.56	-13	38.56	Pass	7841
814	859	0.1	RMS	825.1	7.07	60	52.93	Pass	451
859	1000	0.1	RMS	897.2	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2868	-48.34	-13	35.34	Pass	2001
3000	10000	1	RMS	8987	-57.83	-13	44.83	Pass	7001




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	56.55	Pass	2986
30	814	0.1	RMS	810.3	-57.17	-13	44.17	Pass	7841
814	859	0.1	RMS	824.3	20.36	60	39.64	Pass	451
859	1000	0.1	RMS	889.8	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	1648	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	8908	-57.74	-13	44.74	Pass	7001




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.94	-13	56.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	811.8	-59.82	-13	46.82	Pass	7841
814	859	0.1	RMS	828.6	19.76	60	40.24	Pass	451
859	1000	0.1	RMS	995.3	-63.73	-13	50.73	Pass	1411
1000	3000	1	RMS	2869	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	8990	-57.81	-13	44.81	Pass	7001



**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	751.7	-63.92	-13	50.92	Pass	7841
814	859	0.1	RMS	835.3	7.17	60	52.83	Pass	451
859	1000	0.1	RMS	899.1	-63.55	-13	50.55	Pass	1411
1000	3000	1	RMS	2865	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	8904	-57.79	-13	44.79	Pass	7001






**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.53	-13	56.53	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	57.55	Pass	2986
30	814	0.1	RMS	813.5	-64.08	-13	51.08	Pass	7841
814	859	0.1	RMS	834.3	20.4	60	39.6	Pass	451
859	1000	0.1	RMS	900.1	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	1668	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	3337	-56.58	-13	43.58	Pass	7001




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	0.18	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	812.5	-64.02	-13	51.02	Pass	7841
814	859	0.1	RMS	838.7	20.01	60	39.99	Pass	451
859	1000	0.1	RMS	895.4	-63.67	-13	50.67	Pass	1411
1000	3000	1	RMS	1677	-46.47	-13	33.47	Pass	2001
3000	10000	1	RMS	3355	-57.36	-13	44.36	Pass	7001




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	750.4	-64.18	-13	51.18	Pass	7841
814	859	0.1	RMS	848	7.08	60	52.92	Pass	451
859	1000	0.1	RMS	876.7	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2869	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	8896	-57.79	-13	44.79	Pass	7001




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.11	-13	56.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	747.9	-63.99	-13	50.99	Pass	7841
814	859	0.1	RMS	844.3	20.35	60	39.65	Pass	451
859	1000	0.1	RMS	898.4	-63.65	-13	50.65	Pass	1411
1000	3000	1	RMS	1688	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	3377	-54.93	-13	41.93	Pass	7001




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.98	-13	55.98	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	57.79	Pass	2986
30	814	0.1	RMS	810.2	-63.73	-13	50.73	Pass	7841
814	859	0.1	RMS	848.6	19.77	60	40.23	Pass	451
859	1000	0.1	RMS	906.2	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	1697	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	3395	-53.79	-13	40.79	Pass	7001




**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	58.1	Pass	2986
30	814	0.1	RMS	814	-39.49	-13	26.49	Pass	7841
814	859	0.1	RMS	836.2	2.5	60	57.5	Pass	451
859	1000	0.1	RMS	895.6	-63.81	-13	50.81	Pass	1411
1000	3000	1	RMS	2870	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	8907	-57.79	-13	44.79	Pass	7001




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	810.4	-57.47	-13	44.47	Pass	7841
814	859	0.1	RMS	824.5	19.97	60	40.03	Pass	451
859	1000	0.1	RMS	899	-63.71	-13	50.71	Pass	1411
1000	3000	1	RMS	2868	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	8902	-57.77	-13	44.77	Pass	7001



**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	57.96	Pass	2986
30	814	0.1	RMS	750.4	-63.86	-13	50.86	Pass	7841
814	859	0.1	RMS	838.5	20.7	60	39.3	Pass	451
859	1000	0.1	RMS	894.8	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	1677	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	3354	-55.84	-13	42.84	Pass	7001






**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.02	-13	56.02	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	2986
30	814	0.1	RMS	813.8	-44.67	-13	31.67	Pass	7841
814	859	0.1	RMS	833.4	2.47	60	57.53	Pass	451
859	1000	0.1	RMS	901.3	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2870	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	8997	-57.78	-13	44.78	Pass	7001




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.29	-13	56.29	Pass	401
0.15	30	0.01	RMS	0.17	-71.02	-13	58.02	Pass	2986
30	814	0.1	RMS	812.5	-59.73	-13	46.73	Pass	7841
814	859	0.1	RMS	829.5	19.99	60	40.01	Pass	451
859	1000	0.1	RMS	896.8	-63.64	-13	50.64	Pass	1411
1000	3000	1	RMS	2869	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	9002	-57.78	-13	44.78	Pass	7001




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.59	-13	55.59	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	812.5	-63.99	-13	50.99	Pass	7841
814	859	0.1	RMS	843.5	20.28	60	39.72	Pass	451
859	1000	0.1	RMS	890.4	-63.78	-13	50.78	Pass	1411
1000	3000	1	RMS	2868	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	3374	-55.2	-13	42.2	Pass	7001




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	0.61	-71.36	-13	58.36	Pass	2986
30	814	0.1	RMS	813.8	-46.82	-13	33.82	Pass	7841
814	859	0.1	RMS	835.4	2.51	60	57.49	Pass	451
859	1000	0.1	RMS	900.6	-63.7	-13	50.7	Pass	1411
1000	3000	1	RMS	2869	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	8999	-57.8	-13	44.8	Pass	7001




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.24	-13	56.24	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	814	0.1	RMS	813.4	-63.82	-13	50.82	Pass	7841
814	859	0.1	RMS	834.5	20.37	60	39.63	Pass	451
859	1000	0.1	RMS	886.6	-63.74	-13	50.74	Pass	1411
1000	3000	1	RMS	1668	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	3338	-56.23	-13	43.23	Pass	7001




**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.78	-13	55.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	743.4	-64.07	-13	51.07	Pass	7841
814	859	0.1	RMS	848.5	20.26	60	39.74	Pass	451
859	1000	0.1	RMS	887.2	-63.72	-13	50.72	Pass	1411
1000	3000	1	RMS	2871	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	3394	-53.37	-13	40.37	Pass	7001




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.9	-13	55.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	57.39	Pass	2986
30	814	0.1	RMS	813.9	-38.13	-13	25.13	Pass	7841
814	859	0.1	RMS	834.2	1.05	60	58.95	Pass	451
859	1000	0.1	RMS	890.6	-63.54	-13	50.54	Pass	1411
1000	3000	1	RMS	2868	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	8918	-57.81	-13	44.81	Pass	7001



**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	810.4	-57.43	-13	44.43	Pass	7841
814	859	0.1	RMS	824.5	19.7	60	40.3	Pass	451
859	1000	0.1	RMS	886.4	-63.6	-13	50.6	Pass	1411
1000	3000	1	RMS	2869	-48.42	-13	35.42	Pass	2001
3000	10000	1	RMS	9001	-57.8	-13	44.8	Pass	7001






**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	812.4	-63.55	-13	50.55	Pass	7841
814	859	0.1	RMS	843.4	19.81	60	40.19	Pass	451
859	1000	0.1	RMS	871.9	-63.79	-13	50.79	Pass	1411
1000	3000	1	RMS	1686	-48.32	-13	35.32	Pass	2001
3000	10000	1	RMS	3374	-55.75	-13	42.75	Pass	7001




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.73	-13	56.73	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	813.8	-40.2	-13	27.2	Pass	7841
814	859	0.1	RMS	836.8	0.95	60	59.05	Pass	451
859	1000	0.1	RMS	898.1	-63.73	-13	50.73	Pass	1411
1000	3000	1	RMS	2870	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	8906	-57.78	-13	44.78	Pass	7001




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-13	58.02	Pass	2986
30	814	0.1	RMS	812.9	-56.66	-13	43.66	Pass	7841
814	859	0.1	RMS	827	19.71	60	40.29	Pass	451
859	1000	0.1	RMS	900.7	-63.7	-13	50.7	Pass	1411
1000	3000	1	RMS	2868	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	8999	-57.81	-13	44.81	Pass	7001




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	812.1	-63.9	-13	50.9	Pass	7841
814	859	0.1	RMS	845.9	19.84	60	40.16	Pass	451
859	1000	0.1	RMS	880.5	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2869	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	3384	-54.52	-13	41.52	Pass	7001




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	814	-42.18	-13	29.18	Pass	7841
814	859	0.1	RMS	834.5	1.26	60	58.74	Pass	451
859	1000	0.1	RMS	860.8	-63.74	-13	50.74	Pass	1411
1000	3000	1	RMS	2868	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	8996	-57.71	-13	44.71	Pass	7001




**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	57.08	Pass	2986
30	814	0.1	RMS	812.7	-59.46	-13	46.46	Pass	7841
814	859	0.1	RMS	829.5	20.04	60	39.96	Pass	451
859	1000	0.1	RMS	890.9	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2875	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	8998	-57.8	-13	44.8	Pass	7001



**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.18	-71.17	-13	58.17	Pass	2986
30	814	0.1	RMS	742	-64.01	-13	51.01	Pass	7841
814	859	0.1	RMS	848.4	20.15	60	39.85	Pass	451
859	1000	0.1	RMS	889.9	-63.5	-13	50.5	Pass	1411
1000	3000	1	RMS	2870	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	3394	-53.32	-13	40.32	Pass	7001



## 2. n12 15kHz

### 2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.61	-70.75	-13	57.75	Pass	2986
30	689	0.1	RMS	475.8	-64.69	-13	51.69	Pass	6591
689	726	0.1	RMS	699.823	6.04	60	53.96	Pass	401
726	1000	0.1	RMS	990	-63.82	-13	50.82	Pass	2741
1000	3000	1	RMS	2868	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	9006	-57.96	-13	44.96	Pass	7001






**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	56.4	Pass	2986
30	689	0.1	RMS	499.8	-64.71	-13	51.71	Pass	6591
689	726	0.1	RMS	699.36	18.93	60	41.07	Pass	401
726	1000	0.1	RMS	894.8	-63.58	-13	50.58	Pass	2741
1000	3000	1	RMS	2871	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8915	-57.99	-13	44.99	Pass	7001




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	56.69	Pass	2986
30	689	0.1	RMS	659.3	-64.63	-13	51.63	Pass	6591
689	726	0.1	RMS	703.615	18.84	60	41.16	Pass	401
726	1000	0.1	RMS	911.4	-63.77	-13	50.77	Pass	2741
1000	3000	1	RMS	1407	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	8996	-57.9	-13	44.9	Pass	7001




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.61	-70.09	-13	57.09	Pass	2986
30	689	0.1	RMS	468.5	-64.61	-13	51.61	Pass	6591
689	726	0.1	RMS	709.443	6.22	60	53.78	Pass	401
726	1000	0.1	RMS	913.3	-63.84	-13	50.84	Pass	2741
1000	3000	1	RMS	2867	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8904	-58.01	-13	45.01	Pass	7001




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	56.43	Pass	2986
30	689	0.1	RMS	480	-64.78	-13	51.78	Pass	6591
689	726	0.1	RMS	705.373	18.63	60	41.37	Pass	401
726	1000	0.1	RMS	885.7	-63.64	-13	50.64	Pass	2741
1000	3000	1	RMS	1410	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9004	-57.96	-13	44.96	Pass	7001




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	56.88	Pass	2986
30	689	0.1	RMS	485.8	-64.72	-13	51.72	Pass	6591
689	726	0.1	RMS	709.628	19.07	60	40.93	Pass	401
726	1000	0.1	RMS	891.5	-63.74	-13	50.74	Pass	2741
1000	3000	1	RMS	2870	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8993	-57.98	-13	44.98	Pass	7001




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.27	-13	57.27	Pass	401
0.15	30	0.01	RMS	0.61	-71.04	-13	58.04	Pass	2986
30	689	0.1	RMS	481.8	-64.63	-13	51.63	Pass	6591
689	726	0.1	RMS	712.125	6.01	60	53.99	Pass	401
726	1000	0.1	RMS	887.1	-63.58	-13	50.58	Pass	2741
1000	3000	1	RMS	2869	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8988	-58	-13	45	Pass	7001




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	57.2	Pass	2986
30	689	0.1	RMS	480.9	-64.76	-13	51.76	Pass	6591
689	726	0.1	RMS	711.293	18.76	60	41.24	Pass	401
726	1000	0.1	RMS	887.3	-63.76	-13	50.76	Pass	2741
1000	3000	1	RMS	2869	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8989	-57.93	-13	44.93	Pass	7001



**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	56.69	Pass	2986
30	689	0.1	RMS	478	-64.68	-13	51.68	Pass	6591
689	726	0.1	RMS	715.64	19.04	60	40.96	Pass	401
726	1000	0.1	RMS	997.6	-63.78	-13	50.78	Pass	2741
1000	3000	1	RMS	1431	-44.88	-13	31.88	Pass	2001
3000	10000	1	RMS	8974	-58.01	-13	45.01	Pass	7001






**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.61	-70.04	-13	57.04	Pass	2986
30	689	0.1	RMS	689	-63	-13	50	Pass	6591
689	726	0.1	RMS	700.378	2.89	60	57.11	Pass	401
726	1000	0.1	RMS	885.3	-63.68	-13	50.68	Pass	2741
1000	3000	1	RMS	2872	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8993	-57.93	-13	44.93	Pass	7001




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.61	-13	55.61	Pass	401
0.15	30	0.01	RMS	0.15	-69.11	-13	56.11	Pass	2986
30	689	0.1	RMS	476.4	-64.67	-13	51.67	Pass	6591
689	726	0.1	RMS	699.36	18.78	60	41.22	Pass	401
726	1000	0.1	RMS	893.4	-63.62	-13	50.62	Pass	2741
1000	3000	1	RMS	2868	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8903	-57.99	-13	44.99	Pass	7001




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	56.69	Pass	2986
30	689	0.1	RMS	483.6	-64.71	-13	51.71	Pass	6591
689	726	0.1	RMS	708.61	18.92	60	41.08	Pass	401
726	1000	0.1	RMS	899.8	-63.75	-13	50.75	Pass	2741
1000	3000	1	RMS	2869	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8922	-57.99	-13	44.99	Pass	7001




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	57.78	Pass	2986
30	689	0.1	RMS	688.2	-63.98	-13	50.98	Pass	6591
689	726	0.1	RMS	709.813	3.18	60	56.82	Pass	401
726	1000	0.1	RMS	889.5	-63.62	-13	50.62	Pass	2741
1000	3000	1	RMS	2873	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8988	-57.93	-13	44.93	Pass	7001




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.04	-13	56.04	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	56.52	Pass	2986
30	689	0.1	RMS	490.5	-64.78	-13	51.78	Pass	6591
689	726	0.1	RMS	702.875	19.01	60	40.99	Pass	401
726	1000	0.1	RMS	895.5	-63.6	-13	50.6	Pass	2741
1000	3000	1	RMS	1405	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	8987	-57.98	-13	44.98	Pass	7001




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.15	-70	-13	57	Pass	2986
30	689	0.1	RMS	476.2	-64.71	-13	51.71	Pass	6591
689	726	0.1	RMS	712.033	18.52	60	41.48	Pass	401
726	1000	0.1	RMS	899	-63.75	-13	50.75	Pass	2741
1000	3000	1	RMS	2870	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	9002	-57.96	-13	44.96	Pass	7001




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.61	-70.57	-13	57.57	Pass	2986
30	689	0.1	RMS	479.4	-64.76	-13	51.76	Pass	6591
689	726	0.1	RMS	709.998	2.82	60	57.18	Pass	401
726	1000	0.1	RMS	992.2	-63.67	-13	50.67	Pass	2741
1000	3000	1	RMS	2868	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8906	-57.99	-13	44.99	Pass	7001



**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-13	55.61	Pass	2986
30	689	0.1	RMS	470.3	-64.74	-13	51.74	Pass	6591
689	726	0.1	RMS	706.39	19.13	60	40.87	Pass	401
726	1000	0.1	RMS	886.8	-63.47	-13	50.47	Pass	2741
1000	3000	1	RMS	1412	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	8971	-57.99	-13	44.99	Pass	7001






**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.61	-70.23	-13	57.23	Pass	2986
30	689	0.1	RMS	470.3	-64.67	-13	51.67	Pass	6591
689	726	0.1	RMS	715.548	18.79	60	41.21	Pass	401
726	1000	0.1	RMS	895.5	-63.81	-13	50.81	Pass	2741
1000	3000	1	RMS	1431	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	8974	-57.96	-13	44.96	Pass	7001




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.61	-69.89	-13	56.89	Pass	2986
30	689	0.1	RMS	688.9	-60.54	-13	47.54	Pass	6591
689	726	0.1	RMS	710.183	1.42	60	58.58	Pass	401
726	1000	0.1	RMS	899.8	-63.83	-13	50.83	Pass	2741
1000	3000	1	RMS	2870	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8907	-57.95	-13	44.95	Pass	7001




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	0.15	-70.06	-13	57.06	Pass	2986
30	689	0.1	RMS	471.9	-64.56	-13	51.56	Pass	6591
689	726	0.1	RMS	699.453	19.24	60	40.76	Pass	401
726	1000	0.1	RMS	884.9	-63.81	-13	50.81	Pass	2741
1000	3000	1	RMS	2871	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8902	-57.94	-13	44.94	Pass	7001




**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.15	-69.9	-13	56.9	Pass	2986
30	689	0.1	RMS	482.8	-64.77	-13	51.77	Pass	6591
689	726	0.1	RMS	713.513	19.22	60	40.78	Pass	401
726	1000	0.1	RMS	995.5	-63.7	-13	50.7	Pass	2741
1000	3000	1	RMS	1427	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	8907	-57.98	-13	44.98	Pass	7001




**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.92	-13	57.92	Pass	401
0.15	30	0.01	RMS	0.61	-69.87	-13	56.87	Pass	2986
30	689	0.1	RMS	688.9	-61.62	-13	48.62	Pass	6591
689	726	0.1	RMS	710.553	1.3	60	58.7	Pass	401
726	1000	0.1	RMS	920.1	-63.78	-13	50.78	Pass	2741
1000	3000	1	RMS	2874	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8902	-57.97	-13	44.97	Pass	7001




**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.61	-13	55.61	Pass	401
0.15	30	0.01	RMS	0.15	-69.73	-13	56.73	Pass	2986
30	689	0.1	RMS	471	-64.68	-13	51.68	Pass	6591
689	726	0.1	RMS	700.47	19.46	60	40.54	Pass	401
726	1000	0.1	RMS	905.7	-63.71	-13	50.71	Pass	2741
1000	3000	1	RMS	1400	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	8996	-58.01	-13	45.01	Pass	7001




**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.4	-13	56.4	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-13	56.89	Pass	2986
30	689	0.1	RMS	482.3	-64.72	-13	51.72	Pass	6591
689	726	0.1	RMS	714.53	19.16	60	40.84	Pass	401
726	1000	0.1	RMS	895.5	-63.67	-13	50.67	Pass	2741
1000	3000	1	RMS	1429	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	8928	-57.98	-13	44.98	Pass	7001



**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.93	-13	57.93	Pass	401
0.15	30	0.01	RMS	0.61	-70.36	-13	57.36	Pass	2986
30	689	0.1	RMS	688.4	-62.61	-13	49.61	Pass	6591
689	726	0.1	RMS	712.495	1.33	60	58.67	Pass	401
726	1000	0.1	RMS	984.2	-63.73	-13	50.73	Pass	2741
1000	3000	1	RMS	2871	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8892	-57.99	-13	44.99	Pass	7001






**2.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-13	56.64	Pass	2986
30	689	0.1	RMS	461.4	-64.76	-13	51.76	Pass	6591
689	726	0.1	RMS	701.488	19.23	60	40.77	Pass	401
726	1000	0.1	RMS	896.1	-63.68	-13	50.68	Pass	2741
1000	3000	1	RMS	1402	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	8908	-58.04	-13	45.04	Pass	7001



**2.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	56.69	Pass	2986
30	689	0.1	RMS	478.5	-64.73	-13	51.73	Pass	6591
689	726	0.1	RMS	715.548	18.76	60	41.24	Pass	401
726	1000	0.1	RMS	885.2	-63.76	-13	50.76	Pass	2741
1000	3000	1	RMS	1431	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	8912	-58.02	-13	45.02	Pass	7001



### 3. n26 15kHz(824-849)


3.1. Spurious Emission at Antenna Terminals for  
 SA\_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,  
 OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	58.16	Pass	2986
30	814	0.1	RMS	813.9	-55.68	-13	42.68	Pass	7841
814	859	0.1	RMS	825.1	5.41	60	54.59	Pass	451
859	1000	0.1	RMS	896	-63.8	-13	50.8	Pass	1411
1000	3000	1	RMS	2867	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8901	-57.91	-13	44.91	Pass	7001




**3.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	2986
30	814	0.1	RMS	810.3	-59.95	-13	46.95	Pass	7841
814	859	0.1	RMS	824.3	18.5	60	41.5	Pass	451
859	1000	0.1	RMS	885.2	-63.96	-13	50.96	Pass	1411
1000	3000	1	RMS	2872	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	9000	-57.96	-13	44.96	Pass	7001




**3.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.21	-71.13	-13	58.13	Pass	2986
30	814	0.1	RMS	811.8	-61.15	-13	48.15	Pass	7841
814	859	0.1	RMS	828.6	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	982.4	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2868	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	9000	-57.99	-13	44.99	Pass	7001




**3.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.2	-70.6	-13	57.6	Pass	2986
30	814	0.1	RMS	746	-64.26	-13	51.26	Pass	7841
814	859	0.1	RMS	837.9	5.53	60	54.47	Pass	451
859	1000	0.1	RMS	883	-63.87	-13	50.87	Pass	1411
1000	3000	1	RMS	2871	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8909	-57.95	-13	44.95	Pass	7001




**3.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.2	-71.34	-13	58.34	Pass	2986
30	814	0.1	RMS	745.5	-64.15	-13	51.15	Pass	7841
814	859	0.1	RMS	834.3	18.46	60	41.54	Pass	451
859	1000	0.1	RMS	883.2	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2865	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	8990	-58.01	-13	45.01	Pass	7001



**3.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	736.2	-64.33	-13	51.33	Pass	7841
814	859	0.1	RMS	838.6	18.08	60	41.92	Pass	451
859	1000	0.1	RMS	888.2	-63.83	-13	50.83	Pass	1411
1000	3000	1	RMS	2872	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8907	-57.97	-13	44.97	Pass	7001






**3.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.25	-71.19	-13	58.19	Pass	2986
30	814	0.1	RMS	747.2	-64.14	-13	51.14	Pass	7841
814	859	0.1	RMS	845.1	5.62	60	54.38	Pass	451
859	1000	0.1	RMS	886.9	-63.87	-13	50.87	Pass	1411
1000	3000	1	RMS	2872	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8902	-58.02	-13	45.02	Pass	7001




**3.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.18	-71.09	-13	58.09	Pass	2986
30	814	0.1	RMS	743.6	-64.29	-13	51.29	Pass	7841
814	859	0.1	RMS	844.3	18.55	60	41.45	Pass	451
859	1000	0.1	RMS	899.2	-63.95	-13	50.95	Pass	1411
1000	3000	1	RMS	2869	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8907	-57.98	-13	44.98	Pass	7001




**3.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	810.2	-64.04	-13	51.04	Pass	7841
814	859	0.1	RMS	848.6	18.15	60	41.85	Pass	451
859	1000	0.1	RMS	877.9	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2871	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	3395	-57.73	-13	44.73	Pass	7001




**3.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.22	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	813.9	-41.88	-13	28.88	Pass	7841
814	859	0.1	RMS	835.6	0.53	60	59.47	Pass	451
859	1000	0.1	RMS	897.2	-63.89	-13	50.89	Pass	1411
1000	3000	1	RMS	2868	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8888	-57.97	-13	44.97	Pass	7001




**3.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	814	0.1	RMS	810.4	-59.71	-13	46.71	Pass	7841
814	859	0.1	RMS	824.5	18.72	60	41.28	Pass	451
859	1000	0.1	RMS	899.4	-63.93	-13	50.93	Pass	1411
1000	3000	1	RMS	2875	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8998	-58.01	-13	45.01	Pass	7001




**3.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.19	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	744.6	-64.02	-13	51.02	Pass	7841
814	859	0.1	RMS	838.5	18.89	60	41.11	Pass	451
859	1000	0.1	RMS	888.5	-63.94	-13	50.94	Pass	1411
1000	3000	1	RMS	2873	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	8901	-58.04	-13	45.04	Pass	7001




**3.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.22	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	813.8	-46.27	-13	33.27	Pass	7841
814	859	0.1	RMS	832.3	0.71	60	59.29	Pass	451
859	1000	0.1	RMS	893.8	-63.84	-13	50.84	Pass	1411
1000	3000	1	RMS	2866	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8902	-57.99	-13	44.99	Pass	7001



**3.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.25	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	812.6	-60.8	-13	47.8	Pass	7841
814	859	0.1	RMS	829.5	18.63	60	41.37	Pass	451
859	1000	0.1	RMS	895.9	-63.95	-13	50.95	Pass	1411
1000	3000	1	RMS	2869	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8908	-57.96	-13	44.96	Pass	7001






**3.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-13	58.21	Pass	2986
30	814	0.1	RMS	750.2	-64.26	-13	51.26	Pass	7841
814	859	0.1	RMS	843.5	18.75	60	41.25	Pass	451
859	1000	0.1	RMS	881.2	-63.98	-13	50.98	Pass	1411
1000	3000	1	RMS	2868	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8913	-57.97	-13	44.97	Pass	7001




**3.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	814	0.1	RMS	813.6	-49.59	-13	36.59	Pass	7841
814	859	0.1	RMS	837.4	0.52	60	59.48	Pass	451
859	1000	0.1	RMS	900.3	-63.86	-13	50.86	Pass	1411
1000	3000	1	RMS	2869	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8997	-57.99	-13	44.99	Pass	7001




**3.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.22	-70.91	-13	57.91	Pass	2986
30	814	0.1	RMS	741.5	-64.16	-13	51.16	Pass	7841
814	859	0.1	RMS	834.5	18.62	60	41.38	Pass	451
859	1000	0.1	RMS	871.3	-63.91	-13	50.91	Pass	1411
1000	3000	1	RMS	2871	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8997	-57.98	-13	44.98	Pass	7001




**3.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	744.7	-64.28	-13	51.28	Pass	7841
814	859	0.1	RMS	848.5	18.85	60	41.15	Pass	451
859	1000	0.1	RMS	1000	-63.93	-13	50.93	Pass	1411
1000	3000	1	RMS	2871	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	3394	-56.56	-13	43.56	Pass	7001




**3.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-13	58.34	Pass	2986
30	814	0.1	RMS	813.9	-39.91	-13	26.91	Pass	7841
814	859	0.1	RMS	834.2	-0.45	60	60.45	Pass	451
859	1000	0.1	RMS	890.9	-63.97	-13	50.97	Pass	1411
1000	3000	1	RMS	2869	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8900	-58	-13	45	Pass	7001




**3.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.17	-70.92	-13	57.92	Pass	2986
30	814	0.1	RMS	810.5	-58.98	-13	45.98	Pass	7841
814	859	0.1	RMS	824.5	18.5	60	41.5	Pass	451
859	1000	0.1	RMS	897.1	-63.98	-13	50.98	Pass	1411
1000	3000	1	RMS	2870	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8902	-58	-13	45	Pass	7001




**3.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	814	0.1	RMS	746.4	-64.27	-13	51.27	Pass	7841
814	859	0.1	RMS	843.4	18.48	60	41.52	Pass	451
859	1000	0.1	RMS	894.2	-63.91	-13	50.91	Pass	1411
1000	3000	1	RMS	2870	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	9001	-58.03	-13	45.03	Pass	7001



**3.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.2	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.5	-41.8	-13	28.8	Pass	7841
814	859	0.1	RMS	832.2	-0.63	60	60.63	Pass	451
859	1000	0.1	RMS	873.5	-63.91	-13	50.91	Pass	1411
1000	3000	1	RMS	2873	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8902	-57.91	-13	44.91	Pass	7001






**3.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	814	0.1	RMS	813	-58.62	-13	45.62	Pass	7841
814	859	0.1	RMS	827	18.42	60	41.58	Pass	451
859	1000	0.1	RMS	884	-63.97	-13	50.97	Pass	1411
1000	3000	1	RMS	2872	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8986	-57.96	-13	44.96	Pass	7001




**3.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.19	-71.2	-13	58.2	Pass	2986
30	814	0.1	RMS	738.6	-64.19	-13	51.19	Pass	7841
814	859	0.1	RMS	845.9	18.38	60	41.62	Pass	451
859	1000	0.1	RMS	898.8	-63.93	-13	50.93	Pass	1411
1000	3000	1	RMS	2869	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8998	-57.95	-13	44.95	Pass	7001




**3.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	58.42	Pass	2986
30	814	0.1	RMS	814	-43.53	-13	30.53	Pass	7841
814	859	0.1	RMS	833.1	-0.58	60	60.58	Pass	451
859	1000	0.1	RMS	989.3	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2869	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8989	-58	-13	45	Pass	7001




**3.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	812.7	-60.6	-13	47.6	Pass	7841
814	859	0.1	RMS	829.5	18.42	60	41.58	Pass	451
859	1000	0.1	RMS	887.7	-63.81	-13	50.81	Pass	1411
1000	3000	1	RMS	2868	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8990	-57.98	-13	44.98	Pass	7001



**3.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	58.02	Pass	2986
30	814	0.1	RMS	739.2	-64.14	-13	51.14	Pass	7841
814	859	0.1	RMS	848.4	18.42	60	41.58	Pass	451
859	1000	0.1	RMS	989.7	-63.87	-13	50.87	Pass	1411
1000	3000	1	RMS	2867	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	3394	-56.61	-13	43.61	Pass	7001




## **Annex C. Spurious Emission at Antenna Terminals for SA\_Part22-24-27**

### 3. n66


#### 3.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	912.642	-64.01	-13	51.01	Pass	9701
1000	1700	1	RMS	1700	-49.49	-13	36.49	Pass	701
1700	1790	1	RMS	1711.025	16.35	60	43.65	Pass	401
1790	3000	1	RMS	2875	-48.94	-13	35.94	Pass	1211
3000	7000	1	RMS	6930	-61.62	-13	48.62	Pass	4001
7000	20000	1	RMS	18278	-49.85	-13	36.85	Pass	13002



**3.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	905.237	-64.09	-13	51.09	Pass	9701
1000	1700	1	RMS	1700	-52.41	-13	39.41	Pass	701
1700	1790	1	RMS	1710.125	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2865	-48.92	-13	35.92	Pass	1211
3000	7000	1	RMS	6924	-61.6	-13	48.6	Pass	4001
7000	20000	1	RMS	18302	-49.86	-13	36.86	Pass	13002






**3.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	909.94	-63.9	-13	50.9	Pass	9701
1000	1700	1	RMS	1700	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1714.625	22.28	60	37.72	Pass	401
1790	3000	1	RMS	2871	-48.99	-13	35.99	Pass	1211
3000	7000	1	RMS	6859	-61.55	-13	48.55	Pass	4001
7000	20000	1	RMS	18280	-49.88	-13	36.88	Pass	13002




**3.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	0.2	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	890.327	-63.97	-13	50.97	Pass	9701
1000	1700	1	RMS	1696	-52.89	-13	39.89	Pass	701
1700	1790	1	RMS	1743.65	16.86	60	43.14	Pass	401
1790	3000	1	RMS	2864	-48.92	-13	35.92	Pass	1211
3000	7000	1	RMS	6935	-61.57	-13	48.57	Pass	4001
7000	20000	1	RMS	18294	-49.84	-13	36.84	Pass	13002




**3.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.67	-13	56.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	889.627	-63.42	-13	50.42	Pass	9701
1000	1700	1	RMS	1698	-52.66	-13	39.66	Pass	701
1700	1790	1	RMS	1742.75	22.9	60	37.1	Pass	401
1790	3000	1	RMS	2869	-48.91	-13	35.91	Pass	1211
3000	7000	1	RMS	6883	-61.61	-13	48.61	Pass	4001
7000	20000	1	RMS	18237	-49.88	-13	36.88	Pass	13002




**3.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	884.323	-64.05	-13	51.05	Pass	9701
1000	1700	1	RMS	1699	-52.81	-13	39.81	Pass	701
1700	1790	1	RMS	1747.025	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2869	-48.91	-13	35.91	Pass	1211
3000	7000	1	RMS	6926	-61.52	-13	48.52	Pass	4001
7000	20000	1	RMS	19908	-49.88	-13	36.88	Pass	13002




**3.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.2	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	894.23	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1699	-52.89	-13	39.89	Pass	701
1700	1790	1	RMS	1776.05	16.54	60	43.46	Pass	401
1790	3000	1	RMS	2876	-48.97	-13	35.97	Pass	1211
3000	7000	1	RMS	6928	-61.5	-13	48.5	Pass	4001
7000	20000	1	RMS	18301	-49.88	-13	36.88	Pass	13002




**3.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-13	57.28	Pass	401
0.15	30	0.01	RMS	0.18	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	877.419	-63.98	-13	50.98	Pass	9701
1000	1700	1	RMS	1699	-52.86	-13	39.86	Pass	701
1700	1790	1	RMS	1775.15	22.79	60	37.21	Pass	401
1790	3000	1	RMS	2868	-48.92	-13	35.92	Pass	1211
3000	7000	1	RMS	6932	-61.57	-13	48.57	Pass	4001
7000	20000	1	RMS	19912	-49.78	-13	36.78	Pass	13002




**3.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	884.423	-64.1	-13	51.1	Pass	9701
1000	1700	1	RMS	1696	-52.9	-13	39.9	Pass	701
1700	1790	1	RMS	1779.65	22.58	60	37.42	Pass	401
1790	3000	1	RMS	2868	-48.92	-13	35.92	Pass	1211
3000	7000	1	RMS	6927	-61.55	-13	48.55	Pass	4001
7000	20000	1	RMS	19901	-49.81	-13	36.81	Pass	13002



**3.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.3	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	868.613	-64.02	-13	51.02	Pass	9701
1000	1700	1	RMS	1700	-34.36	-13	21.36	Pass	701
1700	1790	1	RMS	1711.475	10.39	60	49.61	Pass	401
1790	3000	1	RMS	2866	-48.92	-13	35.92	Pass	1211
3000	7000	1	RMS	6932	-61.53	-13	48.53	Pass	4001
7000	20000	1	RMS	18267	-49.84	-13	36.84	Pass	13002






**3.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	893.529	-62.49	-13	49.49	Pass	9701
1000	1700	1	RMS	1700	-51.34	-13	38.34	Pass	701
1700	1790	1	RMS	1710.35	22.89	60	37.11	Pass	401
1790	3000	1	RMS	2870	-48.95	-13	35.95	Pass	1211
3000	7000	1	RMS	6842	-61.51	-13	48.51	Pass	4001
7000	20000	1	RMS	18292	-49.83	-13	36.83	Pass	13002




**3.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	890.127	-61.99	-13	48.99	Pass	9701
1000	1700	1	RMS	1700	-52.62	-13	39.62	Pass	701
1700	1790	1	RMS	1729.25	22.04	60	37.96	Pass	401
1790	3000	1	RMS	2872	-48.96	-13	35.96	Pass	1211
3000	7000	1	RMS	6918	-61.06	-13	48.06	Pass	4001
7000	20000	1	RMS	19895	-49.81	-13	36.81	Pass	13002




**3.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	909.04	-63.87	-13	50.87	Pass	9701
1000	1700	1	RMS	1700	-51.37	-13	38.37	Pass	701
1700	1790	1	RMS	1740.5	10.83	60	49.17	Pass	401
1790	3000	1	RMS	2870	-48.95	-13	35.95	Pass	1211
3000	7000	1	RMS	6934	-61.57	-13	48.57	Pass	4001
7000	20000	1	RMS	18285	-49.81	-13	36.81	Pass	13002




**3.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	997.899	-64.06	-13	51.06	Pass	9701
1000	1700	1	RMS	1697	-52.89	-13	39.89	Pass	701
1700	1790	1	RMS	1735.325	22.9	60	37.1	Pass	401
1790	3000	1	RMS	2867	-48.94	-13	35.94	Pass	1211
3000	7000	1	RMS	6942	-61.12	-13	48.12	Pass	4001
7000	20000	1	RMS	19914	-49.81	-13	36.81	Pass	13002




**3.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	976.584	-64.13	-13	51.13	Pass	9701
1000	1700	1	RMS	1700	-52.92	-13	39.92	Pass	701
1700	1790	1	RMS	1754.225	22.83	60	37.17	Pass	401
1790	3000	1	RMS	2865	-48.97	-13	35.97	Pass	1211
3000	7000	1	RMS	6931	-61.57	-13	48.57	Pass	4001
7000	20000	1	RMS	18296	-49.86	-13	36.86	Pass	13002




**3.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.23	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	897.532	-58.15	-13	45.15	Pass	9701
1000	1700	1	RMS	1700	-52.67	-13	39.67	Pass	701
1700	1790	1	RMS	1775.15	10.47	60	49.53	Pass	401
1790	3000	1	RMS	1790	-34.39	-13	21.39	Pass	1211
3000	7000	1	RMS	6924	-61.55	-13	48.55	Pass	4001
7000	20000	1	RMS	19899	-49.8	-13	36.8	Pass	13002




**3.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.18	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	894.53	-63.94	-13	50.94	Pass	9701
1000	1700	1	RMS	1696	-52.92	-13	39.92	Pass	701
1700	1790	1	RMS	1760.525	22.58	60	37.42	Pass	401
1790	3000	1	RMS	2868	-48.96	-13	35.96	Pass	1211
3000	7000	1	RMS	6928	-61.55	-13	48.55	Pass	4001
7000	20000	1	RMS	19904	-49.8	-13	36.8	Pass	13002



**3.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	886.325	-64.09	-13	51.09	Pass	9701
1000	1700	1	RMS	1699	-52.93	-13	39.93	Pass	701
1700	1790	1	RMS	1779.425	22.62	60	37.38	Pass	401
1790	3000	1	RMS	2877	-48.94	-13	35.94	Pass	1211
3000	7000	1	RMS	6921	-61.56	-13	48.56	Pass	4001
7000	20000	1	RMS	19898	-49.83	-13	36.83	Pass	13002






**3.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	904.437	-63.9	-13	50.9	Pass	9701
1000	1700	1	RMS	1700	-34.57	-13	21.57	Pass	701
1700	1790	1	RMS	1744.325	7.95	60	52.05	Pass	401
1790	3000	1	RMS	1790	-42.31	-13	29.31	Pass	1211
3000	7000	1	RMS	6938	-61.55	-13	48.55	Pass	4001
7000	20000	1	RMS	19914	-49.88	-13	36.88	Pass	13002




**3.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.19	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	890.327	-63.98	-13	50.98	Pass	9701
1000	1700	1	RMS	1700	-51.34	-13	38.34	Pass	701
1700	1790	1	RMS	1710.575	22.49	60	37.51	Pass	401
1790	3000	1	RMS	2865	-48.94	-13	35.94	Pass	1211
3000	7000	1	RMS	6925	-61.52	-13	48.52	Pass	4001
7000	20000	1	RMS	18280	-49.84	-13	36.84	Pass	13002




**3.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	894.63	-64	-13	51	Pass	9701
1000	1700	1	RMS	1700	-52.64	-13	39.64	Pass	701
1700	1790	1	RMS	1749.275	22.91	60	37.09	Pass	401
1790	3000	1	RMS	2869	-48.98	-13	35.98	Pass	1211
3000	7000	1	RMS	6931	-61.56	-13	48.56	Pass	4001
7000	20000	1	RMS	18278	-49.86	-13	36.86	Pass	13002




**3.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	894.03	-64.07	-13	51.07	Pass	9701
1000	1700	1	RMS	1700	-40.76	-13	27.76	Pass	701
1700	1790	1	RMS	1743.2	7.8	60	52.2	Pass	401
1790	3000	1	RMS	1790	-38.67	-13	25.67	Pass	1211
3000	7000	1	RMS	6932	-61.59	-13	48.59	Pass	4001
7000	20000	1	RMS	18280	-49.84	-13	36.84	Pass	13002




**3.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	889.026	-63.83	-13	50.83	Pass	9701
1000	1700	1	RMS	1700	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1725.425	21.56	60	38.44	Pass	401
1790	3000	1	RMS	2867	-49	-13	36	Pass	1211
3000	7000	1	RMS	6903	-61.31	-13	48.31	Pass	4001
7000	20000	1	RMS	19920	-49.83	-13	36.83	Pass	13002




**3.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.19	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	891.128	-63.91	-13	50.91	Pass	9701
1000	1700	1	RMS	1700	-52.81	-13	39.81	Pass	701
1700	1790	1	RMS	1764.125	21.98	60	38.02	Pass	401
1790	3000	1	RMS	2870	-48.96	-13	35.96	Pass	1211
3000	7000	1	RMS	6928	-61.51	-13	48.51	Pass	4001
7000	20000	1	RMS	19899	-49.82	-13	36.82	Pass	13002




**3.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.19	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	887.225	-63.95	-13	50.95	Pass	9701
1000	1700	1	RMS	1700	-44.8	-13	31.8	Pass	701
1700	1790	1	RMS	1744.1	8.17	60	51.83	Pass	401
1790	3000	1	RMS	1790	-35.2	-13	22.2	Pass	1211
3000	7000	1	RMS	6935	-61.58	-13	48.58	Pass	4001
7000	20000	1	RMS	18240	-49.84	-13	36.84	Pass	13002



**3.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.18	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	878.019	-63.94	-13	50.94	Pass	9701
1000	1700	1	RMS	1698	-52.74	-13	39.74	Pass	701
1700	1790	1	RMS	1740.5	23.13	60	36.87	Pass	401
1790	3000	1	RMS	2868	-48.93	-13	35.93	Pass	1211
3000	7000	1	RMS	6931	-61.56	-13	48.56	Pass	4001
7000	20000	1	RMS	18284	-49.87	-13	36.87	Pass	13002





**3.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	0.17	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	893.73	-64.01	-13	51.01	Pass	9701
1000	1700	1	RMS	1699	-52.9	-13	39.9	Pass	701
1700	1790	1	RMS	1779.2	22.17	60	37.83	Pass	401
1790	3000	1	RMS	2870	-48.95	-13	35.95	Pass	1211
3000	7000	1	RMS	6890	-61.57	-13	48.57	Pass	4001
7000	20000	1	RMS	18271	-49.8	-13	36.8	Pass	13002



## 4. n38\_PC3

### 4.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.41	-25	42.41	Pass	401
0.15	30	0.01	RMS	0.15	-69.33	-25	44.33	Pass	2986
30	1000	0.1	RMS	907.239	-61.72	-25	36.72	Pass	9701
1000	2560	1	RMS	2560	-41.82	-25	16.82	Pass	1561
2560	2630	1	RMS	2571.725	12.69	60	47.31	Pass	401
2630	3000	1	RMS	2872.35	-48.88	-25	23.88	Pass	401
3000	7000	1	RMS	6908	-61.27	-25	36.27	Pass	4001
7000	26500	1	RMS	25192	-45.02	-25	20.02	Pass	19503



**4.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.58	-25	38.58	Pass	401
0.15	30	0.01	RMS	0.25	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	821.9	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2532	-49.62	-25	24.62	Pass	1561
2560	2630	1	RMS	2570.85	21.48	60	38.52	Pass	401
2630	3000	1	RMS	2865.875	-48.92	-25	23.92	Pass	401
3000	7000	1	RMS	5142	-61.01	-25	36.01	Pass	4001
7000	26500	1	RMS	25206	-44.78	-25	19.78	Pass	19503

