



Radiated Emissions (Below 1GHz)

11n40_Channel 03



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	33.6375	50.03	-33.97	18.16	34.23	40.00	5.77	Horizontal
2	70.0125	53.26	-33.42	16.20	36.04	40.00	3.96	Horizontal
3	76.3175	53.22	-33.37	15.26	35.11	40.00	4.89	Horizontal
4	85.5325	53.24	-33.30	14.48	34.42	40.00	5.58	Horizontal
5	172.8325	40.36	-32.41	18.27	26.22	43.50	17.28	Horizontal
6	202.9025	46.98	-32.23	15.33	30.08	43.50	13.42	Horizontal


11n40_Channel 03



Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity
1	31.94	51.33	-34.00	18.11	35.44	40.00	4.56	Vertical
2	36.0625	49.68	-33.93	18.31	34.07	40.00	5.93	Vertical
3	42.125	48.24	-33.82	18.71	33.13	40.00	6.87	Vertical
4	59.3425	50.06	-33.56	17.57	34.06	40.00	5.94	Vertical
5	72.68	53.29	-33.40	16.00	35.89	40.00	4.11	Vertical
6	81.6525	54.38	-33.33	14.53	35.58	40.00	4.42	Vertical

Radiated Emissions (Above 1GHz)


802.11b_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	48.84	31.12	-45.54	34.42	74.00	39.58	Horizontal
2	8041.5	49.47	37.08	-41.94	44.61	74.00	29.39	Horizontal
3	10813.5	53.85	38.58	-38.50	53.93	74.00	20.07	Horizontal
4	10813.875	52.47	38.58	-38.50	52.55	54.00	1.45	Horizontal


802.11b_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	47.31	31.12	-45.54	32.89	74.00	41.11	Vertical
2	7991.625	49.95	37.09	-42.39	44.65	74.00	29.35	Vertical
3	10813.5	50.86	38.58	-38.50	50.94	74.00	23.06	Vertical
4	10813.875	49.42	38.58	-38.50	49.50	54.00	4.50	Vertical

802.11b_Channel 06




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	49.91	31.20	-45.53	35.58	54.00	18.42	Horizontal
2	7311.0000	49.01	35.87	-43.71	41.17	54.00	12.83	Horizontal
3	10813.5	52.07	38.58	-38.50	52.15	74.00	21.85	Horizontal
4	10813.875	50.37	38.58	-38.50	50.45	54.00	3.55	Horizontal




802.11b_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.72	31.20	-45.53	34.39	54.00	19.61	Vertical
2	7311.0000	46.93	35.87	-43.71	39.09	54.00	14.91	Vertical
3	10813.5	49.54	38.58	-38.50	49.62	74.00	24.38	Vertical
4	10813.875	47.77	38.58	-38.50	47.85	54.00	6.15	Vertical


802.11b_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	50.15	31.28	-45.56	35.87	74.00	38.13	Horizontal
2	7386.0000	48.20	36.08	-43.46	40.82	74.00	33.18	Horizontal
3	10813.5	50.97	38.58	-38.50	51.05	74.00	22.95	Horizontal
4	10813.875	49.35	38.58	-38.50	49.43	54.00	4.57	Horizontal


802.11b_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	49.16	31.28	-45.56	34.88	54.00	19.12	Vertical
2	7386.0000	49.53	36.08	-43.46	42.15	54.00	11.85	Vertical
3	10813.5	49.84	38.58	-38.50	49.92	74.00	24.08	Vertical
4	10813.875	47.29	38.58	-38.50	47.37	54.00	6.63	Vertical


802.11g_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	48.11	31.12	-45.54	33.69	74.00	40.31	Horizontal
2	8019	50.65	37.09	-42.16	45.58	74.00	28.42	Horizontal
3	10813.5	51.46	38.58	-38.50	51.54	74.00	22.46	Horizontal
4	10813.875	49.44	38.58	-38.50	49.52	54.00	4.48	Horizontal


802.11g_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	47.83	31.12	-45.54	33.41	74.00	40.59	Vertical
2	7983.75	51.39	37.08	-42.43	46.04	74.00	27.96	Vertical
3	10813.5	49.05	38.58	-38.50	49.13	74.00	24.87	Vertical
4	10813.875	47.15	38.58	-38.50	47.23	54.00	6.77	Vertical


802.11g_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.46	31.20	-45.53	34.13	74.00	39.87	Horizontal
2	7311.0000	48.05	35.87	-43.71	40.21	74.00	33.79	Horizontal
3	10813.5	51.49	38.58	-38.50	51.57	74.00	22.43	Horizontal
4	10813.875	50.09	38.58	-38.50	50.17	54.00	3.83	Horizontal


802.11g_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.97	31.20	-45.53	34.64	74.00	39.36	Vertical
2	7311.0000	47.50	35.87	-43.71	39.66	74.00	34.34	Vertical
3	10813.5	49.91	38.58	-38.50	49.99	74.00	24.01	Vertical
4	10813.875	48.03	38.58	-38.50	48.11	54.00	5.89	Vertical


802.11g_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	48.64	31.28	-45.56	34.36	74.00	39.64	Horizontal
2	7386.0000	47.32	36.08	-43.46	39.94	74.00	34.06	Horizontal
3	10813.5	51.93	38.58	-38.50	52.01	74.00	21.99	Horizontal
4	10813.875	49.90	38.58	-38.50	49.98	54.00	4.02	Horizontal


802.11g_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	50.21	31.28	-45.56	35.93	74.00	38.07	Vertical
2	7386.0000	48.91	36.08	-43.46	41.53	74.00	32.47	Vertical
3	10813.5	49.85	38.58	-38.50	49.93	74.00	24.07	Vertical
4	10813.875	47.84	38.58	-38.50	47.92	54.00	6.08	Vertical


802.11n20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	49.12	31.12	-45.54	34.70	74.00	39.30	Horizontal
2	7236.0000	47.50	35.66	-43.54	39.62	74.00	34.38	Horizontal
3	10813.5	51.25	38.58	-38.50	51.33	74.00	22.67	Horizontal
4	10813.875	49.61	38.58	-38.50	49.69	54.00	4.31	Horizontal


802.11n20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	48.03	31.12	-45.54	33.61	74.00	40.39	Vertical
2	7236.0000	48.34	35.66	-43.54	40.46	74.00	33.54	Vertical
3	10813.5	49.46	38.58	-38.50	49.54	74.00	24.46	Vertical
4	10813.875	47.98	38.58	-38.50	48.06	54.00	5.94	Vertical

802.11n20_Channel 06




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	50.07	31.20	-45.53	35.74	74.00	38.26	Horizontal
2	7311.0000	46.90	35.87	-43.71	39.06	74.00	34.94	Horizontal
3	10813.5	51.41	38.58	-38.50	51.49	74.00	22.51	Horizontal
4	10813.875	48.91	38.58	-38.50	48.99	54.00	5.01	Horizontal




802.11n20_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	50.81	31.20	-45.53	36.48	74.00	37.52	Vertical
2	7311.0000	47.43	35.87	-43.71	39.59	74.00	34.41	Vertical
3	10813.5	51.07	38.58	-38.50	51.15	74.00	22.85	Vertical
4	10813.875	48.52	38.58	-38.50	48.60	54.00	5.40	Vertical


802.11n20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	48.16	31.28	-45.56	33.88	74.00	40.12	Horizontal
2	7386.0000	47.50	36.08	-43.46	40.12	74.00	33.88	Horizontal
3	10813.5	50.94	38.58	-38.50	51.02	74.00	22.98	Horizontal
4	10813.875	49.48	38.58	-38.50	49.56	54.00	4.44	Horizontal


802.11n20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	49.07	31.28	-45.56	34.79	74.00	39.21	Vertical
2	7386.0000	48.25	36.08	-43.46	40.87	74.00	33.13	Vertical
3	10813.5	49.60	38.58	-38.50	49.68	74.00	24.32	Vertical
4	10813.875	47.33	38.58	-38.50	47.41	54.00	6.59	Vertical


802.11n40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844.0000	47.72	31.15	-45.54	33.34	74.00	40.66	Horizontal
2	7266.0000	47.58	35.74	-43.64	39.69	74.00	34.31	Horizontal
3	10813.5	51.78	38.58	-38.50	51.86	74.00	22.14	Horizontal
4	10813.875	49.97	38.58	-38.50	50.05	54.00	3.95	Horizontal


802.11n40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844.0000	48.59	31.15	-45.54	34.21	74.00	39.79	Vertical
2	7266.0000	46.72	35.74	-43.64	38.83	74.00	35.17	Vertical
3	10813.5	49.72	38.58	-38.50	49.80	74.00	24.20	Vertical
4	10813.875	47.59	38.58	-38.50	47.67	54.00	6.33	Vertical


802.11n40_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.0000	48.15	31.25	-45.53	33.86	74.00	40.14	Horizontal
2	7356.0000	48.68	36.00	-43.56	41.12	74.00	32.88	Horizontal
3	10813.5	52.11	38.58	-38.50	52.19	74.00	21.81	Horizontal
4	10813.875	49.68	38.58	-38.50	49.76	54.00	4.24	Horizontal


802.11n40_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.0000	48.23	31.25	-45.53	33.94	74.00	40.06	Vertical
2	7356.0000	47.88	36.00	-43.56	40.32	74.00	33.68	Vertical
3	10813.5	49.44	38.58	-38.50	49.52	74.00	24.48	Vertical
4	10813.875	47.51	38.58	-38.50	47.59	54.00	6.41	Vertical

802.11n40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4683.375	43.64	30.89	-45.61	28.92	54.00	25.28	Horizontal
2	5474.625	43.12	32.25	-45.26	30.12	54.00	24.08	Horizontal
3	10813.5	52.31	38.58	-38.50	52.39	74.00	21.61	Horizontal
4	10813.875	49.88	38.58	-38.50	49.96	54.00	4.04	Horizontal




802.11n40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	3825	53.57	29.12	-46.01	36.68	74.00	37.72	Vertical
2	4898.25	52.01	31.24	-45.53	37.72	74.00	36.68	Vertical
3	10813.5	49.84	38.58	-38.50	49.92	74.00	24.08	Vertical
4	10813.875	47.91	38.58	-38.50	47.99	54.00	6.01	Vertical




802.11ax20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	49.46	31.12	-45.54	35.04	54.00	18.96	Horizontal
2	7236.0000	47.02	35.66	-43.54	39.14	54.00	14.86	Horizontal
3	10813.5	51.19	38.58	-38.50	51.27	74.00	22.73	Horizontal
4	10813.875	49.40	38.58	-38.50	49.48	54.00	4.52	Horizontal


802.11ax20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	47.30	31.12	-45.54	32.88	74.00	41.12	Vertical
2	7236.0000	46.83	35.66	-43.54	38.95	74.00	35.05	Vertical
3	10813.5	49.37	38.58	-38.50	49.45	74.00	24.55	Vertical
4	10813.875	47.73	38.58	-38.50	47.81	54.00	6.19	Vertical


802.11ax20_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.59	31.20	-45.53	34.26	74.00	39.74	Horizontal
2	7311.0000	48.25	35.87	-43.71	40.41	74.00	33.59	Horizontal
3	10813.5	51.52	38.58	-38.50	51.60	74.00	22.40	Horizontal
4	10813.875	49.89	38.58	-38.50	49.97	54.00	4.03	Horizontal


802.11ax20_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.32	31.20	-45.53	33.99	74.00	40.01	Vertical
2	7311.0000	47.34	35.87	-43.71	39.50	74.00	34.50	Vertical
3	10813.5	49.74	38.58	-38.50	49.82	74.00	24.18	Vertical
4	10813.875	47.53	38.58	-38.50	47.61	54.00	6.39	Vertical


802.11ax20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	48.81	31.28	-45.56	34.53	74.00	39.47	Horizontal
2	7386.0000	49.47	36.08	-43.46	42.09	74.00	31.91	Horizontal
3	10813.5	51.15	38.58	-38.50	51.23	74.00	22.77	Horizontal
4	10813.875	49.19	38.58	-38.50	49.27	54.00	4.73	Horizontal


802.11ax20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	47.90	31.28	-45.56	33.62	74.00	40.38	Vertical
2	7386.0000	48.33	36.08	-43.46	40.95	74.00	33.05	Vertical
3	10813.125	49.12	38.58	-38.51	49.20	74.00	24.80	Vertical
4	10813.875	47.02	38.58	-38.50	47.10	54.00	6.90	Vertical


802.11ax40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844.0000	49.15	31.15	-45.54	34.77	74.00	39.23	Horizontal
2	7266.0000	47.39	35.74	-43.64	39.50	74.00	34.50	Horizontal
3	10813.5	51.60	38.58	-38.50	51.68	74.00	22.32	Horizontal
4	10813.875	49.73	38.58	-38.50	49.81	54.00	4.19	Horizontal


802.11ax40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844.0000	49.08	31.15	-45.54	34.70	74.00	39.30	Vertical
2	7266.0000	47.85	35.74	-43.64	39.96	74.00	34.04	Vertical
3	10813.5	50.41	38.58	-38.50	50.49	74.00	23.51	Vertical
4	10813.875	48.38	38.58	-38.50	48.46	54.00	5.54	Vertical


802.11ax40_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	49.32	31.20	-45.53	34.99	74.00	39.01	Horizontal
2	7331.0000	46.85	35.93	-43.64	39.13	74.00	34.87	Horizontal
3	10813.5	52.49	38.58	-38.50	52.57	74.00	21.43	Horizontal
4	10813.875	51.40	38.58	-38.50	51.48	54.00	2.52	Horizontal


802.11ax40_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.34	31.20	-45.53	34.01	74.00	39.99	Vertical
2	7331.0000	47.67	35.93	-43.64	39.95	74.00	34.05	Vertical
3	10813.5	49.79	38.58	-38.50	49.87	74.00	24.13	Vertical
4	10813.875	47.97	38.58	-38.50	48.05	54.00	5.95	Vertical


802.11ax40_Channel 09



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.0000	48.65	31.25	-45.53	34.36	74.00	39.64	Horizontal
2	7356.0000	46.65	36.00	-43.56	39.09	74.00	34.91	Horizontal
3	10813.5	51.63	38.58	-38.50	51.71	74.00	22.29	Horizontal
4	10813.875	49.89	38.58	-38.50	49.97	54.00	4.03	Horizontal


802.11ax40_Channel 09



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.0000	49.65	31.25	-45.53	35.36	74.00	38.64	Vertical
2	7356.0000	48.08	36.00	-43.56	40.52	74.00	33.48	Vertical
3	10813.5	50.75	38.58	-38.50	50.83	74.00	23.17	Vertical
4	10813.875	48.70	38.58	-38.50	48.78	54.00	5.22	Vertical


802.11be20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	48.80	31.12	-45.54	34.38	74.00	39.62	Horizontal
2	7236.0000	46.82	35.66	-43.54	38.94	74.00	35.06	Horizontal
3	10813.5	51.36	38.58	-38.50	51.44	74.00	22.56	Horizontal
4	10813.875	49.58	38.58	-38.50	49.66	54.00	4.34	Horizontal


802.11be20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4824.0000	50.09	31.12	-45.54	35.67	74.00	38.33	Vertical
2	7236.0000	47.14	35.66	-43.54	39.26	74.00	34.74	Vertical
3	10813.5	50.08	38.58	-38.50	50.16	74.00	23.84	Vertical
4	10813.875	48.82	38.58	-38.50	48.90	54.00	5.10	Vertical


802.11be20_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	49.58	31.20	-45.53	35.25	74.00	38.75	Horizontal
2	7311.0000	47.59	35.87	-43.71	39.75	74.00	34.25	Horizontal
3	10813.5	51.71	38.58	-38.50	51.79	74.00	22.21	Horizontal
4	10813.875	50.85	38.58	-38.50	50.93	54.00	3.07	Horizontal


802.11be20_Channel 06



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	48.25	31.20	-45.53	33.92	74.00	40.08	Vertical
2	7311.0000	47.06	35.87	-43.71	39.22	74.00	34.78	Vertical
3	10813.5	50.62	38.58	-38.50	50.70	74.00	23.30	Vertical
4	10813.875	48.56	38.58	-38.50	48.64	54.00	5.36	Vertical


802.11be20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	49.78	31.28	-45.56	35.50	74.00	38.50	Horizontal
2	7386.0000	47.38	36.08	-43.46	40.00	74.00	34.00	Horizontal
3	10813.5	51.75	38.58	-38.50	51.83	74.00	22.17	Horizontal
4	10813.875	49.82	38.58	-38.50	49.90	54.00	4.10	Horizontal


802.11be20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4924.0000	47.98	31.28	-45.56	33.70	74.00	40.30	Vertical
2	7386.0000	47.62	36.08	-43.46	40.24	74.00	33.76	Vertical
3	10813.5	49.91	38.58	-38.50	49.99	74.00	24.01	Vertical
4	10813.875	48.72	38.58	-38.50	48.80	54.00	5.20	Vertical


802.11be40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844.0000	49.84	31.15	-45.54	35.46	74.00	38.54	Horizontal
2	7266.0000	48.46	35.74	-43.64	40.57	74.00	33.43	Horizontal
3	10813.5	52.94	38.58	-38.50	53.02	74.00	20.98	Horizontal
4	10813.875	50.91	38.58	-38.50	50.99	54.00	3.01	Horizontal


802.11be40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4844.0000	48.55	31.15	-45.54	34.17	74.00	39.83	Vertical
2	7266.0000	47.52	35.74	-43.64	39.63	74.00	34.37	Vertical
3	10813.5	50.91	38.58	-38.50	50.99	74.00	23.01	Vertical
4	10813.875	49.26	38.58	-38.50	49.34	54.00	4.66	Vertical

802.11be40_Channel 06




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	47.91	31.20	-45.53	33.58	54.00	20.42	Horizontal
2	7331.0000	46.48	35.93	-43.64	38.76	54.00	15.24	Horizontal
3	10813.5	52.31	38.58	-38.50	52.39	74.00	21.61	Horizontal
4	10813.875	50.10	38.58	-38.50	50.18	54.00	3.82	Horizontal




802.11be40_Channel 06



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4874.0000	47.85	31.20	-45.53	33.52	54.00	20.48	Vertical
2	7331.0000	46.75	35.93	-43.64	39.03	54.00	14.97	Vertical
3	10813.5	50.76	38.58	-38.50	50.84	74.00	23.16	Vertical
4	10813.875	48.34	38.58	-38.50	48.42	54.00	5.58	Vertical


802.11be40_Channel 09



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.0000	49.74	31.25	-45.53	35.45	74.00	38.55	Horizontal
2	7356.0000	48.28	36.00	-43.56	40.72	74.00	33.28	Horizontal
3	10813.5	51.38	38.58	-38.50	51.46	74.00	22.54	Horizontal
4	10813.875	49.71	38.58	-38.50	49.79	54.00	4.21	Horizontal

802.11be40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4904.0000	48.92	31.25	-45.53	34.63	74.00	39.37	Vertical
2	7356.0000	47.20	36.00	-43.56	39.64	74.00	34.36	Vertical
3	10813.5	50.65	38.58	-38.50	50.73	74.00	23.27	Vertical
4	10813.875	48.56	38.58	-38.50	48.64	54.00	5.36	Vertical


Radiated Emissions which fall in the restricted bands

802.11b_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2379.94	49.68	26.96	-23.57	53.07	74.00	20.93	Horizontal
2	2387.22	51.32	26.97	-23.57	54.72	74.00	19.28	Horizontal

802.11b_Channel 01




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2380.98	48.52	26.96	-23.57	51.91	74.00	22.09	Vertical
2	2387.61	50.47	26.98	-23.57	53.87	74.00	20.13	Vertical




802.11b_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2386.05	42.08	26.97	-23.57	45.48	54.00	8.52	Horizontal
2	2387.22	43.61	26.97	-23.57	47.01	54.00	6.99	Horizontal




802.11b_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.18	40.82	26.97	-23.57	44.22	54.00	9.78	Vertical
2	2387.35	42.76	26.97	-23.57	46.16	54.00	7.84	Vertical




802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2484.7	51.00	27.17	-23.54	54.62	74.00	19.38	Horizontal
2	2485.54	50.24	27.17	-23.54	53.87	74.00	20.13	Horizontal




802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.86	49.06	27.17	-23.54	52.68	74.00	21.32	Vertical
2	2485.12	50.17	27.17	-23.54	53.80	74.00	20.20	Vertical




802.11b_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	40.61	27.17	-23.54	44.23	54.00	9.77	Horizontal
2	2485.12	42.40	27.17	-23.54	46.03	54.00	7.97	Horizontal

802.11b_Channel 11




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.74	39.52	27.17	-23.54	43.14	54.00	10.86	Vertical
2	2485.18	41.80	27.17	-23.54	45.43	54.00	8.57	Vertical




802.11g_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2380.72	59.26	26.96	-23.57	62.65	74.00	11.35	Horizontal
2	2383.58	58.03	26.97	-23.57	61.43	74.00	12.57	Horizontal




802.11g_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.92	58.96	26.97	-23.57	62.36	74.00	11.64	Vertical
2	2389.56	61.25	26.98	-23.57	64.66	74.00	9.34	Vertical



802.11g_Channel 01




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.91	46.90	26.98	-23.57	50.31	54.00	3.69	Horizontal
2	2389.95	47.94	26.98	-23.57	51.35	54.00	2.65	Horizontal




802.11g_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.65	45.15	26.98	-23.57	48.56	54.00	5.44	Vertical
2	2389.82	46.78	26.98	-23.57	50.19	54.00	3.81	Vertical




802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	2483.5	68.33	27.17	-23.54	71.95	74.00	2.05	Horizontal
2	2484.64	66.73	27.17	-23.54	70.35	74.00	3.65	Horizontal




802.11g_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	67.55	27.17	-23.54	71.17	74.00	2.83	Vertical
2	2484.64	65.94	27.17	-23.54	69.56	74.00	4.44	Vertical


802.11g_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	47.12	27.17	-23.54	50.74	54.00	3.26	Horizontal
2	2484.22	46.50	27.17	-23.54	50.12	54.00	3.88	Horizontal


802.11g_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	46.17	27.17	-23.54	49.79	54.00	4.21	Vertical
2	2484.28	45.40	27.17	-23.54	49.02	54.00	4.98	Vertical

802.11n20_Channel 01




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.91	61.20	26.98	-23.57	64.61	74.00	9.39	Horizontal
2	2389.95	61.99	26.98	-23.57	65.40	74.00	8.60	Horizontal




802.11n20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.78	60.11	26.98	-23.57	63.52	74.00	10.48	Vertical
2	2389.95	60.56	26.98	-23.57	63.97	74.00	10.03	Vertical


802.11n20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.78	46.20	26.98	-23.57	49.61	54.00	4.39	Horizontal
2	2389.95	46.69	26.98	-23.57	50.10	54.00	3.90	Horizontal


802.11n20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.52	44.26	26.98	-23.57	47.67	54.00	6.33	Vertical
2	2389.95	45.70	26.98	-23.57	49.11	54.00	4.89	Vertical


802.11n20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	45.79	27.17	-23.54	49.41	54.00	4.59	Horizontal
2	2484.52	45.30	27.17	-23.54	48.92	54.00	5.08	Horizontal

802.11n20_Channel 11




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	45.37	27.17	-23.54	48.99	54.00	5.01	Vertical
2	2484.46	44.54	27.17	-23.54	48.16	54.00	5.84	Vertical




802.11n20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	60.86	27.17	-23.54	64.48	74.00	9.52	Horizontal
2	2484.4	61.12	27.17	-23.54	64.74	74.00	9.26	Horizontal


802.11n20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	61.24	27.17	-23.54	64.86	74.00	9.14	Vertical
2	2484.1	61.63	27.17	-23.54	65.25	74.00	8.75	Vertical


802.11n40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.95	50.41	26.98	-23.57	53.82	54.00	0.18	Horizontal
2	2484.16	40.47	27.17	-23.54	44.09	54.00	9.91	Horizontal


802.11n40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.91	49.55	26.98	-23.57	52.96	54.00	1.04	Vertical
2	2484.16	40.21	27.17	-23.54	43.83	54.00	10.17	Vertical


802.11n40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.91	62.51	26.98	-23.57	65.92	74.00	8.08	Horizontal
2	2483.68	53.95	27.17	-23.54	57.57	74.00	16.43	Horizontal

802.11n40_Channel 03




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.5167	61.71	26.98	-23.57	65.12	74.00	8.88	Vertical
2	2484.52	54.01	27.17	-23.54	57.63	74.00	16.37	Vertical



802.11n40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.17	39.84	26.98	-23.57	43.25	54.00	10.75	Horizontal
2	2484.04	48.51	27.17	-23.54	52.13	54.00	1.87	Horizontal



802.11n40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.69	39.00	26.98	-23.57	42.41	54.00	11.59	Vertical
2	2483.68	47.73	27.17	-23.54	51.35	54.00	2.65	Vertical



802.11n40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.69	51.82	26.98	-23.57	55.23	74.00	18.77	Horizontal
2	2483.8	64.70	27.17	-23.54	68.32	74.00	5.68	Horizontal




802.11n40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.95	51.41	26.98	-23.57	54.82	74.00	19.18	Vertical
2	2483.62	63.04	27.17	-23.54	66.66	74.00	7.34	Vertical




802.11ax20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.91	64.82	26.98	-23.57	68.23	74.00	5.77	Horizontal
2	2389.69	67.70	26.98	-23.57	71.11	74.00	2.89	Horizontal




802.11ax20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.35	66.33	26.97	-23.57	69.73	74.00	4.27	Vertical
2	2388.26	66.52	26.98	-23.57	69.93	74.00	4.07	Vertical




802.11ax20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.65	44.01	26.98	-23.57	47.42	54.00	6.58	Horizontal
2	2389.82	44.59	26.98	-23.57	48.00	54.00	6.00	Horizontal




802.11ax20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.39	42.78	26.98	-23.57	46.19	54.00	7.81	Vertical
2	2389.69	44.09	26.98	-23.57	47.50	54.00	6.50	Vertical


802.11ax20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.74	65.56	27.17	-23.54	69.18	74.00	4.82	Horizontal
2	2486.68	67.54	27.17	-23.54	71.17	74.00	2.83	Horizontal


802.11ax20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.62	67.41	27.17	-23.54	71.03	74.00	2.97	Vertical
2	2484.16	68.35	27.17	-23.54	71.97	74.00	2.03	Vertical

802.11ax20_Channel 11




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.62	42.18	27.17	-23.54	45.80	54.00	8.20	Horizontal
2	2484.46	41.23	27.17	-23.54	44.85	54.00	9.15	Horizontal




802.11ax20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5	40.69	27.17	-23.54	44.31	54.00	9.69	Vertical
2	2484.4	40.04	27.17	-23.54	43.66	54.00	10.34	Vertical

802.11ax40_Channel 03




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.6033	66.49	26.98	-23.57	69.90	74.00	4.10	Horizontal
2	2487.82	60.93	27.18	-23.54	64.56	74.00	9.44	Horizontal




802.11ax40_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.9933	67.02	26.98	-23.57	70.43	74.00	3.57	Vertical
2	2484.04	60.57	27.17	-23.54	64.19	74.00	9.81	Vertical


802.11ax40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.69	48.08	26.98	-23.57	51.49	54.00	2.51	Horizontal
2	2484.46	40.01	27.17	-23.54	43.63	54.00	10.37	Horizontal


802.11ax40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.95	47.37	26.98	-23.57	50.78	54.00	3.22	Vertical
2	2485	39.56	27.17	-23.54	43.19	54.00	10.81	Vertical


802.11ax40_Channel 09



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.7833	54.75	26.98	-23.57	58.15	74.00	15.85	Horizontal
2	2485.78	66.39	27.17	-23.54	70.02	74.00	3.98	Horizontal

802.11ax40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.3867	54.68	26.98	-23.57	58.09	74.00	15.91	Vertical
2	2484.04	66.95	27.17	-23.54	70.57	74.00	3.43	Vertical




802.11ax40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.13	39.67	26.98	-23.57	43.08	54.00	10.92	Horizontal
2	2483.86	45.76	27.17	-23.54	49.38	54.00	4.62	Horizontal




802.11ax40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.17	39.23	26.98	-23.57	42.64	54.00	11.36	Vertical
2	2483.56	45.48	27.17	-23.54	49.10	54.00	4.90	Vertical


802.11be20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388	58.08	26.98	-23.57	61.48	74.00	12.52	Horizontal
2	2389.82	58.70	26.98	-23.57	62.11	74.00	11.89	Horizontal

802.11be20_Channel 01




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.96	57.24	26.97	-23.57	60.64	74.00	13.36	Vertical
2	2389.82	58.34	26.98	-23.57	61.75	74.00	12.25	Vertical




802.11be20_Channel 01



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.65	45.28	26.98	-23.57	48.69	54.00	5.31	Horizontal
2	2389.95	46.17	26.98	-23.57	49.58	54.00	4.42	Horizontal


802.11be20_Channel 01



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.13	44.14	26.98	-23.57	47.55	54.00	6.45	Vertical
2	2389.82	45.10	26.98	-23.57	48.51	54.00	5.49	Vertical

802.11be20_Channel 11




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.68	47.57	27.17	-23.54	51.19	54.00	2.81	Horizontal
2	2484.16	46.88	27.17	-23.54	50.50	54.00	3.50	Horizontal




802.11be20_Channel 11



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.56	46.88	27.17	-23.54	50.50	54.00	3.50	Vertical
2	2484.22	46.48	27.17	-23.54	50.10	54.00	3.90	Vertical

802.11be20_Channel 11




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.8	62.73	27.17	-23.54	66.35	74.00	7.65	Horizontal
2	2485.18	62.63	27.17	-23.54	66.26	74.00	7.74	Horizontal




802.11be20_Channel 11



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.92	63.28	27.17	-23.54	66.90	74.00	7.10	Vertical
2	2484.58	62.36	27.17	-23.54	65.98	74.00	8.02	Vertical


802.11be40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.82	49.99	26.98	-23.57	53.40	54.00	0.60	Horizontal
2	2483.5	41.19	27.17	-23.54	44.81	54.00	9.19	Horizontal


802.11be40_Channel 03



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.39	49.87	26.98	-23.57	53.28	54.00	0.72	Vertical
2	2483.5	41.40	27.17	-23.54	45.02	54.00	8.98	Vertical

802.11be40_Channel 03




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.7367	62.97	26.98	-23.57	66.38	74.00	7.62	Horizontal
2	2484.82	55.08	27.17	-23.54	58.71	74.00	15.29	Horizontal




802.11be40_Channel 03



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.43	64.41	26.98	-23.57	67.82	74.00	6.18	Vertical
2	2484.64	54.64	27.17	-23.54	58.26	74.00	15.74	Vertical


802.11be40_Channel 09



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.52	55.18	26.98	-23.57	58.59	74.00	15.41	Horizontal
2	2488.3	66.60	27.18	-23.54	70.23	74.00	3.77	Horizontal


802.11be40_Channel 09



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.7767	55.55	26.98	-23.57	58.96	74.00	15.04	Vertical
2	2488.12	68.26	27.18	-23.54	71.89	74.00	2.11	Vertical

802.11be40_Channel 09




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.78	39.81	26.98	-23.57	43.22	54.00	10.78	Horizontal
2	2483.8	48.84	27.17	-23.54	52.46	54.00	1.54	Horizontal



802.11be40_Channel 09



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2389.56	39.78	26.98	-23.57	43.19	54.00	10.81	Vertical
2	2483.68	49.97	27.17	-23.54	53.59	54.00	0.41	Vertical