



802.11be20_Channel 52



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10520.000	47.57	38.55	-38.61	47.51	68.30	20.79	Vertical
2	10813.458	53.67	38.58	-38.38	53.87	74.00	20.13	Vertical
3	10813.937	51.60	38.58	-38.38	51.80	54.00	2.20	Vertical
4	11199.6667	50.03	38.70	-36.60	52.13	74.00	21.87	Vertical
5	11200.625	46.07	38.70	-36.60	48.17	54.00	5.83	Vertical
6	15780.000	41.22	39.96	-33.10	48.08	74.00	25.92	Vertical
7	15780.000	41.22	39.96	-33.10	48.08	74.00	25.92	Vertical


802.11be20_Channel 60



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10599.270	46.63	38.56	-38.02	47.17	68.30	21.13	Horizontal
2	10813.458	53.97	38.58	-38.38	54.17	74.00	19.83	Horizontal
3	10813.937	52.77	38.58	-38.38	52.97	54.00	1.03	Horizontal
4	11199.6667	50.28	38.70	-36.60	52.38	74.00	21.62	Horizontal
5	11200.625	47.28	38.70	-36.60	49.38	54.00	4.62	Horizontal
6	15900.000	40.83	39.71	-34.13	46.41	74.00	27.59	Horizontal


802.11be20_Channel 60



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10600.000	43.79	38.56	-38.01	44.34	74.00	29.66	Vertical
2	10813.458	52.97	38.58	-38.38	53.17	74.00	20.83	Vertical
3	10813.937	51.51	38.58	-38.38	51.71	54.00	2.29	Vertical
4	11200.145	49.88	38.70	-36.60	51.98	74.00	22.02	Vertical
5	11200.625	46.23	38.70	-36.60	48.33	54.00	5.67	Vertical
6	15900.000	40.81	39.71	-34.13	46.39	74.00	27.61	Vertical


802.11be20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10640.000	42.91	38.56	-37.80	43.67	74.00	30.33	Horizontal
2	10813.458	53.00	38.58	-38.38	53.20	74.00	20.80	Horizontal
3	10813.937	51.31	38.58	-38.38	51.51	54.00	2.49	Horizontal
4	11200.625	50.21	38.70	-36.60	52.31	74.00	21.69	Horizontal
5	11200.625	46.96	38.70	-36.60	49.06	54.00	4.94	Horizontal
6	15960.000	40.37	39.58	-34.63	45.32	74.00	28.68	Horizontal


802.11be20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10640.000	42.98	38.56	-37.80	43.74	74.00	30.26	Vertical
2	10813.458	53.37	38.58	-38.38	53.57	74.00	20.43	Vertical
3	10813.937	51.90	38.58	-38.38	52.10	54.00	1.90	Vertical
4	11200.145	48.29	38.70	-36.60	50.39	74.00	23.61	Vertical
5	11200.625	45.17	38.70	-36.60	47.27	54.00	6.73	Vertical
6	15960.000	41.81	39.58	-34.63	46.76	74.00	27.24	Vertical


802.11be20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.33	38.58	-38.38	53.53	74.00	20.47	Horizontal
2	10813.937	51.83	38.58	-38.38	52.03	54.00	1.97	Horizontal
3	11000.000	43.87	38.60	-37.59	44.88	74.00	29.12	Horizontal
4	11200.145	50.46	38.70	-36.60	52.56	74.00	21.44	Horizontal
5	11200.625	47.19	38.70	-36.60	49.29	54.00	4.71	Horizontal
6	16500.000	42.39	40.80	-34.28	48.91	68.30	19.39	Horizontal


802.11be20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.75	38.58	-38.38	52.95	74.00	21.05	Vertical
2	10813.937	51.43	38.58	-38.38	51.63	54.00	2.37	Vertical
3	11000.000	43.26	38.60	-37.59	44.27	74.00	29.73	Vertical
4	11199.6667	48.24	38.70	-36.60	50.34	74.00	23.66	Vertical
5	11200.625	43.25	38.70	-36.60	45.35	54.00	8.65	Vertical
6	16500.000	41.77	40.80	-34.28	48.29	68.30	20.01	Vertical


802.11be20_Channel 116



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.50	38.58	-38.38	52.70	74.00	21.30	Horizontal
2	10813.937	51.45	38.58	-38.38	51.65	54.00	2.35	Horizontal
3	11160.0000	48.46	38.68	-37.06	50.08	74.00	23.92	Horizontal
4	11199.6667	50.68	38.70	-36.60	52.78	74.00	21.22	Horizontal
5	11200.625	47.76	38.70	-36.60	49.86	54.00	4.14	Horizontal
6	16740.000	43.54	41.42	-34.77	50.20	68.30	18.10	Horizontal


802.11be20_Channel 116



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.00	38.58	-38.38	53.20	74.00	20.80	Vertical
2	10813.937	51.47	38.58	-38.38	51.67	54.00	2.33	Vertical
3	11160.0000	46.07	38.68	-37.06	47.69	74.00	26.31	Vertical
4	11169.4792	50.74	38.68	-36.95	52.47	74.00	21.53	Vertical
5	11200.625	45.85	38.70	-36.60	47.95	54.00	6.05	Vertical
6	16740.000	44.43	41.42	-34.77	51.09	68.30	17.21	Vertical


802.11be20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.48	38.58	-38.38	53.68	74.00	20.32	Horizontal
2	10813.937	51.62	38.58	-38.38	51.82	54.00	2.18	Horizontal
3	11200.145	49.86	38.70	-36.60	51.96	74.00	22.04	Horizontal
4	11200.625	47.54	38.70	-36.60	49.64	54.00	4.36	Horizontal
5	11400.000	44.03	38.80	-37.51	45.32	74.00	28.68	Horizontal
6	17100.000	43.94	42.54	-33.74	52.74	68.30	15.56	Horizontal


802.11be20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.33	38.58	-38.38	53.53	74.00	20.47	Vertical
2	10813.937	51.80	38.58	-38.38	52.00	54.00	2.00	Vertical
3	11200.145	48.87	38.70	-36.60	50.97	74.00	23.03	Vertical
4	11200.625	45.06	38.70	-36.60	47.16	54.00	6.84	Vertical
5	11400.000	42.55	38.80	-37.51	43.84	74.00	30.16	Vertical
6	17100.000	43.76	42.54	-33.74	52.56	68.30	15.74	Vertical


802.11be20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.15	38.58	-38.38	53.35	74.00	20.65	Horizontal
2	10813.937	51.16	38.58	-38.38	51.36	54.00	2.64	Horizontal
3	11200.145	50.80	38.70	-36.60	52.90	74.00	21.10	Horizontal
4	11200.625	47.00	38.70	-36.60	49.10	54.00	4.90	Horizontal
5	11490.000	42.92	38.85	-36.61	45.16	74.00	28.84	Horizontal
6	17235.000	43.73	43.14	-34.96	51.91	68.30	16.39	Horizontal


802.11be20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.14	38.58	-38.38	53.34	74.00	20.66	Vertical
2	10813.937	51.87	38.58	-38.38	52.07	54.00	1.93	Vertical
3	11200.145	47.83	38.70	-36.60	49.93	74.00	24.07	Vertical
4	11200.625	44.82	38.70	-36.60	46.92	54.00	7.08	Vertical
5	11490.000	41.56	38.85	-36.61	43.80	74.00	30.20	Vertical
6	17235.000	44.93	43.14	-34.96	53.11	68.30	15.19	Vertical


802.11be20_Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.77	38.58	-38.38	52.97	74.00	21.03	Horizontal
2	10813.937	51.06	38.58	-38.38	51.26	54.00	2.74	Horizontal
3	11200.145	50.45	38.70	-36.60	52.55	74.00	21.45	Horizontal
4	11200.625	47.23	38.70	-36.60	49.33	54.00	4.67	Horizontal
5	11570.000	41.38	38.89	-36.84	43.43	74.00	30.57	Horizontal
6	17355.000	43.37	43.66	-35.00	52.03	68.30	16.27	Horizontal


802.11be20_Channel 157



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.51	38.58	-38.38	53.71	74.00	20.29	Vertical
2	10813.937	52.08	38.58	-38.38	52.28	54.00	1.72	Vertical
3	11199.6667	49.82	38.70	-36.60	51.92	74.00	22.08	Vertical
4	11200.625	46.73	38.70	-36.60	48.83	54.00	5.17	Vertical
5	11570.000	42.29	38.89	-36.84	44.34	74.00	29.66	Vertical
6	17355.000	42.67	43.66	-35.00	51.33	68.30	16.97	Vertical


802.11be20_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.10	38.58	-38.38	53.30	74.00	20.70	Horizontal
2	10813.937	50.77	38.58	-38.38	50.97	54.00	3.03	Horizontal
3	11199.6667	50.18	38.70	-36.60	52.28	74.00	21.72	Horizontal
4	11200.625	47.14	38.70	-36.60	49.24	54.00	4.76	Horizontal
5	11650.000	44.02	38.93	-36.53	46.41	74.00	27.59	Horizontal
6	17475.000	42.08	44.19	-34.07	52.20	68.30	16.10	Horizontal


802.11be20_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.96	38.58	-38.38	54.16	74.00	19.84	Vertical
2	10813.937	52.22	38.58	-38.38	52.42	54.00	1.58	Vertical
3	11200.145	48.78	38.70	-36.60	50.88	74.00	23.12	Vertical
4	11200.625	45.28	38.70	-36.60	47.38	54.00	6.62	Vertical
5	11650.000	43.61	38.93	-36.53	46.00	74.00	28.00	Vertical
6	17475.000	42.66	44.19	-34.07	52.78	68.30	15.52	Vertical


802.11be40_Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10380.000	43.58	38.54	-38.77	43.35	68.30	24.95	Horizontal
2	10813.458	54.62	38.58	-38.38	54.82	74.00	19.18	Horizontal
3	10813.937	53.51	38.58	-38.38	53.71	54.00	0.29	Horizontal
4	11199.6667	50.23	38.70	-36.60	52.33	74.00	21.67	Horizontal
5	11200.625	47.81	38.70	-36.60	49.91	54.00	4.09	Horizontal
6	15570.000	41.91	40.40	-34.59	47.72	74.00	26.28	Horizontal


802.11be40_Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10380.000	44.00	38.54	-38.77	43.77	68.30	24.53	Vertical
2	10813.458	53.84	38.58	-38.38	54.04	74.00	19.96	Vertical
3	10813.937	52.01	38.58	-38.38	52.21	54.00	1.79	Vertical
4	11200.145	48.37	38.70	-36.60	50.47	74.00	23.53	Vertical
5	11200.625	45.51	38.70	-36.60	47.61	54.00	6.39	Vertical
6	15570.000	41.59	40.40	-34.59	47.40	74.00	26.60	Vertical


802.11be40_Channel 46



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10460.000	43.45	38.55	-38.74	43.25	68.30	25.05	Horizontal
2	10813.458	54.15	38.58	-38.38	54.35	74.00	19.65	Horizontal
3	10813.937	52.82	38.58	-38.38	53.02	54.00	0.98	Horizontal
4	11200.145	50.44	38.70	-36.60	52.54	74.00	21.46	Horizontal
5	11200.625	47.82	38.70	-36.60	49.92	54.00	4.08	Horizontal
6	15690.000	41.50	40.15	-33.37	48.28	74.00	25.72	Horizontal


802.11be40_Channel 46



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10460.000	42.99	38.55	-38.74	42.79	68.30	25.51	Vertical
2	10813.458	52.94	38.58	-38.38	53.14	74.00	20.86	Vertical
3	10813.937	51.41	38.58	-38.38	51.61	54.00	2.39	Vertical
4	11200.145	50.82	38.70	-36.60	52.92	74.00	21.08	Vertical
5	11200.625	46.97	38.70	-36.60	49.07	54.00	4.93	Vertical
6	15690.000	41.33	40.15	-33.37	48.11	74.00	25.89	Vertical


802.11be40_Channel 54



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10540.000	44.99	38.55	-38.46	45.09	68.30	23.21	Horizontal
2	10813.458	53.60	38.58	-38.38	53.80	74.00	20.20	Horizontal
3	10813.937	52.61	38.58	-38.38	52.81	54.00	1.19	Horizontal
4	11200.145	50.75	38.70	-36.60	52.85	74.00	21.15	Horizontal
5	11200.625	47.08	38.70	-36.60	49.18	54.00	4.82	Horizontal
6	15810.000	40.79	39.90	-33.17	47.52	74.00	26.48	Horizontal


802.11be40_Channel 54



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10516.854	48.54	38.55	-38.63	48.46	68.30	19.84	Vertical
2	10813.458	53.88	38.58	-38.38	54.08	74.00	19.92	Vertical
3	10813.937	51.85	38.58	-38.38	52.05	54.00	1.95	Vertical
4	11200.145	47.81	38.70	-36.60	49.91	74.00	24.09	Vertical
5	11200.625	44.98	38.70	-36.60	47.08	54.00	6.92	Vertical
6	15810.000	41.81	39.90	-33.17	48.54	74.00	25.46	Vertical


802.11be40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10620.000	44.27	38.56	-37.90	44.93	74.00	29.07	Horizontal
2	10813.458	52.70	38.58	-38.38	52.90	74.00	21.10	Horizontal
3	10813.937	51.27	38.58	-38.38	51.47	54.00	2.53	Horizontal
4	11200.145	50.68	38.70	-36.60	52.78	74.00	21.22	Horizontal
5	11200.625	47.52	38.70	-36.60	49.62	54.00	4.38	Horizontal
6	15930.000	40.95	39.65	-34.38	46.22	74.00	27.78	Horizontal


802.11be40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10620.000	42.86	38.56	-37.90	43.52	74.00	30.48	Vertical
2	10813.458	52.81	38.58	-38.38	53.01	74.00	20.99	Vertical
3	10813.937	51.08	38.58	-38.38	51.28	54.00	2.72	Vertical
4	11200.145	50.26	38.70	-36.60	52.36	74.00	21.64	Vertical
5	11200.625	46.45	38.70	-36.60	48.55	54.00	5.45	Vertical
6	15930.000	40.32	39.65	-34.38	45.59	74.00	28.41	Vertical


802.11be40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.07	38.58	-38.38	54.27	74.00	19.73	Horizontal
2	10813.937	52.16	38.58	-38.38	52.36	54.00	1.64	Horizontal
3	11020.000	42.29	38.61	-37.62	43.28	74.00	30.72	Horizontal
4	11200.145	50.40	38.70	-36.60	52.50	74.00	21.50	Horizontal
5	11200.625	47.31	38.70	-36.60	49.41	54.00	4.59	Horizontal
6	16530.000	42.73	40.88	-34.35	49.26	68.30	19.04	Horizontal


802.11be40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.00	38.58	-38.38	53.20	74.00	20.80	Vertical
2	10813.937	50.95	38.58	-38.38	51.15	54.00	2.85	Vertical
3	11015.666	47.52	38.61	-37.62	48.51	74.00	25.49	Vertical
4	11199.6667	49.00	38.70	-36.60	51.10	74.00	22.90	Vertical
5	11200.625	45.54	38.70	-36.60	47.64	54.00	6.36	Vertical
6	16530.000	42.74	40.88	-34.35	49.27	68.30	19.03	Vertical


802.11be40_Channel 110



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.74	38.58	-38.38	52.94	74.00	21.06	Horizontal
2	10813.937	51.45	38.58	-38.38	51.65	54.00	2.35	Horizontal
3	11099.041	43.76	38.65	-37.75	44.66	54.00	9.34	Horizontal
4	11107.1875	52.46	38.65	-37.67	53.45	74.00	20.55	Horizontal
5	11200.145	50.79	38.70	-36.60	52.89	74.00	21.11	Horizontal
6	11200.625	47.65	38.70	-36.60	49.75	54.00	4.25	Horizontal


802.11be40_Channel 110



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.35	38.58	-38.38	52.55	74.00	21.45	Vertical
2	10813.937	50.62	38.58	-38.38	50.82	54.00	3.18	Vertical
3	11111.0208	49.10	38.66	-37.62	50.13	74.00	23.87	Vertical
4	11200.145	50.06	38.70	-36.60	52.16	74.00	21.84	Vertical
5	11200.625	46.31	38.70	-36.60	48.41	54.00	5.59	Vertical
6	16650.000	43.04	41.19	-34.68	49.55	68.30	18.75	Vertical


802.11be40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.32	38.58	-38.38	53.52	74.00	20.48	Horizontal
2	10813.937	51.83	38.58	-38.38	52.03	54.00	1.97	Horizontal
3	11200.625	47.45	38.70	-36.60	49.55	54.00	4.45	Horizontal
4	11200.625	50.98	38.70	-36.60	53.08	74.00	20.92	Horizontal
5	11340.000	42.16	38.77	-37.34	43.59	74.00	30.41	Horizontal
6	17010.000	44.23	42.14	-33.70	52.67	68.30	15.63	Horizontal


802.11be40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.74	38.58	-38.38	52.94	74.00	21.06	Vertical
2	10813.937	51.63	38.58	-38.38	51.83	54.00	2.17	Vertical
3	11200.145	49.15	38.70	-36.60	51.25	74.00	22.75	Vertical
4	11200.625	45.44	38.70	-36.60	47.54	54.00	6.46	Vertical
5	11340.000	43.09	38.77	-37.34	44.52	74.00	29.48	Vertical
6	17010.000	44.90	42.14	-33.70	53.34	68.30	14.96	Vertical


802.11be40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.26	38.58	-38.38	52.46	74.00	21.54	Horizontal
2	10813.937	50.94	38.58	-38.38	51.14	54.00	2.86	Horizontal
3	11199.6667	50.08	38.70	-36.60	52.18	74.00	21.82	Horizontal
4	11200.625	47.45	38.70	-36.60	49.55	54.00	4.45	Horizontal
5	11510.000	43.34	38.86	-36.56	45.64	74.00	28.36	Horizontal
6	17265.000	43.23	43.27	-35.11	51.39	68.30	16.91	Horizontal


802.11be40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.58	38.58	-38.38	53.78	74.00	20.22	Vertical
2	10813.937	51.80	38.58	-38.38	52.00	54.00	2.00	Vertical
3	11200.145	48.23	38.70	-36.60	50.33	74.00	23.67	Vertical
4	11200.625	45.27	38.70	-36.60	47.37	54.00	6.63	Vertical
5	11510.000	41.85	38.86	-36.56	44.15	74.00	29.85	Vertical
6	17265.000	43.06	43.27	-35.11	51.22	68.30	17.08	Vertical


802.11be40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.73	38.58	-38.38	54.93	74.00	19.07	Horizontal
2	10813.937	52.55	38.58	-38.38	52.75	54.00	1.25	Horizontal
3	11200.145	50.58	38.70	-36.60	52.68	74.00	21.32	Horizontal
4	11200.625	46.82	38.70	-36.60	48.92	54.00	5.08	Horizontal
5	11590.000	40.97	38.90	-36.93	42.93	74.00	31.07	Horizontal
6	11590.000	40.97	38.90	-36.93	42.93	74.00	31.07	Horizontal
7	17385.000	44.37	43.80	-34.85	53.32	68.30	14.98	Horizontal
8	17385.000	44.37	43.80	-34.85	53.32	68.30	14.98	Horizontal


802.11be40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	52.77	38.58	-38.38	52.97	74.00	21.03	Vertical
2	10813.937	51.44	38.58	-38.38	51.64	54.00	2.36	Vertical
3	11200.145	49.62	38.70	-36.60	51.72	74.00	22.28	Vertical
4	11200.625	46.49	38.70	-36.60	48.59	54.00	5.41	Vertical
5	11590.000	41.46	38.90	-36.93	43.42	74.00	30.58	Vertical
6	17385.000	42.82	43.80	-34.85	51.77	68.30	16.53	Vertical


802.11be80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10420.000	41.90	38.54	-38.73	41.71	68.30	26.59	Horizontal
2	10813.458	53.45	38.58	-38.38	53.65	74.00	20.35	Horizontal
3	10813.937	51.81	38.58	-38.38	52.01	54.00	1.99	Horizontal
4	11199.6667	50.49	38.70	-36.60	52.59	74.00	21.41	Horizontal
5	11200.625	47.64	38.70	-36.60	49.74	54.00	4.26	Horizontal
6	15630.000	41.99	40.28	-34.04	48.23	74.00	25.77	Horizontal


802.11be80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10420.000	42.56	38.54	-38.73	42.37	68.30	25.93	Vertical
2	10813.458	53.51	38.58	-38.38	53.71	74.00	20.29	Vertical
3	10813.937	52.01	38.58	-38.38	52.21	54.00	1.79	Vertical
4	11200.145	48.48	38.70	-36.60	50.58	74.00	23.42	Vertical
5	11200.625	45.56	38.70	-36.60	47.66	54.00	6.34	Vertical
6	15630.000	41.44	40.28	-34.04	47.68	74.00	26.32	Vertical


802.11be80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10580.000	43.61	38.56	-38.16	44.01	68.30	24.29	Horizontal
2	10813.458	53.04	38.58	-38.38	53.24	74.00	20.76	Horizontal
3	10813.937	51.24	38.58	-38.38	51.44	54.00	2.56	Horizontal
4	11200.145	51.28	38.70	-36.60	53.38	74.00	20.62	Horizontal
5	11200.625	47.83	38.70	-36.60	49.93	54.00	4.07	Horizontal
6	15870.000	41.35	39.77	-33.81	47.31	74.00	26.69	Horizontal


802.11be80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10580.000	42.39	38.56	-38.16	42.79	68.30	25.51	Vertical
2	10813.458	52.92	38.58	-38.38	53.12	74.00	20.88	Vertical
3	10813.937	51.56	38.58	-38.38	51.76	54.00	2.24	Vertical
4	11200.145	49.00	38.70	-36.60	51.10	74.00	22.90	Vertical
5	11200.625	45.30	38.70	-36.60	47.40	54.00	6.60	Vertical
6	15870.000	41.28	39.77	-33.81	47.24	74.00	26.76	Vertical


802.11be80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.95	38.58	-38.38	54.15	74.00	19.85	Horizontal
2	10813.937	52.32	38.58	-38.38	52.52	54.00	1.48	Horizontal
3	11094.729	48.90	38.65	-37.74	49.81	74.00	24.19	Horizontal
4	11200.145	50.48	38.70	-36.60	52.58	74.00	21.42	Horizontal
5	11200.625	47.28	38.70	-36.60	49.38	54.00	4.62	Horizontal
6	16590.000	41.41	41.03	-34.50	47.95	68.30	20.35	Horizontal


802.11be80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.28	38.58	-38.38	53.48	74.00	20.52	Vertical
2	10813.937	52.02	38.58	-38.38	52.22	54.00	1.78	Vertical
3	11060.000	43.55	38.63	-37.69	44.49	74.00	29.51	Vertical
4	11199.6667	48.57	38.70	-36.60	50.67	74.00	23.33	Vertical
5	11200.625	44.21	38.70	-36.60	46.31	54.00	7.69	Vertical
6	16590.000	43.58	41.03	-34.50	50.12	68.30	18.18	Vertical


802.11be80_Channel 155



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.42	38.58	-38.38	53.62	74.00	20.38	Horizontal
2	10813.937	51.42	38.58	-38.38	51.62	54.00	2.38	Horizontal
3	11199.6667	51.25	38.70	-36.60	53.35	74.00	20.65	Horizontal
4	11200.625	47.70	38.70	-36.60	49.80	54.00	4.20	Horizontal
5	11550.000	41.92	38.88	-36.75	44.05	74.00	29.95	Horizontal
6	17325.000	42.27	43.53	-35.15	50.65	68.30	17.65	Horizontal

802.11be80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.17	38.58	-38.38	53.37	74.00	20.63	Vertical
2	10813.937	51.66	38.58	-38.38	51.86	54.00	2.14	Vertical
3	11200.145	48.78	38.70	-36.60	50.88	74.00	23.12	Vertical
4	11200.625	46.08	38.70	-36.60	48.18	54.00	5.82	Vertical
5	11550.000	41.09	38.88	-36.75	43.22	74.00	30.78	Vertical
6	17325.000	43.53	43.53	-35.15	51.91	68.30	16.39	Vertical


802.11be160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10500.000	42.29	38.55	-38.76	42.08	68.30	26.22	Horizontal
2	10813.458	53.85	38.58	-38.38	54.05	74.00	19.95	Horizontal
3	10813.937	51.89	38.58	-38.38	52.09	54.00	1.91	Horizontal
4	11200.145	51.12	38.70	-36.60	53.22	74.00	20.78	Horizontal
5	11200.625	47.66	38.70	-36.60	49.76	54.00	4.24	Horizontal
6	15750.000	41.44	40.02	-33.16	48.30	74.00	25.70	Horizontal


802.11be160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10500.000	43.62	38.55	-38.76	43.41	68.30	24.89	Vertical
2	10813.458	53.80	38.58	-38.38	54.00	74.00	20.00	Vertical
3	10813.937	52.18	38.58	-38.38	52.38	54.00	1.62	Vertical
4	11200.145	48.78	38.70	-36.60	50.88	74.00	23.12	Vertical
5	11200.625	44.86	38.70	-36.60	46.96	54.00	7.04	Vertical
6	15750.000	41.51	40.02	-33.16	48.37	74.00	25.63	Vertical


802.11be160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	54.02	38.58	-38.38	54.22	74.00	19.78	Horizontal
2	10813.937	52.83	38.58	-38.38	53.03	54.00	0.97	Horizontal
3	11140.0000	44.41	38.67	-37.29	45.79	74.00	28.21	Horizontal
4	11199.6667	51.01	38.70	-36.60	53.11	74.00	20.89	Horizontal
5	11200.625	48.44	38.70	-36.60	50.54	54.00	3.46	Horizontal
6	16710.000	43.92	41.35	-34.82	50.44	68.30	17.86	Horizontal

802.11be160_Channel 114




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10813.458	53.49	38.58	-38.38	53.69	74.00	20.31	Vertical
2	10813.937	51.65	38.58	-38.38	51.85	54.00	2.15	Vertical
3	11140.0000	43.07	38.67	-37.29	44.45	74.00	29.55	Vertical
4	11200.145	49.60	38.70	-36.60	51.70	74.00	22.30	Vertical
5	11200.625	47.15	38.70	-36.60	49.25	54.00	4.75	Vertical
6	16710.000	44.25	41.35	-34.82	50.77	68.30	17.53	Vertical


Radiated Emissions which fall in the restricted bands

802.11a_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	51.05	31.67	-19.14	63.57	74.00	10.43	Horizontal
2	5149.7	51.25	31.67	-19.14	63.78	74.00	10.22	Horizontal


802.11a_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147	49.47	31.66	-19.15	61.99	74.00	12.01	Vertical
2	5149.9	49.62	31.67	-19.14	62.15	74.00	11.85	Vertical

802.11a_Channel 36




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.8	39.12	31.67	-19.15	51.64	54.00	2.36	Horizontal
2	5148.7	39.57	31.67	-19.14	52.09	54.00	1.91	Horizontal




802.11a_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8	38.63	31.66	-19.15	51.15	54.00	2.85	Vertical
2	5148.2	38.70	31.67	-19.14	51.22	54.00	2.78	Vertical

802.11a_Channel 64




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	40.47	32.03	-18.90	53.60	54.00	0.40	Horizontal
2	5351.6	38.85	32.03	-18.90	51.98	54.00	2.02	Horizontal




802.11a_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	37.97	32.03	-18.90	51.10	54.00	2.90	Vertical
2	5352.2	37.21	32.03	-18.91	50.34	54.00	3.66	Vertical


802.11a_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352	53.27	32.03	-18.90	66.40	74.00	7.60	Horizontal
2	5352.6	54.37	32.03	-18.91	67.50	74.00	6.50	Horizontal


802.11a_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	49.05	32.03	-18.90	62.18	74.00	11.82	Vertical
2	5352.3	52.13	32.03	-18.91	65.26	74.00	8.74	Vertical


802.11a_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5465.2	48.41	32.24	-19.12	61.52	68.30	6.78	Horizontal
2	5468.2	48.38	32.24	-19.13	61.49	68.30	6.81	Horizontal

802.11a_Channel 100




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5464.72	47.10	32.24	-19.12	60.21	68.30	8.09	Vertical
2	5469.04	47.68	32.24	-19.13	60.79	68.30	7.51	Vertical




802.11a_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.34	36.07	32.22	-19.11	49.18	54.00	4.82	Horizontal
2	5458.3	35.96	32.22	-19.11	49.07	54.00	4.93	Horizontal


802.11a_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.6	35.54	32.21	-19.10	48.65	54.00	5.35	Vertical
2	5457.34	35.64	32.22	-19.11	48.75	54.00	5.25	Vertical


802.11a_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.65	49.17	32.35	-18.81	62.70	68.30	5.60	Horizontal
2	5730.95	47.60	32.35	-18.82	61.12	68.30	7.18	Horizontal


802.11a_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.25	48.64	32.35	-18.81	62.18	68.30	6.12	Vertical
2	5732.55	47.31	32.35	-18.83	60.83	68.30	7.47	Vertical


802.11a_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.675	47.12	32.33	-18.72	60.72	68.30	7.58	Horizontal
2	5675.8625	48.17	32.34	-18.73	61.78	87.48	25.70	Horizontal
3	5711.2875	51.62	32.34	-18.76	65.20	108.46	43.26	Horizontal
4	5724.125	64.71	32.34	-18.80	78.25	120.31	42.06	Horizontal


802.11a_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5632.475	47.54	32.33	-18.72	61.14	68.30	7.16	Vertical
2	5675.5375	48.45	32.34	-18.73	62.06	87.24	25.18	Vertical
3	5715.5125	57.77	32.34	-18.78	71.34	109.65	38.31	Vertical
4	5724.125	63.78	32.34	-18.80	77.32	120.31	42.99	Vertical


802.11a_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.875	55.25	32.37	-18.88	68.74	120.30	51.56	Horizontal
2	5857.5375	52.51	32.37	-18.86	66.02	110.19	44.17	Horizontal
3	5897.8375	47.52	32.38	-18.75	61.15	88.36	27.21	Horizontal
4	5933.75	47.76	32.39	-18.81	61.34	68.30	6.96	Horizontal


802.11a_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.7125	52.75	32.37	-18.88	66.24	120.67	54.43	Vertical
2	5857.375	51.07	32.37	-18.86	64.58	110.23	45.65	Vertical
3	5889.3875	47.91	32.38	-18.77	61.52	94.62	33.10	Vertical
4	5932.125	47.92	32.39	-18.81	61.50	68.30	6.80	Vertical

802.11ac20_Channel 36




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.4	40.58	31.67	-19.14	53.11	54.00	0.89	Horizontal
2	5149.9	40.92	31.67	-19.14	53.45	54.00	0.55	Horizontal




802.11ac20_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.2	38.57	31.67	-19.14	51.09	54.00	2.91	Vertical
2	5149.3	39.18	31.67	-19.14	51.71	54.00	2.29	Vertical


802.11ac20_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6	52.72	31.67	-19.15	65.24	74.00	8.76	Horizontal
2	5149.2	53.16	31.67	-19.14	65.69	74.00	8.31	Horizontal

802.11ac20_Channel 36




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.3	50.31	31.67	-19.15	62.83	74.00	11.17	Vertical
2	5149.8	50.68	31.67	-19.14	63.21	74.00	10.79	Vertical




802.11ac20_Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350	40.79	32.03	-18.90	53.92	54.00	0.08	Horizontal
2	5350.7	40.67	32.03	-18.90	53.80	54.00	0.20	Horizontal


802.11ac20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	38.59	32.03	-18.90	51.72	54.00	2.28	Vertical
2	5351.2	37.96	32.03	-18.90	51.09	54.00	2.91	Vertical


802.11ac20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.6	52.28	32.03	-18.90	65.41	74.00	8.59	Horizontal
2	5351.2	52.18	32.03	-18.90	65.31	74.00	8.69	Horizontal


802.11ac20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.2	49.18	32.03	-18.90	62.31	74.00	11.69	Vertical
2	5352.8	49.57	32.04	-18.91	62.70	74.00	11.30	Vertical


802.11ac20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5468.08	53.31	32.24	-19.13	66.42	68.30	1.88	Horizontal
2	5469.16	52.85	32.24	-19.13	65.96	68.30	2.34	Horizontal


802.11ac20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5467.96	52.85	32.24	-19.13	65.96	68.30	2.34	Vertical
2	5469.28	54.06	32.24	-19.13	67.17	68.30	1.13	Vertical

802.11ac20_Channel 100




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.46	36.69	32.22	-19.11	49.80	54.00	4.20	Horizontal
2	5458.54	37.18	32.23	-19.11	50.29	54.00	3.71	Horizontal




802.11ac20_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.04	35.93	32.22	-19.11	49.04	54.00	4.96	Vertical
2	5459.62	36.33	32.23	-19.12	49.44	54.00	4.56	Vertical


802.11ac20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.15	50.58	32.35	-18.81	64.12	68.30	4.18	Horizontal
2	5726.45	49.57	32.35	-18.81	63.11	68.30	5.19	Horizontal


802.11ac20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.25	48.12	32.35	-18.81	61.66	68.30	6.64	Vertical
2	5727.1	47.21	32.35	-18.81	60.74	68.30	7.56	Vertical


802.11ac20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.425	47.56	32.33	-18.72	61.16	68.30	7.14	Horizontal
2	5666.7625	47.69	32.33	-18.73	61.30	80.74	19.44	Horizontal
3	5711.6125	55.62	32.34	-18.76	69.20	108.55	39.35	Horizontal
4	5722.9875	65.81	32.34	-18.80	79.36	117.71	38.35	Horizontal


802.11ac20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.35	47.50	32.33	-18.72	61.10	68.30	7.20	Vertical
2	5683.9875	47.17	32.34	-18.73	60.78	93.49	32.71	Vertical
3	5705.6	53.81	32.34	-18.75	67.40	106.87	39.47	Vertical
4	5723.8	65.71	32.34	-18.80	79.25	119.56	40.31	Vertical


802.11ac20_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.0375	52.69	32.37	-18.88	66.18	119.93	53.75	Horizontal
2	5858.675	51.74	32.37	-18.86	65.25	109.87	44.62	Horizontal
3	5895.5625	48.10	32.38	-18.75	61.73	90.05	28.32	Horizontal
4	5931.3125	48.60	32.39	-18.81	62.18	68.30	6.12	Horizontal

802.11ac20_Channel 165




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.875	53.05	32.37	-18.88	66.54	120.30	53.76	Vertical
2	5864.0375	48.52	32.37	-18.84	62.05	108.37	46.32	Vertical
3	5893.9375	47.90	32.38	-18.76	61.52	91.25	29.73	Vertical
4	5935.7	47.39	32.39	-18.81	60.96	68.30	7.34	Vertical




802.11ac40_Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6933	39.43	31.67	-19.14	51.95	54.00	2.05	Horizontal
2	5350.8075	34.92	32.03	-18.90	48.05	54.00	5.95	Horizontal


802.11ac40_Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.3867	37.84	31.67	-19.14	50.37	54.00	3.63	Vertical
2	5353.73	34.81	32.04	-18.91	47.94	54.00	6.06	Vertical


802.11ac40_Channel 38



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149	52.62	31.67	-19.14	65.15	74.00	8.85	Horizontal
2	5352.61	46.64	32.03	-18.91	59.77	74.00	14.23	Horizontal

802.11ac40_Channel 38




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.12	49.88	31.66	-19.15	62.39	74.00	11.61	Vertical
2	5354.99	47.58	32.04	-18.91	60.71	74.00	13.29	Vertical



802.11ac40_Channel 62




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7	34.49	31.67	-19.15	47.01	54.00	6.99	Horizontal
2	5351.325	39.79	32.03	-18.90	52.92	54.00	1.08	Horizontal




802.11ac40_Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.5	34.36	31.67	-19.15	46.88	54.00	7.12	Vertical
2	5350.725	38.55	32.03	-18.90	51.68	54.00	2.32	Vertical

802.11ac40_Channel 62




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.4667	47.38	31.66	-19.15	59.89	74.00	14.11	Horizontal
2	5350.1	53.54	32.03	-18.90	66.67	74.00	7.33	Horizontal




802.11ac40_Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.8	46.89	31.67	-19.14	59.41	74.00	14.59	Vertical
2	5350.4375	50.71	32.03	-18.90	63.84	74.00	10.16	Vertical


802.11ac40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.0733	35.97	32.22	-19.11	49.08	54.00	4.92	Horizontal
2	5458.54	36.65	32.23	-19.11	49.76	54.00	4.24	Horizontal

802.11ac40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.7033	35.30	32.20	-19.09	48.41	54.00	5.59	Vertical
2	5458.3167	35.62	32.22	-19.11	48.73	54.00	5.27	Vertical