






Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
N7	15	5	DFT-QPSK	L	Outer_Full	0.009	0.15	-64.91	-55	PASS
N7	15	5	DFT-QPSK	L	Outer_Full	0.15	30	-64.40	-45	PASS
N7	15	5	DFT-QPSK	L	Outer_Full	30	1000	-44.55	-35	PASS
N7	15	5	DFT-QPSK	L	Outer_Full	3000	12000	-36.09	-25	PASS
N7	15	5	DFT-QPSK	L	Outer_Full	12000	40000	-26.79	-25	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-64.89	-55	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-66.17	-45	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-45.10	-35	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-36.03	-25	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	40000	-26.65	-25	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-65.24	-55	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-64.56	-45	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Right	30	1000	-44.85	-35	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-35.81	-25	PASS
N7	15	5	DFT-QPSK	L	Edge_1RB_Right	12000	40000	-26.75	-25	PASS
N7	15	5	DFT-16QAM	L	Outer_Full	0.009	0.15	-64.14	-55	PASS
N7	15	5	DFT-16QAM	L	Outer_Full	0.15	30	-64.98	-45	PASS
N7	15	5	DFT-16QAM	L	Outer_Full	30	1000	-44.78	-35	PASS
N7	15	5	DFT-16QAM	L	Outer_Full	3000	12000	-36.04	-25	PASS
N7	15	5	DFT-16QAM	L	Outer_Full	12000	40000	-26.77	-25	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-64.45	-55	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-65.30	-45	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Left	30	1000	-44.79	-35	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-36.16	-25	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Left	12000	40000	-26.74	-25	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-64.95	-55	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-65.45	-45	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Right	30	1000	-45.08	-35	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-36.04	-25	PASS
N7	15	5	DFT-16QAM	L	Edge_1RB_Right	12000	40000	-26.66	-25	PASS
N7	15	5	DFT-QPSK	M	Outer_Full	0.009	0.15	-64.40	-55	PASS
N7	15	5	DFT-QPSK	M	Outer_Full	0.15	30	-65.51	-45	PASS
N7	15	5	DFT-QPSK	M	Outer_Full	30	1000	-45.03	-35	PASS
N7	15	5	DFT-QPSK	M	Outer_Full	3000	12000	-36.10	-25	PASS
N7	15	5	DFT-QPSK	M	Outer_Full	12000	40000	-26.89	-25	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-65.11	-55	PASS

N7	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-64.69	-45	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Left	30	1000	-44.97	-35	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-36.08	-25	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Left	12000	40000	-26.73	-25	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-63.51	-55	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-64.29	-45	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Right	30	1000	-44.80	-35	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-36.11	-25	PASS
N7	15	5	DFT-QPSK	M	Edge_1RB_Right	12000	40000	-26.81	-25	PASS
N7	15	5	DFT-16QAM	M	Outer_Full	0.009	0.15	-64.95	-55	PASS
N7	15	5	DFT-16QAM	M	Outer_Full	0.15	30	-65.95	-45	PASS
N7	15	5	DFT-16QAM	M	Outer_Full	30	1000	-44.86	-35	PASS
N7	15	5	DFT-16QAM	M	Outer_Full	3000	12000	-36.09	-25	PASS
N7	15	5	DFT-16QAM	M	Outer_Full	12000	40000	-26.74	-25	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-65.34	-55	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-65.32	-45	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Left	30	1000	-44.82	-35	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-36.04	-25	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Left	12000	40000	-26.67	-25	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-63.56	-55	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-64.91	-45	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Right	30	1000	-44.75	-35	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-36.00	-25	PASS
N7	15	5	DFT-16QAM	M	Edge_1RB_Right	12000	40000	-26.85	-25	PASS
N7	15	5	DFT-QPSK	H	Outer_Full	0.009	0.15	-64.77	-55	PASS
N7	15	5	DFT-QPSK	H	Outer_Full	0.15	30	-65.01	-45	PASS
N7	15	5	DFT-QPSK	H	Outer_Full	30	1000	-44.75	-35	PASS
N7	15	5	DFT-QPSK	H	Outer_Full	3000	12000	-36.04	-25	PASS
N7	15	5	DFT-QPSK	H	Outer_Full	12000	40000	-26.92	-25	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-64.43	-55	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-63.83	-45	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Left	30	1000	-44.78	-35	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-36.06	-25	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Left	12000	40000	-26.83	-25	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-64.17	-55	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-64.62	-45	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Right	30	1000	-44.50	-35	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-36.11	-25	PASS
N7	15	5	DFT-QPSK	H	Edge_1RB_Right	12000	40000	-26.78	-25	PASS
N7	15	5	DFT-16QAM	H	Outer_Full	0.009	0.15	-65.17	-55	PASS
N7	15	5	DFT-16QAM	H	Outer_Full	0.15	30	-64.28	-45	PASS
N7	15	5	DFT-16QAM	H	Outer_Full	30	1000	-44.50	-35	PASS

N7	15	5	DFT-16QAM	H	Outer_Full	3000	12000	-36.09	-25	PASS
N7	15	5	DFT-16QAM	H	Outer_Full	12000	40000	-26.82	-25	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-65.72	-55	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-64.84	-45	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Left	30	1000	-44.96	-35	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-35.98	-25	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Left	12000	40000	-26.68	-25	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-65.35	-55	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-65.28	-45	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Right	30	1000	-45.07	-35	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-36.01	-25	PASS
N7	15	5	DFT-16QAM	H	Edge_1RB_Right	12000	40000	-26.72	-25	PASS
N7	15	10	DFT-QPSK	L	Outer_Full	0.009	0.15	-63.99	-55	PASS
N7	15	10	DFT-QPSK	L	Outer_Full	0.15	30	-65.57	-45	PASS
N7	15	10	DFT-QPSK	L	Outer_Full	30	1000	-44.28	-35	PASS
N7	15	10	DFT-QPSK	L	Outer_Full	3000	12000	-36.07	-25	PASS
N7	15	10	DFT-QPSK	L	Outer_Full	12000	40000	-26.73	-25	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-65.20	-55	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-65.05	-45	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-44.62	-35	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-36.01	-25	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Left	12000	40000	-26.72	-25	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-64.35	-55	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-65.60	-45	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Right	30	1000	-44.93	-35	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-36.03	-25	PASS
N7	15	10	DFT-QPSK	L	Edge_1RB_Right	12000	40000	-26.67	-25	PASS
N7	15	10	DFT-16QAM	L	Outer_Full	0.009	0.15	-65.09	-55	PASS
N7	15	10	DFT-16QAM	L	Outer_Full	0.15	30	-65.48	-45	PASS
N7	15	10	DFT-16QAM	L	Outer_Full	30	1000	-44.81	-35	PASS
N7	15	10	DFT-16QAM	L	Outer_Full	3000	12000	-36.05	-25	PASS
N7	15	10	DFT-16QAM	L	Outer_Full	12000	40000	-26.69	-25	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-65.24	-55	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-65.78	-45	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Left	30	1000	-44.74	-35	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-36.07	-25	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Left	12000	40000	-26.82	-25	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-64.79	-55	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-64.71	-45	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Right	30	1000	-44.66	-35	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-35.98	-25	PASS
N7	15	10	DFT-16QAM	L	Edge_1RB_Right	12000	40000	-26.64	-25	PASS

N7	15	10	DFT-QPSK	M	Outer_Full	0.009	0.15	-64.54	-55	PASS
N7	15	10	DFT-QPSK	M	Outer_Full	0.15	30	-65.58	-45	PASS
N7	15	10	DFT-QPSK	M	Outer_Full	30	1000	-44.86	-35	PASS
N7	15	10	DFT-QPSK	M	Outer_Full	3000	12000	-35.76	-25	PASS
N7	15	10	DFT-QPSK	M	Outer_Full	12000	40000	-26.82	-25	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-64.67	-55	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-65.08	-45	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-44.74	-35	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-36.08	-25	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Left	12000	40000	-26.66	-25	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-64.29	-55	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-64.76	-45	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Right	30	1000	-44.88	-35	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-36.11	-25	PASS
N7	15	10	DFT-QPSK	M	Edge_1RB_Right	12000	40000	-26.79	-25	PASS
N7	15	10	DFT-16QAM	M	Outer_Full	0.009	0.15	-65.12	-55	PASS
N7	15	10	DFT-16QAM	M	Outer_Full	0.15	30	-65.10	-45	PASS
N7	15	10	DFT-16QAM	M	Outer_Full	30	1000	-44.90	-35	PASS
N7	15	10	DFT-16QAM	M	Outer_Full	3000	12000	-35.94	-25	PASS
N7	15	10	DFT-16QAM	M	Outer_Full	12000	40000	-26.69	-25	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-64.49	-55	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-66.30	-45	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Left	30	1000	-44.66	-35	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-36.01	-25	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Left	12000	40000	-26.75	-25	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-63.42	-55	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-65.39	-45	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Right	30	1000	-44.79	-35	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-36.03	-25	PASS
N7	15	10	DFT-16QAM	M	Edge_1RB_Right	12000	40000	-26.79	-25	PASS
N7	15	10	DFT-QPSK	H	Outer_Full	0.009	0.15	-64.52	-55	PASS
N7	15	10	DFT-QPSK	H	Outer_Full	0.15	30	-64.38	-45	PASS
N7	15	10	DFT-QPSK	H	Outer_Full	30	1000	-44.78	-35	PASS
N7	15	10	DFT-QPSK	H	Outer_Full	3000	12000	-36.00	-25	PASS
N7	15	10	DFT-QPSK	H	Outer_Full	12000	40000	-26.81	-25	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-65.69	-55	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-65.43	-45	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-44.89	-35	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-36.04	-25	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Left	12000	40000	-26.85	-25	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-65.09	-55	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-63.25	-45	PASS

N7	15	10	DFT-QPSK	H	Edge_1RB_Right	30	1000	-44.92	-35	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-36.02	-25	PASS
N7	15	10	DFT-QPSK	H	Edge_1RB_Right	12000	40000	-26.80	-25	PASS
N7	15	10	DFT-16QAM	H	Outer_Full	0.009	0.15	-64.52	-55	PASS
N7	15	10	DFT-16QAM	H	Outer_Full	0.15	30	-64.64	-45	PASS
N7	15	10	DFT-16QAM	H	Outer_Full	30	1000	-44.66	-35	PASS
N7	15	10	DFT-16QAM	H	Outer_Full	3000	12000	-36.10	-25	PASS
N7	15	10	DFT-16QAM	H	Outer_Full	12000	40000	-26.78	-25	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-64.56	-55	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-65.07	-45	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Left	30	1000	-45.02	-35	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-36.08	-25	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Left	12000	40000	-26.78	-25	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-64.62	-55	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-64.48	-45	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Right	30	1000	-44.73	-35	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-35.96	-25	PASS
N7	15	10	DFT-16QAM	H	Edge_1RB_Right	12000	40000	-26.79	-25	PASS
N7	15	15	DFT-QPSK	L	Outer_Full	0.009	0.15	-64.37	-55	PASS
N7	15	15	DFT-QPSK	L	Outer_Full	0.15	30	-65.88	-45	PASS
N7	15	15	DFT-QPSK	L	Outer_Full	30	1000	-44.55	-35	PASS
N7	15	15	DFT-QPSK	L	Outer_Full	3000	12000	-36.08	-25	PASS
N7	15	15	DFT-QPSK	L	Outer_Full	12000	40000	-26.59	-25	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-64.21	-55	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-65.12	-45	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Left	30	1000	-44.57	-35	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-36.05	-25	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Left	12000	40000	-26.87	-25	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-65.61	-55	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-66.28	-45	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Right	30	1000	-44.86	-35	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-35.98	-25	PASS
N7	15	15	DFT-QPSK	L	Edge_1RB_Right	12000	40000	-26.57	-25	PASS
N7	15	15	DFT-16QAM	L	Outer_Full	0.009	0.15	-65.34	-55	PASS
N7	15	15	DFT-16QAM	L	Outer_Full	0.15	30	-65.25	-45	PASS
N7	15	15	DFT-16QAM	L	Outer_Full	30	1000	-44.95	-35	PASS
N7	15	15	DFT-16QAM	L	Outer_Full	3000	12000	-35.95	-25	PASS
N7	15	15	DFT-16QAM	L	Outer_Full	12000	40000	-26.80	-25	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-64.94	-55	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-64.79	-45	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Left	30	1000	-44.85	-35	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-35.82	-25	PASS

N7	15	15	DFT-16QAM	L	Edge_1RB_Left	12000	40000	-26.60	-25	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-65.35	-55	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-66.02	-45	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Right	30	1000	-44.52	-35	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-35.96	-25	PASS
N7	15	15	DFT-16QAM	L	Edge_1RB_Right	12000	40000	-26.71	-25	PASS
N7	15	15	DFT-QPSK	M	Outer_Full	0.009	0.15	-64.02	-55	PASS
N7	15	15	DFT-QPSK	M	Outer_Full	0.15	30	-65.25	-45	PASS
N7	15	15	DFT-QPSK	M	Outer_Full	30	1000	-44.98	-35	PASS
N7	15	15	DFT-QPSK	M	Outer_Full	3000	12000	-36.01	-25	PASS
N7	15	15	DFT-QPSK	M	Outer_Full	12000	40000	-26.71	-25	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-65.20	-55	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-64.82	-45	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Left	30	1000	-44.77	-35	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-36.00	-25	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Left	12000	40000	-26.75	-25	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-64.90	-55	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-64.15	-45	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Right	30	1000	-44.92	-35	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-36.07	-25	PASS
N7	15	15	DFT-QPSK	M	Edge_1RB_Right	12000	40000	-26.65	-25	PASS
N7	15	15	DFT-16QAM	M	Outer_Full	0.009	0.15	-64.42	-55	PASS
N7	15	15	DFT-16QAM	M	Outer_Full	0.15	30	-65.80	-45	PASS
N7	15	15	DFT-16QAM	M	Outer_Full	30	1000	-44.64	-35	PASS
N7	15	15	DFT-16QAM	M	Outer_Full	3000	12000	-36.13	-25	PASS
N7	15	15	DFT-16QAM	M	Outer_Full	12000	40000	-26.69	-25	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-63.96	-55	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-64.74	-45	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Left	30	1000	-44.93	-35	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-36.09	-25	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Left	12000	40000	-26.86	-25	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-64.38	-55	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-64.84	-45	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Right	30	1000	-44.94	-35	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-36.08	-25	PASS
N7	15	15	DFT-16QAM	M	Edge_1RB_Right	12000	40000	-26.78	-25	PASS
N7	15	15	DFT-QPSK	H	Outer_Full	0.009	0.15	-64.12	-55	PASS
N7	15	15	DFT-QPSK	H	Outer_Full	0.15	30	-63.61	-45	PASS
N7	15	15	DFT-QPSK	H	Outer_Full	30	1000	-44.82	-35	PASS
N7	15	15	DFT-QPSK	H	Outer_Full	3000	12000	-36.11	-25	PASS
N7	15	15	DFT-QPSK	H	Outer_Full	12000	40000	-26.53	-25	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-64.22	-55	PASS

N7	15	15	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-65.76	-45	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Left	30	1000	-44.89	-35	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-36.07	-25	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Left	12000	40000	-26.82	-25	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-63.64	-55	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-63.60	-45	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Right	30	1000	-44.78	-35	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-36.11	-25	PASS
N7	15	15	DFT-QPSK	H	Edge_1RB_Right	12000	40000	-26.97	-25	PASS
N7	15	15	DFT-16QAM	H	Outer_Full	0.009	0.15	-64.10	-55	PASS
N7	15	15	DFT-16QAM	H	Outer_Full	0.15	30	-65.00	-45	PASS
N7	15	15	DFT-16QAM	H	Outer_Full	30	1000	-44.57	-35	PASS
N7	15	15	DFT-16QAM	H	Outer_Full	3000	12000	-36.13	-25	PASS
N7	15	15	DFT-16QAM	H	Outer_Full	12000	40000	-26.64	-25	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-64.53	-55	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-64.96	-45	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Left	30	1000	-44.87	-35	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-35.91	-25	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Left	12000	40000	-26.90	-25	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-64.44	-55	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-65.81	-45	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Right	30	1000	-44.80	-35	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-35.96	-25	PASS
N7	15	15	DFT-16QAM	H	Edge_1RB_Right	12000	40000	-26.75	-25	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	0.009	0.15	-64.80	-55	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	0.15	30	-65.42	-45	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	30	1000	-44.73	-35	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	3000	12000	-35.79	-25	PASS
N7	15	20	DFT-QPSK	L	Outer_Full	12000	40000	-26.86	-25	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-64.64	-55	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-64.19	-45	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-44.74	-35	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-35.97	-25	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Left	12000	40000	-26.79	-25	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-65.52	-55	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-65.51	-45	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Right	30	1000	-44.94	-35	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-35.98	-25	PASS
N7	15	20	DFT-QPSK	L	Edge_1RB_Right	12000	40000	-26.59	-25	PASS
N7	15	20	DFT-16QAM	L	Outer_Full	0.009	0.15	-64.71	-55	PASS
N7	15	20	DFT-16QAM	L	Outer_Full	0.15	30	-64.80	-45	PASS
N7	15	20	DFT-16QAM	L	Outer_Full	30	1000	-44.71	-35	PASS

N7	15	20	DFT-16QAM	L	Outer_Full	3000	12000	-35.95	-25	PASS
N7	15	20	DFT-16QAM	L	Outer_Full	12000	40000	-26.74	-25	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-65.10	-55	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-64.96	-45	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Left	30	1000	-44.84	-35	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-36.07	-25	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Left	12000	40000	-26.92	-25	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-63.55	-55	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-65.53	-45	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Right	30	1000	-44.82	-35	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-36.12	-25	PASS
N7	15	20	DFT-16QAM	L	Edge_1RB_Right	12000	40000	-26.74	-25	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	0.009	0.15	-64.21	-55	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	0.15	30	-64.34	-45	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	30	1000	-44.70	-35	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	3000	12000	-36.02	-25	PASS
N7	15	20	DFT-QPSK	M	Outer_Full	12000	40000	-26.63	-25	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-65.17	-55	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-63.91	-45	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-44.61	-35	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-36.03	-25	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Left	12000	40000	-26.56	-25	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-64.76	-55	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-64.38	-45	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Right	30	1000	-44.15	-35	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-35.94	-25	PASS
N7	15	20	DFT-QPSK	M	Edge_1RB_Right	12000	40000	-26.75	-25	PASS
N7	15	20	DFT-16QAM	M	Outer_Full	0.009	0.15	-64.50	-55	PASS
N7	15	20	DFT-16QAM	M	Outer_Full	0.15	30	-65.28	-45	PASS
N7	15	20	DFT-16QAM	M	Outer_Full	30	1000	-44.81	-35	PASS
N7	15	20	DFT-16QAM	M	Outer_Full	3000	12000	-36.08	-25	PASS
N7	15	20	DFT-16QAM	M	Outer_Full	12000	40000	-26.84	-25	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-65.42	-55	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-64.72	-45	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Left	30	1000	-44.85	-35	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-36.04	-25	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Left	12000	40000	-26.81	-25	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-64.49	-55	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-65.40	-45	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Right	30	1000	-44.68	-35	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-36.00	-25	PASS
N7	15	20	DFT-16QAM	M	Edge_1RB_Right	12000	40000	-26.77	-25	PASS

N7	15	20	DFT-QPSK	H	Outer_Full	0.009	0.15	-64.18	-55	PASS
N7	15	20	DFT-QPSK	H	Outer_Full	0.15	30	-64.80	-45	PASS
N7	15	20	DFT-QPSK	H	Outer_Full	30	1000	-44.82	-35	PASS
N7	15	20	DFT-QPSK	H	Outer_Full	3000	12000	-35.91	-25	PASS
N7	15	20	DFT-QPSK	H	Outer_Full	12000	40000	-26.89	-25	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-65.08	-55	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-64.06	-45	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-44.80	-35	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-36.15	-25	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Left	12000	40000	-26.91	-25	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-63.55	-55	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-65.01	-45	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Right	30	1000	-44.89	-35	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-36.01	-25	PASS
N7	15	20	DFT-QPSK	H	Edge_1RB_Right	12000	40000	-26.71	-25	PASS
N7	15	20	DFT-16QAM	H	Outer_Full	0.009	0.15	-64.90	-55	PASS
N7	15	20	DFT-16QAM	H	Outer_Full	0.15	30	-65.43	-45	PASS
N7	15	20	DFT-16QAM	H	Outer_Full	30	1000	-44.82	-35	PASS
N7	15	20	DFT-16QAM	H	Outer_Full	3000	12000	-36.04	-25	PASS
N7	15	20	DFT-16QAM	H	Outer_Full	12000	40000	-26.71	-25	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-65.02	-55	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-64.98	-45	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Left	30	1000	-44.35	-35	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-36.02	-25	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Left	12000	40000	-26.75	-25	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-65.05	-55	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-65.79	-45	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Right	30	1000	-44.63	-35	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-36.03	-25	PASS
N7	15	20	DFT-16QAM	H	Edge_1RB_Right	12000	40000	-26.86	-25	PASS

Test Graphs

