



1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.53	-13	Pass	2986
30	811	0.1	Peak	672.1	-51.89	-13	Pass	7811
811	827	0.1	Peak	817.68	24.69	60	Pass	401
827	1000	0.1	Peak	948.5	-51.51	-13	Pass	1731
1000	3000	1	Peak	2644	-34.62	-13	Pass	2001
3000	10000	1	Peak	7722	-29.86	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.84	-13	Pass	2986
30	811	0.1	Peak	810.9	-51.04	-13	Pass	7811
811	827	0.1	Peak	817.68	25.13	60	Pass	401
827	1000	0.1	Peak	827.9	-47.95	-13	Pass	1731
1000	3000	1	Peak	2997	-34.48	-13	Pass	2001
3000	10000	1	Peak	7698	-30.11	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.04	-13	Pass	2986
30	811	0.1	Peak	802.5	-51.57	-13	Pass	7811
811	827	0.1	Peak	821.2	24.7	60	Pass	401
827	1000	0.1	Peak	827	-50.91	-13	Pass	1731
1000	3000	1	Peak	2781	-34.81	-13	Pass	2001
3000	10000	1	Peak	7342	-30.19	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.51	-13	Pass	2986
30	811	0.1	Peak	753.2	-50.9	-13	Pass	7811
811	827	0.1	Peak	821.16	25.28	60	Pass	401
827	1000	0.1	Peak	828	-35.91	-13	Pass	1731
1000	3000	1	Peak	2749	-34.5	-13	Pass	2001
3000	10000	1	Peak	7723	-29.74	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.33	-13	Pass	2986
30	809	0.1	Peak	807.7	-40.75	-13	Pass	7791
809	829	0.1	Peak	814.35	24.85	60	Pass	401
829	1000	0.1	Peak	831.6	-47.44	-13	Pass	1711
1000	3000	1	Peak	2642	-34.35	-13	Pass	2001
3000	10000	1	Peak	9736	-30.05	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.52	-13	Pass	2986
30	809	0.1	Peak	809	-38.22	-13	Pass	7791
809	829	0.1	Peak	814.3	24.82	60	Pass	401
829	1000	0.1	Peak	831.6	-46.69	-13	Pass	1711
1000	3000	1	Peak	2715	-34.84	-13	Pass	2001
3000	10000	1	Peak	7685	-29.17	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.83	-13	Pass	2986
30	809	0.1	Peak	808.2	-45.03	-13	Pass	7791
809	829	0.1	Peak	816.85	24.76	60	Pass	401
829	1000	0.1	Peak	922.5	-51.44	-13	Pass	1711
1000	3000	1	Peak	2682	-34.61	-13	Pass	2001
3000	10000	1	Peak	7753	-29.11	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.89	-13	Pass	401
0.15	30	0.01	Peak	0.17	-38.87	-13	Pass	2986
30	809	0.1	Peak	808.5	-43.78	-13	Pass	7791
809	829	0.1	Peak	816.9	25.4	60	Pass	401
829	1000	0.1	Peak	874.6	-51.62	-13	Pass	1711
1000	3000	1	Peak	2730	-34.51	-13	Pass	2001
3000	10000	1	Peak	7763	-30.22	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.87	-13	Pass	2986
30	809	0.1	Peak	772.9	-51.49	-13	Pass	7791
809	829	0.1	Peak	819.35	24.77	60	Pass	401
829	1000	0.1	Peak	954.9	-51.09	-13	Pass	1711
1000	3000	1	Peak	2777	-34.78	-13	Pass	2001
3000	10000	1	Peak	7747	-29.18	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-35.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.75	-13	Pass	2986
30	809	0.1	Peak	778.8	-51.9	-13	Pass	7791
809	829	0.1	Peak	819.35	24.89	60	Pass	401
829	1000	0.1	Peak	965.1	-51.5	-13	Pass	1711
1000	3000	1	Peak	2656	-34.58	-13	Pass	2001
3000	10000	1	Peak	9507	-29.99	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.18	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.41	-13	Pass	2986
30	804	0.1	Peak	746.7	-51.91	-13	Pass	7741
804	834	0.1	Peak	814.65	24.51	60	Pass	401
834	1000	0.1	Peak	907.8	-51.45	-13	Pass	1661
1000	3000	1	Peak	2906	-34.64	-13	Pass	2001
3000	10000	1	Peak	8161	-29.68	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.27	-13	Pass	2986
30	804	0.1	Peak	738.9	-51.57	-13	Pass	7741
804	834	0.1	Peak	814.575	24.58	60	Pass	401
834	1000	0.1	Peak	932.8	-51.54	-13	Pass	1661
1000	3000	1	Peak	2994	-33.87	-13	Pass	2001
3000	10000	1	Peak	7720	-28.62	-13	Pass	7001



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.6	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.11	-25	Pass	9701
1000	2560	1	RMS	2559	-41.86	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.04	60	Pass	401
2630	3000	1	RMS	2648.5	-42.86	-25	Pass	401
3000	12000	1	RMS	11852	-59.88	-25	Pass	9001
12000	26500	1	RMS	25015	-41.9	-25	Pass	14501




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.44	-25	Pass	2986
30	1000	0.1	RMS	920.7	-58.12	-25	Pass	9701
1000	2560	1	RMS	2560	-41.41	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.58	60	Pass	401
2630	3000	1	RMS	2652.2	-42.86	-25	Pass	401
3000	12000	1	RMS	5140	-58.69	-25	Pass	9001
12000	26500	1	RMS	25016	-41.76	-25	Pass	14501




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.41	-25	Pass	2986
30	1000	0.1	RMS	951.3	-58.28	-25	Pass	9701
1000	2560	1	RMS	2555	-43.72	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.13	60	Pass	401
2630	3000	1	RMS	2652.2	-42.82	-25	Pass	401
3000	12000	1	RMS	5186	-57.17	-25	Pass	9001
12000	26500	1	RMS	25011	-41.81	-25	Pass	14501




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.91	-25	Pass	2986
30	1000	0.1	RMS	896.3	-58.13	-25	Pass	9701
1000	2560	1	RMS	2559	-43.75	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.14	60	Pass	401
2630	3000	1	RMS	2647.575	-42.81	-25	Pass	401
3000	12000	1	RMS	5185	-58.88	-25	Pass	9001
12000	26500	1	RMS	25010	-41.81	-25	Pass	14501




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.75	-25	Pass	2986
30	1000	0.1	RMS	940	-58.23	-25	Pass	9701
1000	2560	1	RMS	2547	-43.87	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.16	60	Pass	401
2630	3000	1	RMS	2630	-42.29	-25	Pass	401
3000	12000	1	RMS	11849	-59.79	-25	Pass	9001
12000	26500	1	RMS	25012	-41.7	-25	Pass	14501




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.52	-25	Pass	2986
30	1000	0.1	RMS	940.4	-58.24	-25	Pass	9701
1000	2560	1	RMS	2535	-43.84	-25	Pass	1561
2560	2630	1	RMS	2615.475	23.1	60	Pass	401
2630	3000	1	RMS	2630	-42.18	-25	Pass	401
3000	12000	1	RMS	11842	-59.86	-25	Pass	9001
12000	26500	1	RMS	25011	-41.74	-25	Pass	14501




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.51	-25	Pass	2986
30	1000	0.1	RMS	939.1	-58.21	-25	Pass	9701
1000	2555	1	RMS	2555	-43.01	-25	Pass	1556
2555	2635	1	RMS	2570.4	23.99	60	Pass	401
2635	3000	1	RMS	2647.775	-42.84	-25	Pass	401
3000	12000	1	RMS	5141	-53.83	-25	Pass	9001
12000	26500	1	RMS	25012	-41.88	-25	Pass	14501




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.02	-25	Pass	2986
30	1000	0.1	RMS	913.2	-58.13	-25	Pass	9701
1000	2555	1	RMS	2555	-42.18	-25	Pass	1556
2555	2635	1	RMS	2570.6	23.33	60	Pass	401
2635	3000	1	RMS	2654.163	-42.81	-25	Pass	401
3000	12000	1	RMS	5141	-53.87	-25	Pass	9001
12000	26500	1	RMS	25020	-41.9	-25	Pass	14501



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.09	-25	Pass	2986
30	1000	0.1	RMS	968.4	-58.14	-25	Pass	9701
1000	2555	1	RMS	2541	-43.72	-25	Pass	1556
2555	2635	1	RMS	2590.4	23.46	60	Pass	401
2635	3000	1	RMS	2649.6	-42.81	-25	Pass	401
3000	12000	1	RMS	5181	-56.22	-25	Pass	9001
12000	26500	1	RMS	25017	-41.88	-25	Pass	14501



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.46	-25	Pass	2986
30	1000	0.1	RMS	906.5	-58.29	-25	Pass	9701
1000	2555	1	RMS	2554	-43.54	-25	Pass	1556
2555	2635	1	RMS	2590.4	22.8	60	Pass	401
2635	3000	1	RMS	2651.425	-42.82	-25	Pass	401
3000	12000	1	RMS	11850	-59.79	-25	Pass	9001
12000	26500	1	RMS	25011	-41.77	-25	Pass	14501



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.84	-25	Pass	2986
30	1000	0.1	RMS	918.7	-58.2	-25	Pass	9701
1000	2555	1	RMS	2555	-43.72	-25	Pass	1556
2555	2635	1	RMS	2610.4	23.33	60	Pass	401
2635	3000	1	RMS	2635	-42.51	-25	Pass	401
3000	12000	1	RMS	5221	-54.94	-25	Pass	9001
12000	26500	1	RMS	25010	-41.72	-25	Pass	14501



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.81	-25	Pass	2986
30	1000	0.1	RMS	910.4	-58.17	-25	Pass	9701
1000	2555	1	RMS	2520	-43.82	-25	Pass	1556
2555	2635	1	RMS	2610.4	22.88	60	Pass	401
2635	3000	1	RMS	2636.825	-42.6	-25	Pass	401
3000	12000	1	RMS	11861	-59.84	-25	Pass	9001
12000	26500	1	RMS	25008	-41.87	-25	Pass	14501



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.38	-25	Pass	2986
30	1000	0.1	RMS	928.5	-58.22	-25	Pass	9701
1000	2550	1	RMS	2548	-42.6	-25	Pass	1551
2550	2640	1	RMS	2570.7	23.95	60	Pass	401
2640	3000	1	RMS	2651.7	-42.8	-25	Pass	401
3000	12000	1	RMS	5141	-59.2	-25	Pass	9001
12000	26500	1	RMS	25012	-41.92	-25	Pass	14501



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.75	-25	Pass	2986
30	1000	0.1	RMS	937.9	-58.04	-25	Pass	9701
1000	2550	1	RMS	2550	-43.07	-25	Pass	1551
2550	2640	1	RMS	2570.925	23.15	60	Pass	401
2640	3000	1	RMS	2649.9	-42.87	-25	Pass	401
3000	12000	1	RMS	5141	-57.22	-25	Pass	9001
12000	26500	1	RMS	25012	-41.72	-25	Pass	14501



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.35	-25	Pass	2986
30	1000	0.1	RMS	932.8	-58.28	-25	Pass	9701
1000	2550	1	RMS	2550	-43.34	-25	Pass	1551
2550	2640	1	RMS	2588.475	23.52	60	Pass	401
2640	3000	1	RMS	2653.5	-42.76	-25	Pass	401
3000	12000	1	RMS	11843	-59.87	-25	Pass	9001
12000	26500	1	RMS	25008	-41.81	-25	Pass	14501



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.08	-25	Pass	2986
30	1000	0.1	RMS	937.4	-58.29	-25	Pass	9701
1000	2550	1	RMS	2548	-43.51	-25	Pass	1551
2550	2640	1	RMS	2588.25	22.92	60	Pass	401
2640	3000	1	RMS	2646.3	-42.78	-25	Pass	401
3000	12000	1	RMS	11850	-59.86	-25	Pass	9001
12000	26500	1	RMS	25013	-41.88	-25	Pass	14501



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.13	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.07	-25	Pass	9701
1000	2550	1	RMS	2547	-43.61	-25	Pass	1551
2550	2640	1	RMS	2605.8	23.7	60	Pass	401
2640	3000	1	RMS	2645.4	-42.64	-25	Pass	401
3000	12000	1	RMS	5212	-55.37	-25	Pass	9001
12000	26500	1	RMS	25013	-41.78	-25	Pass	14501



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.22	-25	Pass	2986
30	1000	0.1	RMS	918	-58.2	-25	Pass	9701
1000	2550	1	RMS	2536	-43.86	-25	Pass	1551
2550	2640	1	RMS	2605.8	22.62	60	Pass	401
2640	3000	1	RMS	2641.8	-42.68	-25	Pass	401
3000	12000	1	RMS	11849	-59.89	-25	Pass	9001
12000	26500	1	RMS	25012	-41.82	-25	Pass	14501



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.07	-25	Pass	2986
30	1000	0.1	RMS	919.6	-58.13	-25	Pass	9701
1000	2545	1	RMS	2545	-43.02	-25	Pass	1546
2545	2645	1	RMS	2571	23.63	60	Pass	401
2645	3000	1	RMS	2650.325	-42.83	-25	Pass	401
3000	12000	1	RMS	11850	-59.81	-25	Pass	9001
12000	26500	1	RMS	25013	-41.77	-25	Pass	14501



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.66	-25	Pass	2986
30	1000	0.1	RMS	937.6	-58.21	-25	Pass	9701
1000	2545	1	RMS	2540	-43.16	-25	Pass	1546
2545	2645	1	RMS	2571.25	23.12	60	Pass	401
2645	3000	1	RMS	2648.55	-42.85	-25	Pass	401
3000	12000	1	RMS	5143	-58.62	-25	Pass	9001
12000	26500	1	RMS	25013	-41.76	-25	Pass	14501



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.83	-25	Pass	2986
30	1000	0.1	RMS	925.6	-58.15	-25	Pass	9701
1000	2545	1	RMS	2541	-43.59	-25	Pass	1546
2545	2645	1	RMS	2586	23.42	60	Pass	401
2645	3000	1	RMS	2652.1	-42.8	-25	Pass	401
3000	12000	1	RMS	5172	-57.44	-25	Pass	9001
12000	26500	1	RMS	25014	-41.91	-25	Pass	14501



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.81	-25	Pass	2986
30	1000	0.1	RMS	919.2	-58.26	-25	Pass	9701
1000	2545	1	RMS	2540	-43.55	-25	Pass	1546
2545	2645	1	RMS	2586	22.53	60	Pass	401
2645	3000	1	RMS	2651.213	-42.79	-25	Pass	401
3000	12000	1	RMS	5172	-58.53	-25	Pass	9001
12000	26500	1	RMS	25013	-41.89	-25	Pass	14501



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.6	-25	Pass	2986
30	1000	0.1	RMS	928.5	-58.1	-25	Pass	9701
1000	2545	1	RMS	2542	-43.77	-25	Pass	1546
2545	2645	1	RMS	2601	23.22	60	Pass	401
2645	3000	1	RMS	2649.438	-42.71	-25	Pass	401
3000	12000	1	RMS	11854	-59.77	-25	Pass	9001
12000	26500	1	RMS	25011	-41.85	-25	Pass	14501



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.87	-25	Pass	2986
30	1000	0.1	RMS	922.1	-58.22	-25	Pass	9701
1000	2545	1	RMS	2534	-43.79	-25	Pass	1546
2545	2645	1	RMS	2601.25	22.83	60	Pass	401
2645	3000	1	RMS	2645.888	-42.73	-25	Pass	401
3000	12000	1	RMS	11859	-59.77	-25	Pass	9001
12000	26500	1	RMS	25013	-41.83	-25	Pass	14501



13. LTE_Band41 full


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.2	-25	Pass	2986
30	1000	0.1	RMS	912.4	-58.16	-25	Pass	9701
1000	2486	1	RMS	2486	-41.59	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.57	60	Pass	401
2700	3000	1	RMS	2997.75	-42.85	-25	Pass	401
3000	12000	1	RMS	4992	-55.66	-25	Pass	9001
12000	27000	1	RMS	25016	-36.88	-25	Pass	15001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.41	-25	Pass	2986
30	1000	0.1	RMS	927.6	-58.14	-25	Pass	9701
1000	2486	1	RMS	2486	-42.48	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.63	60	Pass	401
2700	3000	1	RMS	2998.5	-42.88	-25	Pass	401
3000	12000	1	RMS	4993	-49.91	-25	Pass	9001
12000	27000	1	RMS	25015	-36.96	-25	Pass	15001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.18	-25	Pass	2986
30	1000	0.1	RMS	892.2	-58.03	-25	Pass	9701
1000	2486	1	RMS	2483	-44.06	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.81	60	Pass	401
2700	3000	1	RMS	3000	-42.79	-25	Pass	401
3000	12000	1	RMS	5182	-56.69	-25	Pass	9001
12000	27000	1	RMS	25014	-36.87	-25	Pass	15001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.44	-25	Pass	2986
30	1000	0.1	RMS	953.7	-58.2	-25	Pass	9701
1000	2486	1	RMS	2480	-44.03	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.66	60	Pass	401
2700	3000	1	RMS	2998.5	-42.83	-25	Pass	401
3000	12000	1	RMS	5182	-56.98	-25	Pass	9001
12000	27000	1	RMS	25012	-36.88	-25	Pass	15001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.68	-25	Pass	2986
30	1000	0.1	RMS	919.1	-58.06	-25	Pass	9701
1000	2486	1	RMS	2482	-44.01	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.59	60	Pass	401
2700	3000	1	RMS	2701.5	-42.49	-25	Pass	401
3000	12000	1	RMS	11847	-59.66	-25	Pass	9001
12000	27000	1	RMS	25010	-37.01	-25	Pass	15001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.2	-25	Pass	2986
30	1000	0.1	RMS	927.7	-58.1	-25	Pass	9701
1000	2486	1	RMS	2482	-43.96	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.13	60	Pass	401
2700	3000	1	RMS	2700.75	-42.61	-25	Pass	401
3000	12000	1	RMS	11856	-59.72	-25	Pass	9001
12000	27000	1	RMS	25012	-36.88	-25	Pass	15001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-42.61	-25	Pass	2986
30	1000	0.1	RMS	900.1	-58.05	-25	Pass	9701
1000	2486	1	RMS	2486	-41.1	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.74	60	Pass	401
2700	3000	1	RMS	3000	-42.82	-25	Pass	401
3000	12000	1	RMS	4993	-58.16	-25	Pass	9001
12000	27000	1	RMS	25007	-37	-25	Pass	15001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.24	-25	Pass	2986
30	1000	0.1	RMS	907.1	-58.16	-25	Pass	9701
1000	2486	1	RMS	2486	-41.16	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.62	60	Pass	401
2700	3000	1	RMS	3000	-42.8	-25	Pass	401
3000	12000	1	RMS	4993	-50.01	-25	Pass	9001
12000	27000	1	RMS	25016	-36.79	-25	Pass	15001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.14	-25	Pass	2986
30	1000	0.1	RMS	929.6	-58.13	-25	Pass	9701
1000	2486	1	RMS	2484	-43.99	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.03	60	Pass	401
2700	3000	1	RMS	3000	-42.79	-25	Pass	401
3000	12000	1	RMS	5177	-59.64	-25	Pass	9001
12000	27000	1	RMS	25012	-36.87	-25	Pass	15001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.38	-25	Pass	2986
30	1000	0.1	RMS	933.3	-58.07	-25	Pass	9701
1000	2486	1	RMS	2486	-44.07	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.43	60	Pass	401
2700	3000	1	RMS	3000	-42.88	-25	Pass	401
3000	12000	1	RMS	5177	-57.23	-25	Pass	9001
12000	27000	1	RMS	25012	-36.93	-25	Pass	15001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-36.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.72	-25	Pass	2986
30	1000	0.1	RMS	928.9	-57.94	-25	Pass	9701
1000	2486	1	RMS	2486	-43.94	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.84	60	Pass	401
2700	3000	1	RMS	2700	-42.72	-25	Pass	401
3000	12000	1	RMS	11848	-59.7	-25	Pass	9001
12000	27000	1	RMS	25016	-36.97	-25	Pass	15001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.85	-25	Pass	2986
30	1000	0.1	RMS	927.7	-57.98	-25	Pass	9701
1000	2486	1	RMS	2486	-43.97	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.65	60	Pass	401
2700	3000	1	RMS	3000	-42.82	-25	Pass	401
3000	12000	1	RMS	11846	-59.64	-25	Pass	9001
12000	27000	1	RMS	25014	-36.96	-25	Pass	15001



13.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.18	-25	Pass	2986
30	1000	0.1	RMS	902.1	-58.1	-25	Pass	9701
1000	2486	1	RMS	2485	-41.49	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.14	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	4994	-58.21	-25	Pass	9001
12000	27000	1	RMS	25018	-36.86	-25	Pass	15001



13.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.24	-25	Pass	2986
30	1000	0.1	RMS	949	-58.08	-25	Pass	9701
1000	2486	1	RMS	2486	-41.61	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.24	60	Pass	401
2700	3000	1	RMS	3000	-42.82	-25	Pass	401
3000	12000	1	RMS	4993	-52.47	-25	Pass	9001
12000	27000	1	RMS	25012	-36.98	-25	Pass	15001



13.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.19	-25	Pass	2986
30	1000	0.1	RMS	956.5	-58.15	-25	Pass	9701
1000	2486	1	RMS	2485	-44.05	-25	Pass	1487
2486	2700	1	RMS	2586.58	23.1	60	Pass	401
2700	3000	1	RMS	2998.5	-42.85	-25	Pass	401
3000	12000	1	RMS	5173	-55.85	-25	Pass	9001
12000	27000	1	RMS	25011	-36.93	-25	Pass	15001



13.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.97	-25	Pass	2986
30	1000	0.1	RMS	888.2	-58.14	-25	Pass	9701
1000	2486	1	RMS	2482	-44.01	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.19	60	Pass	401
2700	3000	1	RMS	3000	-42.81	-25	Pass	401
3000	12000	1	RMS	11849	-59.7	-25	Pass	9001
12000	27000	1	RMS	25012	-36.9	-25	Pass	15001



13.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.75	-25	Pass	2986
30	1000	0.1	RMS	914.6	-58.03	-25	Pass	9701
1000	2486	1	RMS	2486	-43.98	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.6	60	Pass	401
2700	3000	1	RMS	2702.25	-42.51	-25	Pass	401
3000	12000	1	RMS	11854	-59.64	-25	Pass	9001
12000	27000	1	RMS	25012	-36.91	-25	Pass	15001



13.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.09	-25	Pass	2986
30	1000	0.1	RMS	931.9	-58.12	-25	Pass	9701
1000	2486	1	RMS	2486	-44.06	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.66	60	Pass	401
2700	3000	1	RMS	2998.5	-42.86	-25	Pass	401
3000	12000	1	RMS	11848	-59.66	-25	Pass	9001
12000	27000	1	RMS	25013	-36.91	-25	Pass	15001



13.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.02	-25	Pass	2986
30	1000	0.1	RMS	915.7	-58	-25	Pass	9701
1000	2486	1	RMS	2485	-39.62	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.27	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	4995	-54.16	-25	Pass	9001
12000	27000	1	RMS	25008	-36.89	-25	Pass	15001



13.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.69	-25	Pass	2986
30	1000	0.1	RMS	971.1	-58.17	-25	Pass	9701
1000	2486	1	RMS	2485	-39.82	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.95	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	4994	-53.24	-25	Pass	9001
12000	27000	1	RMS	25010	-36.91	-25	Pass	15001



13.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.45	-25	Pass	2986
30	1000	0.1	RMS	926.3	-57.99	-25	Pass	9701
1000	2486	1	RMS	2483	-44.02	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.63	60	Pass	401
2700	3000	1	RMS	2998.5	-42.85	-25	Pass	401
3000	12000	1	RMS	5168	-55.07	-25	Pass	9001
12000	27000	1	RMS	25009	-36.98	-25	Pass	15001



13.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.21	-25	Pass	2986
30	1000	0.1	RMS	911	-58.12	-25	Pass	9701
1000	2486	1	RMS	2485	-43.97	-25	Pass	1487
2486	2700	1	RMS	2584.44	21.78	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	5169	-59.27	-25	Pass	9001
12000	27000	1	RMS	25015	-37.08	-25	Pass	15001



13.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.32	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.15	-25	Pass	9701
1000	2486	1	RMS	2485	-43.97	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.06	60	Pass	401
2700	3000	1	RMS	2706.75	-42.82	-25	Pass	401
3000	12000	1	RMS	11848	-59.74	-25	Pass	9001
12000	27000	1	RMS	25013	-36.93	-25	Pass	15001



13.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.82	-25	Pass	2986
30	1000	0.1	RMS	930.7	-57.93	-25	Pass	9701
1000	2486	1	RMS	2486	-43.97	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.07	60	Pass	401
2700	3000	1	RMS	3000	-42.82	-25	Pass	401
3000	12000	1	RMS	11852	-59.63	-25	Pass	9001
12000	27000	1	RMS	25010	-36.94	-25	Pass	15001



10. LTE_Band66


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.68	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.27	-13	Pass	9701
1000	1703.6	1	RMS	1703.6	-50.46	-13	Pass	704
1703.6	1786.4	1	RMS	1710.224	23.3	60	Pass	401
1786.4	3000	1	RMS	2641.823	-46.2	-13	Pass	1214
3000	12000	1	RMS	11850	-39.83	-13	Pass	9001
12000	20000	1	RMS	19997	-27.53	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.45	-13	Pass	2986
30	1000	0.1	RMS	934	-62.31	-13	Pass	9701
1000	1703.6	1	RMS	1703.6	-50.59	-13	Pass	704
1703.6	1786.4	1	RMS	1710.224	22.35	60	Pass	401
1786.4	3000	1	RMS	2649.827	-46.24	-13	Pass	1214
3000	12000	1	RMS	11948	-39.86	-13	Pass	9001
12000	20000	1	RMS	19999	-27.48	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.19	-13	Pass	9701
1000	1703.6	1	RMS	1700.597	-51.19	-13	Pass	704
1703.6	1786.4	1	RMS	1744.586	23.14	60	Pass	401
1786.4	3000	1	RMS	2649.827	-46.24	-13	Pass	1214
3000	12000	1	RMS	11839	-39.88	-13	Pass	9001
12000	20000	1	RMS	20000	-27.48	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.5	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.25	-13	Pass	9701
1000	1703.6	1	RMS	1682.582	-51.27	-13	Pass	704
1703.6	1786.4	1	RMS	1744.586	22.33	60	Pass	401
1786.4	3000	1	RMS	2656.83	-46.29	-13	Pass	1214
3000	12000	1	RMS	11844	-39.89	-13	Pass	9001
12000	20000	1	RMS	19999	-27.47	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-13	Pass	2986
30	1000	0.1	RMS	996.5	-62.2	-13	Pass	9701
1000	1703.6	1	RMS	1701.598	-51.22	-13	Pass	704
1703.6	1786.4	1	RMS	1778.948	23.08	60	Pass	401
1786.4	3000	1	RMS	2649.827	-46.2	-13	Pass	1214
3000	12000	1	RMS	11953	-39.88	-13	Pass	9001
12000	20000	1	RMS	19998	-27.43	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-13	Pass	2986
30	1000	0.1	RMS	906.1	-62.13	-13	Pass	9701
1000	1703.6	1	RMS	1699.597	-51.24	-13	Pass	704
1703.6	1786.4	1	RMS	1778.948	22.26	60	Pass	401
1786.4	3000	1	RMS	2651.828	-46.24	-13	Pass	1214
3000	12000	1	RMS	11933	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.46	-13	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.74	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.05	-13	Pass	9701
1000	1702	1	RMS	1702	-50.7	-13	Pass	703
1702	1788	1	RMS	1710.17	23.28	60	Pass	401
1788	3000	1	RMS	2657	-46.25	-13	Pass	1213
3000	12000	1	RMS	11875	-39.88	-13	Pass	9001
12000	20000	1	RMS	19999	-27.45	-13	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.45	-13	Pass	2986
30	1000	0.1	RMS	919	-62.26	-13	Pass	9701
1000	1702	1	RMS	1702	-50.83	-13	Pass	703
1702	1788	1	RMS	1710.17	22.27	60	Pass	401
1788	3000	1	RMS	2656	-46.26	-13	Pass	1213
3000	12000	1	RMS	11946	-39.9	-13	Pass	9001
12000	20000	1	RMS	19994	-27.46	-13	Pass	8001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.26	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.13	-13	Pass	9701
1000	1702	1	RMS	1701	-51.2	-13	Pass	703
1702	1788	1	RMS	1743.71	23.23	60	Pass	401
1788	3000	1	RMS	2648	-46.25	-13	Pass	1213
3000	12000	1	RMS	11957	-39.87	-13	Pass	9001
12000	20000	1	RMS	20000	-27.43	-13	Pass	8001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.21	-13	Pass	9701
1000	1702	1	RMS	1698	-51.25	-13	Pass	703
1702	1788	1	RMS	1743.71	22.25	60	Pass	401
1788	3000	1	RMS	2659	-46.21	-13	Pass	1213
3000	12000	1	RMS	11937	-39.9	-13	Pass	9001
12000	20000	1	RMS	19999	-27.46	-13	Pass	8001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-13	Pass	2986
30	1000	0.1	RMS	939	-62.21	-13	Pass	9701
1000	1702	1	RMS	1700	-51.17	-13	Pass	703
1702	1788	1	RMS	1777.25	23.26	60	Pass	401
1788	3000	1	RMS	2646	-46.23	-13	Pass	1213
3000	12000	1	RMS	11952	-39.84	-13	Pass	9001
12000	20000	1	RMS	20000	-27.47	-13	Pass	8001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.51	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.16	-13	Pass	9701
1000	1702	1	RMS	1699	-51.25	-13	Pass	703
1702	1788	1	RMS	1777.25	22.41	60	Pass	401
1788	3000	1	RMS	2654	-46.24	-13	Pass	1213
3000	12000	1	RMS	11962	-39.91	-13	Pass	9001
12000	20000	1	RMS	20000	-27.42	-13	Pass	8001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.17	-13	Pass	9701
1000	1700	1	RMS	1699	-51.1	-13	Pass	701
1700	1790	1	RMS	1710.35	23.27	60	Pass	401
1790	3000	1	RMS	2654	-46.2	-13	Pass	1211
3000	12000	1	RMS	11954	-39.88	-13	Pass	9001
12000	20000	1	RMS	19997	-27.47	-13	Pass	8001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.27	-13	Pass	2986
30	1000	0.1	RMS	936	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1710.35	22.31	60	Pass	401
1790	3000	1	RMS	2648	-46.25	-13	Pass	1211
3000	12000	1	RMS	11954	-39.89	-13	Pass	9001
12000	20000	1	RMS	19998	-27.43	-13	Pass	8001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.33	-13	Pass	2986
30	1000	0.1	RMS	920	-62.22	-13	Pass	9701
1000	1700	1	RMS	1699	-51.21	-13	Pass	701
1700	1790	1	RMS	1742.75	23.11	60	Pass	401
1790	3000	1	RMS	2652	-46.25	-13	Pass	1211
3000	12000	1	RMS	11971	-39.86	-13	Pass	9001
12000	20000	1	RMS	19999	-27.5	-13	Pass	8001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-13	Pass	2986
30	1000	0.1	RMS	922.5	-62.15	-13	Pass	9701
1000	1700	1	RMS	1679	-51.25	-13	Pass	701
1700	1790	1	RMS	1742.75	22.24	60	Pass	401
1790	3000	1	RMS	2655	-46.21	-13	Pass	1211
3000	12000	1	RMS	11865	-39.88	-13	Pass	9001
12000	20000	1	RMS	20000	-27.42	-13	Pass	8001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1790	1	RMS	1775.375	23.19	60	Pass	401
1790	3000	1	RMS	2650	-46.3	-13	Pass	1211
3000	12000	1	RMS	11845	-39.89	-13	Pass	9001
12000	20000	1	RMS	19998	-27.53	-13	Pass	8001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.89	-13	Pass	2986
30	1000	0.1	RMS	917.9	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.28	-13	Pass	701
1700	1790	1	RMS	1775.375	22.34	60	Pass	401
1790	3000	1	RMS	2642	-46.28	-13	Pass	1211
3000	12000	1	RMS	11950	-39.91	-13	Pass	9001
12000	20000	1	RMS	20000	-27.43	-13	Pass	8001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.32	-13	Pass	2986
30	1000	0.1	RMS	941.7	-62.18	-13	Pass	9701
1000	1695	1	RMS	1679	-51.19	-13	Pass	696
1695	1795	1	RMS	1710.5	23.19	60	Pass	401
1795	3000	1	RMS	2652	-46.2	-13	Pass	1206
3000	12000	1	RMS	11867	-39.89	-13	Pass	9001
12000	20000	1	RMS	19997	-27.46	-13	Pass	8001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.89	-13	Pass	2986
30	1000	0.1	RMS	919.8	-62.19	-13	Pass	9701
1000	1695	1	RMS	1605	-51.25	-13	Pass	696
1695	1795	1	RMS	1710.5	22.36	60	Pass	401
1795	3000	1	RMS	2655	-46.28	-13	Pass	1206
3000	12000	1	RMS	11937	-39.86	-13	Pass	9001
12000	20000	1	RMS	19995	-27.5	-13	Pass	8001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-13	Pass	2986
30	1000	0.1	RMS	938	-62.12	-13	Pass	9701
1000	1695	1	RMS	1692	-51.23	-13	Pass	696
1695	1795	1	RMS	1740.5	23.05	60	Pass	401
1795	3000	1	RMS	2648	-46.25	-13	Pass	1206
3000	12000	1	RMS	11881	-39.87	-13	Pass	9001
12000	20000	1	RMS	20000	-27.38	-13	Pass	8001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.11	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.28	-13	Pass	9701
1000	1695	1	RMS	1694	-51.25	-13	Pass	696
1695	1795	1	RMS	1740.5	22.26	60	Pass	401
1795	3000	1	RMS	2656	-46.22	-13	Pass	1206
3000	12000	1	RMS	11980	-39.89	-13	Pass	9001
12000	20000	1	RMS	19999	-27.49	-13	Pass	8001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.68	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.14	-13	Pass	9701
1000	1695	1	RMS	1610	-51.19	-13	Pass	696
1695	1795	1	RMS	1770.5	23.11	60	Pass	401
1795	3000	1	RMS	2651	-46.22	-13	Pass	1206
3000	12000	1	RMS	11863	-39.93	-13	Pass	9001
12000	20000	1	RMS	19995	-27.5	-13	Pass	8001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.15	-13	Pass	9701
1000	1695	1	RMS	1578	-51.28	-13	Pass	696
1695	1795	1	RMS	1770.5	22.16	60	Pass	401
1795	3000	1	RMS	2653	-46.21	-13	Pass	1206
3000	12000	1	RMS	11895	-39.87	-13	Pass	9001
12000	20000	1	RMS	19998	-27.51	-13	Pass	8001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.06	-13	Pass	9701
1000	1690	1	RMS	1600	-51.24	-13	Pass	691
1690	1800	1	RMS	1710.9	23.07	60	Pass	401
1800	3000	1	RMS	2654	-46.26	-13	Pass	1201
3000	12000	1	RMS	11944	-39.85	-13	Pass	9001
12000	20000	1	RMS	19999	-27.44	-13	Pass	8001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.85	-13	Pass	2986
30	1000	0.1	RMS	918.3	-62	-13	Pass	9701
1000	1690	1	RMS	1597	-51.25	-13	Pass	691
1690	1800	1	RMS	1710.9	22.09	60	Pass	401
1800	3000	1	RMS	2657	-46.24	-13	Pass	1201
3000	12000	1	RMS	11946	-39.92	-13	Pass	9001
12000	20000	1	RMS	19996	-27.41	-13	Pass	8001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.36	-13	Pass	2986
30	1000	0.1	RMS	952.1	-62.23	-13	Pass	9701
1000	1690	1	RMS	1579	-51.25	-13	Pass	691
1690	1800	1	RMS	1738.4	22.97	60	Pass	401
1800	3000	1	RMS	2644	-46.27	-13	Pass	1201
3000	12000	1	RMS	11958	-39.9	-13	Pass	9001
12000	20000	1	RMS	19995	-27.48	-13	Pass	8001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.11	-13	Pass	2986
30	1000	0.1	RMS	899.3	-62.22	-13	Pass	9701
1000	1690	1	RMS	1585	-51.21	-13	Pass	691
1690	1800	1	RMS	1738.4	22.14	60	Pass	401
1800	3000	1	RMS	2655	-46.25	-13	Pass	1201
3000	12000	1	RMS	11988	-39.87	-13	Pass	9001
12000	20000	1	RMS	19993	-27.52	-13	Pass	8001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.18	-13	Pass	9701
1000	1690	1	RMS	1685	-51.24	-13	Pass	691
1690	1800	1	RMS	1765.9	22.95	60	Pass	401
1800	3000	1	RMS	2657	-46.26	-13	Pass	1201
3000	12000	1	RMS	11935	-39.9	-13	Pass	9001
12000	20000	1	RMS	19999	-27.53	-13	Pass	8001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.19	-13	Pass	9701
1000	1690	1	RMS	1580	-51.28	-13	Pass	691
1690	1800	1	RMS	1765.9	22.3	60	Pass	401
1800	3000	1	RMS	2652	-46.2	-13	Pass	1201
3000	12000	1	RMS	11935	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.44	-13	Pass	8001



10.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.01	-13	Pass	2986
30	1000	0.1	RMS	916.6	-62.11	-13	Pass	9701
1000	1685	1	RMS	1606	-51.25	-13	Pass	686
1685	1805	1	RMS	1711.1	23.1	60	Pass	401
1805	3000	1	RMS	2650	-46.23	-13	Pass	1196
3000	12000	1	RMS	11845	-39.85	-13	Pass	9001
12000	20000	1	RMS	19998	-27.48	-13	Pass	8001



10.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-13	Pass	2986
30	1000	0.1	RMS	950.6	-62.25	-13	Pass	9701
1000	1685	1	RMS	1582	-51.24	-13	Pass	686
1685	1805	1	RMS	1711.1	22.12	60	Pass	401
1805	3000	1	RMS	2653	-46.21	-13	Pass	1196
3000	12000	1	RMS	11722	-39.87	-13	Pass	9001
12000	20000	1	RMS	19996	-27.45	-13	Pass	8001



10.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.48	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.25	-13	Pass	9701
1000	1685	1	RMS	1603	-51.22	-13	Pass	686
1685	1805	1	RMS	1736	22.97	60	Pass	401
1805	3000	1	RMS	2647	-46.26	-13	Pass	1196
3000	12000	1	RMS	11951	-39.86	-13	Pass	9001
12000	20000	1	RMS	19995	-27.44	-13	Pass	8001



10.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-13	Pass	2986
30	1000	0.1	RMS	951.5	-62.23	-13	Pass	9701
1000	1685	1	RMS	1579	-51.26	-13	Pass	686
1685	1805	1	RMS	1736	21.86	60	Pass	401
1805	3000	1	RMS	2648	-46.24	-13	Pass	1196
3000	12000	1	RMS	11950	-39.86	-13	Pass	9001
12000	20000	1	RMS	20000	-27.49	-13	Pass	8001



10.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.65	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.2	-13	Pass	9701
1000	1685	1	RMS	1611	-51.25	-13	Pass	686
1685	1805	1	RMS	1761.2	22.87	60	Pass	401
1805	3000	1	RMS	2645	-46.24	-13	Pass	1196
3000	12000	1	RMS	11943	-39.9	-13	Pass	9001
12000	20000	1	RMS	20000	-27.42	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.35	-13	Pass	2986
30	1000	0.1	RMS	936.8	-62.16	-13	Pass	9701
1000	1685	1	RMS	1611	-51.23	-13	Pass	686
1685	1805	1	RMS	1761.2	22.07	60	Pass	401
1805	3000	1	RMS	2649	-46.16	-13	Pass	1196
3000	12000	1	RMS	11848	-39.88	-13	Pass	9001
12000	20000	1	RMS	19999	-27.4	-13	Pass	8001



11. LTE_Band71


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.81	-13	Pass	2986
30	653	0.1	RMS	447.8	-63.4	-13	Pass	6231
653	709	0.1	RMS	663.3	20.65	60	Pass	561
709	1000	0.1	RMS	913.2	-62.25	-13	Pass	2911
1000	3000	1	RMS	2656	-46.22	-13	Pass	2001
3000	10000	1	RMS	7742	-41.59	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.53	-13	Pass	2986
30	653	0.1	RMS	502.4	-63.56	-13	Pass	6231
653	709	0.1	RMS	663.3	19.92	60	Pass	561
709	1000	0.1	RMS	921.8	-62.2	-13	Pass	2911
1000	3000	1	RMS	2651	-46.2	-13	Pass	2001
3000	10000	1	RMS	7734	-41.61	-13	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-13	Pass	2986
30	653	0.1	RMS	495.1	-63.59	-13	Pass	6231
653	709	0.1	RMS	678.3	20.53	60	Pass	561
709	1000	0.1	RMS	964	-62.06	-13	Pass	2911
1000	3000	1	RMS	2653	-46.23	-13	Pass	2001
3000	10000	1	RMS	7738	-41.59	-13	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-13	Pass	2986
30	653	0.1	RMS	523.2	-63.64	-13	Pass	6231
653	709	0.1	RMS	678.3	19.59	60	Pass	561
709	1000	0.1	RMS	886.9	-62.12	-13	Pass	2911
1000	3000	1	RMS	2653	-46.24	-13	Pass	2001
3000	10000	1	RMS	7727	-41.58	-13	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.91	-13	Pass	2986
30	653	0.1	RMS	505.3	-63.42	-13	Pass	6231
653	709	0.1	RMS	693.3	20.54	60	Pass	561
709	1000	0.1	RMS	978.2	-62.28	-13	Pass	2911
1000	3000	1	RMS	2652	-46.23	-13	Pass	2001
3000	10000	1	RMS	7729	-41.65	-13	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	653	0.1	RMS	514.3	-63.51	-13	Pass	6231
653	709	0.1	RMS	693.3	19.64	60	Pass	561
709	1000	0.1	RMS	907.5	-61.96	-13	Pass	2911
1000	3000	1	RMS	2650	-46.26	-13	Pass	2001
3000	10000	1	RMS	7741	-41.61	-13	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.63	-13	Pass	2986
30	648	0.1	RMS	433.7	-63.57	-13	Pass	6181
648	709	0.1	RMS	663.6	21.15	60	Pass	611
709	1000	0.1	RMS	948.3	-62.2	-13	Pass	2911
1000	3000	1	RMS	2653	-46.23	-13	Pass	2001
3000	10000	1	RMS	7736	-41.57	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.07	-13	Pass	2986
30	648	0.1	RMS	645.6	-63.65	-13	Pass	6181
648	709	0.1	RMS	663.6	20.32	60	Pass	611
709	1000	0.1	RMS	949.5	-62.35	-13	Pass	2911
1000	3000	1	RMS	2654	-46.26	-13	Pass	2001
3000	10000	1	RMS	7748	-41.63	-13	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.47	-13	Pass	2986
30	648	0.1	RMS	501.1	-63.54	-13	Pass	6181
648	709	0.1	RMS	676.1	21.03	60	Pass	611
709	1000	0.1	RMS	921.9	-62.15	-13	Pass	2911
1000	3000	1	RMS	2650	-46.19	-13	Pass	2001
3000	10000	1	RMS	7743	-41.64	-13	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.26	-13	Pass	2986
30	648	0.1	RMS	519.4	-63.51	-13	Pass	6181
648	709	0.1	RMS	676.1	20.06	60	Pass	611
709	1000	0.1	RMS	914	-62.25	-13	Pass	2911
1000	3000	1	RMS	2652	-46.26	-13	Pass	2001
3000	10000	1	RMS	7732	-41.63	-13	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.04	-13	Pass	2986
30	648	0.1	RMS	503	-63.5	-13	Pass	6181
648	709	0.1	RMS	688.6	20.93	60	Pass	611
709	1000	0.1	RMS	937.6	-62.29	-13	Pass	2911
1000	3000	1	RMS	2652	-46.2	-13	Pass	2001
3000	10000	1	RMS	9546	-41.57	-13	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.19	-13	Pass	2986
30	648	0.1	RMS	507.2	-63.53	-13	Pass	6181
648	709	0.1	RMS	688.6	20.16	60	Pass	611
709	1000	0.1	RMS	869.6	-62.28	-13	Pass	2911
1000	3000	1	RMS	2659	-46.26	-13	Pass	2001
3000	10000	1	RMS	7742	-41.63	-13	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.19	-13	Pass	2986
30	643	0.1	RMS	422.7	-63.62	-13	Pass	6131
643	709	0.1	RMS	663.8	20.36	60	Pass	661
709	1000	0.1	RMS	934.6	-62.2	-13	Pass	2911
1000	3000	1	RMS	2656	-46.25	-13	Pass	2001
3000	10000	1	RMS	7748	-41.57	-13	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.01	-13	Pass	2986
30	643	0.1	RMS	515	-63.6	-13	Pass	6131
643	709	0.1	RMS	663.8	19.58	60	Pass	661
709	1000	0.1	RMS	920.3	-62.13	-13	Pass	2911
1000	3000	1	RMS	2650	-46.25	-13	Pass	2001
3000	10000	1	RMS	7732	-41.64	-13	Pass	7001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-13	Pass	2986
30	643	0.1	RMS	515.1	-63.53	-13	Pass	6131
643	709	0.1	RMS	673.8	20.34	60	Pass	661
709	1000	0.1	RMS	932.6	-62.15	-13	Pass	2911
1000	3000	1	RMS	2651	-46.25	-13	Pass	2001
3000	10000	1	RMS	7743	-41.55	-13	Pass	7001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.68	-13	Pass	2986
30	643	0.1	RMS	433.5	-63.63	-13	Pass	6131
643	709	0.1	RMS	673.8	19.64	60	Pass	661
709	1000	0.1	RMS	942.6	-62.2	-13	Pass	2911
1000	3000	1	RMS	2650	-46.3	-13	Pass	2001
3000	10000	1	RMS	7739	-41.62	-13	Pass	7001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-13	Pass	2986
30	643	0.1	RMS	495.3	-63.45	-13	Pass	6131
643	709	0.1	RMS	683.8	20.5	60	Pass	661
709	1000	0.1	RMS	960	-62.2	-13	Pass	2911
1000	3000	1	RMS	2659	-46.25	-13	Pass	2001
3000	10000	1	RMS	7731	-41.61	-13	Pass	7001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.85	-13	Pass	2986
30	643	0.1	RMS	500.9	-63.62	-13	Pass	6131
643	709	0.1	RMS	683.8	19.51	60	Pass	661
709	1000	0.1	RMS	941.4	-62.31	-13	Pass	2911
1000	3000	1	RMS	2652	-46.26	-13	Pass	2001
3000	10000	1	RMS	7735	-41.62	-13	Pass	7001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.49	-13	Pass	2986
30	638	0.1	RMS	429.3	-63.58	-13	Pass	6081
638	709	0.1	RMS	664.1	20.74	60	Pass	711
709	1000	0.1	RMS	930.3	-62.22	-13	Pass	2911
1000	3000	1	RMS	2647	-46.23	-13	Pass	2001
3000	10000	1	RMS	7723	-41.62	-13	Pass	7001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-13	Pass	2986
30	638	0.1	RMS	449.1	-63.64	-13	Pass	6081
638	709	0.1	RMS	664.1	19.99	60	Pass	711
709	1000	0.1	RMS	948.2	-62.3	-13	Pass	2911
1000	3000	1	RMS	2654	-46.28	-13	Pass	2001
3000	10000	1	RMS	9546	-41.59	-13	Pass	7001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	638	0.1	RMS	492.7	-63.47	-13	Pass	6081
638	709	0.1	RMS	674.1	20.67	60	Pass	711
709	1000	0.1	RMS	941.7	-62.15	-13	Pass	2911
1000	3000	1	RMS	2651	-46.21	-13	Pass	2001
3000	10000	1	RMS	7747	-41.57	-13	Pass	7001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	638	0.1	RMS	496.1	-63.48	-13	Pass	6081
638	709	0.1	RMS	674.1	19.76	60	Pass	711
709	1000	0.1	RMS	944	-62.23	-13	Pass	2911
1000	3000	1	RMS	2654	-46.24	-13	Pass	2001
3000	10000	1	RMS	7734	-41.6	-13	Pass	7001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.72	-13	Pass	2986
30	638	0.1	RMS	482	-63.55	-13	Pass	6081
638	709	0.1	RMS	679.1	20.83	60	Pass	711
709	1000	0.1	RMS	932.6	-62.13	-13	Pass	2911
1000	3000	1	RMS	2649	-46.24	-13	Pass	2001
3000	10000	1	RMS	7747	-41.62	-13	Pass	7001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-13	Pass	2986
30	638	0.1	RMS	506.6	-63.68	-13	Pass	6081
638	709	0.1	RMS	679.1	19.82	60	Pass	711
709	1000	0.1	RMS	919.8	-62.17	-13	Pass	2911
1000	3000	1	RMS	2657	-46.24	-13	Pass	2001
3000	10000	1	RMS	7740	-41.65	-13	Pass	7001



NR

8. n2 15kHz

8.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-13	41.34	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	43.09	Pass	2986
30	1000	0.1	RMS	931	-60.81	-13	47.81	Pass	9701
1000	1840	1	RMS	1840	-46.26	-13	33.26	Pass	841
1840	1920	1	RMS	1853.8	14.05	60	45.95	Pass	401
1920	3000	1	RMS	2648	-47.65	-13	34.65	Pass	1081
3000	7000	1	RMS	6689	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19932	-50.6	-13	37.6	Pass	13001




8.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	42.97	Pass	2986
30	1000	0.1	RMS	937.7	-60.9	-13	47.9	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	37.44	Pass	841
1840	1920	1	RMS	1850.4	20.07	60	39.93	Pass	401
1920	3000	1	RMS	2649	-47.68	-13	34.68	Pass	1081
3000	7000	1	RMS	6690	-65.66	-13	52.66	Pass	4001
7000	20000	1	RMS	19917	-50.6	-13	37.6	Pass	13001



8.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	40.57	Pass	401
0.15	30	0.01	RMS	0.15	-56.72	-13	43.72	Pass	2986
30	1000	0.1	RMS	922.7	-60.88	-13	47.88	Pass	9701
1000	1840	1	RMS	1838	-50.43	-13	37.43	Pass	841
1840	1920	1	RMS	1854.6	20.07	60	39.93	Pass	401
1920	3000	1	RMS	2641	-47.63	-13	34.63	Pass	1081
3000	7000	1	RMS	6689	-65.6	-13	52.6	Pass	4001
7000	20000	1	RMS	19947	-50.58	-13	37.58	Pass	13001




8.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	43.53	Pass	2986
30	1000	0.1	RMS	917.6	-60.83	-13	47.83	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	37.54	Pass	841
1840	1920	1	RMS	1879.8	14.07	60	45.93	Pass	401
1920	3000	1	RMS	3000	-47.68	-13	34.68	Pass	1081
3000	7000	1	RMS	6691	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19919	-50.56	-13	37.56	Pass	13001




8.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.29	-13	41.29	Pass	401
0.15	30	0.01	RMS	0.15	-57.16	-13	44.16	Pass	2986
30	1000	0.1	RMS	959.4	-60.77	-13	47.77	Pass	9701
1000	1840	1	RMS	1836	-50.58	-13	37.58	Pass	841
1840	1920	1	RMS	1877.8	20.31	60	39.69	Pass	401
1920	3000	1	RMS	2649	-47.64	-13	34.64	Pass	1081
3000	7000	1	RMS	6688	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19911	-50.59	-13	37.59	Pass	13001




8.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	43.7	Pass	2986
30	1000	0.1	RMS	912.3	-60.83	-13	47.83	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	37.53	Pass	841
1840	1920	1	RMS	1882.2	20.15	60	39.85	Pass	401
1920	3000	1	RMS	2639	-47.63	-13	34.63	Pass	1081
3000	7000	1	RMS	6685	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19940	-50.56	-13	37.56	Pass	13001




8.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	42.93	Pass	2986
30	1000	0.1	RMS	915.3	-60.88	-13	47.88	Pass	9701
1000	1840	1	RMS	1836	-50.58	-13	37.58	Pass	841
1840	1920	1	RMS	1906.4	14.16	60	45.84	Pass	401
1920	3000	1	RMS	1920	-47.17	-13	34.17	Pass	1081
3000	7000	1	RMS	6688	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19899	-50.57	-13	37.57	Pass	13001




8.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	40.53	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	44.44	Pass	2986
30	1000	0.1	RMS	944.4	-60.85	-13	47.85	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	37.54	Pass	841
1840	1920	1	RMS	1905.4	20.15	60	39.85	Pass	401
1920	3000	1	RMS	2645	-47.62	-13	34.62	Pass	1081
3000	7000	1	RMS	6688	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19955	-50.59	-13	37.59	Pass	13001



8.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	40.21	Pass	401
0.15	30	0.01	RMS	0.16	-57.16	-13	44.16	Pass	2986
30	1000	0.1	RMS	918.5	-60.88	-13	47.88	Pass	9701
1000	1840	1	RMS	1836	-50.57	-13	37.57	Pass	841
1840	1920	1	RMS	1909.6	20.11	60	39.89	Pass	401
1920	3000	1	RMS	2642	-47.64	-13	34.64	Pass	1081
3000	7000	1	RMS	6690	-65.56	-13	52.56	Pass	4001
7000	20000	1	RMS	19938	-50.53	-13	37.53	Pass	13001



8.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	43.05	Pass	2986
30	1000	0.1	RMS	913.2	-60.73	-13	47.73	Pass	9701
1000	1840	1	RMS	1840	-40.63	-13	27.63	Pass	841
1840	1920	1	RMS	1863.4	9.61	60	50.39	Pass	401
1920	3000	1	RMS	2641	-47.61	-13	34.61	Pass	1081
3000	7000	1	RMS	6690	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19930	-50.6	-13	37.6	Pass	13001

