



8.66. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.885	-34.63	-13	Pass	401
1848	1849	1	RMS	1849	-34.57	-13	Pass	2
1849	1850	0.2	RMS	1850	-36.27	-13	Pass	401
1850	1870	0.1	RMS	1868.05	-0.03	30	Pass	401




8.67. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1848	-45.95	-13	Pass	401
1848	1849	1	RMS	1849	-38.9	-13	Pass	2
1849	1850	0.2	RMS	1850	-28.63	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.18	30	Pass	401




8.68. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.713	-36.56	-13	Pass	401
1848	1849	1	RMS	1849	-36.21	-13	Pass	2
1849	1850	0.2	RMS	1850	-37.45	-13	Pass	401
1850	1870	0.1	RMS	1867.45	-0.98	30	Pass	401




8.69. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	20.26	30	Pass	401
1915	1916	0.2	RMS	1915	-28.2	-13	Pass	401
1916	1917	1	RMS	1916	-38.99	-13	Pass	2
1917	1940	1	RMS	1917	-46.02	-13	Pass	401




8.70. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.5	0.33	30	Pass	401
1915	1916	0.2	RMS	1915.005	-37.33	-13	Pass	401
1916	1917	1	RMS	1916	-35.38	-13	Pass	2
1917	1940	1	RMS	1917.058	-35.56	-13	Pass	401




8.71. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.32	30	Pass	401
1915	1916	0.2	RMS	1915.005	-28.61	-13	Pass	401
1916	1917	1	RMS	1916	-39.74	-13	Pass	2
1917	1940	1	RMS	1919.013	-44.44	-13	Pass	401



8.72. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.2	-0.69	30	Pass	401
1915	1916	0.2	RMS	1915.015	-38.61	-13	Pass	401
1916	1917	1	RMS	1916	-36.98	-13	Pass	2
1917	1940	1	RMS	1917.46	-37.24	-13	Pass	401



9. LTE_Band26(part22)


9.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	822.042	-44.61	-13	Pass	401
823	824	0.02	RMS	824	-20.67	-13	Pass	401
824	825.4	0.1	RMS	824.245	20.24	30	Pass	401




9.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	823	-36.45	-13	Pass	401
823	824	0.02	RMS	823.998	-25.84	-13	Pass	401
824	825.4	0.1	RMS	824.812	11.76	30	Pass	401




9.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	822.055	-45.24	-13	Pass	401
823	824	0.02	RMS	823.998	-21.44	-13	Pass	401
824	825.4	0.1	RMS	824.256	19.27	30	Pass	401




9.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	823	-38.97	-13	Pass	401
823	824	0.02	RMS	823.998	-26.51	-13	Pass	401
824	825.4	0.1	RMS	824.868	10.83	30	Pass	401




9.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.741	20.2	30	Pass	401
849	850	0.02	RMS	849.003	-20.5	-13	Pass	401
850	855.4	0.1	RMS	850.945	-47.36	-13	Pass	401




9.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.136	11.79	30	Pass	401
849	850	0.02	RMS	849	-26.4	-13	Pass	401
850	855.4	0.1	RMS	850	-35.82	-13	Pass	401




9.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.741	19.26	30	Pass	401
849	850	0.02	RMS	849	-21.68	-13	Pass	401
850	855.4	0.1	RMS	850.945	-47.79	-13	Pass	401




9.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.146	10.78	30	Pass	401
849	850	0.02	RMS	849.003	-27.31	-13	Pass	401
850	855.4	0.1	RMS	850	-37.49	-13	Pass	401




9.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	822.02	-44.65	-13	Pass	401
823	824	0.03	RMS	824	-22.88	-13	Pass	401
824	827	0.1	RMS	824.233	20.13	30	Pass	401




9.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	822.965	-34.97	-13	Pass	401
823	824	0.03	RMS	824	-26.07	-13	Pass	401
824	827	0.1	RMS	826.43	7.93	30	Pass	401




9.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	822.038	-45.28	-13	Pass	401
823	824	0.03	RMS	823.998	-24.32	-13	Pass	401
824	827	0.1	RMS	824.24	19.41	30	Pass	401




9.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	822.913	-35.31	-13	Pass	401
823	824	0.03	RMS	824	-27	-13	Pass	401
824	827	0.1	RMS	826.483	6.96	30	Pass	401




9.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.22	30	Pass	401
849	850	0.03	RMS	849	-22.19	-13	Pass	401
850	857	0.1	RMS	850.963	-47.33	-13	Pass	401




9.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.3	8.19	30	Pass	401
849	850	0.03	RMS	849	-27.31	-13	Pass	401
850	857	0.1	RMS	850	-35.02	-13	Pass	401




9.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.19	30	Pass	401
849	850	0.03	RMS	849.003	-23.99	-13	Pass	401
850	857	0.1	RMS	850.945	-47.7	-13	Pass	401




9.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.315	7.21	30	Pass	401
849	850	0.03	RMS	849	-28.5	-13	Pass	401
850	857	0.1	RMS	850	-36.51	-13	Pass	401




9.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.145	-44.71	-13	Pass	401
823	824	0.051	RMS	824	-22.66	-13	Pass	401
824	829	0.1	RMS	824.338	20.2	30	Pass	401




9.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.955	-35.96	-13	Pass	401
823	824	0.051	RMS	823.99	-27.44	-13	Pass	401
824	829	0.1	RMS	825.788	5.72	30	Pass	401




9.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.145	-45.18	-13	Pass	401
823	824	0.051	RMS	823.998	-23.97	-13	Pass	401
824	829	0.1	RMS	824.35	19.15	30	Pass	401




9.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.978	-36.55	-13	Pass	401
823	824	0.051	RMS	824	-27.98	-13	Pass	401
824	829	0.1	RMS	825.413	4.78	30	Pass	401




9.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.25	30	Pass	401
849	850	0.051	RMS	849	-23.18	-13	Pass	401
850	859	0.1	RMS	850.855	-47.06	-13	Pass	401




9.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.463	6.1	30	Pass	401
849	850	0.051	RMS	849	-28.32	-13	Pass	401
850	859	0.1	RMS	850.068	-37.53	-13	Pass	401




9.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	19.18	30	Pass	401
849	850	0.051	RMS	849	-23.92	-13	Pass	401
850	859	0.1	RMS	850.855	-47.64	-13	Pass	401




9.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.363	5	30	Pass	401
849	850	0.051	RMS	849	-29.12	-13	Pass	401
850	859	0.1	RMS	850.068	-39.25	-13	Pass	401




9.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	822.405	-44.73	-13	Pass	401
823	824	0.1	RMS	824	-31.52	-13	Pass	401
824	834	0.1	RMS	824.575	20.05	30	Pass	401




9.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	822.965	-38.12	-13	Pass	401
823	824	0.1	RMS	823.998	-31.51	-13	Pass	401
824	834	0.1	RMS	826	2.89	30	Pass	401




9.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	822.405	-45.23	-13	Pass	401
823	824	0.1	RMS	824	-32.35	-13	Pass	401
824	834	0.1	RMS	824.6	19.15	30	Pass	401




9.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	823	-39.28	-13	Pass	401
823	824	0.1	RMS	823.998	-32.36	-13	Pass	401
824	834	0.1	RMS	830.075	1.75	30	Pass	401




9.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.1	30	Pass	401
849	850	0.1	RMS	849	-30.84	-13	Pass	401
850	864	0.1	RMS	850.595	-46.96	-13	Pass	401




9.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.075	2.93	30	Pass	401
849	850	0.1	RMS	849	-33.86	-13	Pass	401
850	864	0.1	RMS	850.035	-41.88	-13	Pass	401




9.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.28	30	Pass	401
849	850	0.1	RMS	849	-32.06	-13	Pass	401
850	864	0.1	RMS	850.595	-47.58	-13	Pass	401




9.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	842.275	1.9	30	Pass	401
849	850	0.1	RMS	849	-34.75	-13	Pass	401
850	864	0.1	RMS	850.035	-43.39	-13	Pass	401




9.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	822.62	-44.65	-13	Pass	401
823	824	0.15	RMS	824	-28.19	-13	Pass	401
824	839	0.1	RMS	824.825	20.02	30	Pass	401




9.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	822.763	-39.45	-13	Pass	401
823	824	0.15	RMS	824	-33.89	-13	Pass	401
824	839	0.1	RMS	826.55	1.06	30	Pass	401




9.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	822.62	-45.1	-13	Pass	401
823	824	0.15	RMS	823.998	-28.69	-13	Pass	401
824	839	0.1	RMS	824.825	19.24	30	Pass	401




9.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	823	-41.42	-13	Pass	401
823	824	0.15	RMS	824	-34.64	-13	Pass	401
824	839	0.1	RMS	826.625	0	30	Pass	401




9.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.75	30	Pass	401
849	850	0.15	RMS	849	-28.73	-13	Pass	401
850	869	0.1	RMS	850.333	-46.61	-13	Pass	401




9.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	835.388	1.21	30	Pass	401
849	850	0.15	RMS	849	-35.4	-13	Pass	401
850	869	0.1	RMS	850.76	-42.2	-13	Pass	401




9.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	18.85	30	Pass	401
849	850	0.15	RMS	849	-29.07	-13	Pass	401
850	869	0.1	RMS	850.38	-47.37	-13	Pass	401



9.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	835.538	0.1	30	Pass	401
849	850	0.15	RMS	849	-37.19	-13	Pass	401
850	869	0.1	RMS	850.76	-44.94	-13	Pass	401



1. LTE_Band26(part90)


1.3. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
807.6	813.9625	0.1	RMS	813.963	-16.32	-13	Pass	65
813.9625	814	0.002	RMS	813.996	-27.53	-20	Pass	401
814	815.4	0.1	RMS	814.256	20.45	30	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
807.6	813.9625	0.1	RMS	813.963	-19.2	-13	Pass	401
813.9625	814	0.02	RMS	814	-24.49	-20	Pass	401
814	815.4	0.1	RMS	814.886	11.91	30	Pass	401




1.5. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
807.6	813.9625	0.1	RMS	813.963	-17.45	-13	Pass	65
813.9625	814	0.002	RMS	813.996	-28.57	-20	Pass	401
814	815.4	0.1	RMS	814.266	19.28	30	Pass	401




1.6. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
807.6	813.9625	0.1	RMS	813.963	-20.8	-13	Pass	401
813.9625	814	0.02	RMS	814	-25.95	-20	Pass	401
814	815.4	0.1	RMS	814.294	10.86	30	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
822.6	824	0.1	RMS	823.741	20.29	30	Pass	401
824	824.0375	0.002	RMS	824.007	-27.96	-20	Pass	401
824.0375	830.4	0.1	RMS	824.038	-17.23	-13	Pass	65




1.8. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
822.6	824	0.1	RMS	823.461	11.88	30	Pass	401
824	824.0375	0.02	RMS	824.003	-25.96	-20	Pass	401
824.0375	830.4	0.1	RMS	824.038	-21.31	-13	Pass	401




1.9. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
822.6	824	0.1	RMS	823.752	19.4	30	Pass	401
824	824.0375	0.002	RMS	824.005	-29.34	-20	Pass	401
824.0375	830.4	0.1	RMS	824.038	-16.53	-13	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
822.6	824	0.1	RMS	823.15	10.87	30	Pass	401
824	824.0375	0.02	RMS	824	-26.72	-20	Pass	401
824.0375	830.4	0.1	RMS	824.038	-21.7	-13	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
806	813.9125	0.1	RMS	813.913	-24.33	-13	Pass	401
813.9625	814	0.002	RMS	813.996	-32.61	-20	Pass	20
814	817	0.1	RMS	814.218	20.23	30	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
806	813.9625	0.1	RMS	813.963	-21.41	-13	Pass	401
813.9625	814	0.03	RMS	813.999	-25.11	-20	Pass	401
814	817	0.1	RMS	814.495	7.91	30	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
806	813.9125	0.1	RMS	813.913	-27.19	-13	Pass	81
813.9625	814	0.002	RMS	813.994	-33.32	-20	Pass	20
814	817	0.1	RMS	814.218	19.26	30	Pass	401




1.14. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
806	813.9625	0.1	RMS	813.963	-22.93	-13	Pass	401
813.9625	814	0.03	RMS	814	-26.15	-20	Pass	401
814	817	0.1	RMS	814.578	6.96	30	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	824	0.1	RMS	823.76	20.31	30	Pass	401
824	824.0375	0.002	RMS	824.004	-33.19	-20	Pass	20
824.0875	832	0.1	RMS	824.088	-25.61	-13	Pass	401




1.16. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	824	0.1	RMS	823.67	8.02	30	Pass	401
824	824.0375	0.03	RMS	824.001	-25.96	-20	Pass	401
824.0375	832	0.1	RMS	824.038	-23.15	-13	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	824	0.1	RMS	823.753	19.43	30	Pass	401
824	824.0375	0.002	RMS	824.002	-33.7	-20	Pass	401
824.0875	832	0.1	RMS	824.088	-26.6	-13	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
821	824	0.1	RMS	823.58	6.98	30	Pass	401
824	824.0375	0.03	RMS	824	-26.65	-20	Pass	401
824.0375	832	0.1	RMS	824.038	-23.81	-13	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-21.75	-13	Pass	401
813.9625	814	0.002	RMS	813.999	-33.7	-20	Pass	401
814	819	0.1	RMS	814.35	20.18	30	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-25.03	-13	Pass	401
813.9625	814	0.051	RMS	814	-25.93	-20	Pass	401
814	819	0.1	RMS	814.8	5.71	30	Pass	401




1.21. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-22.88	-13	Pass	401
813.9625	814	0.002	RMS	813.998	-35.38	-20	Pass	401
814	819	0.1	RMS	814.338	19.46	30	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-25.91	-13	Pass	401
813.9625	814	0.051	RMS	814	-27.17	-20	Pass	401
814	819	0.1	RMS	815.825	4.75	30	Pass	401




1.23. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	20.33	30	Pass	401
824	824.0375	0.002	RMS	824.002	-34.6	-20	Pass	401
824.0375	834	0.1	RMS	824.038	-22.91	-13	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.2	5.85	30	Pass	401
824	824.0375	0.051	RMS	824.001	-26.95	-20	Pass	401
824.0375	834	0.1	RMS	824.038	-25.52	-13	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	19.28	30	Pass	401
824	824.0375	0.002	RMS	824.001	-35.85	-20	Pass	401
824.0375	834	0.1	RMS	824.038	-23.94	-13	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.6	4.92	30	Pass	401
824	824.0375	0.051	RMS	824.002	-27.49	-20	Pass	401
824.0375	834	0.1	RMS	824.038	-26.49	-13	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	813.9625	0.1	RMS	813.963	-33.78	-13	Pass	401
813.9625	814	0.002	RMS	813.995	-46.75	-20	Pass	401
814	824	0.1	RMS	814.575	20.19	30	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	813.9625	0.1	RMS	813.963	-32.07	-13	Pass	401
813.9625	814	0.1	RMS	814	-30.96	-20	Pass	401
814	824	0.1	RMS	822.5	2.88	30	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	813.9625	0.1	RMS	813.963	-33.66	-13	Pass	401
813.9625	814	0.002	RMS	813.998	-46.97	-20	Pass	401
814	824	0.1	RMS	814.6	19.55	30	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	813.9625	0.1	RMS	813.963	-32.68	-13	Pass	401
813.9625	814	0.1	RMS	813.996	-31.5	-20	Pass	401
814	824	0.1	RMS	823.325	1.9	30	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	824	0.1	RMS	823.4	20.15	30	Pass	401
824	824.0375	0.002	RMS	824.004	-48.32	-20	Pass	401
824.0375	839	0.1	RMS	824.038	-34.93	-13	Pass	401




1.32. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	824	0.1	RMS	822.425	2.95	30	Pass	401
824	824.0375	0.1	RMS	824	-31.33	-20	Pass	401
824.0375	839	0.1	RMS	824.038	-32.2	-13	Pass	401




1.33. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	824	0.1	RMS	823.4	19.16	30	Pass	401
824	824.0375	0.002	RMS	824.001	-48.88	-20	Pass	401
824.0375	839	0.1	RMS	824.038	-35.31	-13	Pass	401



1.34. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	824	0.1	RMS	823.2	1.91	30	Pass	401
824	824.0375	0.1	RMS	824.002	-32.62	-20	Pass	401
824.0375	839	0.1	RMS	824.038	-33.44	-13	Pass	401



12. LTE_Band38


12.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2565	1	RMS	2564.925	-38.1	-13	Pass	401
2565	2569	1	RMS	2569	-26.22	-10	Pass	5
2569	2570	0.051	RMS	2570	-20.12	-10	Pass	401
2570	2575	0.1	RMS	2570.35	22.02	30	Pass	401




12.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2565	1	RMS	2565	-31.36	-13	Pass	401
2565	2569	1	RMS	2569	-23.07	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-21.36	-10	Pass	401
2570	2575	0.1	RMS	2571.675	7.29	30	Pass	401




12.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2565	1	RMS	2564.8	-38.12	-13	Pass	401
2565	2569	1	RMS	2569	-27.33	-10	Pass	5
2569	2570	0.051	RMS	2569.998	-20.84	-10	Pass	401
2570	2575	0.1	RMS	2570.35	21.17	30	Pass	401




12.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2565	1	RMS	2565	-32.67	-13	Pass	401
2565	2569	1	RMS	2569	-22.74	-10	Pass	5
2569	2570	0.1	RMS	2570	-23.33	-10	Pass	401
2570	2575	0.1	RMS	2573.2	6.68	30	Pass	401




12.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.12	30	Pass	401
2620	2621	0.051	RMS	2620	-20.11	-10	Pass	401
2621	2625	1	RMS	2621	-26.66	-10	Pass	5
2625	2626	1	RMS	2625.023	-38.25	-13	Pass	401
2626	2630	1	RMS	2626.01	-39.38	-25	Pass	401




12.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.15	6.71	30	Pass	401
2620	2621	0.1	RMS	2620.003	-22.94	-10	Pass	401
2621	2625	1	RMS	2621	-21.74	-10	Pass	5
2625	2626	1	RMS	2625	-32.14	-13	Pass	401
2626	2630	1	RMS	2626.01	-35.14	-25	Pass	401




12.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.65	20.69	30	Pass	401
2620	2621	0.051	RMS	2620.003	-21.75	-10	Pass	401
2621	2625	1	RMS	2621	-27.62	-10	Pass	5
2625	2626	1	RMS	2625	-38.44	-13	Pass	401
2626	2630	1	RMS	2626.07	-39.44	-25	Pass	401




12.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.588	6.45	30	Pass	401
2620	2621	0.1	RMS	2620.005	-22.91	-10	Pass	401
2621	2625	1	RMS	2621	-23.1	-10	Pass	5
2625	2626	1	RMS	2625.033	-33.3	-13	Pass	401
2626	2630	1	RMS	2626.04	-35.49	-25	Pass	401




12.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2565	1	RMS	2564.85	-37.05	-13	Pass	401
2565	2569	1	RMS	2569	-27.43	-10	Pass	5
2569	2570	0.051	RMS	2570	-28.91	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.9	30	Pass	401




12.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2565	1	RMS	2564.85	-30.14	-13	Pass	401
2565	2569	1	RMS	2569	-26.55	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-26.47	-10	Pass	401
2570	2580	0.1	RMS	2576.75	4.33	30	Pass	401




12.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2565	1	RMS	2564.825	-37.28	-13	Pass	401
2565	2569	1	RMS	2569	-28.2	-10	Pass	5
2569	2570	0.051	RMS	2569.958	-29.24	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.77	30	Pass	401




12.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2565	1	RMS	2565	-31.29	-13	Pass	401
2565	2569	1	RMS	2569	-26.39	-10	Pass	5
2569	2570	0.2	RMS	2569.993	-27.2	-10	Pass	401
2570	2580	0.1	RMS	2579.05	3.63	30	Pass	401




12.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.33	30	Pass	401
2620	2621	0.051	RMS	2620.005	-28.07	-10	Pass	401
2621	2625	1	RMS	2621	-26.82	-10	Pass	5
2625	2630	1	RMS	2625.088	-37.04	-13	Pass	401
2630	2635	1	RMS	2630.138	-40.45	-25	Pass	401




12.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.3	4.05	30	Pass	401
2620	2621	0.2	RMS	2620.003	-25.26	-10	Pass	401
2621	2625	1	RMS	2621	-24.33	-10	Pass	5
2625	2630	1	RMS	2625.013	-28.55	-13	Pass	401
2630	2635	1	RMS	2630	-34.92	-25	Pass	401




12.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.64	30	Pass	401
2620	2621	0.051	RMS	2620.033	-29.75	-10	Pass	401
2621	2625	1	RMS	2621	-28.52	-10	Pass	5
2625	2630	1	RMS	2625.338	-37.93	-13	Pass	401
2630	2635	1	RMS	2630.1	-41.01	-25	Pass	401




12.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2611	3.07	30	Pass	401
2620	2621	0.2	RMS	2620.003	-27.17	-10	Pass	401
2621	2625	1	RMS	2621	-26.04	-10	Pass	5
2625	2630	1	RMS	2625.125	-30.25	-13	Pass	401
2630	2635	1	RMS	2630	-35.93	-25	Pass	401




12.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2565	1	RMS	2564.813	-36.14	-13	Pass	401
2565	2569	1	RMS	2569	-26.93	-10	Pass	5
2569	2570	0.051	RMS	2569.99	-29.54	-10	Pass	401
2570	2585	0.1	RMS	2570.825	21.92	30	Pass	401




12.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2565	1	RMS	2564.85	-30.4	-13	Pass	401
2565	2569	1	RMS	2568	-28.23	-10	Pass	5
2569	2570	0.3	RMS	2569.985	-29.11	-10	Pass	401
2570	2585	0.1	RMS	2575.7	2.68	30	Pass	401




12.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2565	1	RMS	2564.85	-36.76	-13	Pass	401
2565	2569	1	RMS	2569	-28.24	-10	Pass	5
2569	2570	0.051	RMS	2569.993	-30.89	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.65	30	Pass	401




12.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2565	1	RMS	2564.888	-31.44	-13	Pass	401
2565	2569	1	RMS	2569	-29	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-28.45	-10	Pass	401
2570	2585	0.1	RMS	2572.175	1.8	30	Pass	401




12.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.83	30	Pass	401
2620	2621	0.051	RMS	2620.003	-29.18	-10	Pass	401
2621	2625	1	RMS	2621	-27.19	-10	Pass	5
2625	2635	1	RMS	2625.025	-36.78	-13	Pass	401
2635	2640	1	RMS	2635.238	-41.72	-25	Pass	401




12.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.95	2.02	30	Pass	401
2620	2621	0.3	RMS	2620.013	-27.87	-10	Pass	401
2621	2625	1	RMS	2621	-26.09	-10	Pass	5
2625	2635	1	RMS	2625.125	-28.51	-13	Pass	401
2635	2640	1	RMS	2635.075	-36.25	-25	Pass	401




12.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.43	30	Pass	401
2620	2621	0.051	RMS	2620	-30.52	-10	Pass	401
2621	2625	1	RMS	2621	-28.77	-10	Pass	5
2625	2635	1	RMS	2625.2	-37.84	-13	Pass	401
2635	2640	1	RMS	2635.375	-41.99	-25	Pass	401




12.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2617.525	1.3	30	Pass	401
2620	2621	0.3	RMS	2620.003	-28.83	-10	Pass	401
2621	2625	1	RMS	2621	-28.46	-10	Pass	5
2625	2635	1	RMS	2625.225	-31.13	-13	Pass	401
2635	2640	1	RMS	2635.538	-37.4	-25	Pass	401




12.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2565	1	RMS	2565	-36.1	-13	Pass	401
2565	2569	1	RMS	2569	-27.66	-10	Pass	5
2569	2570	0.051	RMS	2570	-31.4	-10	Pass	401
2570	2590	0.1	RMS	2571.1	21.4	30	Pass	401




12.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2565	1	RMS	2564.9	-32.16	-13	Pass	401
2565	2569	1	RMS	2569	-30.12	-10	Pass	5
2569	2570	0.51	RMS	2569.958	-28.19	-10	Pass	401
2570	2590	0.1	RMS	2573.2	1.34	30	Pass	401




12.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2565	1	RMS	2564.85	-37.09	-13	Pass	401
2565	2569	1	RMS	2569	-29.02	-10	Pass	5
2569	2570	0.051	RMS	2570	-31.79	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.03	30	Pass	401




12.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2565	1	RMS	2564.55	-32.55	-13	Pass	401
2565	2569	1	RMS	2569	-29.96	-10	Pass	5
2569	2570	0.51	RMS	2570	-28.44	-10	Pass	401
2570	2590	0.1	RMS	2573.2	0.13	30	Pass	401




12.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.68	30	Pass	401
2620	2621	0.051	RMS	2620	-31.46	-10	Pass	401
2621	2625	1	RMS	2621	-28.31	-10	Pass	5
2625	2640	1	RMS	2625.075	-36.93	-13	Pass	401
2640	2645	1	RMS	2640.2	-42.25	-25	Pass	401




12.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2602	1.03	30	Pass	401
2620	2621	0.51	RMS	2620	-27.87	-10	Pass	401
2621	2625	1	RMS	2621	-29.33	-10	Pass	5
2625	2640	1	RMS	2625.075	-31.11	-13	Pass	401
2640	2645	1	RMS	2640	-37.83	-25	Pass	401




12.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.62	30	Pass	401
2620	2621	0.051	RMS	2620.02	-32.72	-10	Pass	401
2621	2625	1	RMS	2621	-29.55	-10	Pass	5
2625	2640	1	RMS	2625.038	-37.71	-13	Pass	401
2640	2645	1	RMS	2640.363	-42.33	-25	Pass	401



12.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2602.35	0.48	30	Pass	401
2620	2621	0.51	RMS	2620	-29.07	-10	Pass	401
2621	2625	1	RMS	2621	-30.62	-10	Pass	5
2625	2640	1	RMS	2625.225	-32.68	-13	Pass	401
2640	2645	1	RMS	2640	-38.47	-25	Pass	401



13. LTE_Band41 full


13.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-39.44	-25	Pass	401
2490	2495	1	RMS	2495	-27.23	-13	Pass	6
2495	2496	0.05	RMS	2496	-21.3	-13	Pass	21
2496	2501	0.1	RMS	2496.363	21.26	30	Pass	401




13.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.84	-25	Pass	401
2490	2495	1	RMS	2495	-22.27	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-25.56	-13	Pass	401
2496	2501	0.1	RMS	2499.375	7.46	30	Pass	401




13.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.988	-39.63	-25	Pass	401
2490	2495	1	RMS	2495	-27.58	-13	Pass	6
2495	2496	0.051	RMS	2496	-21.68	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.19	30	Pass	401




13.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-35.61	-25	Pass	401
2490	2495	1	RMS	2495	-21.88	-13	Pass	6
2495	2496	0.051	RMS	2495.99	-25.71	-13	Pass	401
2496	2501	0.1	RMS	2499.963	6.52	30	Pass	401




13.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	21.2	30	Pass	401
2690	2691	0.051	RMS	2690.008	-19.8	-10	Pass	401
2691	2695	1	RMS	2691	-25.94	-10	Pass	5
2695	2696	1	RMS	2695.068	-37.62	-13	Pass	401
2696	2715	1	RMS	2696.19	-38.8	-25	Pass	401




13.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.025	7.35	30	Pass	401
2690	2691	0.1	RMS	2690.008	-22.16	-10	Pass	401
2691	2695	1	RMS	2691	-19.56	-10	Pass	5
2695	2696	1	RMS	2695.005	-30.32	-13	Pass	401
2696	2715	1	RMS	2696.048	-34.31	-25	Pass	401




13.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.75	30	Pass	401
2690	2691	0.051	RMS	2690.003	-20.08	-10	Pass	401
2691	2695	1	RMS	2691	-27.23	-10	Pass	5
2695	2696	1	RMS	2695.055	-38.36	-13	Pass	401
2696	2715	1	RMS	2696.048	-39.49	-25	Pass	401




13.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.675	6.62	30	Pass	401
2690	2691	0.1	RMS	2690	-22.79	-10	Pass	401
2691	2695	1	RMS	2691	-21.07	-10	Pass	5
2695	2696	1	RMS	2695.018	-31.12	-13	Pass	401
2696	2715	1	RMS	2696.048	-34.12	-25	Pass	401




13.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.83	-25	Pass	401
2490	2495	1	RMS	2495	-27.53	-13	Pass	6
2495	2496	0.05	RMS	2496	-30.56	-13	Pass	21
2496	2506	0.1	RMS	2496.575	21.68	30	Pass	401




13.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.55	-25	Pass	16
2490	2495	1	RMS	2495	-26.04	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-29.92	-13	Pass	401
2496	2506	0.1	RMS	2505.375	4.14	30	Pass	401




13.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-38.65	-25	Pass	401
2490	2495	1	RMS	2495	-28.39	-13	Pass	6
2495	2496	0.05	RMS	2496	-31.04	-13	Pass	21
2496	2506	0.1	RMS	2496.6	20.59	30	Pass	401




13.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.6	-25	Pass	16
2490	2495	1	RMS	2495	-25.73	-13	Pass	6
2495	2496	0.1	RMS	2495.983	-29.58	-13	Pass	401
2496	2506	0.1	RMS	2504.775	3.34	30	Pass	401




13.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	21.57	30	Pass	401
2690	2691	0.2	RMS	2690.008	-19.91	-10	Pass	401
2691	2695	1	RMS	2691	-26.12	-10	Pass	5
2695	2700	1	RMS	2695.063	-36.61	-13	Pass	401
2700	2715	1	RMS	2700.338	-40.71	-25	Pass	401




13.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.6	3.89	30	Pass	401
2690	2691	0.2	RMS	2690.008	-24.41	-10	Pass	401
2691	2695	1	RMS	2691	-21.85	-10	Pass	5
2695	2700	1	RMS	2695.038	-24.53	-13	Pass	401
2700	2715	1	RMS	2700.038	-34.34	-25	Pass	401




13.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	20.94	30	Pass	401
2690	2691	0.2	RMS	2690.01	-20.93	-10	Pass	401
2691	2695	1	RMS	2691	-27.9	-10	Pass	5
2695	2700	1	RMS	2695.025	-37.24	-13	Pass	401
2700	2715	1	RMS	2700.038	-41	-25	Pass	401




13.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2688.175	3.56	30	Pass	401
2690	2691	0.2	RMS	2690.008	-25.99	-10	Pass	401
2691	2695	1	RMS	2691	-23.88	-10	Pass	5
2695	2700	1	RMS	2695	-27.04	-13	Pass	401
2700	2715	1	RMS	2700.038	-34.65	-25	Pass	401




13.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-38.24	-25	Pass	401
2490	2495	1	RMS	2495	-27.25	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-25.13	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.6	30	Pass	401




13.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.41	-25	Pass	16
2490	2495	1	RMS	2495	-28.11	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-31.48	-13	Pass	401
2496	2511	0.1	RMS	2509.463	2.31	30	Pass	401




13.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-38.34	-25	Pass	401
2490	2495	1	RMS	2495	-28.48	-13	Pass	6
2495	2496	0.15	RMS	2495.968	-25.28	-13	Pass	401
2496	2511	0.1	RMS	2496.863	20.17	30	Pass	401




13.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.67	-25	Pass	16
2490	2495	1	RMS	2495	-27.57	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-31.52	-13	Pass	401
2496	2511	0.1	RMS	2509.725	1.23	30	Pass	401



13.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21.16	30	Pass	401
2690	2691	0.3	RMS	2690.008	-19.6	-10	Pass	401
2691	2695	1	RMS	2691	-27.09	-10	Pass	5
2695	2705	1	RMS	2695.75	-35.65	-13	Pass	401
2705	2715	1	RMS	2705.225	-41.83	-25	Pass	401




13.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.65	2.15	30	Pass	401
2690	2691	0.3	RMS	2690	-24.46	-10	Pass	401
2691	2695	1	RMS	2691	-22	-10	Pass	5
2695	2705	1	RMS	2695	-23.47	-13	Pass	401
2705	2715	1	RMS	2705.05	-34.95	-25	Pass	401




13.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.16	30	Pass	401
2690	2691	0.3	RMS	2690.003	-20.14	-10	Pass	401
2691	2695	1	RMS	2691	-28.6	-10	Pass	5
2695	2705	1	RMS	2695.6	-36.43	-13	Pass	401
2705	2715	1	RMS	2705.1	-42.12	-25	Pass	401




13.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2686.513	1	30	Pass	401
2690	2691	0.3	RMS	2690.03	-27.16	-10	Pass	401
2691	2695	1	RMS	2691	-25.47	-10	Pass	5
2695	2705	1	RMS	2695.025	-27.29	-13	Pass	401
2705	2715	1	RMS	2705.45	-36.27	-25	Pass	401




13.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.05	-25	Pass	401
2490	2495	1	RMS	2495	-28.19	-13	Pass	6
2495	2496	0.2	RMS	2496	-26.01	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.89	30	Pass	401




13.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.39	-25	Pass	16
2490	2495	1	RMS	2495	-28.9	-13	Pass	6
2495	2496	0.2	RMS	2495.96	-31.87	-13	Pass	401
2496	2516	0.1	RMS	2514.85	1.72	30	Pass	401




13.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.18	-25	Pass	401
2490	2495	1	RMS	2495	-29.38	-13	Pass	6
2495	2496	0.2	RMS	2495.988	-25.89	-13	Pass	401
2496	2516	0.1	RMS	2497.05	20.04	30	Pass	401



13.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.41	-25	Pass	16
2490	2495	1	RMS	2494.95	-28.52	-13	Pass	401
2495	2496	0.2	RMS	2495.955	-32.8	-13	Pass	401
2496	2516	0.1	RMS	2514.6	0.51	30	Pass	401



13.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.34	30	Pass	401
2690	2691	0.51	RMS	2690.018	-16.72	-10	Pass	401
2691	2695	1	RMS	2691	-28.09	-10	Pass	5
2695	2710	1	RMS	2695.338	-36.99	-13	Pass	401
2710	2715	1	RMS	2710.313	-42.49	-25	Pass	401

