


Annex A.6 Band Edge

GSM

2. GSM_GSM850


2.1. GSM Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.648	-40.44	-13	Pass	401
823	824	0.003	RMS	823.983	-19.19	-13	Pass	401
824	824.5	0.01	RMS	824.181	22.72	35	Pass	401



2.2. GSM Band Edge_Part22-24(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.821	24.23	35	Pass	401
849	850	0.003	RMS	849.023	-17.47	-13	Pass	401
850	855	0.1	RMS	853.025	-39.8	-13	Pass	401



1. GSM_PCS


1.1. GSM Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848.9	-27.98	-13	Pass	41
1849	1850	0.003	RMS	1849.978	-22.4	-13	Pass	401
1850	1851	0.01	RMS	1850.205	20.06	35	Pass	401



1.2. GSM Band Edge_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.818	19.97	35	Pass	401
1910	1911	0.003	RMS	1910.033	-19.82	-13	Pass	401
1911	1915	1	RMS	1914.9	-27.66	-13	Pass	41




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.873	-40.71	-13	Pass	401
823	824	0.003	RMS	823.973	-27.53	-13	Pass	401
824	824.5	0.01	RMS	824.225	16.18	35	Pass	401



1.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.801	16.68	35	Pass	401
849	850	0.003	RMS	849.023	-27.76	-13	Pass	401
850	855	0.1	RMS	850.288	-40.7	-13	Pass	401



2. EGPRS_PCS


2.3. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848.2	-27.95	-13	Pass	41
1849	1850	0.003	RMS	1849.99	-26.76	-13	Pass	401
1850	1851	0.01	RMS	1850.148	14.94	35	Pass	401



2.4. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.76	16.07	35	Pass	401
1910	1911	0.003	RMS	1910.053	-28.46	-13	Pass	401
1911	1915	1	RMS	1911.2	-27.45	-13	Pass	41




WCDMA

1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-28.64	-13	Pass	41
1849	1850	0.051	RMS	1850	-27.5	-13	Pass	401
1850	1855	0.1	RMS	1853.813	7.52	35	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.675	7.52	35	Pass	401
1910	1911	0.051	RMS	1910	-24.84	-13	Pass	401
1911	1915	1	RMS	1911	-28.5	-13	Pass	41



2. WCDMA_Band4

2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-25.79	-13	Pass	41
1709	1710	0.051	RMS	1710	-25.74	-13	Pass	401
1710	1715	0.1	RMS	1713.8	7.4	35	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1753.963	7.3	35	Pass	401
1755	1756	0.051	RMS	1755	-24.46	-13	Pass	401
1756	1760	1	RMS	1756	-27.1	-13	Pass	41



3. WCDMA_Band5


3.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.498	-35.37	-13	Pass	401
823	824	0.051	RMS	823.845	-27.44	-13	Pass	401
824	829	0.1	RMS	825.5	7.6	35	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.725	7.97	35	Pass	401
849	850	0.051	RMS	849	-28.57	-13	Pass	401
850	855	0.1	RMS	850.175	-40.81	-13	Pass	401



LTE

2. LTE_Band2


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1843.6	1848	1	RMS	1848	-41.86	-13	Pass	401
1848	1849	1	RMS	1849	-36.16	-13	Pass	2
1849	1850	0.02	RMS	1850	-19.85	-13	Pass	401
1850	1851.4	0.1	RMS	1850.252	20.91	30	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1843.6	1848	1	RMS	1847.978	-36.4	-13	Pass	401
1848	1849	1	RMS	1849	-26.77	-13	Pass	2
1849	1850	0.02	RMS	1850	-24.7	-13	Pass	401
1850	1851.4	0.1	RMS	1850.508	12.47	30	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1843.6	1848	1	RMS	1848	-42.69	-13	Pass	401
1848	1849	1	RMS	1849	-37.21	-13	Pass	2
1849	1850	0.02	RMS	1850	-20.79	-13	Pass	401
1850	1851.4	0.1	RMS	1850.249	19.98	30	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1843.6	1848	1	RMS	1848	-37.37	-13	Pass	401
1848	1849	1	RMS	1849	-29.29	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.41	-13	Pass	401
1850	1851.4	0.1	RMS	1850.571	11.45	30	Pass	401




2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908.6	1910	0.1	RMS	1909.741	21.08	30	Pass	401
1910	1911	0.02	RMS	1910	-19.19	-13	Pass	401
1911	1912	1	RMS	1911	-35.94	-13	Pass	2
1912	1916.4	1	RMS	1912	-42.13	-13	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908.6	1910	0.1	RMS	1909.286	12.63	30	Pass	401
1910	1911	0.02	RMS	1910	-24.94	-13	Pass	401
1911	1912	1	RMS	1911	-24.39	-13	Pass	2
1912	1916.4	1	RMS	1912	-35.59	-13	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908.6	1910	0.1	RMS	1909.734	20.28	30	Pass	401
1910	1911	0.02	RMS	1910	-20.29	-13	Pass	401
1911	1912	1	RMS	1911	-33.52	-13	Pass	2
1912	1916.4	1	RMS	1912.044	-40.53	-13	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908.6	1910	0.1	RMS	1908.999	11.59	30	Pass	401
1910	1911	0.02	RMS	1910	-26.35	-13	Pass	401
1911	1912	1	RMS	1911	-27.4	-13	Pass	2
1912	1916.4	1	RMS	1912	-36.4	-13	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1842	1848	1	RMS	1847.97	-41.56	-13	Pass	401
1848	1849	1	RMS	1849	-34.98	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.47	-13	Pass	401
1850	1853	0.1	RMS	1850.248	20.91	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1842	1848	1	RMS	1848	-28.22	-13	Pass	401
1848	1849	1	RMS	1849	-24.51	-13	Pass	2
1849	1850	0.03	RMS	1850	-25.66	-13	Pass	401
1850	1853	0.1	RMS	1852.588	8.68	30	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1842	1848	1	RMS	1847.97	-41.31	-13	Pass	401
1848	1849	1	RMS	1849	-34.28	-13	Pass	2
1849	1850	0.03	RMS	1850	-23.07	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.08	30	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1842	1848	1	RMS	1848	-30.82	-13	Pass	401
1848	1849	1	RMS	1849	-26.89	-13	Pass	2
1849	1850	0.03	RMS	1850	-26.44	-13	Pass	401
1850	1853	0.1	RMS	1852.415	7.63	30	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	20.97	30	Pass	401
1910	1911	0.03	RMS	1910	-20.75	-13	Pass	401
1911	1912	1	RMS	1911	-34.59	-13	Pass	2
1912	1918	1	RMS	1912	-42.12	-13	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.69	8.67	30	Pass	401
1910	1911	0.03	RMS	1910	-25.6	-13	Pass	401
1911	1912	1	RMS	1911	-22.32	-13	Pass	2
1912	1918	1	RMS	1912	-26.25	-13	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	20.11	30	Pass	401
1910	1911	0.03	RMS	1910	-22.15	-13	Pass	401
1911	1912	1	RMS	1911	-35.92	-13	Pass	2
1912	1918	1	RMS	1912.015	-42.8	-13	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.42	7.67	30	Pass	401
1910	1911	0.03	RMS	1910	-26.8	-13	Pass	401
1911	1912	1	RMS	1911	-25.28	-13	Pass	2
1912	1918	1	RMS	1912	-29.55	-13	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-40.69	-13	Pass	401
1848	1849	1	RMS	1849	-37.16	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.15	-13	Pass	401
1850	1855	0.1	RMS	1850.338	20.81	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.27	-13	Pass	401
1848	1849	1	RMS	1849	-26.61	-13	Pass	2
1849	1850	0.051	RMS	1849.993	-26.5	-13	Pass	401
1850	1855	0.1	RMS	1853.625	6.49	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-41.14	-13	Pass	401
1848	1849	1	RMS	1849	-36.8	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.01	-13	Pass	401
1850	1855	0.1	RMS	1850.363	19.81	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.32	-13	Pass	401
1848	1849	1	RMS	1849	-28.55	-13	Pass	2
1849	1850	0.051	RMS	1850	-27.48	-13	Pass	401
1850	1855	0.1	RMS	1853.35	5.5	30	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	21.08	30	Pass	401
1910	1911	0.051	RMS	1910	-22.28	-13	Pass	401
1911	1912	1	RMS	1911	-36.97	-13	Pass	2
1912	1920	1	RMS	1912	-40.93	-13	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.625	6.51	30	Pass	401
1910	1911	0.051	RMS	1910.003	-26.4	-13	Pass	401
1911	1912	1	RMS	1911	-23.88	-13	Pass	2
1912	1920	1	RMS	1912	-25.72	-13	Pass	401




2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.06	30	Pass	401
1910	1911	0.051	RMS	1910	-23.08	-13	Pass	401
1911	1912	1	RMS	1911	-37.6	-13	Pass	2
1912	1920	1	RMS	1912	-42.11	-13	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.65	5.5	30	Pass	401
1910	1911	0.051	RMS	1910	-27.23	-13	Pass	401
1911	1912	1	RMS	1911	-26.68	-13	Pass	2
1912	1920	1	RMS	1912	-29.05	-13	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1835	1848	1	RMS	1848	-43.42	-13	Pass	401
1848	1849	1	RMS	1849	-39.65	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-30.85	-13	Pass	401
1850	1860	0.1	RMS	1850.575	20.75	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1835	1848	1	RMS	1848	-29.66	-13	Pass	401
1848	1849	1	RMS	1849	-29.11	-13	Pass	2
1849	1850	0.1	RMS	1849.993	-31.81	-13	Pass	401
1850	1860	0.1	RMS	1859.325	3.58	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1835	1848	1	RMS	1848	-43.93	-13	Pass	401
1848	1849	1	RMS	1849	-40.3	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-31.32	-13	Pass	401
1850	1860	0.1	RMS	1850.575	19.81	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1835	1848	1	RMS	1847.903	-32.44	-13	Pass	401
1848	1849	1	RMS	1849	-31.53	-13	Pass	2
1849	1850	0.1	RMS	1849.985	-32.43	-13	Pass	401
1850	1860	0.1	RMS	1859.15	2.54	30	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.99	30	Pass	401
1910	1911	0.1	RMS	1910	-30.34	-13	Pass	401
1911	1912	1	RMS	1911	-38.84	-13	Pass	2
1912	1925	1	RMS	1912	-43.7	-13	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901	3.7	30	Pass	401
1910	1911	0.1	RMS	1910	-30.32	-13	Pass	401
1911	1912	1	RMS	1911	-26.83	-13	Pass	2
1912	1925	1	RMS	1912	-27.61	-13	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	19.93	30	Pass	401
1910	1911	0.1	RMS	1910	-30.59	-13	Pass	401
1911	1912	1	RMS	1911	-39.46	-13	Pass	2
1912	1925	1	RMS	1912.065	-42.93	-13	Pass	401




2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1900.8	2.7	30	Pass	401
1910	1911	0.1	RMS	1910.015	-32.2	-13	Pass	401
1911	1912	1	RMS	1911	-29.66	-13	Pass	2
1912	1925	1	RMS	1912	-30.47	-13	Pass	401




2.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-44.68	-13	Pass	401
1848	1849	1	RMS	1849	-38.21	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-26.68	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.5	30	Pass	401




2.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1830	1848	1	RMS	1847.865	-29.76	-13	Pass	401
1848	1849	1	RMS	1849	-29.98	-13	Pass	2
1849	1850	0.15	RMS	1849.993	-33.26	-13	Pass	401
1850	1865	0.1	RMS	1863.575	1.79	30	Pass	401




2.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-45.27	-13	Pass	401
1848	1849	1	RMS	1849	-39.06	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-27.27	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.56	30	Pass	401




2.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1830	1848	1	RMS	1848	-33.12	-13	Pass	401
1848	1849	1	RMS	1848	-33.4	-13	Pass	2
1849	1850	0.15	RMS	1850	-35.14	-13	Pass	401
1850	1865	0.1	RMS	1863.275	0.78	30	Pass	401




2.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.6	30	Pass	401
1910	1911	0.15	RMS	1910	-26.87	-13	Pass	401
1911	1912	1	RMS	1911	-38.69	-13	Pass	2
1912	1930	1	RMS	1912	-44.58	-13	Pass	401




2.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.013	1.66	30	Pass	401
1910	1911	0.15	RMS	1910.005	-32.33	-13	Pass	401
1911	1912	1	RMS	1911	-27.97	-13	Pass	2
1912	1930	1	RMS	1912.225	-28.47	-13	Pass	401




2.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.91	30	Pass	401
1910	1911	0.15	RMS	1910	-28.03	-13	Pass	401
1911	1912	1	RMS	1911	-39.28	-13	Pass	2
1912	1930	1	RMS	1912.36	-44.74	-13	Pass	401




2.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.688	0.66	30	Pass	401
1910	1911	0.15	RMS	1910.008	-34.84	-13	Pass	401
1911	1912	1	RMS	1911	-32.04	-13	Pass	2
1912	1930	1	RMS	1912	-32.1	-13	Pass	401




2.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1848	-45.17	-13	Pass	401
1848	1849	1	RMS	1849	-38.62	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-27.37	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.59	30	Pass	401




2.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.54	-32.37	-13	Pass	401
1848	1849	1	RMS	1849	-31.86	-13	Pass	2
1849	1850	0.2	RMS	1849.98	-34.99	-13	Pass	401
1850	1870	0.1	RMS	1868.65	0.62	30	Pass	401




2.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1848	-45.48	-13	Pass	401
1848	1849	1	RMS	1849	-39.19	-13	Pass	2
1849	1850	0.2	RMS	1849.99	-28.11	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.62	30	Pass	401




2.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1848	-34.69	-13	Pass	401
1848	1849	1	RMS	1849	-34.35	-13	Pass	2
1849	1850	0.2	RMS	1849.98	-36.53	-13	Pass	401
1850	1870	0.1	RMS	1868.75	-0.52	30	Pass	401




2.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.51	30	Pass	401
1910	1911	0.2	RMS	1910	-27.19	-13	Pass	401
1911	1912	1	RMS	1911	-38.74	-13	Pass	2
1912	1935	1	RMS	1912	-44.93	-13	Pass	401




2.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.75	0.36	30	Pass	401
1910	1911	0.2	RMS	1910.028	-34.39	-13	Pass	401
1911	1912	1	RMS	1911	-31.11	-13	Pass	2
1912	1935	1	RMS	1912.23	-31.37	-13	Pass	401




2.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.58	30	Pass	401
1910	1911	0.2	RMS	1910	-27.95	-13	Pass	401
1911	1912	1	RMS	1911	-39.24	-13	Pass	2
1912	1935	1	RMS	1912	-45.37	-13	Pass	401



2.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1891.15	-0.7	30	Pass	401
1910	1911	0.2	RMS	1910.023	-36.22	-13	Pass	401
1911	1912	1	RMS	1911	-33.57	-13	Pass	2
1912	1935	1	RMS	1912.173	-33.82	-13	Pass	401



3. LTE_Band4


3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1703.6	1708	1	RMS	1708	-41.43	-13	Pass	401
1708	1709	1	RMS	1709	-36.32	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.08	-13	Pass	401
1710	1711.4	0.1	RMS	1710.245	21.04	30	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1703.6	1708	1	RMS	1708	-33.97	-13	Pass	401
1708	1709	1	RMS	1709	-24.13	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.13	-13	Pass	401
1710	1711.4	0.1	RMS	1710.574	12.52	30	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1703.6	1708	1	RMS	1708	-42.22	-13	Pass	401
1708	1709	1	RMS	1709	-37.09	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.89	-13	Pass	401
1710	1711.4	0.1	RMS	1710.263	20	30	Pass	401



3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1703.6	1708	1	RMS	1707.989	-35.67	-13	Pass	401
1708	1709	1	RMS	1709	-26.52	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-25.9	-13	Pass	401
1710	1711.4	0.1	RMS	1710.56	11.58	30	Pass	401



3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753.6	1755	0.1	RMS	1754.752	21.01	30	Pass	401
1755	1756	0.02	RMS	1755	-19.86	-13	Pass	401
1756	1757	1	RMS	1756	-36.29	-13	Pass	2
1757	1761.4	1	RMS	1757	-41.39	-13	Pass	401



3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753.6	1755	0.1	RMS	1754.524	12.6	30	Pass	401
1755	1756	0.02	RMS	1755	-25.15	-13	Pass	401
1756	1757	1	RMS	1756	-24.98	-13	Pass	2
1757	1761.4	1	RMS	1757.022	-35.32	-13	Pass	401



3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753.6	1755	0.1	RMS	1754.745	20.05	30	Pass	401
1755	1756	0.02	RMS	1755.005	-20.82	-13	Pass	401
1756	1757	1	RMS	1756	-37.15	-13	Pass	2
1757	1761.4	1	RMS	1757.011	-42.14	-13	Pass	401




3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753.6	1755	0.1	RMS	1754.304	11.54	30	Pass	401
1755	1756	0.02	RMS	1755	-26.56	-13	Pass	401
1756	1757	1	RMS	1756	-27.66	-13	Pass	2
1757	1761.4	1	RMS	1757	-36.69	-13	Pass	401




3.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1702	1708	1	RMS	1708	-41.2	-13	Pass	401
1708	1709	1	RMS	1709	-35.31	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-21.61	-13	Pass	401
1710	1713	0.1	RMS	1710.233	20.95	30	Pass	401




3.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1702	1708	1	RMS	1707.985	-24.95	-13	Pass	401
1708	1709	1	RMS	1709	-22.21	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-25.2	-13	Pass	401
1710	1713	0.1	RMS	1712.558	8.63	30	Pass	401




3.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1702	1708	1	RMS	1707.955	-41.96	-13	Pass	401
1708	1709	1	RMS	1709	-36.15	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.95	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.06	30	Pass	401




3.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1702	1708	1	RMS	1708	-26.92	-13	Pass	401
1708	1709	1	RMS	1709	-23.52	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.16	-13	Pass	401
1710	1713	0.1	RMS	1712.19	7.67	30	Pass	401



3.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.87	30	Pass	401
1755	1756	0.03	RMS	1755.003	-22.03	-13	Pass	401
1756	1757	1	RMS	1756	-35.58	-13	Pass	2
1757	1763	1	RMS	1757.015	-41.33	-13	Pass	401




3.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.83	8.64	30	Pass	401
1755	1756	0.03	RMS	1755.003	-25.08	-13	Pass	401
1756	1757	1	RMS	1756	-21.73	-13	Pass	2
1757	1763	1	RMS	1757	-25.27	-13	Pass	401



3.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.738	20.04	30	Pass	401
1755	1756	0.03	RMS	1755	-22.59	-13	Pass	401
1756	1757	1	RMS	1756	-36.42	-13	Pass	2
1757	1763	1	RMS	1757	-42	-13	Pass	401




3.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.593	7.64	30	Pass	401
1755	1756	0.03	RMS	1755	-26.78	-13	Pass	401
1756	1757	1	RMS	1756	-24.36	-13	Pass	2
1757	1763	1	RMS	1757.015	-28.22	-13	Pass	401




3.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-40.45	-13	Pass	401
1708	1709	1	RMS	1709	-37.35	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-21.91	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.82	30	Pass	401




3.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.68	-13	Pass	401
1708	1709	1	RMS	1709	-23.71	-13	Pass	2
1709	1710	0.051	RMS	1710	-26.21	-13	Pass	401
1710	1715	0.1	RMS	1714.3	6.5	30	Pass	401




3.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.67	-13	Pass	401
1708	1709	1	RMS	1709	-38.18	-13	Pass	2
1709	1710	0.051	RMS	1710	-22.76	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.1	30	Pass	401




3.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.76	-13	Pass	401
1708	1709	1	RMS	1709	-24.61	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-27	-13	Pass	401
1710	1715	0.1	RMS	1714.525	5.62	30	Pass	401




3.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.91	30	Pass	401
1755	1756	0.051	RMS	1755	-22.33	-13	Pass	401
1756	1757	1	RMS	1756	-37.2	-13	Pass	2
1757	1765	1	RMS	1757	-41.12	-13	Pass	401




3.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1753.313	6.39	30	Pass	401
1755	1756	0.051	RMS	1755.003	-26.29	-13	Pass	401
1756	1757	1	RMS	1756	-23.22	-13	Pass	2
1757	1765	1	RMS	1757.02	-24.34	-13	Pass	401




3.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	19.85	30	Pass	401
1755	1756	0.051	RMS	1755.003	-23.03	-13	Pass	401
1756	1757	1	RMS	1756	-38.01	-13	Pass	2
1757	1765	1	RMS	1757	-39.49	-13	Pass	401




3.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1753.638	5.38	30	Pass	401
1755	1756	0.051	RMS	1755.003	-27.17	-13	Pass	401
1756	1757	1	RMS	1756	-25.19	-13	Pass	2
1757	1765	1	RMS	1757.02	-26.29	-13	Pass	401




3.49. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1695	1708	1	RMS	1707.968	-42.96	-13	Pass	401
1708	1709	1	RMS	1709	-39.69	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-30.57	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.88	30	Pass	401




3.50. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1695	1708	1	RMS	1707.935	-25.94	-13	Pass	401
1708	1709	1	RMS	1709	-25.39	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-29.99	-13	Pass	401
1710	1720	0.1	RMS	1719.15	3.85	30	Pass	401




3.51. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1695	1708	1	RMS	1707.968	-43.82	-13	Pass	401
1708	1709	1	RMS	1709	-40.37	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.59	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.06	30	Pass	401




3.52. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1695	1708	1	RMS	1707.708	-27.34	-13	Pass	401
1708	1709	1	RMS	1709	-26.81	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-31.18	-13	Pass	401
1710	1720	0.1	RMS	1719.125	2.85	30	Pass	401




3.53. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	20.89	30	Pass	401
1755	1756	0.1	RMS	1755.003	-29.66	-13	Pass	401
1756	1757	1	RMS	1756	-39.38	-13	Pass	2
1757	1770	1	RMS	1757	-42.92	-13	Pass	401




3.54. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1753.375	3.61	30	Pass	401
1755	1756	0.1	RMS	1755	-30.24	-13	Pass	401
1756	1757	1	RMS	1756	-25.36	-13	Pass	2
1757	1770	1	RMS	1757	-25.9	-13	Pass	401




3.55. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.95	30	Pass	401
1755	1756	0.1	RMS	1755	-30.14	-13	Pass	401
1756	1757	1	RMS	1756	-40.06	-13	Pass	2
1757	1770	1	RMS	1757	-43.3	-13	Pass	401




3.56. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.175	2.53	30	Pass	401
1755	1756	0.1	RMS	1755	-31.08	-13	Pass	401
1756	1757	1	RMS	1756	-26.4	-13	Pass	2
1757	1770	1	RMS	1757.033	-26.87	-13	Pass	401




3.57. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1690	1708	1	RMS	1708	-44.4	-13	Pass	401
1708	1709	1	RMS	1709	-37.85	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-26.93	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.69	30	Pass	401




3.58. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1690	1708	1	RMS	1707.505	-26.38	-13	Pass	401
1708	1709	1	RMS	1708	-26.63	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-32.04	-13	Pass	401
1710	1725	0.1	RMS	1723.425	2.05	30	Pass	401




3.59. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1690	1708	1	RMS	1707.955	-44.98	-13	Pass	401
1708	1709	1	RMS	1709	-38.54	-13	Pass	2
1709	1710	0.15	RMS	1710	-27.34	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.6	30	Pass	401




3.60. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1690	1708	1	RMS	1707.865	-27.79	-13	Pass	401
1708	1709	1	RMS	1708	-28.05	-13	Pass	2
1709	1710	0.15	RMS	1709.98	-33.39	-13	Pass	401
1710	1725	0.1	RMS	1723.613	1.11	30	Pass	401




3.61. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.58	30	Pass	401
1755	1756	0.15	RMS	1755	-26.67	-13	Pass	401
1756	1757	1	RMS	1756	-38.13	-13	Pass	2
1757	1775	1	RMS	1757	-44.09	-13	Pass	401




3.62. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	1.89	30	Pass	401
1755	1756	0.15	RMS	1755.003	-30.98	-13	Pass	401
1756	1757	1	RMS	1757	-25.72	-13	Pass	2
1757	1775	1	RMS	1757	-25.57	-13	Pass	401




3.63. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	19.87	30	Pass	401
1755	1756	0.15	RMS	1755.025	-27.72	-13	Pass	401
1756	1757	1	RMS	1756	-38.86	-13	Pass	2
1757	1775	1	RMS	1757	-44.43	-13	Pass	401




3.64. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1753.725	0.76	30	Pass	401
1755	1756	0.15	RMS	1755.005	-32.75	-13	Pass	401
1756	1757	1	RMS	1757	-27.77	-13	Pass	2
1757	1775	1	RMS	1757.18	-27.69	-13	Pass	401




3.65. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-45.01	-13	Pass	401
1708	1709	1	RMS	1709	-37.98	-13	Pass	2
1709	1710	0.2	RMS	1710	-27.46	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.66	30	Pass	401




3.66. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-29.35	-13	Pass	401
1708	1709	1	RMS	1709	-29.32	-13	Pass	2
1709	1710	0.2	RMS	1709.988	-33.59	-13	Pass	401
1710	1730	0.1	RMS	1728.2	0.65	30	Pass	401




3.67. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-45.55	-13	Pass	401
1708	1709	1	RMS	1709	-38.46	-13	Pass	2
1709	1710	0.2	RMS	1710	-27.99	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.92	30	Pass	401




3.68. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-30.65	-13	Pass	401
1708	1709	1	RMS	1709	-30.54	-13	Pass	2
1709	1710	0.2	RMS	1709.98	-34.71	-13	Pass	401
1710	1730	0.1	RMS	1728.45	-0.39	30	Pass	401



3.69. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.63	30	Pass	401
1755	1756	0.2	RMS	1755	-26.94	-13	Pass	401
1756	1757	1	RMS	1756	-38.01	-13	Pass	2
1757	1780	1	RMS	1757	-44.47	-13	Pass	401




3.70. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.3	0.56	30	Pass	401
1755	1756	0.2	RMS	1755.005	-31.75	-13	Pass	401
1756	1757	1	RMS	1756	-27.6	-13	Pass	2
1757	1780	1	RMS	1757	-28.06	-13	Pass	401




3.71. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.64	30	Pass	401
1755	1756	0.2	RMS	1755.008	-27.44	-13	Pass	401
1756	1757	1	RMS	1756	-38.71	-13	Pass	2
1757	1780	1	RMS	1757	-45.27	-13	Pass	401



3.72. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.5	-0.44	30	Pass	401
1755	1756	0.2	RMS	1755.01	-33	-13	Pass	401
1756	1757	1	RMS	1756	-28.92	-13	Pass	2
1757	1780	1	RMS	1757.058	-29.35	-13	Pass	401



4. LTE_Band5


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	822.055	-44.13	-13	Pass	401
823	824	0.02	RMS	824	-19.05	-13	Pass	401
824	825.4	0.1	RMS	824.256	21.41	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	823	-32.82	-13	Pass	401
823	824	0.02	RMS	824	-24.43	-13	Pass	401
824	825.4	0.1	RMS	824.606	12.89	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	822.055	-44.78	-13	Pass	401
823	824	0.02	RMS	823.998	-19.81	-13	Pass	401
824	825.4	0.1	RMS	824.256	20.44	30	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
817.6	823	0.1	RMS	823	-35	-13	Pass	401
823	824	0.02	RMS	823.998	-25.21	-13	Pass	401
824	825.4	0.1	RMS	824.704	11.94	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.752	20.61	30	Pass	401
849	850	0.02	RMS	849.003	-19.7	-13	Pass	401
850	855.4	0.1	RMS	850.959	-47.18	-13	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.136	12.54	30	Pass	401
849	850	0.02	RMS	849	-24.34	-13	Pass	401
850	855.4	0.1	RMS	850	-34.09	-13	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.752	19.73	30	Pass	401
849	850	0.02	RMS	849	-21.02	-13	Pass	401
850	855.4	0.1	RMS	850.972	-47.43	-13	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847.6	849	0.1	RMS	848.244	11.62	30	Pass	401
849	850	0.02	RMS	849	-25.73	-13	Pass	401
850	855.4	0.1	RMS	850	-35.28	-13	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	823	-43.52	-13	Pass	401
823	824	0.03	RMS	824	-20.28	-13	Pass	401
824	827	0.1	RMS	824.233	21.3	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	823	-30.35	-13	Pass	401
823	824	0.03	RMS	823.995	-24.8	-13	Pass	401
824	827	0.1	RMS	826.438	8.94	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	823	-44.56	-13	Pass	401
823	824	0.03	RMS	824	-22.46	-13	Pass	401
824	827	0.1	RMS	824.233	20.61	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
816	823	0.1	RMS	822.965	-32.26	-13	Pass	401
823	824	0.03	RMS	824	-26.09	-13	Pass	401
824	827	0.1	RMS	825.568	7.95	30	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.6	30	Pass	401
849	850	0.03	RMS	849.003	-20.88	-13	Pass	401
850	857	0.1	RMS	850	-40.84	-13	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.413	9.17	30	Pass	401
849	850	0.03	RMS	849	-24.72	-13	Pass	401
850	857	0.1	RMS	850	-27.69	-13	Pass	401




4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	19.65	30	Pass	401
849	850	0.03	RMS	849	-21.98	-13	Pass	401
850	857	0.1	RMS	850	-41.61	-13	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.42	8.24	30	Pass	401
849	850	0.03	RMS	849	-26.29	-13	Pass	401
850	857	0.1	RMS	850	-30.83	-13	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-40.68	-13	Pass	401
823	824	0.051	RMS	824	-21.32	-13	Pass	401
824	829	0.1	RMS	824.35	21.34	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.933	-31.67	-13	Pass	401
823	824	0.051	RMS	823.99	-26.06	-13	Pass	401
824	829	0.1	RMS	826.863	6.8	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.145	-41.54	-13	Pass	401
823	824	0.051	RMS	823.998	-22.65	-13	Pass	401
824	829	0.1	RMS	824.35	20.33	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.91	-33.04	-13	Pass	401
823	824	0.051	RMS	823.995	-26.82	-13	Pass	401
824	829	0.1	RMS	826.75	5.78	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.72	30	Pass	401
849	850	0.051	RMS	849	-21.74	-13	Pass	401
850	859	0.1	RMS	850.878	-46.92	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.938	7.05	30	Pass	401
849	850	0.051	RMS	849.003	-26.27	-13	Pass	401
850	859	0.1	RMS	850	-30.24	-13	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.73	30	Pass	401
849	850	0.051	RMS	849	-23.32	-13	Pass	401
850	859	0.1	RMS	850.855	-47.34	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.388	6.06	30	Pass	401
849	850	0.051	RMS	849.003	-27.61	-13	Pass	401
850	859	0.1	RMS	850.023	-33.15	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	822.37	-44.13	-13	Pass	401
823	824	0.1	RMS	824	-30.19	-13	Pass	401
824	834	0.1	RMS	824.6	21.13	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	823	-32.19	-13	Pass	401
823	824	0.1	RMS	824	-28.56	-13	Pass	401
824	834	0.1	RMS	827.375	3.84	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	822.37	-44.61	-13	Pass	401
823	824	0.1	RMS	824	-30.53	-13	Pass	401
824	834	0.1	RMS	824.6	20.35	30	Pass	401



4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	823	0.1	RMS	822.895	-34.47	-13	Pass	401
823	824	0.1	RMS	823.988	-30.14	-13	Pass	401
824	834	0.1	RMS	826.875	2.87	30	Pass	401



4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.75	30	Pass	401
849	850	0.1	RMS	849.003	-30.28	-13	Pass	401
850	864	0.1	RMS	850.63	-46.97	-13	Pass	401

