



TX CH38



Date: 27.AUG.2018 15:50:02


TX CH46



Date: 27.AUG.2018 15:51:47

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	84.60	76.00




Date: 27.AUG.2018 15:56:56

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.59	17.70	>=500
CH157	5785	17.55	17.70	>=500
CH165	5825	17.70	17.70	>=500

TX CH 149




Date: 27.AUG.2018 15:24:52

TX CH 157



Date: 27.AUG.2018 15:25:53

TX CH 165




Date: 27.AUG.2018 15:26:52

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	34.39	36.20	≥ 500
CH159	5795	35.19	36.20	≥ 500

TX CH 151



Date: 27.AUG.2018 15:53:09

TX CH 159




Date: 27.AUG.2018 15:54:31

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.20	76.00	>=500

TX CH 155



Date: 27.AUG.2018 15:58:05

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.53	0.16	18.69	30.00	1.00
CH40	5200	19.66	0.16	19.82	30.00	1.00
CH48	5240	19.95	0.16	20.11	30.00	1.00

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.24	0.16	18.40	30.00	1.00
CH40	5200	19.59	0.16	19.75	30.00	1.00
CH48	5240	19.63	0.16	19.79	30.00	1.00

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.56	30.00	1.00
CH40	5200	22.79	30.00	1.00
CH48	5240	22.96	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.92	0.00	18.92	30.00	1.00
CH40	5200	19.79	0.00	19.79	30.00	1.00
CH48	5240	19.82	0.00	19.82	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.84	0.00	18.84	30.00	1.00
CH40	5200	19.92	0.00	19.92	30.00	1.00
CH48	5240	19.93	0.00	19.93	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.89	30.00	1.00
CH40	5200	22.87	30.00	1.00
CH48	5240	22.89	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.51	0.17	14.68	30.00	1.00
CH46	5230	19.91	0.17	20.08	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.95	0.17	15.12	30.00	1.00
CH46	5230	19.75	0.17	19.92	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.92	30.00	1.00
CH46	5230	23.02	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.97	0.16	20.13	30.00	1.00
CH157	5785	19.74	0.16	19.90	30.00	1.00
CH165	5825	19.76	0.16	19.92	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.82	0.16	19.98	30.00	1.00
CH157	5785	19.57	0.16	19.73	30.00	1.00
CH165	5825	19.61	0.16	19.77	30.00	1.00

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.06	30.00	1.00
CH157	5785	22.82	30.00	1.00
CH165	5825	22.85	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.96	0.00	19.96	30.00	1.00
CH157	5785	19.84	0.00	19.84	30.00	1.00
CH165	5825	19.91	0.00	19.91	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.62	0.00	19.62	30.00	1.00
CH157	5785	19.52	0.00	19.52	30.00	1.00
CH165	5825	19.68	0.00	19.68	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.80	30.00	1.00
CH157	5785	22.69	30.00	1.00
CH165	5825	22.81	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.68	0.17	19.85	30.00	1.00
CH159	5795	19.55	0.17	19.72	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.92	0.17	20.09	30.00	1.00
CH159	5795	19.76	0.17	19.93	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.99	30.00	1.00
CH159	5795	22.84	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.46	0.00	18.46	30.00	1.00
CH40	5200	19.61	0.00	19.61	30.00	1.00
CH48	5240	19.62	0.00	19.62	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.61	0.00	18.61	30.00	1.00
CH40	5200	19.87	0.00	19.87	30.00	1.00
CH48	5240	19.89	0.00	19.89	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.55	30.00	1.00
CH40	5200	22.75	30.00	1.00
CH48	5240	22.77	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.46	0.15	14.61	30.00	1.00
CH46	5230	19.89	0.15	20.04	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.67	0.15	14.82	30.00	1.00
CH46	5230	19.52	0.15	19.67	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.73	30.00	1.00
CH46	5230	22.87	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.49	0.42	13.91	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.26	0.42	13.68	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.81	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.95	0.00	19.95	30.00	1.00
CH157	5785	19.65	0.00	19.65	30.00	1.00
CH165	5825	19.74	0.00	19.74	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.72	0.00	19.72	30.00	1.00
CH157	5785	19.44	0.00	19.44	30.00	1.00
CH165	5825	19.63	0.00	19.63	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.85	30.00	1.00
CH157	5785	22.56	30.00	1.00
CH165	5825	22.70	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.74	0.15	19.89	30.00	1.00
CH159	5795	19.53	0.15	19.68	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.93	0.15	20.08	30.00	1.00
CH159	5795	19.78	0.15	19.93	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	23.00	30.00	1.00
CH159	5795	22.82	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.52	0.42	19.94	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.85	0.42	20.27	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	23.12	30.00	1.00

Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.69	0.00	16.69	28.83	0.76
CH40	5200	19.44	0.00	19.44	28.83	0.76
CH48	5240	19.47	0.00	19.47	28.83	0.76

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.43	0.00	16.43	28.83	0.76
CH40	5200	19.62	0.00	19.62	28.83	0.76
CH48	5240	19.51	0.00	19.51	28.83	0.76

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.57	28.83	0.76
CH40	5200	22.54	28.83	0.76
CH48	5240	22.50	28.83	0.76

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.68	0.17	13.85	28.83	0.76
CH46	5230	19.58	0.17	19.75	28.83	0.76

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.53	0.17	13.70	28.83	0.76
CH46	5230	19.48	0.17	19.65	28.83	0.76

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.79	28.83	0.76
CH46	5230	22.71	28.83	0.76

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.60	0.00	19.60	28.22	0.66
CH157	5785	19.48	0.00	19.48	28.22	0.66
CH165	5825	19.48	0.00	19.48	28.22	0.66

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.36	0.00	19.36	28.22	0.66
CH157	5785	19.23	0.00	19.23	28.22	0.66
CH165	5825	19.18	0.00	19.18	28.22	0.66

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.49	28.22	0.66
CH157	5785	22.37	28.22	0.66
CH165	5825	22.34	28.22	0.66

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.21	0.17	19.38	28.22	0.66
CH159	5795	19.08	0.17	19.25	28.22	0.66

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.66	0.17	19.83	28.22	0.66
CH159	5795	19.46	0.17	19.63	28.22	0.66

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.63	28.22	0.66
CH159	5795	22.46	28.22	0.66

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.36	0.00	19.36	28.83	0.76
CH40	5200	19.32	0.00	19.32	28.83	0.76
CH48	5240	19.32	0.00	19.32	28.83	0.76

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.66	0.00	19.66	28.83	0.76
CH40	5200	19.62	0.00	19.62	28.83	0.76
CH48	5240	19.70	0.00	19.70	28.83	0.76

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.52	28.83	0.76
CH40	5200	22.48	28.83	0.76
CH48	5240	22.52	28.83	0.76

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.61	0.15	13.76	28.83	0.76
CH46	5230	19.59	0.15	19.74	28.83	0.76

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.57	0.15	13.72	28.83	0.76
CH46	5230	19.14	0.15	19.29	28.83	0.76

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.75	28.83	0.76
CH46	5230	22.54	28.83	0.76

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.56	0.42	16.98	28.83	0.76

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.25	0.42	16.67	28.83	0.76

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.84	28.83	0.76

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.72	0.00	19.72	28.22	0.66
CH157	5785	19.39	0.00	19.39	28.22	0.66
CH165	5825	19.43	0.00	19.43	28.22	0.66

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.41	0.00	19.41	28.22	0.66
CH157	5785	19.28	0.00	19.28	28.22	0.66
CH165	5825	19.18	0.00	19.18	28.22	0.66

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.58	28.22	0.66
CH157	5785	22.35	28.22	0.66
CH165	5825	22.32	28.22	0.66

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.49	0.15	19.64	28.22	0.66
CH159	5795	19.18	0.15	19.33	28.22	0.66

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.53	0.15	19.68	28.22	0.66
CH159	5795	19.51	0.15	19.66	28.22	0.66

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.67	28.22	0.66
CH159	5795	22.51	28.22	0.66

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.19	0.42	19.61	28.22	0.66

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.54	0.42	19.96	28.22	0.66

Test Mode: UNII-3/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.80	28.22	0.66

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.55	0.16	8.71	15.82
CH40	5200	9.80	0.16	9.96	15.82
CH48	5240	9.77	0.16	9.93	15.82




Date: 27.AUG.2018 11:28:44

CH40



Date: 27.AUG.2018 11:29:08


CH48



Date: 27.AUG.2018 11:29:29


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.34	0.16	8.50	15.82
CH40	5200	9.52	0.16	9.68	15.82
CH48	5240	9.31	0.16	9.47	15.82




Date: 27.AUG.2018 11:31:28

CH40



Date: 27.AUG.2018 11:31:48

CH48




Date: 27.AUG.2018 11:32:09

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.62	15.82
CH40	5200	12.83	15.82
CH48	5240	12.72	15.82


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.74	0.00	8.74	15.82
CH40	5200	9.56	0.00	9.56	15.82
CH48	5240	9.52	0.00	9.52	15.82




Date: 27.AUG.2018 11:39:16

CH40



Date: 27.AUG.2018 11:39:45

CH48




Date: 27.AUG.2018 11:40:10

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.48	0.00	8.48	15.82
CH40	5200	9.27	0.00	9.27	15.82
CH48	5240	9.14	0.00	9.14	15.82

CH36




Date: 27.AUG.2018 11:35:39

CH40



Date: 27.AUG.2018 11:36:04

CH48



Date: 27.AUG.2018 11:36:25


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.62	15.82
CH40	5200	12.43	15.82
CH48	5240	12.34	15.82

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.53	0.17	2.70	15.82
CH46	5230	7.10	0.17	7.27	15.82

CH38



Date: 27.AUG.2018 14:02:46

CH46




Date: 27.AUG.2018 14:04:02

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.38	0.17	2.55	15.82
CH46	5230	6.57	0.17	6.74	15.82

CH38



Date: 27.AUG.2018 13:49:09

CH46



Date: 27.AUG.2018 13:50:21


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.64	15.82
CH46	5230	10.03	15.82

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.88	0.16	7.04	28.21
CH157	5785	6.18	0.16	6.34	28.21
CH165	5825	6.26	0.16	6.42	28.21

TX CH149




Date: 27.AUG.2018 11:29:59

TX CH157



Date: 27.AUG.2018 11:30:19

TX CH165




Date: 27.AUG.2018 11:30:39

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.10	0.16	7.26	28.21
CH157	5785	6.40	0.16	6.56	28.21
CH165	5825	6.27	0.16	6.43	28.21

TX CH149




Date: 27.AUG.2018 11:32:47

TX CH157



Date: 27.AUG.2018 11:33:09

TX CH165




Date: 27.AUG.2018 11:34:05

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.16	28.21
CH157	5785	9.46	28.21
CH165	5825	9.43	28.21


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.57	0.00	6.57	28.21
CH157	5785	6.27	0.00	6.27	28.21
CH165	5825	6.24	0.00	6.24	28.21




Date: 27.AUG.2018 11:40:45

TX CH157



Date: 27.AUG.2018 16:16:43

TX CH165




Date: 27.AUG.2018 11:41:27

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.78	0.00	6.78	28.21
CH157	5785	6.24	0.00	6.24	28.21
CH165	5825	6.18	0.00	6.18	28.21

TX CH149




Date: 27.AUG.2018 11:36:55

TX CH157



Date: 27.AUG.2018 11:37:18

TX CH165



Date: 27.AUG.2018 11:37:37


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.69	28.21
CH157	5785	9.27	28.21
CH165	5825	9.22	28.21

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.43	0.17	4.60	28.21
CH159	5795	4.14	0.17	4.31	28.21

TX CH151



Date: 27.AUG.2018 14:05:04

TX CH159




Date: 27.AUG.2018 14:06:19

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.64	0.17	4.81	28.21
CH159	5795	4.04	0.17	4.21	28.21

TX CH151



Date: 27.AUG.2018 13:51:32

TX CH159




Date: 27.AUG.2018 13:52:52

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.72	28.21
CH159	5795	7.27	28.21


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.67	0.00	8.67	15.82
CH40	5200	9.51	0.00	9.51	15.82
CH48	5240	9.57	0.00	9.57	15.82




Date: 27.AUG.2018 11:42:27

CH40



Date: 27.AUG.2018 11:43:02


CH48



Date: 27.AUG.2018 11:43:43


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.51	0.00	8.51	15.82
CH40	5200	9.22	0.00	9.22	15.82
CH48	5240	9.10	0.00	9.10	15.82




Date: 27.AUG.2018 11:45:39

CH40



Date: 27.AUG.2018 11:46:13

CH48



Date: 27.AUG.2018 11:46:34


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.60	15.82
CH40	5200	12.38	15.82
CH48	5240	12.35	15.82

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.60	0.15	2.75	15.82
CH46	5230	7.12	0.15	7.27	15.82

CH38



Date: 27.AUG.2018 14:08:33

CH46




Date: 27.AUG.2018 14:09:56

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.54	0.15	2.69	15.82
CH46	5230	6.73	0.15	6.88	15.82

CH38



Date: 27.AUG.2018 14:14:01

CH46




Date: 27.AUG.2018 14:15:11

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.73	15.82
CH46	5230	10.09	15.82

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.98	0.42	-1.56	15.82



Date: 27.AUG.2018 14:22:45

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.15	0.42	-1.73	15.82




Date: 27.AUG.2018 14:19:59

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.37	15.82


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.62	0.00	6.62	28.21
CH157	5785	6.11	0.00	6.11	28.21
CH165	5825	6.24	0.00	6.24	28.21




Date: 27.AUG.2018 11:44:11

TX CH157



Date: 27.AUG.2018 11:44:32

TX CH165




Date: 27.AUG.2018 11:44:47

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.82	0.00	6.82	28.21
CH157	5785	6.20	0.00	6.20	28.21
CH165	5825	6.06	0.00	6.06	28.21

TX CH149




Date: 27.AUG.2018 11:47:03

TX CH157



Date: 27.AUG.2018 11:47:23

TX CH165



Date: 27.AUG.2018 11:47:41


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.73	28.21
CH157	5785	9.17	28.21
CH165	5825	9.16	28.21

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.47	0.15	4.62	28.21
CH159	5795	4.27	0.15	4.42	28.21

TX CH151



Date: 27.AUG.2018 14:11:03

TX CH159




Date: 27.AUG.2018 14:12:25

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.86	0.15	5.01	28.21
CH159	5795	4.29	0.15	4.44	28.21

TX CH151



Date: 27.AUG.2018 14:16:30

TX CH159



Date: 27.AUG.2018 14:18:14


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.83	28.21
CH159	5795	7.44	28.21

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.06	0.42	1.48	28.21


TX CH155



Date: 27.AUG.2018 14:24:19

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.27	0.42	1.69	28.21



Date: 27.AUG.2018 14:21:10


Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	4.60	28.21

Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.01	0.00	9.01	15.83
CH40	5200	9.82	0.00	9.82	15.83
CH48	5240	9.79	0.00	9.79	15.83




Date: 27.AUG.2018 14:40:04

CH40



Date: 27.AUG.2018 14:41:28


CH48



Date: 27.AUG.2018 14:43:19


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.82	0.00	8.82	15.83
CH40	5200	9.52	0.00	9.52	15.83
CH48	5240	9.43	0.00	9.43	15.83




Date: 27.AUG.2018 14:49:19

CH40



Date: 27.AUG.2018 14:50:25

CH48



Date: 27.AUG.2018 14:51:12


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.93	15.83
CH40	5200	12.68	15.83
CH48	5240	12.62	15.83

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.52	0.17	2.69	15.83
CH46	5230	7.00	0.17	7.17	15.83

CH38



Date: 27.AUG.2018 15:28:20

CH46




Date: 27.AUG.2018 15:29:33

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.32	0.17	2.49	15.83
CH46	5230	6.61	0.17	6.78	15.83

CH38



Date: 27.AUG.2018 15:34:51

CH46



Date: 27.AUG.2018 15:36:00


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.61	15.83
CH46	5230	9.99	15.83

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.90	0.00	6.90	28.22
CH157	5785	6.42	0.00	6.42	28.22
CH165	5825	6.58	0.00	6.58	28.22

TX CH149




Date: 27.AUG.2018 14:44:47

TX CH157



Date: 27.AUG.2018 14:45:50

TX CH165




Date: 27.AUG.2018 14:46:52

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.24	0.00	7.24	28.22
CH157	5785	6.54	0.00	6.54	28.22
CH165	5825	6.51	0.00	6.51	28.22

TX CH149




Date: 27.AUG.2018 14:52:29

TX CH157



Date: 27.AUG.2018 14:53:28

TX CH165



Date: 27.AUG.2018 14:54:24


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.08	28.22
CH157	5785	9.49	28.22
CH165	5825	9.56	28.22

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.22	0.17	4.39	28.22
CH159	5795	4.06	0.17	4.23	28.22

TX CH151



Date: 27.AUG.2018 15:30:50

TX CH159




Date: 27.AUG.2018 15:33:13

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.54	0.17	4.71	28.22
CH159	5795	4.03	0.17	4.20	28.22

TX CH151



Date: 27.AUG.2018 15:36:48

TX CH159




Date: 27.AUG.2018 15:38:09

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.57	28.22
CH159	5795	7.23	28.22


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.89	0.00	8.89	15.83
CH40	5200	9.67	0.00	9.67	15.83
CH48	5240	9.65	0.00	9.65	15.83




Date: 27.AUG.2018 15:21:30

CH40



Date: 27.AUG.2018 15:22:26


CH48



Date: 27.AUG.2018 15:23:23


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.80	0.00	8.80	15.83
CH40	5200	9.52	0.00	9.52	15.83
CH48	5240	9.46	0.00	9.46	15.83




Date: 27.AUG.2018 14:56:13

CH40



Date: 27.AUG.2018 14:57:04

CH48



Date: 27.AUG.2018 14:57:52


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.86	15.83
CH40	5200	12.61	15.83
CH48	5240	12.57	15.83

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.47	0.15	2.62	15.83
CH46	5230	7.05	0.15	7.20	15.83

CH38



Date: 27.AUG.2018 15:49:05

CH46




Date: 27.AUG.2018 15:51:01

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.39	0.15	2.54	15.83
CH46	5230	6.65	0.15	6.80	15.83

CH38



Date: 27.AUG.2018 15:40:33

CH46




Date: 27.AUG.2018 15:41:44

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.59	15.83
CH46	5230	10.02	15.83

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.98	0.42	-1.56	15.83



Date: 27.AUG.2018 15:55:57

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.33	0.42	-1.91	15.83



Date: 27.AUG.2018 15:59:00


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.28	15.83

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.70	0.00	6.70	28.22
CH157	5785	6.22	0.00	6.22	28.22
CH165	5825	6.37	0.00	6.37	28.22

TX CH149




Date: 27.AUG.2018 15:24:07

TX CH157



Date: 27.AUG.2018 15:25:05

TX CH165




Date: 27.AUG.2018 15:26:05

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.10	0.00	7.10	28.22
CH157	5785	6.52	0.00	6.52	28.22
CH165	5825	6.32	0.00	6.32	28.22

TX CH149




Date: 27.AUG.2018 14:59:25

TX CH157



Date: 27.AUG.2018 15:01:24

TX CH165



Date: 27.AUG.2018 15:18:17


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.91	28.22
CH157	5785	9.38	28.22
CH165	5825	9.36	28.22

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.29	0.15	4.44	28.22
CH159	5795	4.03	0.15	4.18	28.22

TX CH151



Date: 27.AUG.2018 15:52:02

TX CH159




Date: 27.AUG.2018 15:53:25

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.58	0.15	4.73	28.22
CH159	5795	4.04	0.15	4.19	28.22

TX CH151



Date: 27.AUG.2018 15:42:49

TX CH159



Date: 27.AUG.2018 15:44:17


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.60	28.22
CH159	5795	7.20	28.22

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.00	0.42	1.42	28.22


TX CH155



Date: 27.AUG.2018 15:57:10

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.99	0.42	1.41	28.22



Date: 27.AUG.2018 16:01:56

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	4.43	28.22

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5180.0020
120	5180.0024
102	5180.0028
Max. Deviation (MHz)	0.0028
Max. Deviation (ppm)	0.5405

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0036
10	5180.0040
20	5180.0044
30	5180.0044
40	5180.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.9266

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5745.0028
120	5745.0040
102	5745.0048
Max. Deviation (MHz)	0.0048
Max. Deviation (ppm)	0.8355

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0060
10	5745.0064
20	5745.0068
30	5745.0072
40	5745.0076
Max. Deviation (MHz)	0.0076
Max. Deviation (ppm)	1.3229

End of Test Report