


A.5 Spurious Emissions at Antenna Terminals

1. GSM

GSM850


1.1. GSM Spurious Emission(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.25	-13	Pass	401
0.15	30	0.01	Peak	0.29	-54.35	-13	Pass	2985
30	500	0.1	Peak	453.79	-43.6	-13	Pass	4700
500	1000	0.1	Peak	824.165	31.91	-13	N/A	5000
1000	10000	1	Peak	7214.759	-22.33	-13	Pass	9000




1.2. GSM Spurious Emission(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.82	-13	Pass	401
0.15	30	0.01	Peak	0.73	-54.41	-13	Pass	2985
30	500	0.1	Peak	475.395	-43.6	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.12	-13	N/A	5000
1000	10000	1	Peak	7010.734	-22.32	-13	Pass	9000



1.3. GSM Spurious Emission(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.73	-13	Pass	401
0.15	30	0.01	Peak	0.34	-53.91	-13	Pass	2985
30	500	0.1	Peak	477.895	-43.6	-13	Pass	4700
500	1000	0.1	Peak	848.77	31.8	-13	N/A	5000
1000	10000	1	Peak	7166.753	-22.18	-13	Pass	9000



GSM1900


1.4. GSM Spurious Emission(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.74	-13	Pass	2985
30	1000	0.1	Peak	825.397	-43.56	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.83	-13	N/A	2000
3000	20000	1	Peak	19903.844	-15.36	-13	Pass	17000




1.5. GSM Spurious Emission(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.3	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.97	-13	Pass	2985
30	1000	0.1	Peak	805.295	-42.47	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.35	-13	N/A	2000
3000	20000	1	Peak	19384	-15.75	-13	Pass	17000



1.6. GSM Spurious Emission(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.57	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.68	-13	Pass	2985
30	1000	0.1	Peak	886.449	-43.37	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.75	-13	N/A	2000
3000	20000	1	Peak	19925.88	-15.54	-13	Pass	17000



EGPRS850


1.7. Spurious Emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.12	-13	Pass	401
0.15	30	0.01	Peak	0.2	-55.48	-13	Pass	2985
30	500	0.1	Peak	485.597	-44.04	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.42	-13	N/A	5000
1000	10000	1	Peak	7193.756	-22.16	-13	Pass	9000




1.8. Spurious Emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.87	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.58	-13	Pass	2985
30	500	0.1	Peak	382.875	-43.92	-13	Pass	4700
500	1000	0.1	Peak	836.567	29.5	-13	N/A	5000
1000	10000	1	Peak	7186.755	-22.56	-13	Pass	9000



1.9. Spurious Emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-58.11	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.91	-13	Pass	2985
30	500	0.1	Peak	481.696	-43.99	-13	Pass	4700
500	1000	0.1	Peak	848.77	28.91	-13	N/A	5000
1000	10000	1	Peak	7302.769	-22.48	-13	Pass	9000



EGPRS1900


1.10. Spurious Emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.18	-13	Pass	401
0.15	30	0.01	Peak	0.4	-55.7	-13	Pass	2985
30	1000	0.1	Peak	833.498	-42.84	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.25	-13	N/A	2000
3000	20000	1	Peak	19404.033	-15.47	-13	Pass	17000




1.11. Spurious Emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.59	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.12	-13	Pass	2985
30	1000	0.1	Peak	834.398	-42.99	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.91	-13	N/A	2000
3000	20000	1	Peak	19391.011	-15.59	-13	Pass	17000



1.12. Spurious Emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.45	-13	Pass	401
0.15	30	0.01	Peak	0.18	-55.3	-13	Pass	2985
30	1000	0.1	Peak	781.592	-43.68	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.26	-13	N/A	2000
3000	20000	1	Peak	14210.368	-15.56	-13	Pass	17000




2. WCDMA

Band2


2.1. WCDMA Spurious Emissions(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.99	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.37	-13	Pass	2985
30	1000	0.1	Peak	849.801	-53.19	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.42	-13	N/A	2000
3000	20000	1	Peak	18896.941	-25.89	-13	Pass	17000




2.2. WCDMA Spurious Emissions(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.99	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.06	-13	Pass	2985
30	1000	0.1	Peak	599.87	-53.63	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.03	-13	N/A	2000
3000	20000	1	Peak	19775.636	-26.18	-13	Pass	17000



2.3. WCDMA Spurious Emissions(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.93	-13	Pass	401
0.15	30	0.01	Peak	0.47	-64.87	-13	Pass	2985
30	1000	0.1	Peak	849.2	-53.17	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.35	-13	N/A	2000
3000	20000	1	Peak	19427.07	-26.36	-13	Pass	17000



Band4


2.4. WCDMA Spurious Emissions(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.32	-13	Pass	2985
30	1000	0.1	RMS	843.899	-64.66	-13	Pass	9699
1000	3000	1	RMS	1712.356	17.59	-13	N/A	2000
3000	20000	1	RMS	14201.367	-37.7	-13	Pass	17000




2.5. WCDMA Spurious Emissions(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.23	-73.26	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.6	-13	Pass	9699
1000	3000	1	RMS	1732.366	17.81	-13	N/A	2000
3000	20000	1	RMS	14204.368	-37.71	-13	Pass	17000



2.6. WCDMA Spurious Emissions(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.68	-13	Pass	9699
1000	3000	1	RMS	1752.376	17.61	-13	N/A	2000
3000	20000	1	RMS	14201.367	-37.69	-13	Pass	17000



Band5


2.7. WCDMA Spurious Emissions(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.71	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.26	-13	Pass	2985
30	500	0.1	Peak	393.377	-53.9	-13	Pass	4700
500	1000	0.1	Peak	825.465	17.3	-13	N/A	5000
1000	10000	1	Peak	6950.726	-32.1	-13	Pass	9000




2.8. WCDMA Spurious Emissions(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.14	-13	Pass	401
0.15	30	0.01	Peak	1.771	-65.88	-13	Pass	2985
30	500	0.1	Peak	346.567	-53.75	-13	Pass	4700
500	1000	0.1	Peak	837.367	17.64	-13	N/A	5000
1000	10000	1	Peak	7188.755	-32.14	-13	Pass	9000



2.9. WCDMA Spurious Emissions(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.09	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.51	-13	Pass	2985
30	500	0.1	Peak	379.074	-54.03	-13	Pass	4700
500	1000	0.1	Peak	847.269	17.9	-13	N/A	5000
1000	10000	1	Peak	7161.752	-32.25	-13	Pass	9000




3. LTE

Band2


3.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.23	-13	Pass	401
0.15	30	0.01	Peak	0.29	-65.44	-13	Pass	2985
30	1000	0.1	Peak	816.096	-53.49	-13	Pass	9699
1000	1840	1	Peak	1837.998	-41.67	-13	Pass	840
1840	1920	1	Peak	1850.2	27.18	60	Pass	401
1920	3000	1	Peak	2964.968	-38.77	-13	Pass	1080
3000	12000	1	Peak	11883.856	-32.09	-13	Pass	9000
12000	20000	1	Peak	16572.572	-26.54	-13	Pass	8000




3.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.59	-13	Pass	401
0.15	30	0.01	Peak	0.29	-65.93	-13	Pass	2985
30	1000	0.1	Peak	965.154	-53.6	-13	Pass	9699
1000	1840	1	Peak	1838.999	-41.88	-13	Pass	840
1840	1920	1	Peak	1850.2	27.22	60	Pass	401
1920	3000	1	Peak	2957.961	-38.5	-13	Pass	1080
3000	12000	1	Peak	11617.527	-32.32	-13	Pass	9000
12000	20000	1	Peak	19831.979	-26.2	-13	Pass	8000




3.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.35	-13	Pass	2985
30	1000	0.1	Peak	502.458	-53.88	-13	Pass	9699
1000	1840	1	Peak	1227.271	-42.37	-13	Pass	840
1840	1920	1	Peak	1879.6	27.08	60	Pass	401
1920	3000	1	Peak	2919.926	-38.53	-13	Pass	1080
3000	12000	1	Peak	11946.934	-32.11	-13	Pass	9000
12000	20000	1	Peak	19342.918	-26.5	-13	Pass	8000




3.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.3	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.54	-13	Pass	2985
30	1000	0.1	Peak	735.686	-53.32	-13	Pass	9699
1000	1840	1	Peak	1777.926	-41.83	-13	Pass	840
1840	1920	1	Peak	1879.8	26.67	60	Pass	401
1920	3000	1	Peak	2900.908	-38.51	-13	Pass	1080
3000	12000	1	Peak	11331.172	-32.15	-13	Pass	9000
12000	20000	1	Peak	14205.276	-26.39	-13	Pass	8000




3.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.49	-13	Pass	2985
30	1000	0.1	Peak	947.33	-53.98	-13	Pass	9699
1000	1840	1	Peak	1835.995	-27.39	-13	Pass	840
1840	1920	1	Peak	1908.8	26.16	60	Pass	401
1920	3000	1	Peak	1921.001	-21.59	-13	Pass	1080
3000	12000	1	Peak	11938.924	-31.57	-13	Pass	9000
12000	20000	1	Peak	19922.99	-26.35	-13	Pass	8000




3.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.2	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.34	-13	Pass	2985
30	1000	0.1	Peak	402.946	-53.55	-13	Pass	9699
1000	1840	1	Peak	1832.992	-26.84	-13	Pass	840
1840	1920	1	Peak	1908.8	26.29	60	Pass	401
1920	3000	1	Peak	1920	-16.58	-13	Pass	1080
3000	12000	1	Peak	11978.974	-31.98	-13	Pass	9000
12000	20000	1	Peak	14205.276	-26.37	-13	Pass	8000




3.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:18615, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.37	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.86	-13	Pass	2985
30	1000	0.1	Peak	863.419	-53.73	-13	Pass	9699
1000	1840	1	Peak	1840	-37.97	-13	Pass	840
1840	1920	1	Peak	1850.2	27.09	60	Pass	401
1920	3000	1	Peak	2996.997	-38.52	-13	Pass	1080
3000	12000	1	Peak	11696.625	-32.43	-13	Pass	9000
12000	20000	1	Peak	19370.921	-26.35	-13	Pass	8000




3.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:18615, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-70.81	-13	Pass	401
0.15	30	0.01	Peak	0.18	-66.6	-13	Pass	2985
30	1000	0.1	Peak	833.198	-53.92	-13	Pass	9699
1000	1840	1	Peak	1734.875	-42.01	-13	Pass	840
1840	1920	1	Peak	1850.2	27.4	60	Pass	401
1920	3000	1	Peak	2956.96	-38.81	-13	Pass	1080
3000	12000	1	Peak	11640.555	-32.1	-13	Pass	9000
12000	20000	1	Peak	15230.404	-26.51	-13	Pass	8000




3.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:18900, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.4	-13	Pass	2985
30	1000	0.1	Peak	840.099	-54.04	-13	Pass	9699
1000	1840	1	Peak	1648.772	-41.2	-13	Pass	840
1840	1920	1	Peak	1878.6	26.8	60	Pass	401
1920	3000	1	Peak	2821.835	-39.03	-13	Pass	1080
3000	12000	1	Peak	11616.525	-31.89	-13	Pass	9000
12000	20000	1	Peak	19492.937	-26.74	-13	Pass	8000




3.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-69.91	-13	Pass	401
0.15	30	0.01	Peak	1.02	-65.03	-13	Pass	2985
30	1000	0.1	Peak	810.695	-54.11	-13	Pass	9699
1000	1840	1	Peak	1825.983	-41.85	-13	Pass	840
1840	1920	1	Peak	1878.8	26.74	60	Pass	401
1920	3000	1	Peak	2935.941	-38.96	-13	Pass	1080
3000	12000	1	Peak	7832.59	-32.32	-13	Pass	9000
12000	20000	1	Peak	19747.968	-25.91	-13	Pass	8000




3.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.98	-13	Pass	401
0.15	30	0.01	Peak	1.13	-67.1	-13	Pass	2985
30	1000	0.1	Peak	966.956	-54.14	-13	Pass	9699
1000	1840	1	Peak	1834.994	-25.75	-13	Pass	840
1840	1920	1	Peak	1907.2	26.43	60	Pass	401
1920	3000	1	Peak	1924.004	-38.11	-13	Pass	1080
3000	12000	1	Peak	11934.919	-32.21	-13	Pass	9000
12000	20000	1	Peak	19828.979	-26.51	-13	Pass	8000




3.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.05	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.47	-13	Pass	2985
30	1000	0.1	Peak	587.968	-54.09	-13	Pass	9699
1000	1840	1	Peak	1547.652	-42.24	-13	Pass	840
1840	1920	1	Peak	1907.4	26.26	60	Pass	401
1920	3000	1	Peak	2856.867	-37.49	-13	Pass	1080
3000	12000	1	Peak	11725.66	-31.64	-13	Pass	9000
12000	20000	1	Peak	19426.928	-26.12	-13	Pass	8000




3.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.71	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.65	-13	Pass	2985
30	1000	0.1	Peak	796.894	-53.62	-13	Pass	9699
1000	1840	1	Peak	1838.999	-39.93	-13	Pass	840
1840	1920	1	Peak	1850.2	27.31	60	Pass	401
1920	3000	1	Peak	2993.994	-38.47	-13	Pass	1080
3000	12000	1	Peak	11654.572	-32.62	-13	Pass	9000
12000	20000	1	Peak	19790.974	-26.26	-13	Pass	8000




3.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.2	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.03	-13	Pass	2985
30	1000	0.1	Peak	800.494	-53.81	-13	Pass	9699
1000	1840	1	Peak	1840	-41.47	-13	Pass	840
1840	1920	1	Peak	1850.4	27.42	60	Pass	401
1920	3000	1	Peak	2953.957	-38.46	-13	Pass	1080
3000	12000	1	Peak	11660.58	-32.06	-13	Pass	9000
12000	20000	1	Peak	14189.274	-26.52	-13	Pass	8000




3.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-69.55	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.65	-13	Pass	2985
30	1000	0.1	Peak	828.197	-53.83	-13	Pass	9699
1000	1840	1	Peak	1640.763	-42.27	-13	Pass	840
1840	1920	1	Peak	1877.8	27.08	60	Pass	401
1920	3000	1	Peak	2974.977	-38.81	-13	Pass	1080
3000	12000	1	Peak	6943.481	-32.41	-13	Pass	9000
12000	20000	1	Peak	19332.917	-26.12	-13	Pass	8000




3.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.27	-13	Pass	401
0.15	30	0.01	Peak	0.44	-66.61	-13	Pass	2985
30	1000	0.1	Peak	559.065	-54.14	-13	Pass	9699
1000	1840	1	Peak	1724.863	-42.09	-13	Pass	840
1840	1920	1	Peak	1877.8	26.55	60	Pass	401
1920	3000	1	Peak	2952.956	-38.12	-13	Pass	1080
3000	12000	1	Peak	11890.865	-32.08	-13	Pass	9000
12000	20000	1	Peak	19958.995	-26.05	-13	Pass	8000




3.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.07	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.15	-13	Pass	2985
30	1000	0.1	Peak	862.117	-53.42	-13	Pass	9699
1000	1840	1	Peak	1327.39	-42.14	-13	Pass	840
1840	1920	1	Peak	1905.4	26.51	60	Pass	401
1920	3000	1	Peak	2981.983	-38.49	-13	Pass	1080
3000	12000	1	Peak	11724.659	-32.47	-13	Pass	9000
12000	20000	1	Peak	19737.967	-25.56	-13	Pass	8000




3.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.1	-13	Pass	401
0.15	30	0.01	Peak	0.94	-65.68	-13	Pass	2985
30	1000	0.1	Peak	837.399	-53.88	-13	Pass	9699
1000	1840	1	Peak	1729.869	-42.39	-13	Pass	840
1840	1920	1	Peak	1905.4	26.6	60	Pass	401
1920	3000	1	Peak	2941.946	-39.01	-13	Pass	1080
3000	12000	1	Peak	11500.382	-31.81	-13	Pass	9000
12000	20000	1	Peak	19919.99	-26.55	-13	Pass	8000




3.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.91	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.24	-13	Pass	2985
30	1000	0.1	Peak	867.825	-53.75	-13	Pass	9699
1000	1840	1	Peak	1832.992	-26.35	-13	Pass	840
1840	1920	1	Peak	1850.6	27.17	60	Pass	401
1920	3000	1	Peak	1921.001	-35.21	-13	Pass	1080
3000	12000	1	Peak	11930.914	-32.03	-13	Pass	9000
12000	20000	1	Peak	19964.996	-26.72	-13	Pass	8000




3.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.63	-13	Pass	401
0.15	30	0.01	Peak	1	-66.53	-13	Pass	2985
30	1000	0.1	Peak	931.91	-53.96	-13	Pass	9699
1000	1840	1	Peak	1832.992	-27.35	-13	Pass	840
1840	1920	1	Peak	1850.8	27.19	60	Pass	401
1920	3000	1	Peak	2931.937	-38.39	-13	Pass	1080
3000	12000	1	Peak	11956.947	-31.38	-13	Pass	9000
12000	20000	1	Peak	19595.949	-26.08	-13	Pass	8000




3.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.32	-13	Pass	401
0.15	30	0.01	Peak	0.75	-66.37	-13	Pass	2985
30	1000	0.1	Peak	951.936	-54.01	-13	Pass	9699
1000	1840	1	Peak	1808.963	-41.74	-13	Pass	840
1840	1920	1	Peak	1875.6	26.91	60	Pass	401
1920	3000	1	Peak	2936.942	-38.82	-13	Pass	1080
3000	12000	1	Peak	11620.53	-32.43	-13	Pass	9000
12000	20000	1	Peak	19855.982	-26.57	-13	Pass	8000




3.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.87	-13	Pass	401
0.15	30	0.01	Peak	0.34	-65.72	-13	Pass	2985
30	1000	0.1	Peak	851.503	-53.93	-13	Pass	9699
1000	1840	1	Peak	1796.949	-41.59	-13	Pass	840
1840	1920	1	Peak	1875.6	27.02	60	Pass	401
1920	3000	1	Peak	2978.981	-38.69	-13	Pass	1080
3000	12000	1	Peak	11650.568	-31.75	-13	Pass	9000
12000	20000	1	Peak	19409.926	-25.98	-13	Pass	8000




3.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.4	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.87	-13	Pass	2985
30	1000	0.1	Peak	976.469	-53.38	-13	Pass	9699
1000	1840	1	Peak	1705.84	-42.23	-13	Pass	840
1840	1920	1	Peak	1900.6	26.64	60	Pass	401
1920	3000	1	Peak	1920	-35.11	-13	Pass	1080
3000	12000	1	Peak	11163.997	-32.51	-13	Pass	9000
12000	20000	1	Peak	19639.955	-26.42	-13	Pass	8000




3.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-70.41	-13	Pass	401
0.15	30	0.01	Peak	0.33	-65.81	-13	Pass	2985
30	1000	0.1	Peak	860.215	-53.9	-13	Pass	9699
1000	1840	1	Peak	1801.955	-42.39	-13	Pass	840
1840	1920	1	Peak	1900.6	26.69	60	Pass	401
1920	3000	1	Peak	2863.874	-37.98	-13	Pass	1080
3000	12000	1	Peak	11510.394	-31.96	-13	Pass	9000
12000	20000	1	Peak	19806.976	-25.98	-13	Pass	8000




3.25. LTE Spurious Emissions(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.09	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.2	-13	Pass	2985
30	1000	0.1	Peak	959.446	-54.09	-13	Pass	9699
1000	1840	1	Peak	1837.998	-32.3	-13	Pass	840
1840	1920	1	Peak	1850.8	27.03	60	Pass	401
1920	3000	1	Peak	2968.971	-38.67	-13	Pass	1080
3000	12000	1	Peak	11991.99	-32.43	-13	Pass	9000
12000	20000	1	Peak	19768.971	-26.32	-13	Pass	8000




3.26. LTE Spurious Emissions(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.62	-13	Pass	401
0.15	30	0.01	Peak	0.51	-66.58	-13	Pass	2985
30	1000	0.1	Peak	415.247	-53.5	-13	Pass	9699
1000	1840	1	Peak	1823.981	-33.27	-13	Pass	840
1840	1920	1	Peak	1850.8	27.3	60	Pass	401
1920	3000	1	Peak	2955.959	-38.11	-13	Pass	1080
3000	12000	1	Peak	11950.939	-32	-13	Pass	9000
12000	20000	1	Peak	14194.274	-26.1	-13	Pass	8000




3.27. LTE Spurious Emissions(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.21	-13	Pass	2985
30	1000	0.1	Peak	828.798	-53.54	-13	Pass	9699
1000	1840	1	Peak	1829.988	-41.83	-13	Pass	840
1840	1920	1	Peak	1873.4	27.27	60	Pass	401
1920	3000	1	Peak	2816.83	-38.84	-13	Pass	1080
3000	12000	1	Peak	11478.354	-32.47	-13	Pass	9000
12000	20000	1	Peak	19370.921	-26.75	-13	Pass	8000




3.28. LTE Spurious Emissions(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.66	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.24	-13	Pass	2985
30	1000	0.1	Peak	921.195	-53.22	-13	Pass	9699
1000	1840	1	Peak	1433.516	-42.34	-13	Pass	840
1840	1920	1	Peak	1873.4	26.95	60	Pass	401
1920	3000	1	Peak	2961.965	-38.73	-13	Pass	1080
3000	12000	1	Peak	11845.809	-31.35	-13	Pass	9000
12000	20000	1	Peak	19383.923	-25.57	-13	Pass	8000




3.29. LTE Spurious Emissions(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.97	-13	Pass	401
0.15	30	0.01	Peak	0.31	-65.59	-13	Pass	2985
30	1000	0.1	Peak	788.593	-53.84	-13	Pass	9699
1000	1840	1	Peak	1616.734	-42.22	-13	Pass	840
1840	1920	1	Peak	1895.8	26.92	60	Pass	401
1920	3000	1	Peak	1923.003	-34.75	-13	Pass	1080
3000	12000	1	Peak	11981.978	-31.62	-13	Pass	9000
12000	20000	1	Peak	13668.209	-26.22	-13	Pass	8000




3.30. LTE Spurious Emissions(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-69.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.27	-13	Pass	2985
30	1000	0.1	Peak	956.743	-53.43	-13	Pass	9699
1000	1840	1	Peak	1710.846	-41.49	-13	Pass	840
1840	1920	1	Peak	1895.8	26.63	60	Pass	401
1920	3000	1	Peak	1923.003	-34.44	-13	Pass	1080
3000	12000	1	Peak	11653.571	-32.61	-13	Pass	9000
12000	20000	1	Peak	14197.275	-26.34	-13	Pass	8000




3.31. LTE Spurious Emissions(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.2	-13	Pass	2985
30	1000	0.1	Peak	942.324	-53.82	-13	Pass	9699
1000	1840	1	Peak	1832.992	-32	-13	Pass	840
1840	1920	1	Peak	1851	27.11	60	Pass	401
1920	3000	1	Peak	2953.957	-39.13	-13	Pass	1080
3000	12000	1	Peak	10738.945	-32.08	-13	Pass	9000
12000	20000	1	Peak	13701.213	-26.37	-13	Pass	8000




3.32. LTE Spurious Emissions(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.08	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.43	-13	Pass	2985
30	1000	0.1	Peak	738.687	-53.52	-13	Pass	9699
1000	1840	1	Peak	1832.992	-35.04	-13	Pass	840
1840	1920	1	Peak	1851	26.74	60	Pass	401
1920	3000	1	Peak	2953.957	-38.69	-13	Pass	1080
3000	12000	1	Peak	11657.576	-31.99	-13	Pass	9000
12000	20000	1	Peak	19872.984	-26.56	-13	Pass	8000




3.33. LTE Spurious Emissions(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-70.55	-13	Pass	401
0.15	30	0.01	Peak	0.53	-65.98	-13	Pass	2985
30	1000	0.1	Peak	430.849	-53.21	-13	Pass	9699
1000	1840	1	Peak	1834.994	-21.94	-13	Pass	840
1840	1920	1	Peak	1871.2	27.04	60	Pass	401
1920	3000	1	Peak	2977.98	-38.76	-13	Pass	1080
3000	12000	1	Peak	11318.156	-32.28	-13	Pass	9000
12000	20000	1	Peak	19411.926	-26.66	-13	Pass	8000




3.34. LTE Spurious Emissions(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.5	-13	Pass	401
0.15	30	0.01	Peak	0.47	-66.22	-13	Pass	2985
30	1000	0.1	Peak	480.855	-53.17	-13	Pass	9699
1000	1840	1	Peak	1834.994	-24.91	-13	Pass	840
1840	1920	1	Peak	1871	27.25	60	Pass	401
1920	3000	1	Peak	2981.983	-38.75	-13	Pass	1080
3000	12000	1	Peak	11444.312	-32.34	-13	Pass	9000
12000	20000	1	Peak	19421.928	-26.01	-13	Pass	8000




3.35. LTE Spurious Emissions(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.67	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.81	-13	Pass	2985
30	1000	0.1	Peak	865.221	-53.89	-13	Pass	9699
1000	1840	1	Peak	1805.959	-41.87	-13	Pass	840
1840	1920	1	Peak	1891	27.08	60	Pass	401
1920	3000	1	Peak	2974.977	-38.34	-13	Pass	1080
3000	12000	1	Peak	11988.986	-31.77	-13	Pass	9000
12000	20000	1	Peak	18857.857	-26.76	-13	Pass	8000



3.36. LTE Spurious Emissions(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-69.28	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.24	-13	Pass	2985
30	1000	0.1	Peak	822.497	-53.85	-13	Pass	9699
1000	1840	1	Peak	1347.414	-42.3	-13	Pass	840
1840	1920	1	Peak	1891	27.32	60	Pass	401
1920	3000	1	Peak	2979.981	-39.04	-13	Pass	1080
3000	12000	1	Peak	11630.543	-31.95	-13	Pass	9000
12000	20000	1	Peak	19833.979	-25.99	-13	Pass	8000



Band4


3.37. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.22	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.27	-13	Pass	9699
1000	1700	1	RMS	1700	-53.32	-13	Pass	700
1700	1765	1	RMS	1710.238	22.8	60	Pass	401
1765	3000	1	RMS	2937.95	-49.45	-13	Pass	1235
3000	12000	1	RMS	12000	-43.32	-13	Pass	9000
12000	20000	1	RMS	14200.275	-37.56	-13	Pass	8000




3.38. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-13	Pass	2985
30	1000	0.1	RMS	845.7	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-53.36	-13	Pass	700
1700	1765	1	RMS	1710.238	21.85	60	Pass	401
1765	3000	1	RMS	2937.95	-49.46	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.36	-13	Pass	9000
12000	20000	1	RMS	14196.275	-37.57	-13	Pass	8000




3.39. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	837.999	-63.79	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.39	-13	Pass	700
1700	1765	1	RMS	1732.013	22.77	60	Pass	401
1765	3000	1	RMS	2937.95	-49.46	-13	Pass	1235
3000	12000	1	RMS	11987.985	-43.44	-13	Pass	9000
12000	20000	1	RMS	14203.275	-37.55	-13	Pass	8000




3.40. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.12	-13	Pass	2985
30	1000	0.1	RMS	853.706	-63.9	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.48	-13	Pass	700
1700	1765	1	RMS	1732.013	21.87	60	Pass	401
1765	3000	1	RMS	2938.951	-49.5	-13	Pass	1235
3000	12000	1	RMS	11990.989	-43.36	-13	Pass	9000
12000	20000	1	RMS	14202.275	-37.55	-13	Pass	8000




3.41. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-75.5	-13	Pass	401
0.15	30	0.01	RMS	0.49	-72.05	-13	Pass	2985
30	1000	0.1	RMS	861.817	-64.27	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.44	-13	Pass	700
1700	1765	1	RMS	1753.95	22.84	60	Pass	401
1765	3000	1	RMS	2937.95	-49.39	-13	Pass	1235
3000	12000	1	RMS	11980.976	-43.38	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.51	-13	Pass	8000




3.42. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.89	-13	Pass	2985
30	1000	0.1	RMS	843.699	-64.12	-13	Pass	9699
1000	1700	1	RMS	1685.98	-53.59	-13	Pass	700
1700	1765	1	RMS	1753.788	22.34	60	Pass	401
1765	3000	1	RMS	2938.951	-49.48	-13	Pass	1235
3000	12000	1	RMS	11989.988	-43.32	-13	Pass	9000
12000	20000	1	RMS	14198.275	-37.45	-13	Pass	8000




3.43. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-13	Pass	2985
30	1000	0.1	RMS	869.627	-64.2	-13	Pass	9699
1000	1700	1	RMS	1700	-53.09	-13	Pass	700
1700	1765	1	RMS	1710.238	22.87	60	Pass	401
1765	3000	1	RMS	2938.951	-49.3	-13	Pass	1235
3000	12000	1	RMS	11984.981	-43.37	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.41	-13	Pass	8000




3.44. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.8	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-53.34	-13	Pass	700
1700	1765	1	RMS	1710.238	22.22	60	Pass	401
1765	3000	1	RMS	2936.949	-49.52	-13	Pass	1235
3000	12000	1	RMS	11962.954	-43.16	-13	Pass	9000
12000	20000	1	RMS	14199.275	-37.49	-13	Pass	8000




3.45. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.95	-13	Pass	2985
30	1000	0.1	RMS	858.412	-64	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.58	-13	Pass	700
1700	1765	1	RMS	1731.2	22.9	60	Pass	401
1765	3000	1	RMS	2939.951	-49.56	-13	Pass	1235
3000	12000	1	RMS	11981.978	-43.3	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.43	-13	Pass	8000




3.46. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	Pass	2985
30	1000	0.1	RMS	834.898	-64.24	-13	Pass	9699
1000	1700	1	RMS	1686.981	-53.52	-13	Pass	700
1700	1765	1	RMS	1731.363	21.88	60	Pass	401
1765	3000	1	RMS	2938.951	-49.43	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.42	-13	Pass	9000
12000	20000	1	RMS	14193.274	-37.51	-13	Pass	8000




3.47. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	867.925	-64.11	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.54	-13	Pass	700
1700	1765	1	RMS	1752.325	23.07	60	Pass	401
1765	3000	1	RMS	2938.951	-49.55	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.35	-13	Pass	9000
12000	20000	1	RMS	14195.274	-37.46	-13	Pass	8000




3.48. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.47	-71.97	-13	Pass	2985
30	1000	0.1	RMS	870.028	-64.22	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.53	-13	Pass	700
1700	1765	1	RMS	1752.163	22.21	60	Pass	401
1765	3000	1	RMS	2938.951	-49.61	-13	Pass	1235
3000	12000	1	RMS	12000	-43.33	-13	Pass	9000
12000	20000	1	RMS	14203.275	-37.5	-13	Pass	8000




3.49. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-74.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	Pass	2985
30	1000	0.1	RMS	840.599	-64.18	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1765	1	RMS	1710.4	22.76	60	Pass	401
1765	3000	1	RMS	2937.95	-49.38	-13	Pass	1235
3000	12000	1	RMS	11987.985	-43.34	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.47	-13	Pass	8000




3.50. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.22	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.79	-13	Pass	700
1700	1765	1	RMS	1710.4	21.86	60	Pass	401
1765	3000	1	RMS	2937.95	-49.39	-13	Pass	1235
3000	12000	1	RMS	11992.991	-43.38	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.52	-13	Pass	8000




3.51. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.57	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.05	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.47	-13	Pass	700
1700	1765	1	RMS	1730.388	22.88	60	Pass	401
1765	3000	1	RMS	2938.951	-49.43	-13	Pass	1235
3000	12000	1	RMS	12000	-43.36	-13	Pass	9000
12000	20000	1	RMS	14202.275	-37.56	-13	Pass	8000




3.52. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	1000	0.1	RMS	834.998	-64.02	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.49	-13	Pass	700
1700	1765	1	RMS	1730.388	21.93	60	Pass	401
1765	3000	1	RMS	2938.951	-49.5	-13	Pass	1235
3000	12000	1	RMS	11991.99	-43.33	-13	Pass	9000
12000	20000	1	RMS	14202.275	-37.57	-13	Pass	8000




3.53. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.29	-13	Pass	2985
30	1000	0.1	RMS	863.319	-64.19	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.54	-13	Pass	700
1700	1765	1	RMS	1750.375	23.02	60	Pass	401
1765	3000	1	RMS	2937.95	-49.5	-13	Pass	1235
3000	12000	1	RMS	11987.985	-43.39	-13	Pass	9000
12000	20000	1	RMS	14197.275	-37.49	-13	Pass	8000




3.54. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.53	-13	Pass	2985
30	1000	0.1	RMS	828.597	-64.17	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.37	-13	Pass	700
1700	1765	1	RMS	1750.375	22.33	60	Pass	401
1765	3000	1	RMS	2938.951	-49.5	-13	Pass	1235
3000	12000	1	RMS	11971.965	-43.33	-13	Pass	9000
12000	20000	1	RMS	14199.275	-37.59	-13	Pass	8000




3.55. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	Pass	2985
30	1000	0.1	RMS	852.204	-64.04	-13	Pass	9699
1000	1700	1	RMS	1692.99	-45.95	-13	Pass	700
1700	1765	1	RMS	1710.563	22.96	60	Pass	401
1765	3000	1	RMS	2937.95	-49.51	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.29	-13	Pass	9000
12000	20000	1	RMS	14192.274	-37.54	-13	Pass	8000




3.56. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.72	-72.65	-13	Pass	2985
30	1000	0.1	RMS	867.224	-63.94	-13	Pass	9699
1000	1700	1	RMS	1692.99	-46.66	-13	Pass	700
1700	1765	1	RMS	1710.725	22.06	60	Pass	401
1765	3000	1	RMS	2937.95	-49.51	-13	Pass	1235
3000	12000	1	RMS	11977.973	-43.33	-13	Pass	9000
12000	20000	1	RMS	14200.275	-37.64	-13	Pass	8000




3.57. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	Pass	2985
30	1000	0.1	RMS	836.198	-63.99	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.44	-13	Pass	700
1700	1765	1	RMS	1728.113	22.93	60	Pass	401
1765	3000	1	RMS	2937.95	-49.41	-13	Pass	1235
3000	12000	1	RMS	11961.953	-43.34	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.5	-13	Pass	8000




3.58. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	Pass	2985
30	1000	0.1	RMS	853.806	-63.98	-13	Pass	9699
1000	1700	1	RMS	1685.98	-53.55	-13	Pass	700
1700	1765	1	RMS	1728.113	21.98	60	Pass	401
1765	3000	1	RMS	2938.951	-49.47	-13	Pass	1235
3000	12000	1	RMS	11987.985	-43.32	-13	Pass	9000
12000	20000	1	RMS	14202.275	-37.5	-13	Pass	8000




3.59. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2985
30	1000	0.1	RMS	860.715	-63.96	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.28	-13	Pass	700
1700	1765	1	RMS	1745.663	22.93	60	Pass	401
1765	3000	1	RMS	1765	-46.29	-13	Pass	1235
3000	12000	1	RMS	11971.965	-43.36	-13	Pass	9000
12000	20000	1	RMS	14197.275	-37.56	-13	Pass	8000




3.60. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.79	-13	Pass	2985
30	1000	0.1	RMS	831.598	-63.94	-13	Pass	9699
1000	1700	1	RMS	1686.981	-53.62	-13	Pass	700
1700	1765	1	RMS	1745.5	21.91	60	Pass	401
1765	3000	1	RMS	2938.951	-49.48	-13	Pass	1235
3000	12000	1	RMS	11989.988	-43.26	-13	Pass	9000
12000	20000	1	RMS	14206.276	-37.58	-13	Pass	8000




3.61. LTE Spurious Emissions(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.24	-13	Pass	2985
30	1000	0.1	RMS	834.498	-64.2	-13	Pass	9699
1000	1700	1	RMS	1697.997	-47.93	-13	Pass	700
1700	1765	1	RMS	1710.888	23.01	60	Pass	401
1765	3000	1	RMS	2938.951	-49.48	-13	Pass	1235
3000	12000	1	RMS	11987.985	-43.32	-13	Pass	9000
12000	20000	1	RMS	14198.275	-37.58	-13	Pass	8000




3.62. LTE Spurious Emissions(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.53	-72.58	-13	Pass	2985
30	1000	0.1	RMS	831.698	-64.13	-13	Pass	9699
1000	1700	1	RMS	1697.997	-49	-13	Pass	700
1700	1765	1	RMS	1710.725	22.12	60	Pass	401
1765	3000	1	RMS	2938.951	-49.5	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.35	-13	Pass	9000
12000	20000	1	RMS	14195.274	-37.53	-13	Pass	8000




3.63. LTE Spurious Emissions(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2985
30	1000	0.1	RMS	829.098	-64.01	-13	Pass	9699
1000	1700	1	RMS	1698.999	-44.97	-13	Pass	700
1700	1765	1	RMS	1725.838	22.85	60	Pass	401
1765	3000	1	RMS	2979.984	-49.48	-13	Pass	1235
3000	12000	1	RMS	11992.991	-43.4	-13	Pass	9000
12000	20000	1	RMS	14200.275	-37.55	-13	Pass	8000




3.64. LTE Spurious Emissions(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.63	-13	Pass	2985
30	1000	0.1	RMS	999.8	-64.08	-13	Pass	9699
1000	1700	1	RMS	1698.999	-47.27	-13	Pass	700
1700	1765	1	RMS	1725.838	21.81	60	Pass	401
1765	3000	1	RMS	2938.951	-49.41	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.25	-13	Pass	9000
12000	20000	1	RMS	14201.275	-37.54	-13	Pass	8000




3.65. LTE Spurious Emissions(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.04	-13	Pass	2985
30	1000	0.1	RMS	882.945	-64.1	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.57	-13	Pass	700
1700	1765	1	RMS	1740.788	22.76	60	Pass	401
1765	3000	1	RMS	1767.002	-27.56	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.31	-13	Pass	9000
12000	20000	1	RMS	14200.275	-37.51	-13	Pass	8000




3.66. LTE Spurious Emissions(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.15	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.58	-13	Pass	700
1700	1765	1	RMS	1740.788	21.88	60	Pass	401
1765	3000	1	RMS	1767.002	-28.74	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.33	-13	Pass	9000
12000	20000	1	RMS	14199.275	-37.56	-13	Pass	8000




3.67. LTE Spurious Emissions(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.43	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.1	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.34	-13	Pass	700
1700	1765	1	RMS	1711.05	23.04	60	Pass	401
1765	3000	1	RMS	2936.949	-49.63	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.26	-13	Pass	9000
12000	20000	1	RMS	14194.274	-37.48	-13	Pass	8000




3.68. LTE Spurious Emissions(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.4	-13	Pass	2985
30	1000	0.1	RMS	849	-64.03	-13	Pass	9699
1000	1700	1	RMS	1692.99	-51.28	-13	Pass	700
1700	1765	1	RMS	1711.05	22.13	60	Pass	401
1765	3000	1	RMS	2936.949	-49.59	-13	Pass	1235
3000	12000	1	RMS	11988.986	-43.29	-13	Pass	9000
12000	20000	1	RMS	14199.275	-37.47	-13	Pass	8000




3.69. LTE Spurious Emissions(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	1000	0.1	RMS	938.719	-64.2	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.34	-13	Pass	700
1700	1765	1	RMS	1723.563	22.77	60	Pass	401
1765	3000	1	RMS	2938.951	-49.47	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.34	-13	Pass	9000
12000	20000	1	RMS	14202.275	-37.51	-13	Pass	8000




3.70. LTE Spurious Emissions(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	841.599	-64.04	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.35	-13	Pass	700
1700	1765	1	RMS	1723.563	21.89	60	Pass	401
1765	3000	1	RMS	2939.951	-49.56	-13	Pass	1235
3000	12000	1	RMS	11991.99	-43.38	-13	Pass	9000
12000	20000	1	RMS	14199.275	-37.54	-13	Pass	8000




3.71. LTE Spurious Emissions(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-38.62	-13	Pass	700
1700	1765	1	RMS	1736.075	23.05	60	Pass	401
1765	3000	1	RMS	1772.006	-29.11	-13	Pass	1235
3000	12000	1	RMS	11990.989	-43.3	-13	Pass	9000
12000	20000	1	RMS	14200.275	-37.53	-13	Pass	8000



3.72. LTE Spurious Emissions(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2985
30	1000	0.1	RMS	853.506	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-40.71	-13	Pass	700
1700	1765	1	RMS	1736.075	22.19	60	Pass	401
1765	3000	1	RMS	1772.006	-31.02	-13	Pass	1235
3000	12000	1	RMS	11988.986	-43.37	-13	Pass	9000
12000	20000	1	RMS	14203.275	-37.54	-13	Pass	8000



Band7


3.73. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.36	-72.12	-25	Pass	2985
30	1000	0.1	RMS	831.198	-64.18	-25	Pass	9699
1000	2490	1	RMS	2488.999	-42.39	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.93	60	Pass	401
2580	3000	1	RMS	2938.854	-49.49	-25	Pass	420
3000	12000	1	RMS	12000	-43.38	-25	Pass	9000
12000	26500	1	RMS	25723.877	-31.74	-25	Pass	14500




3.74. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.22	-25	Pass	2985
30	1000	0.1	RMS	847.3	-64.12	-25	Pass	9699
1000	2490	1	RMS	2490	-50.99	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.93	60	Pass	401
2580	3000	1	RMS	2938.854	-49.44	-25	Pass	420
3000	12000	1	RMS	11995.995	-43.34	-25	Pass	9000
12000	26500	1	RMS	25998.921	-31.55	-25	Pass	14500




3.75. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.34	-25	Pass	9699
1000	2490	1	RMS	2458.979	-51.43	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.7	60	Pass	401
2580	3000	1	RMS	2937.852	-49.49	-25	Pass	420
3000	12000	1	RMS	11997.998	-43.31	-25	Pass	9000
12000	26500	1	RMS	25751.881	-31.67	-25	Pass	14500




3.76. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.66	-73.06	-25	Pass	2985
30	1000	0.1	RMS	848.4	-64.1	-25	Pass	9699
1000	2490	1	RMS	2474.99	-51.5	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.77	60	Pass	401
2580	3000	1	RMS	2938.854	-49.48	-25	Pass	420
3000	12000	1	RMS	11993.993	-43.37	-25	Pass	9000
12000	26500	1	RMS	25707.874	-31.63	-25	Pass	14500




3.77. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.42	-25	Pass	9699
1000	2490	1	RMS	2475.991	-51.55	-25	Pass	1490
2490	2580	1	RMS	2565.375	22.87	60	Pass	401
2580	3000	1	RMS	2936.85	-49.53	-25	Pass	420
3000	12000	1	RMS	11982.979	-43.38	-25	Pass	9000
12000	26500	1	RMS	25804.89	-31.6	-25	Pass	14500




3.78. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.84	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.65	-25	Pass	9699
1000	2490	1	RMS	2473.989	-51.5	-25	Pass	1490
2490	2580	1	RMS	2565.375	22.23	60	Pass	401
2580	3000	1	RMS	2937.852	-49.43	-25	Pass	420
3000	12000	1	RMS	11994.994	-43.31	-25	Pass	9000
12000	26500	1	RMS	25793.888	-31.67	-25	Pass	14500




3.79. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:20800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.39	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.64	-25	Pass	2985
30	1000	0.1	RMS	793.793	-64.11	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.14	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.1	60	Pass	401
2580	3000	1	RMS	2938.854	-49.54	-25	Pass	420
3000	12000	1	RMS	11994.994	-43.3	-25	Pass	9000
12000	26500	1	RMS	25996.92	-31.68	-25	Pass	14500




3.80. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-25	Pass	2985
30	1000	0.1	RMS	843.899	-64.14	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.04	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.17	60	Pass	401
2580	3000	1	RMS	2938.854	-49.44	-25	Pass	420
3000	12000	1	RMS	11989.988	-43.29	-25	Pass	9000
12000	26500	1	RMS	25787.887	-31.69	-25	Pass	14500




3.81. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-25	Pass	2985
30	1000	0.1	RMS	844.499	-64.09	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.45	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.75	60	Pass	401
2580	3000	1	RMS	2937.852	-49.52	-25	Pass	420
3000	12000	1	RMS	11991.99	-43.29	-25	Pass	9000
12000	26500	1	RMS	25780.886	-31.71	-25	Pass	14500




3.82. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.91	-25	Pass	9699
1000	2490	1	RMS	2472.989	-51.51	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.74	60	Pass	401
2580	3000	1	RMS	2938.854	-49.47	-25	Pass	420
3000	12000	1	RMS	11979.975	-43.29	-25	Pass	9000
12000	26500	1	RMS	25729.878	-31.51	-25	Pass	14500




3.83. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.27	-25	Pass	9699
1000	2490	1	RMS	2477.992	-51.42	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.93	60	Pass	401
2580	3000	1	RMS	2938.854	-49.52	-25	Pass	420
3000	12000	1	RMS	11993.993	-43.3	-25	Pass	9000
12000	26500	1	RMS	25792.888	-31.57	-25	Pass	14500




3.84. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.38	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.31	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.48	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.06	60	Pass	401
2580	3000	1	RMS	2938.854	-49.51	-25	Pass	420
3000	12000	1	RMS	12000	-43.32	-25	Pass	9000
12000	26500	1	RMS	25414.828	-31.66	-25	Pass	14500




3.85. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.48	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.24	-25	Pass	2985
30	1000	0.1	RMS	834.298	-63.99	-25	Pass	9699
1000	2490	1	RMS	2487.999	-38.28	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.21	60	Pass	401
2580	3000	1	RMS	2938.854	-49.47	-25	Pass	420
3000	12000	1	RMS	11995.995	-43.38	-25	Pass	9000
12000	26500	1	RMS	25808.89	-31.63	-25	Pass	14500




3.86. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.46	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.76	-25	Pass	2985
30	1000	0.1	RMS	837.799	-64.05	-25	Pass	9699
1000	2490	1	RMS	2487.999	-39.71	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.34	60	Pass	401
2580	3000	1	RMS	2938.854	-49.51	-25	Pass	420
3000	12000	1	RMS	11959.95	-43.26	-25	Pass	9000
12000	26500	1	RMS	25771.885	-31.58	-25	Pass	14500




3.87. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.36	-25	Pass	2985
30	1000	0.1	RMS	841.999	-64.07	-25	Pass	9699
1000	2490	1	RMS	2490	-51.45	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.76	60	Pass	401
2580	3000	1	RMS	2978.95	-49.54	-25	Pass	420
3000	12000	1	RMS	11990.989	-43.37	-25	Pass	9000
12000	26500	1	RMS	25798.889	-31.71	-25	Pass	14500




3.88. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.3	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.76	-25	Pass	2985
30	1000	0.1	RMS	862.217	-64	-25	Pass	9699
1000	2490	1	RMS	2473.989	-51.39	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.74	60	Pass	401
2580	3000	1	RMS	2938.854	-49.54	-25	Pass	420
3000	12000	1	RMS	11972.967	-43.35	-25	Pass	9000
12000	26500	1	RMS	25786.887	-31.68	-25	Pass	14500




3.89. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.69	-25	Pass	2985
30	1000	0.1	RMS	595.169	-61.25	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.58	-25	Pass	1490
2490	2580	1	RMS	2555.925	23.11	60	Pass	401
2580	3000	1	RMS	2582.005	-31.11	-25	Pass	420
3000	12000	1	RMS	11994.994	-43.35	-25	Pass	9000
12000	26500	1	RMS	25698.873	-31.65	-25	Pass	14500




3.90. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.45	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.25	-25	Pass	9699
1000	2490	1	RMS	2473.989	-51.52	-25	Pass	1490
2490	2580	1	RMS	2555.925	22.15	60	Pass	401
2580	3000	1	RMS	2582.005	-32.52	-25	Pass	420
3000	12000	1	RMS	11984.981	-43.29	-25	Pass	9000
12000	26500	1	RMS	25765.884	-31.59	-25	Pass	14500




3.91. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-25	Pass	2985
30	1000	0.1	RMS	943.725	-63.96	-25	Pass	9699
1000	2490	1	RMS	2482.995	-40.75	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.28	60	Pass	401
2580	3000	1	RMS	2938.854	-49.44	-25	Pass	420
3000	12000	1	RMS	11978.974	-43.29	-25	Pass	9000
12000	26500	1	RMS	25793.888	-31.55	-25	Pass	14500




3.92. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-25	Pass	2985
30	1000	0.1	RMS	837.099	-64.09	-25	Pass	9699
1000	2490	1	RMS	2482.995	-43.07	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.3	60	Pass	401
2580	3000	1	RMS	2938.854	-49.46	-25	Pass	420
3000	12000	1	RMS	11979.975	-43.39	-25	Pass	9000
12000	26500	1	RMS	25796.889	-31.67	-25	Pass	14500




3.93. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.98	-25	Pass	2985
30	1000	0.1	RMS	814.796	-64.11	-25	Pass	9699
1000	2490	1	RMS	2490	-42.54	-25	Pass	1490
2490	2580	1	RMS	2526.225	22.74	60	Pass	401
2580	3000	1	RMS	2937.852	-49.45	-25	Pass	420
3000	12000	1	RMS	11974.969	-43.32	-25	Pass	9000
12000	26500	1	RMS	25773.885	-31.68	-25	Pass	14500




3.94. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.1	-25	Pass	2985
30	1000	0.1	RMS	899.667	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-45.03	-25	Pass	1490
2490	2580	1	RMS	2526	21.73	60	Pass	401
2580	3000	1	RMS	2937.852	-49.38	-25	Pass	420
3000	12000	1	RMS	12000	-43.27	-25	Pass	9000
12000	26500	1	RMS	25769.884	-31.65	-25	Pass	14500




3.95. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.88	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.11	-25	Pass	2985
30	1000	0.1	RMS	590.368	-61.48	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.5	-25	Pass	1490
2490	2580	1	RMS	2550.975	23.08	60	Pass	401
2580	3000	1	RMS	2587.017	-34.08	-25	Pass	420
3000	12000	1	RMS	11995.995	-43.34	-25	Pass	9000
12000	26500	1	RMS	25796.889	-31.61	-25	Pass	14500



3.96. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.39	-72.04	-25	Pass	2985
30	1000	0.1	RMS	590.368	-61.81	-25	Pass	9699
1000	2490	1	RMS	2456.978	-51.52	-25	Pass	1490
2490	2580	1	RMS	2551.2	21.98	60	Pass	401
2580	3000	1	RMS	2587.017	-34.46	-25	Pass	420
3000	12000	1	RMS	11988.986	-43.32	-25	Pass	9000
12000	26500	1	RMS	25786.887	-31.59	-25	Pass	14500



END