


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6025MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06179G	2.53	6.2776G	-49.59	-37.47	-12.12	1
6.04819G	1.63	6.2754G	-49.55	-38.37	-11.18	2
6.05019G	2.48	6.2738G	-48.49	-36.95	-11.54	3
6.05079G	2.62	6.2746G	-48.33	-37.38	-10.95	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

MASK

6105MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24377G	1.25	6.5986G	-44.81	-38.65	-6.16	1
6.24856G	0.62	6.607G	-46.69	-39.38	-7.31	2
6.21057G	1.20	6.6014G	-45.98	-38.80	-7.18	3
6.13299G	1.19	6.6002G	-45.34	-38.81	-6.53	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6105MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20298G	2.45	6.487G	-34.12	-29.33	-4.79	1
6.25976G	1.80	6.603G	-45.12	-38.20	-6.92	2
6.18938G	2.13	6.4954G	-36.66	-30.19	-6.47	3
6.0898G	2.17	6.501G	-35.99	-30.71	-5.28	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16299G	3.01	6.9038G	-48.58	-36.99	-11.59	1
6.17778G	2.20	6.9038G	-48.81	-37.80	-11.01	2
6.15019G	2.72	6.899G	-48.56	-37.28	-11.28	3
6.16738G	2.78	6.6026G	-48.29	-37.22	-11.07	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423973G	3.08	6.447825G	-44.54	-36.37	-8.17	1
6.420049G	3.14	6.4481G	-45.79	-36.79	-9.00	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/01/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526227G	2.93	6.568225G	-47.89	-37.07	-10.82	1
6.528427G	2.63	6.501325G	-50.38	-37.37	-13.01	2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/01/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.686527G	2.77	6.6621G	-48.16	-37.04	-11.12	1
6.689501G	3.11	6.6618G	-47.94	-36.40	-11.54	2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/01/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852451G	2.80	6.8882G	-45.66	-36.88	-8.78	1
6.846302G	3.21	6.888625G	-46.58	-36.79	-9.79	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.666655G	4.61	6.62155G	-43.39	-34.89	-8.50	1
6.681801G	4.13	6.66315G	-23.46	-15.96	-7.50	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.826505G	4.63	6.91055G	-42.03	-35.37	-6.66	1
6.858547G	4.57	6.7994G	-31.17	-25.07	-6.10	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01959G	2.99	6.1152G	-43.03	-36.70	-6.33	1
5.9985G	2.88	6.1159G	-42.78	-36.55	-6.23	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19111G	3.83	6.3561G	-41.81	-36.01	-5.80	1
6.217G	3.75	6.3202G	-32.39	-26.08	-6.31	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401G	4.29	6.5172G	-41.24	-35.32	-5.92	1
6.42039G	3.84	6.5213G	-43.66	-36.16	-7.50	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/01/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6227G	4.02	6.4941G	-43.03	-35.98	-7.05	1
6.59861G	3.64	6.5803G	-23.33	-16.41	-6.92	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/01/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66801G	3.94	6.6606G	-22.89	-16.13	-6.76	1
6.68471G	3.84	6.6597G	-23.68	-16.36	-7.32	2

Port 1 

Port 2 

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/01/2025

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80779G	3.86	6.9147G	-42.38	-35.60	-6.78	1
6.7966G	3.63	6.9152G	-42.14	-36.37	-5.77	2

Port 1 


Port 2 

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

03/01/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3897G	4.29	6.5098G	-39.87	-34.35	-5.52	1
6.3918G	3.79	6.5162G	-43.11	-36.21	-6.90	2
6.40889G	3.97	6.4303G	-23.21	-16.13	-7.08	3
6.36091G	3.81	6.5182G	-43.18	-35.89	-7.29	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

03/01/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60311G	4.09	6.4943G	-42.81	-35.38	-7.43	1
6.58701G	3.83	6.4904G	-43.71	-36.17	-7.54	2
6.609G	4.53	6.6686G	-22.40	-15.52	-6.88	3
6.6344G	3.77	6.5818G	-21.57	-16.27	-5.30	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

03/01/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

03/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

03/01/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17298G	5.34	6.3826G	-20.65	-16.10	-4.55	1
6.19978G	4.90	6.395G	-21.31	-16.77	-4.54	2
6.16778G	4.47	6.9018G	-40.70	-35.53	-5.17	3
6.12659G	4.48	6.8966G	-40.81	-35.52	-5.29	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

03/01/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19622G	5.51	6.5698G	-22.44	-15.95	-6.49	1
6.2558G	4.75	6.9918G	-39.99	-35.25	-4.74	2
6.275G	4.80	7.007G	-39.86	-35.20	-4.66	3
6.23061G	4.40	6.7646G	-37.53	-35.55	-1.98	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/01/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688752G	4.44	6.6619G	-44.90	-35.14	-9.76	1
6.688727G	3.96	6.662475G	-46.60	-35.88	-10.72	2


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/01/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847552G	4.32	6.8743G	-28.69	-21.01	-7.68	1
6.846327G	3.91	6.836875G	-27.49	-19.51	-7.98	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.669904G	5.36	6.6183G	-43.70	-34.64	-9.06	1
6.682001G	5.19	6.7496G	-43.90	-34.81	-9.09	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.835402G	5.34	6.87505G	-24.97	-14.84	-10.13	1
6.859696G	5.22	6.81275G	-22.24	-14.98	-7.26	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35061G	5.39	6.5173G	-42.00	-34.51	-7.49	1
6.42079G	4.18	6.528G	-45.89	-35.52	-10.37	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59401G	6.20	6.5611G	-24.66	-14.53	-10.13	1
6.59141G	5.04	6.5514G	-28.40	-20.21	-8.19	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

04/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09258G	4.18	6.1716G	-27.98	-17.94	-10.04	1
5.97941G	3.10	6.1672G	-27.25	-19.27	-7.98	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16201G	5.59	6.3408G	-26.24	-18.69	-7.55	1
6.21799G	4.63	6.4414G	-41.03	-35.23	-5.80	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

04/01/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/01/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

05/01/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

05/01/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

06/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957999G	6.55	5.97485G	-22.88	-14.49	-8.39	1
5.946477G	5.25	5.937025G	-23.01	-15.59	-7.42	2
5.962398G	5.88	5.972425G	-21.60	-14.15	-7.45	3
5.961248G	5.57	5.9719G	-20.07	-14.61	-5.46	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

06/01/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186302G	3.47	6.2116G	-29.17	-20.58	-8.59	1
6.202448G	2.45	6.217G	-34.81	-26.11	-8.70	2
6.186727G	3.18	6.21575G	-34.71	-22.89	-11.82	3
6.192076G	3.09	6.2149G	-31.82	-22.92	-8.90	4


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

06/01/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408052G	6.77	6.43585G	-25.09	-16.14	-8.95	1
6.407277G	5.71	6.44665G	-42.00	-33.34	-8.66	2
6.422048G	6.12	6.4363G	-26.30	-19.59	-6.71	3
6.407127G	6.17	6.435125G	-26.94	-19.87	-7.07	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

06/01/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542123G	6.81	6.552275G	-24.26	-17.65	-6.61	1
6.542798G	6.10	6.556175G	-29.67	-21.59	-8.08	2
6.542548G	6.40	6.510325G	-32.77	-24.65	-8.12	3
6.537699G	5.71	6.557675G	-31.89	-24.06	-7.83	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

06/01/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701273G	4.14	6.720025G	-36.53	-27.16	-9.37	1
6.703748G	3.39	6.72875G	-46.99	-35.93	-11.06	2
6.688102G	4.42	6.670875G	-34.63	-26.16	-8.47	3
6.703648G	3.83	6.67275G	-35.01	-24.74	-10.27	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

06/01/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849851G	4.26	6.83405G	-29.00	-22.86	-6.14	1
6.849251G	3.97	6.874025G	-27.44	-20.65	-6.79	2
6.859749G	4.03	6.87725G	-30.35	-22.35	-8.00	3
6.847577G	3.81	6.834975G	-30.26	-21.75	-8.51	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

06/01/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.975047G	4.36	6.00055G	-30.02	-18.05	-11.97	1
5.979946G	4.02	6.0297G	-45.13	-35.98	-9.15	2
5.956902G	3.58	6.0293G	-43.83	-36.21	-7.62	3
5.983495G	3.06	6.02495G	-41.19	-35.27	-5.92	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

06/01/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.192303G	5.56	6.24115G	-23.60	-16.71	-6.89	1
6.188004G	4.91	6.2396G	-24.80	-17.75	-7.05	2
6.195402G	5.21	6.24135G	-25.74	-19.38	-6.36	3
6.198902G	5.00	6.23345G	-22.42	-15.24	-7.18	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

06/01/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.389404G	6.16	6.43455G	-21.60	-14.19	-7.41	1
6.414298G	4.81	6.4686G	-43.39	-35.05	-8.34	2
6.390554G	5.37	6.44165G	-27.08	-19.59	-7.49	3
6.419646G	5.21	6.4682G	-42.29	-34.79	-7.50	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

06/01/2025

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.547404G	6.27	6.60015G	-24.68	-15.78	-8.90	1
6.547454G	4.87	6.5984G	-27.37	-19.58	-7.79	2
6.556702G	5.91	6.59485G	-22.65	-14.64	-8.01	3
6.547104G	4.89	6.60985G	-33.29	-24.46	-8.83	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

06/01/2025

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.672503G	3.48	6.6199G	-48.50	-36.52	-11.98	1
6.693498G	2.83	6.7075G	-30.02	-17.21	-12.81	2
6.689199G	3.23	6.6201G	-48.98	-36.44	-12.54	3
6.699096G	2.15	6.6199G	-52.03	-37.85	-14.18	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

06/01/2025

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848599G	5.48	6.88215G	-26.78	-19.24	-7.54	1
6.840501G	5.11	6.88545G	-25.75	-19.78	-5.97	2
6.861646G	4.92	6.80955G	-26.00	-19.63	-6.37	3
6.828554G	4.38	6.7974G	-34.18	-25.52	-8.66	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

06/01/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01839G	4.58	6.0817G	-33.19	-25.66	-7.53	1
5.9788G	3.94	6.0531G	-30.84	-20.02	-10.82	2
6.01069G	3.21	6.0711G	-31.61	-21.59	-10.02	3
6.02269G	3.72	6.1214G	-43.64	-36.14	-7.50	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

06/01/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18791G	5.56	6.1532G	-24.35	-18.33	-6.02	1
6.2094G	4.46	6.29G	-23.87	-16.20	-7.67	2
6.24599G	5.48	6.2979G	-25.34	-18.14	-7.20	3
6.19541G	5.17	6.3083G	-26.51	-20.81	-5.70	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

06/01/2025

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3766G	5.22	6.4626G	-29.27	-17.76	-11.51	1
6.394G	4.73	6.5154G	-43.79	-35.27	-8.52	2
6.42069G	5.41	6.464G	-28.78	-21.10	-7.68	3
6.42119G	5.78	6.4782G	-31.27	-23.57	-7.70	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

06/01/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60181G	6.16	6.5538G	-25.79	-18.06	-7.73	1
6.58911G	5.12	6.4971G	-42.68	-34.84	-7.84	2
6.65159G	5.79	6.7203G	-27.88	-22.67	-5.21	3
6.59981G	4.63	6.4927G	-43.23	-35.37	-7.86	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

06/01/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67521G	5.55	6.5751G	-40.80	-34.45	-6.35	1
6.66911G	4.57	6.8374G	-43.55	-35.43	-8.12	2
6.66811G	5.05	6.6126G	-31.94	-25.06	-6.88	3
6.6974G	4.08	6.8314G	-43.54	-34.57	-8.97	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

06/01/2025

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80929G	5.78	6.857G	-26.56	-18.70	-7.86	1
6.81089G	4.71	6.8806G	-34.29	-26.10	-8.19	2
6.75081G	5.56	6.8645G	-28.62	-20.64	-7.98	3
6.76411G	4.86	6.9163G	-44.41	-34.51	-9.90	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

06/01/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09258G	4.48	6.3796G	-46.01	-35.52	-10.49	1
6.09518G	3.52	6.2178G	-32.53	-27.87	-4.66	2
6.09138G	3.59	6.2954G	-41.88	-36.41	-5.47	3
6.0314G	3.80	6.2818G	-41.91	-36.12	-5.79	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

06/01/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1794G	5.46	6.3398G	-26.20	-19.82	-6.38	1
6.20839G	5.36	6.303G	-23.82	-16.72	-7.10	2
6.23099G	5.37	6.3402G	-25.40	-21.12	-4.28	3
6.11682G	5.48	6.3436G	-25.33	-19.25	-6.08	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

06/01/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27582G	7.00	6.5026G	-23.43	-17.53	-5.90	1
6.38599G	4.26	6.5936G	-41.88	-35.74	-6.14	2
6.27942G	4.66	6.6078G	-40.68	-35.09	-5.59	3
6.32461G	4.68	6.6018G	-41.00	-35.32	-5.68	4


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

06/01/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60202G	5.42	6.3742G	-40.92	-34.58	-6.34	1
6.59002G	4.92	6.3816G	-41.99	-35.08	-6.91	2
6.61481G	6.18	6.514G	-22.58	-17.31	-5.27	3
6.61901G	4.39	6.414G	-40.98	-35.61	-5.37	4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

06/01/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16019G	4.90	6.893G	-43.45	-35.10	-8.35	1
6.21097G	3.39	6.4202G	-23.94	-19.87	-4.07	2
6.17778G	3.97	6.3938G	-25.51	-18.22	-7.29	3
6.17418G	3.70	6.897G	-43.55	-36.30	-7.25	4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

06/01/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39137G	8.50	6.5806G	-20.26	-18.21	-2.05	1
6.39857G	7.23	6.7762G	-37.17	-32.77	-4.40	2
6.40736G	7.12	6.561G	-21.98	-19.03	-2.95	3
6.42096G	8.07	6.5778G	-22.75	-19.01	-3.74	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

MASK

5985MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

MASK

5985MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

MASK

5985MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

5985MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

MASK

6025MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

21/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

21/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17058G	5.97	6.9002G	-46.16	-34.03	-12.13	1
6.17418G	5.29	6.9038G	-45.86	-34.71	-11.15	2
6.15699G	6.09	6.8986G	-46.03	-33.91	-12.12	3
6.07261G	6.10	6.8966G	-46.09	-33.90	-12.19	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6105MHz_TX

21/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20138G	4.12	6.901G	-46.79	-35.88	-10.91	1
6.23537G	3.70	6.9034G	-46.52	-36.30	-10.22	2
6.19938G	4.29	6.9038G	-46.65	-35.71	-10.94	3
6.23377G	4.43	6.9002G	-46.69	-35.57	-11.12	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

MASK

5985MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

MASK

6025MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_1TX

MASK

6025MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_1TX

MASK

6105MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

MASK

6105MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

MASK

6105MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

MASK

5985MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

MASK

6025MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

MASK

6025MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

MASK

6105MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

MASK

6105MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

MASK

6105MHz_TX

22/03/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_4TX

MASK

5985MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9678G	2.95	6.0822G	-33.55	-28.74	-4.81	1
6.02329G	2.80	6.1184G	-48.39	-37.20	-11.19	2
6.01809G	3.80	6.0791G	-32.77	-26.25	-6.52	3
6.01919G	3.77	6.0877G	-35.68	-28.31	-7.37	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_5_4TX

MASK

6025MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09498G	3.84	6.178G	-24.42	-18.25	-6.17	1
6.09018G	3.02	6.2988G	-44.60	-36.98	-7.62	2
6.06919G	3.71	6.2336G	-34.60	-29.54	-5.06	3
6.08978G	3.88	6.2208G	-31.86	-28.08	-3.78	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6025MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05599G	3.81	6.1468G	-29.16	-16.19	-12.97	1
6.05319G	3.42	6.1216G	-29.25	-17.00	-12.25	2
6.05719G	4.18	6.1366G	-29.48	-18.19	-11.29	3
6.05719G	4.34	6.1412G	-27.53	-18.66	-8.87	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

MASK

6105MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13099G	4.60	6.381G	-25.76	-16.79	-8.97	1
6.20018G	4.20	6.9014G	-46.45	-35.80	-10.65	2
6.20098G	4.48	6.7754G	-44.79	-35.44	-9.35	3
6.0934G	4.46	6.3742G	-26.66	-16.35	-10.31	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6105MHz_TX

22/03/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20338G	5.34	6.4522G	-25.83	-18.49	-7.34	1
6.23297G	5.14	6.8934G	-46.13	-34.86	-11.27	2
6.21617G	5.51	6.4398G	-27.60	-18.43	-9.17	3
6.04981G	5.31	6.4566G	-27.24	-18.21	-9.03	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

22/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16698G	6.20	6.9038G	-46.19	-33.80	-12.39	1
6.17898G	5.45	6.9042G	-46.45	-34.55	-11.90	2
6.15779G	5.93	6.901G	-46.13	-34.07	-12.06	3
6.17138G	5.96	6.9038G	-46.12	-34.04	-12.08	4


Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.20	4.80	-71.00	≤ -62
						Minimal	-67.20	4.80	-72.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.20	4.80	-70.00	≤ -62
						Minimal	-66.20	4.80	-71.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-66.20	4.80	-71.00	≤ -62
						Minimal	-67.20	4.80	-72.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-66.20	4.80	-71.00	≤ -62
						Minimal	-67.20	4.80	-72.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.00	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-70.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-71.00	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.00	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal

Test CH 213; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.20	4.80	-71.05	≤ -62
						Minimal	-67.20	4.80	-72.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-64.20	4.80	-69.09	≤ -62
						Minimal	-65.20	4.80	-70.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-63.20	4.80	-68.06	≤ -62
						Minimal	-64.20	4.80	-69.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-63.20	4.80	-68.06	≤ -62
						Minimal	-64.20	4.80	-69.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.05	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-69.09	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-68.06	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-68.06	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal

Test CH 213; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.90	4.10	-73.00	≤ -62
						Minimal	-69.90	4.10	-74.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-69.90	4.10	-74.00	≤ -62
						Minimal	-70.90	4.10	-75.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-66.90	4.10	-71.00	≤ -62
						Minimal	-67.90	4.10	-72.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-66.90	4.10	-71.00	≤ -62
						Minimal	-67.90	4.10	-72.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-71.90	4.10	-76.00	≤ -62
						Minimal	-72.90	4.10	-77.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6105	OFF	-74.90	4.10	-79.00	≤ -62
						Minimal	-75.90	4.10	-80.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	6260	OFF	-74.90	4.10	-79.00	≤ -62
						Minimal	-75.90	4.10	-80.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-65.90	4.10	-70.00	≤ -62
						Minimal	-66.90	4.10	-71.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6425	OFF	-64.90	4.10	-69.00	≤ -62
						Minimal	-66.90	4.10	-71.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	6580	OFF	-65.90	4.10	-70.00	≤ -62
						Minimal	-66.90	4.10	-71.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-65.90	4.10	-70.00	≤ -62
						Minimal	-66.90	4.10	-71.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6745	OFF	-62.90	4.10	-67.00	≤ -62
						Minimal	-63.90	4.10	-68.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	6900	OFF	-59.90	4.10	-64.00	≤ -62
						Minimal	-60.90	4.10	-65.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.00	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-74.00	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-71.00	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.00	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-76.00	OFF	10	100	90	PASS
				Center	6105	-79.00	OFF	9	90	90	PASS
				High edge	6260	-79.00	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-70.00	OFF	9	90	90	PASS
				Center	6425	-69.00	OFF	9	90	90	PASS
				High edge	6580	-70.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-70.00	OFF	9	90	90	PASS
				Center	6745	-67.00	OFF	9	90	90	PASS
				High edge	6900	-64.00	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 3.JUL.2025 17:45:38


Frequency (MHz): 7015 MHz



Date: 3.JUL.2025 17:46:27


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 3.JUL.2025 17:47:13

Frequency (MHz): 6105 MHz




Date: 3.JUL.2025 17:47:47

Frequency (MHz): 6260 MHz




Date: 3.JUL.2025 17:48:15

Frequency (MHz): 6270 MHz




Date: 3.JUL.2025 17:49:09


Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz



Frequency (MHz): 6745 MHz






Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95; Incumbent signal 6270 MHz



Note : M1 : Inject AWGN signal


Test CH 95; Incumbent signal 6425 MHz



Date: 3. JUL 2025 15:45:10

Note : M1 : Inject AWGN signal


Test CH 95; Incumbent signal 6580 MHz



Date: 3. JUL 2025 15:02:52


Note : M1 : Inject AWGN signal

Test CH 159; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159; Incumbent signal 6745 MHz



Note : M1 : Inject AWGN signal



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.90	4.10	-73.07	≤ -62
						Minimal	-69.90	4.10	-74.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.90	4.10	-70.09	≤ -62
						Minimal	-66.90	4.10	-71.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-66.90	4.10	-71.04	≤ -62
						Minimal	-67.90	4.10	-72.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-66.90	4.10	-71.01	≤ -62
						Minimal	-67.90	4.10	-72.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-62.90	4.10	-67.06	≤ -62
						Minimal	-63.90	4.10	-68.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6105	OFF	-63.90	4.10	-68.03	≤ -62
						Minimal	-64.90	4.10	-69.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	6260	OFF	-62.90	4.10	-67.01	≤ -62
						Minimal	-63.90	4.10	-68.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-62.90	4.10	-67.08	≤ -62
						Minimal	-63.90	4.10	-68.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6425	OFF	-63.90	4.10	-68.03	≤ -62
						Minimal	-64.90	4.10	-69.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	6580	OFF	-61.90	4.10	-66.03	≤ -62
						Minimal	-62.90	4.10	-67.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-67.90	4.10	-72.01	≤ -62
						Minimal	-68.90	4.10	-73.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6745	OFF	-62.90	4.10	-67.09	≤ -62
						Minimal	-63.90	4.10	-68.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	6900	OFF	-64.90	4.10	-69.04	≤ -62
						Minimal	-65.90	4.10	-70.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-69.90	4.10	-74.01	≤ -62
						Minimal	-70.90	4.10	-75.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6905	OFF	-63.90	4.10	-68.01	≤ -62
						Minimal	-64.90	4.10	-69.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	7060	OFF	-67.90	4.10	-72.03	≤ -62
						Minimal	-68.90	4.10	-73.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.07	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-70.09	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-71.04	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.01	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-67.06	OFF	9	90	90	PASS
				Center	6105	-68.03	OFF	9	90	90	PASS
				High edge	6260	-67.01	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-67.08	OFF	9	90	90	PASS
				Center	6425	-68.03	OFF	10	100	90	PASS
				High edge	6580	-66.03	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-72.01	OFF	9	90	90	PASS
				Center	6745	-67.09	OFF	10	100	90	PASS
				High edge	6900	-69.04	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-74.01	OFF	9	90	90	PASS
				Center	6905	-68.01	OFF	10	100	90	PASS
				High edge	7060	-72.03	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




Bandwidth: 320MHz


Frequency (MHz): 5950 MHz




Frequency (MHz): 6105 MHz




Frequency (MHz): 6260 MHz




Frequency (MHz): 6270 MHz




Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz



Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz



Frequency (MHz): 6900 MHz




Frequency (MHz): 6750 MHz



Frequency (MHz): 6905 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53; Incumbent signal 6215 MHz



Date: 17 JAN 2025 00:55:30

Note : M1 : Inject AWGN signal


Test CH 101; Incumbent signal 6455 MHz



Date: 17 JAN 2025 01:03:12

Note : M1 : Inject AWGN signal


Test CH 149; Incumbent signal 6695 MHz



Date: 17 JAN 2025 01:09:47

Note : M1 : Inject AWGN signal

Test CH 213; Incumbent signal 7015 MHz




Date: 17 JAN 2025 01:15:06

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31; Incumbent signal 5950 MHz



Date: 16.JAN.2025 21:27:13

Note : M1 : Inject AWGN signal


Test CH 31; Incumbent signal 6105 MHz



Date: 16.JAN.2025 21:17:50

Note : M1 : Inject AWGN signal


Test CH 31; Incumbent signal 6260 MHz



Date: 16.JAN.2025 21:43:28

Note : M1 : Inject AWGN signal


Test CH 95; Incumbent signal 6270 MHz



Date: 16.JAN.2025 22:09:47

Note : M1 : Inject AWGN signal


Test CH 95; Incumbent signal 6425 MHz



Date: 16.JAN.2025 22:23:20

Note : M1 : Inject AWGN signal


Test CH 95; Incumbent signal 6580 MHz



Date: 16.JAN.2025 22:30:10


Note : M1 : Inject AWGN signal

Test CH 159; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159; Incumbent signal 6745 MHz



Note : M1 : Inject AWGN signal


Test CH 159; Incumbent signal 6900 MHz



Date: 16.JAN.2025 22:56:54

Note : M1 : Inject AWGN signal


Test CH 191; Incumbent signal 6750 MHz



Date: 16.JAN.2025 23:46:16

Note : M1 : Inject AWGN signal


Test CH 191; Incumbent signal 6905 MHz



Date: 16.JAN.2025 23:58:36

Note : M1 : Inject AWGN signal

Test CH 109; Incumbent signal 7060 MHz



Date: 16.JAN.2025 23:56:12

Note : M1 : Inject AWGN signal