

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26b_1.4MHz_ERP

1.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.77	-3.50	19.12	<=38.45	Pass
			2	24.81	-3.50	19.16	<=38.45	Pass
			5	24.87	-3.50	19.22	<=38.45	Pass
		3	0	24.77	-3.50	19.12	<=38.45	Pass
			2	24.89	-3.50	19.24	<=38.45	Pass
			3	24.86	-3.50	19.21	<=38.45	Pass
		6	0	23.88	-3.50	18.23	<=38.45	Pass
	836.5	1	0	23.82	-3.50	18.17	<=38.45	Pass
			2	23.82	-3.50	18.17	<=38.45	Pass
			5	23.83	-3.50	18.18	<=38.45	Pass
		3	0	23.83	-3.50	18.18	<=38.45	Pass
			2	23.82	-3.50	18.17	<=38.45	Pass
			3	23.83	-3.50	18.18	<=38.45	Pass
		6	0	23.82	-3.50	18.17	<=38.45	Pass
	848.3	1	0	24.68	-3.50	19.03	<=38.45	Pass
			2	24.69	-3.50	19.04	<=38.45	Pass
			5	24.72	-3.50	19.07	<=38.45	Pass
		3	0	24.67	-3.50	19.02	<=38.45	Pass
			2	24.69	-3.50	19.04	<=38.45	Pass
			3	24.71	-3.50	19.06	<=38.45	Pass
		6	0	23.68	-3.50	18.03	<=38.45	Pass
16QAM	824.7	1	0	23.98	-3.50	18.33	<=38.45	Pass
			2	23.94	-3.50	18.29	<=38.45	Pass
			5	23.89	-3.50	18.24	<=38.45	Pass
		3	0	23.83	-3.50	18.18	<=38.45	Pass
			2	23.89	-3.50	18.24	<=38.45	Pass
			3	23.88	-3.50	18.23	<=38.45	Pass
		6	0	23.87	-3.50	18.20	<=38.45	Pass
	836.5	1	0	23.83	-3.50	18.18	<=38.45	Pass
			2	23.82	-3.50	18.17	<=38.45	Pass
			5	23.82	-3.50	18.17	<=38.45	Pass
		3	0	23.81	-3.50	18.16	<=38.45	Pass
			2	23.87	-3.50	18.20	<=38.45	Pass
			3	23.83	-3.50	18.18	<=38.45	Pass
		6	0	22.90	-3.50	17.25	<=38.45	Pass
	848.3	1	0	23.78	-3.50	18.13	<=38.45	Pass
			2	23.94	-3.50	18.29	<=38.45	Pass
			5	23.83	-3.50	18.18	<=38.45	Pass
		3	0	23.77	-3.50	18.12	<=38.45	Pass
			2	23.78	-3.50	18.13	<=38.45	Pass
			3	23.73	-3.50	18.08	<=38.45	Pass
		6	0	22.70	-3.50	17.05	<=38.45	Pass
64QAM	824.7	1	0	23.87	-3.50	18.22	<=38.45	Pass
			2	23.84	-3.50	18.19	<=38.45	Pass
			5	22.95	-3.50	17.30	<=38.45	Pass
		3	0	22.88	-3.50	17.23	<=38.45	Pass

		6	2	22.97	-3.50	17.32	<=38.45	Pass
			3	23.87	-3.50	18.20	<=38.45	Pass
			0	23.89	-3.50	18.24	<=38.45	Pass
		1	0	22.97	-3.50	17.32	<=38.45	Pass
			2	22.96	-3.50	17.31	<=38.45	Pass
			5	23.05	-3.50	17.40	<=38.45	Pass
	836.5	3	0	22.77	-3.50	17.12	<=38.45	Pass
			2	22.85	-3.50	17.20	<=38.45	Pass
			3	22.82	-3.50	17.17	<=38.45	Pass
		6	0	21.82	-3.50	16.17	<=38.45	Pass
	848.3	1	0	22.83	-3.50	17.18	<=38.45	Pass
			2	22.84	-3.50	17.19	<=38.45	Pass
			5	22.80	-3.50	17.15	<=38.45	Pass
		3	0	22.74	-3.50	17.09	<=38.45	Pass
			2	22.75	-3.50	17.10	<=38.45	Pass
			3	22.69	-3.50	17.04	<=38.45	Pass
256QAM		6	0	21.74	-3.50	16.09	<=38.45	Pass
			0	19.88	-3.50	14.23	<=38.45	Pass
			2	19.89	-3.50	14.24	<=38.45	Pass
		1	5	19.91	-3.50	14.26	<=38.45	Pass
			0	19.87	-3.50	14.22	<=38.45	Pass
			2	19.97	-3.50	14.32	<=38.45	Pass
	824.7	3	3	19.94	-3.50	14.29	<=38.45	Pass
			0	19.76	-3.50	14.11	<=38.45	Pass
			0	19.73	-3.50	14.08	<=38.45	Pass
		1	2	20.00	-3.50	14.35	<=38.45	Pass
			5	19.97	-3.50	14.32	<=38.45	Pass
			0	19.81	-3.50	14.16	<=38.45	Pass
	836.5	3	2	19.89	-3.50	14.24	<=38.45	Pass
			3	19.83	-3.50	14.18	<=38.45	Pass
			0	19.96	-3.50	14.31	<=38.45	Pass
		6	0	19.74	-3.50	14.09	<=38.45	Pass
			2	19.85	-3.50	14.20	<=38.45	Pass
			5	19.81	-3.50	14.16	<=38.45	Pass
	848.3	1	0	19.74	-3.50	14.09	<=38.45	Pass
			2	19.73	-3.50	14.08	<=38.45	Pass
			3	19.72	-3.50	14.07	<=38.45	Pass
		3	0	19.54	-3.50	13.89	<=38.45	Pass
			0					
			0					

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B26b_3MHz_ERP

1.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.83	-3.50	19.18	<=38.45	Pass
			7	24.89	-3.50	19.24	<=38.45	Pass
			14	24.77	-3.50	19.12	<=38.45	Pass
		8	0	23.83	-3.50	18.18	<=38.45	Pass
			4	23.96	-3.50	18.31	<=38.45	Pass
			7	23.90	-3.50	18.25	<=38.45	Pass
		15	0	23.92	-3.50	18.27	<=38.45	Pass
	836.5	1	0	23.79	-3.50	18.14	<=38.45	Pass
			0					

			7	23.78	-3.50	18.13	<=38.45	Pass
			14	23.77	-3.50	18.12	<=38.45	Pass
			0	23.79	-3.50	18.14	<=38.45	Pass
		8	4	23.78	-3.50	18.13	<=38.45	Pass
			7	23.79	-3.50	18.14	<=38.45	Pass
			15	23.79	-3.50	18.14	<=38.45	Pass
	847.5	1	0	24.61	-3.50	18.96	<=38.45	Pass
			7	24.72	-3.50	19.07	<=38.45	Pass
			14	24.58	-3.50	18.93	<=38.45	Pass
		8	0	23.56	-3.50	17.91	<=38.45	Pass
			4	23.67	-3.50	18.02	<=38.45	Pass
			7	23.65	-3.50	18.00	<=38.45	Pass
		15	0	23.66	-3.50	18.01	<=38.45	Pass
16QAM	825.5	1	0	24.02	-3.50	18.37	<=38.45	Pass
			7	24.07	-3.50	18.42	<=38.45	Pass
			14	24.01	-3.50	18.36	<=38.45	Pass
		8	0	22.87	-3.50	17.22	<=38.45	Pass
			4	22.98	-3.50	17.33	<=38.45	Pass
			7	22.93	-3.50	17.28	<=38.45	Pass
		15	0	22.97	-3.50	17.32	<=38.45	Pass
	836.5	1	0	23.78	-3.50	18.13	<=38.45	Pass
			7	23.77	-3.50	18.12	<=38.45	Pass
			14	23.87	-3.50	18.22	<=38.45	Pass
		8	0	22.77	-3.50	17.12	<=38.45	Pass
			4	22.91	-3.50	17.26	<=38.45	Pass
			7	22.89	-3.50	17.24	<=38.45	Pass
		15	0	22.75	-3.50	17.10	<=38.45	Pass
	847.5	1	0	23.74	-3.50	18.09	<=38.45	Pass
			7	23.87	-3.50	18.22	<=38.45	Pass
			14	23.72	-3.50	18.07	<=38.45	Pass
		8	0	22.65	-3.50	17.00	<=38.45	Pass
			4	22.81	-3.50	17.16	<=38.45	Pass
			7	22.74	-3.50	17.09	<=38.45	Pass
		15	0	22.70	-3.50	17.05	<=38.45	Pass
64QAM	825.5	1	0	23.02	-3.50	17.37	<=38.45	Pass
			7	23.12	-3.50	17.47	<=38.45	Pass
			14	23.04	-3.50	17.39	<=38.45	Pass
		8	0	21.87	-3.50	16.22	<=38.45	Pass
			4	21.93	-3.50	16.28	<=38.45	Pass
			7	21.82	-3.50	16.17	<=38.45	Pass
		15	0	21.92	-3.50	16.27	<=38.45	Pass
	836.5	1	0	22.94	-3.50	17.29	<=38.45	Pass
			7	23.09	-3.50	17.44	<=38.45	Pass
			14	23.04	-3.50	17.39	<=38.45	Pass
		8	0	21.75	-3.50	16.10	<=38.45	Pass
			4	21.86	-3.50	16.21	<=38.45	Pass
			7	21.88	-3.50	16.23	<=38.45	Pass
		15	0	21.73	-3.50	16.08	<=38.45	Pass
	847.5	1	0	22.71	-3.50	17.06	<=38.45	Pass
			7	23.66	-3.50	18.01	<=38.45	Pass
			14	23.67	-3.50	18.02	<=38.45	Pass
		8	0	23.66	-3.50	18.01	<=38.45	Pass
			4	23.65	-3.50	18.00	<=38.45	Pass
			7	23.64	-3.50	17.99	<=38.45	Pass
		15	0	23.67	-3.50	18.02	<=38.45	Pass
256QAM	825.5	1	0	19.94	-3.50	14.29	<=38.45	Pass
			7	20.05	-3.50	14.40	<=38.45	Pass

			14	19.88	-3.50	14.23	<=38.45	Pass
		8	0	19.84	-3.50	14.19	<=38.45	Pass
			4	19.97	-3.50	14.32	<=38.45	Pass
			7	19.89	-3.50	14.24	<=38.45	Pass
		15	0	19.93	-3.50	14.28	<=38.45	Pass
	836.5	1	0	19.78	-3.50	14.13	<=38.45	Pass
			7	20.06	-3.50	14.41	<=38.45	Pass
			14	19.90	-3.50	14.25	<=38.45	Pass
		8	0	19.75	-3.50	14.10	<=38.45	Pass
			4	19.90	-3.50	14.25	<=38.45	Pass
			7	19.84	-3.50	14.19	<=38.45	Pass
		15	0	19.77	-3.50	14.12	<=38.45	Pass
		847.5	1	0	19.63	-3.50	13.98	<=38.45
	7			19.88	-3.50	14.23	<=38.45	Pass
	14			19.78	-3.50	14.13	<=38.45	Pass
	8		0	19.63	-3.50	13.98	<=38.45	Pass
			4	19.69	-3.50	14.04	<=38.45	Pass
			7	19.70	-3.50	14.05	<=38.45	Pass
	15		0	19.68	-3.50	14.03	<=38.45	Pass
	Note1: ERP=Conducted Power+Antenna Gain-2.15							

1.3 B26b_5MHz_ERP

1.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.86	-3.50	19.21	<=38.45	Pass
			13	24.88	-3.50	19.23	<=38.45	Pass
			24	24.82	-3.50	19.17	<=38.45	Pass
		12	0	23.79	-3.50	18.14	<=38.45	Pass
			6	23.89	-3.50	18.24	<=38.45	Pass
			13	23.87	-3.50	18.20	<=38.45	Pass
		25	0	23.87	-3.50	18.22	<=38.45	Pass
	836.5	1	0	23.74	-3.50	18.09	<=38.45	Pass
			13	23.75	-3.50	18.10	<=38.45	Pass
			24	23.72	-3.50	18.07	<=38.45	Pass
		12	0	23.75	-3.50	18.10	<=38.45	Pass
			6	23.74	-3.50	18.09	<=38.45	Pass
			13	23.76	-3.50	18.11	<=38.45	Pass
		25	0	23.76	-3.50	18.11	<=38.45	Pass
	846.5	1	0	24.69	-3.50	19.04	<=38.45	Pass
			13	24.80	-3.50	19.15	<=38.45	Pass
			24	24.73	-3.50	19.08	<=38.45	Pass
		12	0	23.65	-3.50	18.00	<=38.45	Pass
			6	23.65	-3.50	18.00	<=38.45	Pass
			13	23.72	-3.50	18.07	<=38.45	Pass
		25	0	23.62	-3.50	17.97	<=38.45	Pass
16QAM	826.5	1	0	23.96	-3.50	18.31	<=38.45	Pass
			13	24.15	-3.50	18.50	<=38.45	Pass
			24	23.94	-3.50	18.29	<=38.45	Pass
		12	0	22.83	-3.50	17.18	<=38.45	Pass
			6	22.92	-3.50	17.27	<=38.45	Pass
			13	22.85	-3.50	17.20	<=38.45	Pass

		25	0	22.88	-3.50	17.23	<=38.45	Pass
	836.5	1	0	23.75	-3.50	18.10	<=38.45	Pass
			13	23.75	-3.50	18.10	<=38.45	Pass
			24	23.75	-3.50	18.10	<=38.45	Pass
			0	23.74	-3.50	18.09	<=38.45	Pass
		12	6	23.77	-3.50	18.12	<=38.45	Pass
			13	23.77	-3.50	18.12	<=38.45	Pass
			25	0	23.74	-3.50	18.09	<=38.45
	846.5	1	0	23.79	-3.50	18.14	<=38.45	Pass
			13	23.89	-3.50	18.24	<=38.45	Pass
			24	23.81	-3.50	18.16	<=38.45	Pass
		12	0	22.63	-3.50	16.98	<=38.45	Pass
			6	22.78	-3.50	17.13	<=38.45	Pass
			13	22.73	-3.50	17.08	<=38.45	Pass
		25	0	22.65	-3.50	17.00	<=38.45	Pass
	64QAM	826.5	1	0	22.86	-3.50	17.21	<=38.45
13				23.04	-3.50	17.39	<=38.45	Pass
24				23.00	-3.50	17.35	<=38.45	Pass
12			0	21.81	-3.50	16.16	<=38.45	Pass
			6	21.87	-3.50	16.22	<=38.45	Pass
			13	21.86	-3.50	16.21	<=38.45	Pass
25			0	21.86	-3.50	16.21	<=38.45	Pass
836.5		1	0	23.76	-3.50	18.11	<=38.45	Pass
			13	23.75	-3.50	18.10	<=38.45	Pass
			24	23.74	-3.50	18.09	<=38.45	Pass
		12	0	23.74	-3.50	18.09	<=38.45	Pass
			6	23.76	-3.50	18.11	<=38.45	Pass
			13	23.74	-3.50	18.09	<=38.45	Pass
		25	0	23.74	-3.50	18.09	<=38.45	Pass
846.5		1	0	22.90	-3.50	17.25	<=38.45	Pass
			13	22.80	-3.50	17.15	<=38.45	Pass
			24	22.80	-3.50	17.15	<=38.45	Pass
		12	0	21.64	-3.50	15.99	<=38.45	Pass
			6	21.63	-3.50	15.98	<=38.45	Pass
			13	21.70	-3.50	16.05	<=38.45	Pass
		25	0	21.62	-3.50	15.97	<=38.45	Pass
256QAM	826.5	1	0	19.89	-3.50	14.24	<=38.45	Pass
			13	20.01	-3.50	14.36	<=38.45	Pass
			24	19.91	-3.50	14.26	<=38.45	Pass
		12	0	19.81	-3.50	14.16	<=38.45	Pass
			6	19.85	-3.50	14.20	<=38.45	Pass
			13	19.86	-3.50	14.21	<=38.45	Pass
		25	0	19.88	-3.50	14.23	<=38.45	Pass
	836.5	1	0	19.89	-3.50	14.24	<=38.45	Pass
			13	19.93	-3.50	14.28	<=38.45	Pass
			24	19.93	-3.50	14.28	<=38.45	Pass
		12	0	19.80	-3.50	14.15	<=38.45	Pass
			6	19.79	-3.50	14.14	<=38.45	Pass
			13	19.86	-3.50	14.21	<=38.45	Pass
		25	0	19.80	-3.50	14.15	<=38.45	Pass
	846.5	1	0	19.90	-3.50	14.25	<=38.45	Pass
			13	19.78	-3.50	14.13	<=38.45	Pass
			24	19.93	-3.50	14.28	<=38.45	Pass
		12	0	19.67	-3.50	14.02	<=38.45	Pass
			6	19.69	-3.50	14.04	<=38.45	Pass
			13	19.70	-3.50	14.05	<=38.45	Pass
		25	0	19.65	-3.50	14.00	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B26b_10MHz_ERP

1.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.86	-3.50	19.21	<=38.45	Pass
			25	24.78	-3.50	19.13	<=38.45	Pass
			49	24.71	-3.50	19.06	<=38.45	Pass
		25	0	23.78	-3.50	18.13	<=38.45	Pass
			13	23.83	-3.50	18.18	<=38.45	Pass
			25	23.80	-3.50	18.15	<=38.45	Pass
		50	0	23.86	-3.50	18.21	<=38.45	Pass
	836.5	1	0	24.78	-3.50	19.13	<=38.45	Pass
			25	24.81	-3.50	19.16	<=38.45	Pass
			49	24.71	-3.50	19.06	<=38.45	Pass
		25	0	23.74	-3.50	18.09	<=38.45	Pass
			13	23.90	-3.50	18.25	<=38.45	Pass
			25	23.86	-3.50	18.21	<=38.45	Pass
		50	0	23.87	-3.50	18.20	<=38.45	Pass
	844	1	0	23.75	-3.50	18.10	<=38.45	Pass
			25	23.80	-3.50	18.15	<=38.45	Pass
			49	23.77	-3.50	18.12	<=38.45	Pass
		25	0	23.77	-3.50	18.12	<=38.45	Pass
			13	23.77	-3.50	18.12	<=38.45	Pass
			25	23.77	-3.50	18.12	<=38.45	Pass
		50	0	23.78	-3.50	18.13	<=38.45	Pass
16QAM	829	1	0	24.12	-3.50	18.47	<=38.45	Pass
			25	24.03	-3.50	18.38	<=38.45	Pass
			49	23.79	-3.50	18.14	<=38.45	Pass
		25	0	22.81	-3.50	17.16	<=38.45	Pass
			13	22.88	-3.50	17.23	<=38.45	Pass
			25	22.84	-3.50	17.19	<=38.45	Pass
		50	0	22.85	-3.50	17.20	<=38.45	Pass
	836.5	1	0	23.97	-3.50	18.32	<=38.45	Pass
			25	23.97	-3.50	18.32	<=38.45	Pass
			49	23.98	-3.50	18.33	<=38.45	Pass
		25	0	22.76	-3.50	17.11	<=38.45	Pass
			13	22.91	-3.50	17.26	<=38.45	Pass
			25	22.85	-3.50	17.20	<=38.45	Pass
		50	0	22.86	-3.50	17.21	<=38.45	Pass
	844	1	0	23.77	-3.50	18.12	<=38.45	Pass
			25	23.77	-3.50	18.12	<=38.45	Pass
			49	23.76	-3.50	18.11	<=38.45	Pass
		25	0	23.77	-3.50	18.12	<=38.45	Pass
			13	23.77	-3.50	18.12	<=38.45	Pass
			25	23.78	-3.50	18.13	<=38.45	Pass
		50	0	23.78	-3.50	18.13	<=38.45	Pass
64QAM	829	1	0	23.00	-3.50	17.35	<=38.45	Pass
			25	22.97	-3.50	17.32	<=38.45	Pass
			49	22.91	-3.50	17.26	<=38.45	Pass
		25	0	21.80	-3.50	16.15	<=38.45	Pass

		50	13	21.90	-3.50	16.25	<=38.45	Pass	
			25	21.83	-3.50	16.18	<=38.45	Pass	
			0	21.85	-3.50	16.20	<=38.45	Pass	
	836.5	1	0	23.05	-3.50	17.40	<=38.45	Pass	
			25	22.93	-3.50	17.28	<=38.45	Pass	
			49	23.05	-3.50	17.40	<=38.45	Pass	
		25	0	21.77	-3.50	16.12	<=38.45	Pass	
			13	21.86	-3.50	16.21	<=38.45	Pass	
			25	21.86	-3.50	16.21	<=38.45	Pass	
		50	0	21.81	-3.50	16.16	<=38.45	Pass	
		844	1	0	23.79	-3.50	18.14	<=38.45	Pass
				25	23.77	-3.50	18.12	<=38.45	Pass
	49			23.78	-3.50	18.13	<=38.45	Pass	
	25		0	23.76	-3.50	18.11	<=38.45	Pass	
			13	23.77	-3.50	18.12	<=38.45	Pass	
			25	23.79	-3.50	18.14	<=38.45	Pass	
	50	0	23.75	-3.50	18.10	<=38.45	Pass		
	256QAM	829	1	0	19.94	-3.50	14.29	<=38.45	Pass
25				19.95	-3.50	14.30	<=38.45	Pass	
49				19.85	-3.50	14.20	<=38.45	Pass	
25			0	19.83	-3.50	14.18	<=38.45	Pass	
			13	19.91	-3.50	14.26	<=38.45	Pass	
			25	19.81	-3.50	14.16	<=38.45	Pass	
50		0	19.87	-3.50	14.22	<=38.45	Pass		
836.5		1	0	19.90	-3.50	14.25	<=38.45	Pass	
			25	20.07	-3.50	14.42	<=38.45	Pass	
			49	19.99	-3.50	14.34	<=38.45	Pass	
		25	0	19.79	-3.50	14.14	<=38.45	Pass	
			13	19.92	-3.50	14.27	<=38.45	Pass	
			25	19.90	-3.50	14.25	<=38.45	Pass	
50		0	19.83	-3.50	14.18	<=38.45	Pass		
844		1	0	19.95	-3.50	14.30	<=38.45	Pass	
			25	19.93	-3.50	14.28	<=38.45	Pass	
			49	19.89	-3.50	14.24	<=38.45	Pass	
		25	0	19.86	-3.50	14.21	<=38.45	Pass	
			13	19.83	-3.50	14.18	<=38.45	Pass	
			25	19.77	-3.50	14.12	<=38.45	Pass	
50		0	19.80	-3.50	14.15	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26b_10MHz

2.1.1 Test Result

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.65	-0.944	-0.0011	-2.5 to 2.5	Pass
					3.87	-1.116	-0.0013	-2.5 to 2.5	Pass
					4.45	-0.143	-0.0002	-2.5 to 2.5	Pass
				-30	3.87	0.014	0.0000	-2.5 to 2.5	Pass
				-20	3.87	-0.801	-0.0010	-2.5 to 2.5	Pass

				-10	3.87	0.014	0.0000	-2.5 to 2.5	Pass
				0	3.87	-1.030	-0.0012	-2.5 to 2.5	Pass
				10	3.87	-0.830	-0.0010	-2.5 to 2.5	Pass
				30	3.87	0.072	0.0001	-2.5 to 2.5	Pass
				40	3.87	-0.129	-0.0002	-2.5 to 2.5	Pass
				50	3.87	-1.960	-0.0024	-2.5 to 2.5	Pass
	836.5	50	0	20	3.65	-0.114	-0.0001	-2.5 to 2.5	Pass
					3.87	0.615	0.0007	-2.5 to 2.5	Pass
					4.45	0.386	0.0005	-2.5 to 2.5	Pass
				-30	3.87	0.486	0.0006	-2.5 to 2.5	Pass
				-20	3.87	0.958	0.0011	-2.5 to 2.5	Pass
				-10	3.87	1.330	0.0016	-2.5 to 2.5	Pass
				0	3.87	-0.114	-0.0001	-2.5 to 2.5	Pass
				10	3.87	0.887	0.0011	-2.5 to 2.5	Pass
				30	3.87	1.645	0.0020	-2.5 to 2.5	Pass
				40	3.87	-0.286	-0.0003	-2.5 to 2.5	Pass
				50	3.87	-1.302	-0.0016	-2.5 to 2.5	Pass
				20	3.65	0.701	0.0008	-2.5 to 2.5	Pass
					3.87	-0.844	-0.0010	-2.5 to 2.5	Pass
					4.45	0.014	0.0000	-2.5 to 2.5	Pass
	844	50	0	-30	3.87	0.300	0.0004	-2.5 to 2.5	Pass
				-20	3.87	0.229	0.0003	-2.5 to 2.5	Pass
				-10	3.87	0.343	0.0004	-2.5 to 2.5	Pass
				0	3.87	1.416	0.0017	-2.5 to 2.5	Pass
				10	3.87	-0.014	0.0000	-2.5 to 2.5	Pass
				30	3.87	-0.257	-0.0003	-2.5 to 2.5	Pass
				40	3.87	-0.401	-0.0005	-2.5 to 2.5	Pass
				50	3.87	-0.143	-0.0002	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth


3.1 Band26b_OBW

3.1.1 Test Result


Band: 26b / NTNv							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.126	/	Pass
		836.5	6	0	1.126	/	Pass
		848.3	6	0	1.119	/	Pass
	16QAM	824.7	6	0	1.120	/	Pass
		836.5	6	0	1.128	/	Pass
		848.3	6	0	1.123	/	Pass
	64QAM	824.7	6	0	1.130	/	Pass
		836.5	6	0	1.114	/	Pass
		848.3	6	0	1.117	/	Pass
	256QAM	824.7	6	0	1.120	/	Pass
		836.5	6	0	1.117	/	Pass
		848.3	6	0	1.113	/	Pass
3	QPSK	825.5	15	0	2.758	/	Pass
		836.5	15	0	2.745	/	Pass
		847.5	15	0	2.738	/	Pass
	16QAM	825.5	15	0	2.736	/	Pass

		836.5	15	0	2.742	/	Pass
		847.5	15	0	2.758	/	Pass
		825.5	15	0	2.751	/	Pass
		836.5	15	0	2.745	/	Pass
		847.5	15	0	2.746	/	Pass
	64QAM	825.5	15	0	2.749	/	Pass
		836.5	15	0	2.746	/	Pass
		847.5	15	0	2.743	/	Pass
		826.5	25	0	4.557	/	Pass
		836.5	25	0	4.570	/	Pass
5	QPSK	846.5	25	0	4.567	/	Pass
		826.5	25	0	4.566	/	Pass
		836.5	25	0	4.573	/	Pass
	16QAM	846.5	25	0	4.562	/	Pass
		826.5	25	0	4.579	/	Pass
		836.5	25	0	4.577	/	Pass
	64QAM	846.5	25	0	4.585	/	Pass
		826.5	25	0	4.571	/	Pass
		836.5	25	0	4.571	/	Pass
		846.5	25	0	4.573	/	Pass
10	QPSK	829	50	0	9.066	/	Pass
		836.5	50	0	9.045	/	Pass
		844	50	0	9.066	/	Pass
	16QAM	829	50	0	9.073	/	Pass
		836.5	50	0	9.063	/	Pass
		844	50	0	9.069	/	Pass
	64QAM	829	50	0	9.076	/	Pass
		836.5	50	0	9.051	/	Pass
		844	50	0	9.060	/	Pass
	256QAM	829	50	0	9.021	/	Pass
		836.5	50	0	9.090	/	Pass
		844	50	0	9.049	/	Pass


3.1.2 Test Graph




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b 5MHz 256QAM MCH 836.5MHz RB 25 0 NTN




Band26b 5MHz 256QAM HCH 846.5MHz RB 25 0 NTN




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTN




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTN




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_256QAM_HCH_844MHz_RB_50_0_NTNV




3.2 Band26b_XDB

3.2.1 Test Result


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.379	/	Pass
		836.5	6	0	1.411	/	Pass
		848.3	6	0	1.389	/	Pass
	16QAM	824.7	6	0	1.404	/	Pass
		836.5	6	0	1.409	/	Pass
		848.3	6	0	1.414	/	Pass
	64QAM	824.7	6	0	1.391	/	Pass
		836.5	6	0	1.406	/	Pass
		848.3	6	0	1.400	/	Pass
	256QAM	824.7	6	0	1.405	/	Pass
		836.5	6	0	1.401	/	Pass
		848.3	6	0	1.386	/	Pass
3	QPSK	825.5	15	0	3.085	/	Pass
		836.5	15	0	3.106	/	Pass
		847.5	15	0	3.111	/	Pass
	16QAM	825.5	15	0	3.146	/	Pass
		836.5	15	0	3.134	/	Pass
		847.5	15	0	3.103	/	Pass
	64QAM	825.5	15	0	3.085	/	Pass
		836.5	15	0	3.099	/	Pass
		847.5	15	0	3.140	/	Pass
	256QAM	825.5	15	0	3.112	/	Pass
		836.5	15	0	3.112	/	Pass
		847.5	15	0	3.129	/	Pass
5	QPSK	826.5	25	0	5.268	/	Pass
		836.5	25	0	5.258	/	Pass
		846.5	25	0	5.311	/	Pass
	16QAM	826.5	25	0	5.242	/	Pass
		836.5	25	0	5.250	/	Pass
		846.5	25	0	5.201	/	Pass
	64QAM	826.5	25	0	5.223	/	Pass
		836.5	25	0	5.281	/	Pass
		846.5	25	0	5.261	/	Pass
	256QAM	826.5	25	0	5.247	/	Pass
		836.5	25	0	5.195	/	Pass
		846.5	25	0	5.232	/	Pass
10	QPSK	829	50	0	10.167	/	Pass
		836.5	50	0	10.199	/	Pass
		844	50	0	10.127	/	Pass
	16QAM	829	50	0	10.157	/	Pass
		836.5	50	0	10.097	/	Pass
		844	50	0	10.170	/	Pass
	64QAM	829	50	0	10.125	/	Pass
		836.5	50	0	10.195	/	Pass
		844	50	0	10.267	/	Pass
	256QAM	829	50	0	10.203	/	Pass
		836.5	50	0	10.197	/	Pass

		844	50	0	10.116	/	Pass
--	--	-----	----	---	--------	---	------


3.2.2 Test Graph




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_256QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 3MHz 64QAM LCH 825.5MHz RB 15 0 NTN




Band26b 3MHz 64QAM MCH 836.5MHz RB 15 0 NTN




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_256QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz 256QAM MCH 836.5MHz RB 15 0 NTN




Band26b 3MHz 256QAM HCH 847.5MHz RB 15 0 NTN




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_256QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b 5MHz 256QAM MCH 836.5MHz RB 25 0 NTN




Band26b 5MHz 256QAM HCH 846.5MHz RB 25 0 NTN




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTN




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTN




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_256QAM_HCH_844MHz_RB_50_0_NTNV




4. Peak-Average Ratio

4.1 B26b_10MHz


4.1.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.38	<=13	Pass
	836.5	50	0	5.45	<=13	Pass
	844	50	0	5.40	<=13	Pass
16QAM	829	50	0	6.20	<=13	Pass
	836.5	50	0	6.26	<=13	Pass
	844	50	0	6.22	<=13	Pass
64QAM	829	50	0	6.57	<=13	Pass
	836.5	50	0	8.55	<=13	Pass
	844	50	0	8.50	<=13	Pass
256QAM	829	50	0	6.78	<=13	Pass
	836.5	50	0	6.80	<=13	Pass
	844	50	0	6.78	<=13	Pass


4.1.2 Test Graph




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_256QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_256QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_256QAM_HCH_844MHz_RB_50_0_NTNV




5. Spurious Emission

5.1 B26b_1.4MHz


5.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTNv					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	848.3	1	5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass


5.1.2 Test Graph




Band26b 1.4MHz QPSK LCH 824.7MHz_RB 6 0 NTN




Band26b 1.4MHz QPSK MCH 836.5MHz_RB 1 0 NTN




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTN



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTN



Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




5.2 B26b_3MHz


5.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


5.2.2 Test Graph




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV






5.3 B26b_5MHz


5.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


5.3.2 Test Graph




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV



Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTVN




5.4 B26b_10MHz


5.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


5.4.2 Test Graph




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



6. Field Strength of Spurious Radiation

LTE Band 26_15M-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649.5	-68.98	-13	-55.98	-71.86	2.62	5.5	Horizontal	Pass
2474.25	-67.48	-13	-54.48	-70.18	3.06	5.76	Horizontal	Pass
3299.0	-67.07	-13	-54.07	-71.44	3.3	7.67	Horizontal	Pass
1649.5	-62.6	-13	-49.6	-65.48	2.62	5.5	Vertical	Pass
2474.25	-67.81	-13	-54.81	-70.51	3.06	5.76	Vertical	Pass
3299.0	-66.77	-13	-53.77	-71.14	3.3	7.67	Vertical	Pass

LTE Band 26-15M-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-68.5	-13	-55.5	-71.36	2.62	5.48	Horizontal	Pass
2489.25	-67.92	-13	-54.92	-70.64	3.07	5.79	Horizontal	Pass
3319.0	-67.03	-13	-54.03	-71.44	3.31	7.72	Horizontal	Pass
1659.5	-63.25	-13	-50.25	-66.11	2.62	5.48	Vertical	Pass
2489.25	-59.82	-13	-46.82	-62.54	3.07	5.79	Vertical	Pass
3319.0	-66.99	-13	-53.99	-71.4	3.31	7.72	Vertical	Pass

LTE Band 26_15M-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1669.5	-73.03	-13	-60.03	-75.85	2.63	5.45	Horizontal	Pass
2504.5	-69.53	-13	-56.53	-72.28	3.08	5.83	Horizontal	Pass
3339.0	-67.05	-13	-54.05	-71.5	3.32	7.77	Horizontal	Pass
1669.5	-72.64	-13	-59.64	-75.46	2.63	5.45	Vertical	Pass
2504.5	-69.52	-13	-56.52	-72.27	3.08	5.83	Vertical	Pass
3339.0	-67.07	-13	-54.07	-71.52	3.32	7.77	Vertical	Pass