

Appendix F : Test Result - n12

1. Conducted Output Power And E.R.P.

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	ERP (dBm)	ERP (mW)	ERP Limit (mW)	Verdict
n12	15	5	140300	25@0	DFT_BPSK	23.02	-4.66	18.36	68.55	3000	PASS
n12	15	5	140300	12@6	DFT_BPSK	23.52	-4.66	18.86	76.91	3000	PASS
n12	15	5	140300	1@1	DFT_BPSK	23.53	-4.66	18.87	77.09	3000	PASS
n12	15	5	140300	1@23	DFT_BPSK	23.46	-4.66	18.8	75.86	3000	PASS
n12	15	5	140300	25@0	DFT_QPSK	22.49	-4.66	17.83	60.67	3000	PASS
n12	15	5	140300	12@6	DFT_QPSK	23.53	-4.66	18.87	77.09	3000	PASS
n12	15	5	140300	1@1	DFT_QPSK	23.45	-4.66	18.79	75.68	3000	PASS
n12	15	5	140300	1@23	DFT_QPSK	23.36	-4.66	18.7	74.13	3000	PASS
n12	15	5	140300	25@0	DFT_16QAM	21.53	-4.66	16.87	48.64	3000	PASS
n12	15	5	140300	12@6	DFT_16QAM	22.41	-4.66	17.75	59.57	3000	PASS
n12	15	5	140300	1@1	DFT_16QAM	22.53	-4.66	17.87	61.24	3000	PASS
n12	15	5	140300	1@23	DFT_16QAM	22.49	-4.66	17.83	60.67	3000	PASS
n12	15	5	140300	25@0	DFT_64QAM	20.96	-4.66	16.3	42.66	3000	PASS
n12	15	5	140300	12@6	DFT_64QAM	20.95	-4.66	16.29	42.56	3000	PASS
n12	15	5	140300	1@1	DFT_64QAM	21.11	-4.66	16.45	44.16	3000	PASS
n12	15	5	140300	1@23	DFT_64QAM	21.04	-4.66	16.38	43.45	3000	PASS
n12	15	5	140300	25@0	DFT_256QAM	18.99	-4.66	14.33	27.1	3000	PASS
n12	15	5	140300	12@6	DFT_256QAM	19.03	-4.66	14.37	27.35	3000	PASS
n12	15	5	140300	1@1	DFT_256QAM	19.00	-4.66	14.34	27.16	3000	PASS
n12	15	5	140300	1@23	DFT_256QAM	19.14	-4.66	14.48	28.05	3000	PASS
n12	15	5	140300	25@0	CP_QPSK	20.45	-4.66	15.79	37.93	3000	PASS
n12	15	5	140300	13@6	CP_QPSK	22.01	-4.66	17.35	54.33	3000	PASS
n12	15	5	140300	1@1	CP_QPSK	22.03	-4.66	17.37	54.58	3000	PASS
n12	15	5	140300	1@23	CP_QPSK	21.96	-4.66	17.3	53.7	3000	PASS
n12	15	5	140300	25@0	CP_16QAM	20.40	-4.66	15.74	37.5	3000	PASS
n12	15	5	140300	13@6	CP_16QAM	21.53	-4.66	16.87	48.64	3000	PASS
n12	15	5	140300	1@1	CP_16QAM	21.50	-4.66	16.84	48.31	3000	PASS
n12	15	5	140300	1@23	CP_16QAM	21.43	-4.66	16.77	47.53	3000	PASS
n12	15	5	140300	25@0	CP_64QAM	19.96	-4.66	15.3	33.88	3000	PASS
n12	15	5	140300	13@6	CP_64QAM	19.97	-4.66	15.31	33.96	3000	PASS
n12	15	5	140300	1@1	CP_64QAM	19.99	-4.66	15.33	34.12	3000	PASS
n12	15	5	140300	1@23	CP_64QAM	19.97	-4.66	15.31	33.96	3000	PASS
n12	15	5	140300	25@0	CP_256QAM	17.00	-4.66	12.34	17.14	3000	PASS
n12	15	5	140300	13@6	CP_256QAM	16.95	-4.66	12.29	16.94	3000	PASS



n12	15	5	140300	1@1	CP_256QAM	17.00	-4.66	12.34	17.14	3000	PASS
n12	15	5	140300	1@23	CP_256QAM	16.93	-4.66	12.27	16.87	3000	PASS
n12	15	5	141500	25@0	DFT_BPSK	23.10	-4.66	18.44	69.82	3000	PASS
n12	15	5	141500	12@6	DFT_BPSK	23.60	-4.66	18.94	78.34	3000	PASS
n12	15	5	141500	1@1	DFT_BPSK	23.48	-4.66	18.82	76.21	3000	PASS
n12	15	5	141500	1@23	DFT_BPSK	23.52	-4.66	18.86	76.91	3000	PASS
n12	15	5	141500	25@0	DFT_QPSK	22.60	-4.66	17.94	62.23	3000	PASS
n12	15	5	141500	12@6	DFT_QPSK	23.65	-4.66	18.99	79.25	3000	PASS
n12	15	5	141500	1@1	DFT_QPSK	23.43	-4.66	18.77	75.34	3000	PASS
n12	15	5	141500	1@23	DFT_QPSK	23.44	-4.66	18.78	75.51	3000	PASS
n12	15	5	141500	25@0	DFT_16QAM	21.57	-4.66	16.91	49.09	3000	PASS
n12	15	5	141500	12@6	DFT_16QAM	22.50	-4.66	17.84	60.81	3000	PASS
n12	15	5	141500	1@1	DFT_16QAM	22.51	-4.66	17.85	60.95	3000	PASS
n12	15	5	141500	1@23	DFT_16QAM	22.56	-4.66	17.9	61.66	3000	PASS
n12	15	5	141500	25@0	DFT_64QAM	21.10	-4.66	16.44	44.06	3000	PASS
n12	15	5	141500	12@6	DFT_64QAM	21.06	-4.66	16.4	43.65	3000	PASS
n12	15	5	141500	1@1	DFT_64QAM	21.11	-4.66	16.45	44.16	3000	PASS
n12	15	5	141500	1@23	DFT_64QAM	21.12	-4.66	16.46	44.26	3000	PASS
n12	15	5	141500	25@0	DFT_256QAM	18.97	-4.66	14.31	26.98	3000	PASS
n12	15	5	141500	12@6	DFT_256QAM	18.94	-4.66	14.28	26.79	3000	PASS
n12	15	5	141500	1@1	DFT_256QAM	19.00	-4.66	14.34	27.16	3000	PASS
n12	15	5	141500	1@23	DFT_256QAM	19.03	-4.66	14.37	27.35	3000	PASS
n12	15	5	141500	25@0	CP_QPSK	20.52	-4.66	15.86	38.55	3000	PASS
n12	15	5	141500	13@6	CP_QPSK	22.11	-4.66	17.45	55.59	3000	PASS
n12	15	5	141500	1@1	CP_QPSK	21.98	-4.66	17.32	53.95	3000	PASS
n12	15	5	141500	1@23	CP_QPSK	22.06	-4.66	17.4	54.95	3000	PASS
n12	15	5	141500	25@0	CP_16QAM	20.52	-4.66	15.86	38.55	3000	PASS
n12	15	5	141500	13@6	CP_16QAM	21.58	-4.66	16.92	49.2	3000	PASS
n12	15	5	141500	1@1	CP_16QAM	21.53	-4.66	16.87	48.64	3000	PASS
n12	15	5	141500	1@23	CP_16QAM	21.54	-4.66	16.88	48.75	3000	PASS
n12	15	5	141500	25@0	CP_64QAM	20.08	-4.66	15.42	34.83	3000	PASS
n12	15	5	141500	13@6	CP_64QAM	20.02	-4.66	15.36	34.36	3000	PASS
n12	15	5	141500	1@1	CP_64QAM	20.02	-4.66	15.36	34.36	3000	PASS
n12	15	5	141500	1@23	CP_64QAM	20.02	-4.66	15.36	34.36	3000	PASS
n12	15	5	141500	25@0	CP_256QAM	17.13	-4.66	12.47	17.66	3000	PASS
n12	15	5	141500	13@6	CP_256QAM	17.03	-4.66	12.37	17.26	3000	PASS
n12	15	5	141500	1@1	CP_256QAM	16.96	-4.66	12.3	16.98	3000	PASS
n12	15	5	141500	1@23	CP_256QAM	16.98	-4.66	12.32	17.06	3000	PASS
n12	15	5	142700	25@0	DFT_BPSK	22.93	-4.66	18.27	67.14	3000	PASS
n12	15	5	142700	12@6	DFT_BPSK	23.50	-4.66	18.84	76.56	3000	PASS
n12	15	5	142700	1@1	DFT_BPSK	23.45	-4.66	18.79	75.68	3000	PASS
n12	15	5	142700	1@23	DFT_BPSK	23.33	-4.66	18.67	73.62	3000	PASS
n12	15	5	142700	25@0	DFT_QPSK	22.38	-4.66	17.72	59.16	3000	PASS



n12	15	5	142700	12@6	DFT_QPSK	23.51	-4.66	18.85	76.74	3000	PASS
n12	15	5	142700	1@1	DFT_QPSK	23.43	-4.66	18.77	75.34	3000	PASS
n12	15	5	142700	1@23	DFT_QPSK	23.23	-4.66	18.57	71.94	3000	PASS
n12	15	5	142700	25@0	DFT_16QAM	21.36	-4.66	16.7	46.77	3000	PASS
n12	15	5	142700	12@6	DFT_16QAM	22.31	-4.66	17.65	58.21	3000	PASS
n12	15	5	142700	1@1	DFT_16QAM	22.45	-4.66	17.79	60.12	3000	PASS
n12	15	5	142700	1@23	DFT_16QAM	22.39	-4.66	17.73	59.29	3000	PASS
n12	15	5	142700	25@0	DFT_64QAM	20.88	-4.66	16.22	41.88	3000	PASS
n12	15	5	142700	12@6	DFT_64QAM	20.94	-4.66	16.28	42.46	3000	PASS
n12	15	5	142700	1@1	DFT_64QAM	21.09	-4.66	16.43	43.95	3000	PASS
n12	15	5	142700	1@23	DFT_64QAM	20.98	-4.66	16.32	42.85	3000	PASS
n12	15	5	142700	25@0	DFT_256QAM	18.76	-4.66	14.1	25.7	3000	PASS
n12	15	5	142700	12@6	DFT_256QAM	18.85	-4.66	14.19	26.24	3000	PASS
n12	15	5	142700	1@1	DFT_256QAM	18.96	-4.66	14.3	26.92	3000	PASS
n12	15	5	142700	1@23	DFT_256QAM	18.84	-4.66	14.18	26.18	3000	PASS
n12	15	5	142700	25@0	CP_QPSK	20.36	-4.66	15.7	37.15	3000	PASS
n12	15	5	142700	13@6	CP_QPSK	21.96	-4.66	17.3	53.7	3000	PASS
n12	15	5	142700	1@1	CP_QPSK	21.94	-4.66	17.28	53.46	3000	PASS
n12	15	5	142700	1@23	CP_QPSK	21.88	-4.66	17.22	52.72	3000	PASS
n12	15	5	142700	25@0	CP_16QAM	20.29	-4.66	15.63	36.56	3000	PASS
n12	15	5	142700	13@6	CP_16QAM	21.46	-4.66	16.8	47.86	3000	PASS
n12	15	5	142700	1@1	CP_16QAM	21.50	-4.66	16.84	48.31	3000	PASS
n12	15	5	142700	1@23	CP_16QAM	21.41	-4.66	16.75	47.32	3000	PASS
n12	15	5	142700	25@0	CP_64QAM	19.84	-4.66	15.18	32.96	3000	PASS
n12	15	5	142700	13@6	CP_64QAM	19.92	-4.66	15.26	33.57	3000	PASS
n12	15	5	142700	1@1	CP_64QAM	19.91	-4.66	15.25	33.5	3000	PASS
n12	15	5	142700	1@23	CP_64QAM	19.83	-4.66	15.17	32.89	3000	PASS
n12	15	5	142700	25@0	CP_256QAM	16.95	-4.66	12.29	16.94	3000	PASS
n12	15	5	142700	13@6	CP_256QAM	16.93	-4.66	12.27	16.87	3000	PASS
n12	15	5	142700	1@1	CP_256QAM	16.95	-4.66	12.29	16.94	3000	PASS
n12	15	5	142700	1@23	CP_256QAM	16.81	-4.66	12.15	16.41	3000	PASS
n12	15	10	140800	50@0	DFT_BPSK	22.74	-4.66	18.08	64.27	3000	PASS
n12	15	10	140800	25@12	DFT_BPSK	23.34	-4.66	18.68	73.79	3000	PASS
n12	15	10	140800	1@1	DFT_BPSK	23.28	-4.66	18.62	72.78	3000	PASS
n12	15	10	140800	1@50	DFT_BPSK	23.32	-4.66	18.66	73.45	3000	PASS
n12	15	10	140800	50@0	DFT_QPSK	22.19	-4.66	17.53	56.62	3000	PASS
n12	15	10	140800	25@12	DFT_QPSK	23.38	-4.66	18.72	74.47	3000	PASS
n12	15	10	140800	1@1	DFT_QPSK	23.23	-4.66	18.57	71.94	3000	PASS
n12	15	10	140800	1@50	DFT_QPSK	23.23	-4.66	18.57	71.94	3000	PASS
n12	15	10	140800	50@0	DFT_16QAM	21.28	-4.66	16.62	45.92	3000	PASS
n12	15	10	140800	25@12	DFT_16QAM	22.38	-4.66	17.72	59.16	3000	PASS
n12	15	10	140800	1@1	DFT_16QAM	22.35	-4.66	17.69	58.75	3000	PASS
n12	15	10	140800	1@50	DFT_16QAM	22.36	-4.66	17.7	58.88	3000	PASS



n12	15	10	140800	50@0	DFT_64QAM	20.71	-4.66	16.05	40.27	3000	PASS
n12	15	10	140800	25@12	DFT_64QAM	20.84	-4.66	16.18	41.5	3000	PASS
n12	15	10	140800	1@1	DFT_64QAM	20.96	-4.66	16.3	42.66	3000	PASS
n12	15	10	140800	1@50	DFT_64QAM	20.93	-4.66	16.27	42.36	3000	PASS
n12	15	10	140800	50@0	DFT_256QAM	18.64	-4.66	13.98	25	3000	PASS
n12	15	10	140800	25@12	DFT_256QAM	18.71	-4.66	14.05	25.41	3000	PASS
n12	15	10	140800	1@1	DFT_256QAM	18.90	-4.66	14.24	26.55	3000	PASS
n12	15	10	140800	1@50	DFT_256QAM	18.83	-4.66	14.17	26.12	3000	PASS
n12	15	10	140800	52@0	CP_QPSK	20.17	-4.66	15.51	35.56	3000	PASS
n12	15	10	140800	26@13	CP_QPSK	21.82	-4.66	17.16	52	3000	PASS
n12	15	10	140800	1@1	CP_QPSK	21.81	-4.66	17.15	51.88	3000	PASS
n12	15	10	140800	1@50	CP_QPSK	21.83	-4.66	17.17	52.12	3000	PASS
n12	15	10	140800	52@0	CP_16QAM	20.19	-4.66	15.53	35.73	3000	PASS
n12	15	10	140800	26@13	CP_16QAM	21.33	-4.66	16.67	46.45	3000	PASS
n12	15	10	140800	1@1	CP_16QAM	21.25	-4.66	16.59	45.6	3000	PASS
n12	15	10	140800	1@50	CP_16QAM	21.31	-4.66	16.65	46.24	3000	PASS
n12	15	10	140800	52@0	CP_64QAM	19.66	-4.66	15	31.62	3000	PASS
n12	15	10	140800	26@13	CP_64QAM	19.82	-4.66	15.16	32.81	3000	PASS
n12	15	10	140800	1@1	CP_64QAM	19.77	-4.66	15.11	32.43	3000	PASS
n12	15	10	140800	1@50	CP_64QAM	19.80	-4.66	15.14	32.66	3000	PASS
n12	15	10	140800	52@0	CP_256QAM	16.73	-4.66	12.07	16.11	3000	PASS
n12	15	10	140800	26@13	CP_256QAM	16.88	-4.66	12.22	16.67	3000	PASS
n12	15	10	140800	1@1	CP_256QAM	16.78	-4.66	12.12	16.29	3000	PASS
n12	15	10	140800	1@50	CP_256QAM	16.76	-4.66	12.1	16.22	3000	PASS
n12	15	10	141500	50@0	DFT_BPSK	22.90	-4.66	18.24	66.68	3000	PASS
n12	15	10	141500	25@12	DFT_BPSK	23.41	-4.66	18.75	74.99	3000	PASS
n12	15	10	141500	1@1	DFT_BPSK	23.28	-4.66	18.62	72.78	3000	PASS
n12	15	10	141500	1@50	DFT_BPSK	23.23	-4.66	18.57	71.94	3000	PASS
n12	15	10	141500	50@0	DFT_QPSK	22.45	-4.66	17.79	60.12	3000	PASS
n12	15	10	141500	25@12	DFT_QPSK	23.43	-4.66	18.77	75.34	3000	PASS
n12	15	10	141500	1@1	DFT_QPSK	23.23	-4.66	18.57	71.94	3000	PASS
n12	15	10	141500	1@50	DFT_QPSK	23.16	-4.66	18.5	70.79	3000	PASS
n12	15	10	141500	50@0	DFT_16QAM	21.46	-4.66	16.8	47.86	3000	PASS
n12	15	10	141500	25@12	DFT_16QAM	22.40	-4.66	17.74	59.43	3000	PASS
n12	15	10	141500	1@1	DFT_16QAM	22.32	-4.66	17.66	58.34	3000	PASS
n12	15	10	141500	1@50	DFT_16QAM	22.29	-4.66	17.63	57.94	3000	PASS
n12	15	10	141500	50@0	DFT_64QAM	20.91	-4.66	16.25	42.17	3000	PASS
n12	15	10	141500	25@12	DFT_64QAM	20.83	-4.66	16.17	41.4	3000	PASS
n12	15	10	141500	1@1	DFT_64QAM	20.95	-4.66	16.29	42.56	3000	PASS
n12	15	10	141500	1@50	DFT_64QAM	20.92	-4.66	16.26	42.27	3000	PASS
n12	15	10	141500	50@0	DFT_256QAM	18.89	-4.66	14.23	26.49	3000	PASS
n12	15	10	141500	25@12	DFT_256QAM	18.77	-4.66	14.11	25.76	3000	PASS
n12	15	10	141500	1@1	DFT_256QAM	18.87	-4.66	14.21	26.36	3000	PASS



n12	15	10	141500	1@50	DFT_256QAM	18.74	-4.66	14.08	25.59	3000	PASS
n12	15	10	141500	52@0	CP_QPSK	20.38	-4.66	15.72	37.33	3000	PASS
n12	15	10	141500	26@13	CP_QPSK	21.88	-4.66	17.22	52.72	3000	PASS
n12	15	10	141500	1@1	CP_QPSK	21.78	-4.66	17.12	51.52	3000	PASS
n12	15	10	141500	1@50	CP_QPSK	21.79	-4.66	17.13	51.64	3000	PASS
n12	15	10	141500	52@0	CP_16QAM	20.42	-4.66	15.76	37.67	3000	PASS
n12	15	10	141500	26@13	CP_16QAM	21.37	-4.66	16.71	46.88	3000	PASS
n12	15	10	141500	1@1	CP_16QAM	21.27	-4.66	16.61	45.81	3000	PASS
n12	15	10	141500	1@50	CP_16QAM	21.27	-4.66	16.61	45.81	3000	PASS
n12	15	10	141500	52@0	CP_64QAM	19.86	-4.66	15.2	33.11	3000	PASS
n12	15	10	141500	26@13	CP_64QAM	19.87	-4.66	15.21	33.19	3000	PASS
n12	15	10	141500	1@1	CP_64QAM	19.75	-4.66	15.09	32.28	3000	PASS
n12	15	10	141500	1@50	CP_64QAM	19.74	-4.66	15.08	32.21	3000	PASS
n12	15	10	141500	52@0	CP_256QAM	16.96	-4.66	12.3	16.98	3000	PASS
n12	15	10	141500	26@13	CP_256QAM	16.98	-4.66	12.32	17.06	3000	PASS
n12	15	10	141500	1@1	CP_256QAM	16.74	-4.66	12.08	16.14	3000	PASS
n12	15	10	141500	1@50	CP_256QAM	16.73	-4.66	12.07	16.11	3000	PASS
n12	15	10	142200	50@0	DFT_BPSK	22.79	-4.66	18.13	65.01	3000	PASS
n12	15	10	142200	25@12	DFT_BPSK	23.35	-4.66	18.69	73.96	3000	PASS
n12	15	10	142200	1@1	DFT_BPSK	23.33	-4.66	18.67	73.62	3000	PASS
n12	15	10	142200	1@50	DFT_BPSK	23.14	-4.66	18.48	70.47	3000	PASS
n12	15	10	142200	50@0	DFT_QPSK	22.25	-4.66	17.59	57.41	3000	PASS
n12	15	10	142200	25@12	DFT_QPSK	23.36	-4.66	18.7	74.13	3000	PASS
n12	15	10	142200	1@1	DFT_QPSK	23.23	-4.66	18.57	71.94	3000	PASS
n12	15	10	142200	1@50	DFT_QPSK	23.07	-4.66	18.41	69.34	3000	PASS
n12	15	10	142200	50@0	DFT_16QAM	21.32	-4.66	16.66	46.34	3000	PASS
n12	15	10	142200	25@12	DFT_16QAM	22.36	-4.66	17.7	58.88	3000	PASS
n12	15	10	142200	1@1	DFT_16QAM	22.35	-4.66	17.69	58.75	3000	PASS
n12	15	10	142200	1@50	DFT_16QAM	22.19	-4.66	17.53	56.62	3000	PASS
n12	15	10	142200	50@0	DFT_64QAM	20.77	-4.66	16.11	40.83	3000	PASS
n12	15	10	142200	25@12	DFT_64QAM	20.81	-4.66	16.15	41.21	3000	PASS
n12	15	10	142200	1@1	DFT_64QAM	20.96	-4.66	16.3	42.66	3000	PASS
n12	15	10	142200	1@50	DFT_64QAM	20.82	-4.66	16.16	41.3	3000	PASS
n12	15	10	142200	50@0	DFT_256QAM	18.74	-4.66	14.08	25.59	3000	PASS
n12	15	10	142200	25@12	DFT_256QAM	18.67	-4.66	14.01	25.18	3000	PASS
n12	15	10	142200	1@1	DFT_256QAM	18.81	-4.66	14.15	26	3000	PASS
n12	15	10	142200	1@50	DFT_256QAM	18.71	-4.66	14.05	25.41	3000	PASS
n12	15	10	142200	52@0	CP_QPSK	20.22	-4.66	15.56	35.97	3000	PASS
n12	15	10	142200	26@13	CP_QPSK	21.78	-4.66	17.12	51.52	3000	PASS
n12	15	10	142200	1@1	CP_QPSK	21.84	-4.66	17.18	52.24	3000	PASS
n12	15	10	142200	1@50	CP_QPSK	21.69	-4.66	17.03	50.47	3000	PASS
n12	15	10	142200	52@0	CP_16QAM	20.28	-4.66	15.62	36.48	3000	PASS
n12	15	10	142200	26@13	CP_16QAM	21.28	-4.66	16.62	45.92	3000	PASS

n12	15	10	142200	1@1	CP_16QAM	21.33	-4.66	16.67	46.45	3000	PASS
n12	15	10	142200	1@50	CP_16QAM	21.20	-4.66	16.54	45.08	3000	PASS
n12	15	10	142200	52@0	CP_64QAM	19.69	-4.66	15.03	31.84	3000	PASS
n12	15	10	142200	26@13	CP_64QAM	19.79	-4.66	15.13	32.58	3000	PASS
n12	15	10	142200	1@1	CP_64QAM	19.80	-4.66	15.14	32.66	3000	PASS
n12	15	10	142200	1@50	CP_64QAM	19.65	-4.66	14.99	31.55	3000	PASS
n12	15	10	142200	52@0	CP_256QAM	16.81	-4.66	12.15	16.41	3000	PASS
n12	15	10	142200	26@13	CP_256QAM	16.86	-4.66	12.2	16.6	3000	PASS
n12	15	10	142200	1@1	CP_256QAM	16.78	-4.66	12.12	16.29	3000	PASS
n12	15	10	142200	1@50	CP_256QAM	16.64	-4.66	11.98	15.78	3000	PASS
n12	15	15	141300	75@0	DFT_BPSK	24.02	-4.66	19.36	86.3	3000	PASS
n12	15	15	141300	36@18	DFT_BPSK	24.53	-4.66	19.87	97.05	3000	PASS
n12	15	15	141300	1@1	DFT_BPSK	24.44	-4.66	19.78	95.06	3000	PASS
n12	15	15	141300	1@77	DFT_BPSK	24.36	-4.66	19.7	93.33	3000	PASS
n12	15	15	141300	75@0	DFT_QPSK	23.52	-4.66	18.86	76.91	3000	PASS
n12	15	15	141300	36@18	DFT_QPSK	24.39	-4.66	19.73	93.97	3000	PASS
n12	15	15	141300	1@1	DFT_QPSK	24.58	-4.66	19.92	98.17	3000	PASS
n12	15	15	141300	1@77	DFT_QPSK	24.26	-4.66	19.6	91.2	3000	PASS
n12	15	15	141300	75@0	DFT_16QAM	22.50	-4.66	17.84	60.81	3000	PASS
n12	15	15	141300	36@18	DFT_16QAM	23.57	-4.66	18.91	77.8	3000	PASS
n12	15	15	141300	1@1	DFT_16QAM	23.52	-4.66	18.86	76.91	3000	PASS
n12	15	15	141300	1@77	DFT_16QAM	23.40	-4.66	18.74	74.82	3000	PASS
n12	15	15	141300	75@0	DFT_64QAM	22.00	-4.66	17.34	54.2	3000	PASS
n12	15	15	141300	36@18	DFT_64QAM	22.02	-4.66	17.36	54.45	3000	PASS
n12	15	15	141300	1@1	DFT_64QAM	22.04	-4.66	17.38	54.7	3000	PASS
n12	15	15	141300	1@77	DFT_64QAM	21.94	-4.66	17.28	53.46	3000	PASS
n12	15	15	141300	75@0	DFT_256QAM	19.97	-4.66	15.31	33.96	3000	PASS
n12	15	15	141300	36@18	DFT_256QAM	20.01	-4.66	15.35	34.28	3000	PASS
n12	15	15	141300	1@1	DFT_256QAM	19.98	-4.66	15.32	34.04	3000	PASS
n12	15	15	141300	1@77	DFT_256QAM	19.84	-4.66	15.18	32.96	3000	PASS
n12	15	15	141300	79@0	CP_QPSK	21.48	-4.66	16.82	48.08	3000	PASS
n12	15	15	141300	39@19	CP_QPSK	23.05	-4.66	18.39	69.02	3000	PASS
n12	15	15	141300	1@1	CP_QPSK	23.02	-4.66	18.36	68.55	3000	PASS
n12	15	15	141300	1@77	CP_QPSK	22.88	-4.66	18.22	66.37	3000	PASS
n12	15	15	141300	79@0	CP_16QAM	21.46	-4.66	16.8	47.86	3000	PASS
n12	15	15	141300	39@19	CP_16QAM	22.54	-4.66	17.88	61.38	3000	PASS
n12	15	15	141300	1@1	CP_16QAM	22.45	-4.66	17.79	60.12	3000	PASS
n12	15	15	141300	1@77	CP_16QAM	22.38	-4.66	17.72	59.16	3000	PASS
n12	15	15	141300	79@0	CP_64QAM	20.94	-4.66	16.28	42.46	3000	PASS
n12	15	15	141300	39@19	CP_64QAM	21.01	-4.66	16.35	43.15	3000	PASS
n12	15	15	141300	1@1	CP_64QAM	20.92	-4.66	16.26	42.27	3000	PASS
n12	15	15	141300	1@77	CP_64QAM	20.84	-4.66	16.18	41.5	3000	PASS
n12	15	15	141300	79@0	CP_256QAM	18.03	-4.66	13.37	21.73	3000	PASS



n12	15	15	141300	39@19	CP_256QAM	18.14	-4.66	13.48	22.28	3000	PASS
n12	15	15	141300	1@1	CP_256QAM	17.92	-4.66	13.26	21.18	3000	PASS
n12	15	15	141300	1@77	CP_256QAM	17.86	-4.66	13.2	20.89	3000	PASS
n12	15	15	141500	75@0	DFT_BPSK	24.07	-4.66	19.41	87.3	3000	PASS
n12	15	15	141500	36@18	DFT_BPSK	24.52	-4.66	19.86	96.83	3000	PASS
n12	15	15	141500	1@1	DFT_BPSK	24.44	-4.66	19.78	95.06	3000	PASS
n12	15	15	141500	1@77	DFT_BPSK	24.30	-4.66	19.64	92.04	3000	PASS
n12	15	15	141500	75@0	DFT_QPSK	23.55	-4.66	18.89	77.45	3000	PASS
n12	15	15	141500	36@18	DFT_QPSK	24.33	-4.66	19.67	92.68	3000	PASS
n12	15	15	141500	1@1	DFT_QPSK	24.58	-4.66	19.92	98.17	3000	PASS
n12	15	15	141500	1@77	DFT_QPSK	24.25	-4.66	19.59	90.99	3000	PASS
n12	15	15	141500	75@0	DFT_16QAM	22.60	-4.66	17.94	62.23	3000	PASS
n12	15	15	141500	36@18	DFT_16QAM	23.56	-4.66	18.9	77.62	3000	PASS
n12	15	15	141500	1@1	DFT_16QAM	23.44	-4.66	18.78	75.51	3000	PASS
n12	15	15	141500	1@77	DFT_16QAM	23.40	-4.66	18.74	74.82	3000	PASS
n12	15	15	141500	75@0	DFT_64QAM	22.06	-4.66	17.4	54.95	3000	PASS
n12	15	15	141500	36@18	DFT_64QAM	22.01	-4.66	17.35	54.33	3000	PASS
n12	15	15	141500	1@1	DFT_64QAM	22.04	-4.66	17.38	54.7	3000	PASS
n12	15	15	141500	1@77	DFT_64QAM	21.96	-4.66	17.3	53.7	3000	PASS
n12	15	15	141500	75@0	DFT_256QAM	20.02	-4.66	15.36	34.36	3000	PASS
n12	15	15	141500	36@18	DFT_256QAM	20.03	-4.66	15.37	34.43	3000	PASS
n12	15	15	141500	1@1	DFT_256QAM	20.18	-4.66	15.52	35.65	3000	PASS
n12	15	15	141500	1@77	DFT_256QAM	19.85	-4.66	15.19	33.04	3000	PASS
n12	15	15	141500	79@0	CP_QPSK	21.55	-4.66	16.89	48.87	3000	PASS
n12	15	15	141500	39@19	CP_QPSK	23.05	-4.66	18.39	69.02	3000	PASS
n12	15	15	141500	1@1	CP_QPSK	22.96	-4.66	18.3	67.61	3000	PASS
n12	15	15	141500	1@77	CP_QPSK	22.87	-4.66	18.21	66.22	3000	PASS
n12	15	15	141500	79@0	CP_16QAM	21.56	-4.66	16.9	48.98	3000	PASS
n12	15	15	141500	39@19	CP_16QAM	22.53	-4.66	17.87	61.24	3000	PASS
n12	15	15	141500	1@1	CP_16QAM	22.45	-4.66	17.79	60.12	3000	PASS
n12	15	15	141500	1@77	CP_16QAM	22.39	-4.66	17.73	59.29	3000	PASS
n12	15	15	141500	79@0	CP_64QAM	21.05	-4.66	16.39	43.55	3000	PASS
n12	15	15	141500	39@19	CP_64QAM	21.04	-4.66	16.38	43.45	3000	PASS
n12	15	15	141500	1@1	CP_64QAM	20.88	-4.66	16.22	41.88	3000	PASS
n12	15	15	141500	1@77	CP_64QAM	20.84	-4.66	16.18	41.5	3000	PASS
n12	15	15	141500	79@0	CP_256QAM	18.10	-4.66	13.44	22.08	3000	PASS
n12	15	15	141500	39@19	CP_256QAM	18.12	-4.66	13.46	22.18	3000	PASS
n12	15	15	141500	1@1	CP_256QAM	17.92	-4.66	13.26	21.18	3000	PASS
n12	15	15	141500	1@77	CP_256QAM	17.84	-4.66	13.18	20.8	3000	PASS
n12	15	15	141700	75@0	DFT_BPSK	24.04	-4.66	19.38	86.7	3000	PASS
n12	15	15	141700	36@18	DFT_BPSK	24.54	-4.66	19.88	97.27	3000	PASS
n12	15	15	141700	1@1	DFT_BPSK	24.38	-4.66	19.72	93.76	3000	PASS
n12	15	15	141700	1@77	DFT_BPSK	24.25	-4.66	19.59	90.99	3000	PASS



n12	15	15	141700	75@0	DFT_QPSK	23.58	-4.66	18.92	77.98	3000	PASS
n12	15	15	141700	36@18	DFT_QPSK	24.32	-4.66	19.66	92.47	3000	PASS
n12	15	15	141700	1@1	DFT_QPSK	24.55	-4.66	19.89	97.5	3000	PASS
n12	15	15	141700	1@77	DFT_QPSK	24.19	-4.66	19.53	89.74	3000	PASS
n12	15	15	141700	75@0	DFT_16QAM	22.55	-4.66	17.89	61.52	3000	PASS
n12	15	15	141700	36@18	DFT_16QAM	23.50	-4.66	18.84	76.56	3000	PASS
n12	15	15	141700	1@1	DFT_16QAM	23.40	-4.66	18.74	74.82	3000	PASS
n12	15	15	141700	1@77	DFT_16QAM	23.33	-4.66	18.67	73.62	3000	PASS
n12	15	15	141700	75@0	DFT_64QAM	22.04	-4.66	17.38	54.7	3000	PASS
n12	15	15	141700	36@18	DFT_64QAM	22.01	-4.66	17.35	54.33	3000	PASS
n12	15	15	141700	1@1	DFT_64QAM	21.98	-4.66	17.32	53.95	3000	PASS
n12	15	15	141700	1@77	DFT_64QAM	21.90	-4.66	17.24	52.97	3000	PASS
n12	15	15	141700	75@0	DFT_256QAM	20.01	-4.66	15.35	34.28	3000	PASS
n12	15	15	141700	36@18	DFT_256QAM	19.97	-4.66	15.31	33.96	3000	PASS
n12	15	15	141700	1@1	DFT_256QAM	20.09	-4.66	15.43	34.91	3000	PASS
n12	15	15	141700	1@77	DFT_256QAM	19.81	-4.66	15.15	32.73	3000	PASS
n12	15	15	141700	79@0	CP_QPSK	21.52	-4.66	16.86	48.53	3000	PASS
n12	15	15	141700	39@19	CP_QPSK	23.01	-4.66	18.35	68.39	3000	PASS
n12	15	15	141700	1@1	CP_QPSK	22.95	-4.66	18.29	67.45	3000	PASS
n12	15	15	141700	1@77	CP_QPSK	22.84	-4.66	18.18	65.77	3000	PASS
n12	15	15	141700	79@0	CP_16QAM	21.52	-4.66	16.86	48.53	3000	PASS
n12	15	15	141700	39@19	CP_16QAM	22.52	-4.66	17.86	61.09	3000	PASS
n12	15	15	141700	1@1	CP_16QAM	22.43	-4.66	17.77	59.84	3000	PASS
n12	15	15	141700	1@77	CP_16QAM	22.37	-4.66	17.71	59.02	3000	PASS
n12	15	15	141700	79@0	CP_64QAM	20.99	-4.66	16.33	42.95	3000	PASS
n12	15	15	141700	39@19	CP_64QAM	20.99	-4.66	16.33	42.95	3000	PASS
n12	15	15	141700	1@1	CP_64QAM	20.92	-4.66	16.26	42.27	3000	PASS
n12	15	15	141700	1@77	CP_64QAM	20.77	-4.66	16.11	40.83	3000	PASS
n12	15	15	141700	79@0	CP_256QAM	18.07	-4.66	13.41	21.93	3000	PASS
n12	15	15	141700	39@19	CP_256QAM	18.11	-4.66	13.45	22.13	3000	PASS
n12	15	15	141700	1@1	CP_256QAM	17.91	-4.66	13.25	21.13	3000	PASS
n12	15	15	141700	1@77	CP_256QAM	17.80	-4.66	13.14	20.61	3000	PASS

2. Frequency Stability


Condition		Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (Hz)	Result (ppm)	Verdict
Temperature (°C)	Voltage (V)									
20(Ref.)	3.45	n12	15	15	141500	75@0	DFT_BPSK	-2.6	-0.00367	PASS
20(Ref.)	3.85	n12	15	15	141500	75@0	DFT_BPSK	-6.9	-0.00975	PASS
20(Ref.)	4.35	n12	15	15	141500	75@0	DFT_BPSK	-5.2	-0.00735	PASS
-30	3.85	n12	15	15	141500	75@0	DFT_BPSK	-2.3	-0.00325	PASS
-20	3.85	n12	15	15	141500	75@0	DFT_BPSK	-4.5	-0.00636	PASS
-10	3.85	n12	15	15	141500	75@0	DFT_BPSK	-1.6	-0.00226	PASS
0	3.85	n12	15	15	141500	75@0	DFT_BPSK	-6.3	-0.0089	PASS
10	3.85	n12	15	15	141500	75@0	DFT_BPSK	-5.5	-0.00777	PASS
20(Ref.)	3.85	n12	15	15	141500	75@0	DFT_BPSK	-6.9	-0.00975	PASS
30	3.85	n12	15	15	141500	75@0	DFT_BPSK	-4.1	-0.0058	PASS
40	3.85	n12	15	15	141500	75@0	DFT_BPSK	-5.2	-0.00735	PASS
50	3.85	n12	15	15	141500	75@0	DFT_BPSK	-9.2	-0.013	PASS

Note:


1. Normal Voltage = 3.85 V, Battery End Point (BEP) = 3.45 V, Maximum Voltage = 4.35 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

3. Peak-to-average Ratio


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n12	15	15	141500	75@0	DFT_BPSK	4.49	13	PASS
n12	15	15	141500	75@0	DFT_QPSK	5.64	13	PASS
n12	15	15	141500	75@0	DFT_16QAM	6.36	13	PASS
n12	15	15	141500	75@0	DFT_64QAM	6.50	13	PASS
n12	15	15	141500	75@0	DFT_256QAM	6.76	13	PASS




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500
RB=75@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500
RB=75@0



n12 SCS=15kHz DFT_16QAM BW=15MHz Channel=141500
RB=75@0




n12 SCS=15kHz DFT_64QAM BW=15MHz Channel=141500
RB=75@0




n12 SCS=15kHz DFT_256QAM BW=15MHz Channel=141500
RB=75@0

4. Occupied Bandwidth

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n12	15	5	141500	707.5	25@0	DFT_BPSK	4.486	4.920	PASS
n12	15	5	141500	707.5	25@0	CP_QPSK	4.486	4.870	PASS
n12	15	5	141500	707.5	25@0	CP_16QAM	4.486	4.940	PASS
n12	15	5	141500	707.5	25@0	CP_64QAM	4.496	4.830	PASS
n12	15	5	141500	707.5	25@0	CP_256QAM	4.505	4.940	PASS
n12	15	10	141500	707.5	50@0	DFT_BPSK	8.971	9.620	PASS
n12	15	10	141500	707.5	52@0	CP_QPSK	9.331	10.000	PASS
n12	15	10	141500	707.5	52@0	CP_16QAM	9.331	10.080	PASS
n12	15	10	141500	707.5	52@0	CP_64QAM	9.351	10.080	PASS
n12	15	10	141500	707.5	52@0	CP_256QAM	9.311	9.980	PASS
n12	15	15	141500	707.5	75@0	DFT_BPSK	13.427	14.250	PASS
n12	15	15	141500	707.5	79@0	CP_QPSK	14.146	15.030	PASS
n12	15	15	141500	707.5	79@0	CP_16QAM	14.176	14.940	PASS
n12	15	15	141500	707.5	79@0	CP_64QAM	14.116	15.030	PASS
n12	15	15	141500	707.5	79@0	CP_256QAM	14.146	14.970	PASS




Date: 20.DEC.2023 19:14:35




Date: 20.DEC.2023 19:13:19

n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500
RB=75@0

n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500
RB=25@0




Date: 20.DEC.2023 19:13:25




Date: 20.DEC.2023 19:13:30

n12 SCS=15kHz CP_QPSK BW=5MHz Channel=141500
RB=25@0

n12 SCS=15kHz CP_16QAM BW=5MHz Channel=141500
RB=25@0




Date: 20.DEC.2023 19:13:36



Date: 20.DEC.2023 19:13:42


n12 SCS=15kHz CP_64QAM BW=5MHz Channel=141500
RB=25@0

n12 SCS=15kHz CP_256QAM BW=5MHz Channel=141500
RB=25@0




Date: 20.DEC.2023 19:13:54

n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500
RB=50@0




Date: 20.DEC.2023 19:14:03

n12 SCS=15kHz CP_QPSK BW=10MHz Channel=141500
RB=52@0




Date: 20.DEC.2023 19:14:11

n12 SCS=15kHz CP_16QAM BW=10MHz Channel=141500
RB=52@0




Date: 20.DEC.2023 19:14:18

n12 SCS=15kHz CP_64QAM BW=10MHz Channel=141500
RB=52@0




Date: 20.DEC.2023 19:14:27

n12 SCS=15kHz CP_256QAM BW=10MHz Channel=141500
RB=52@0




Date: 20.DEC.2023 19:14:39


n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141500
RB=79@0



n12 SCS=15kHz CP_16QAM BW=15MHz Channel=141500
RB=79@0





n12 SCS=15kHz CP_64QAM BW=15MHz Channel=141500
RB=79@0




n12 SCS=15kHz CP_256QAM BW=15MHz Channel=141500
RB=79@0

5. Conducted Band Edge






Date: 21.DEC.2023 11:09:24




Date: 21.DEC.2023 11:10:17

n12 SCS=15kHz DFT_64QAM BW=5MHz LowChannel=140300
RB=1@0

n12 SCS=15kHz DFT_64QAM BW=5MHz LowChannel=140300
RB=25@0




Date: 21.DEC.2023 11:11:12




Date: 21.DEC.2023 11:12:04

n12 SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=140300 RB=1@0

n12 SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=140300 RB=25@0




Date: 21.DEC.2023 11:12:58




Date: 21.DEC.2023 11:13:57

n12 SCS=15kHz CP_QPSK BW=5MHz LowChannel=140300
RB=25@0

n12 SCS=15kHz DFT_BPSK BW=5MHz HighChannel=142700
RB=1@24




Date: 21.DEC.2023 11:14:49




Date: 21.DEC.2023 11:15:43

n12 SCS=15kHz DFT_BPSK BW=5MHz HighChannel=142700
RB=25@0

n12 SCS=15kHz DFT_QPSK BW=5MHz HighChannel=142700
RB=1@24




Date: 21.DEC.2023 11:16:35




Date: 21.DEC.2023 11:17:28

n12 SCS=15kHz DFT_QPSK BW=5MHz HighChannel=142700
RB=25@0

n12 SCS=15kHz DFT_16QAM BW=5MHz HighChannel=142700
RB=1@24




Date: 21.DEC.2023 11:18:21




Date: 21.DEC.2023 11:19:15

n12 SCS=15kHz DFT_16QAM BW=5MHz HighChannel=142700
RB=25@0

n12 SCS=15kHz DFT_64QAM BW=5MHz HighChannel=142700
RB=1@24




Date: 21.DEC.2023 11:20:07




Date: 21.DEC.2023 11:21:02

n12 SCS=15kHz DFT_64QAM BW=5MHz HighChannel=142700
RB=25@0

n12 SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=142700 RB=1@24




Date: 21.DEC.2023 11:21:55




Date: 21.DEC.2023 11:22:49

n12 SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=142700 RB=25@0

n12 SCS=15kHz CP_QPSK BW=5MHz HighChannel=142700
RB=25@0




Date: 21.DEC.2023 11:23:59




Date: 21.DEC.2023 11:25:09

n12 SCS=15kHz DFT_BPSK BW=10MHz LowChannel=140800
RB=1@0

n12 SCS=15kHz DFT_BPSK BW=10MHz LowChannel=140800
RB=50@0




Date: 21.DEC.2023 11:26:10




Date: 21.DEC.2023 11:27:16

n12 SCS=15kHz DFT_QPSK BW=10MHz LowChannel=140800
RB=1@0

n12 SCS=15kHz DFT_QPSK BW=10MHz LowChannel=140800
RB=50@0




Date: 21.DEC.2023 11:28:22




Date: 21.DEC.2023 11:29:27

n12 SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=140800 RB=1@0

n12 SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=140800 RB=50@0




Date: 21.DEC.2023 11:30:33



Date: 21.DEC.2023 11:31:38


n12 SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=140800 RB=1@0

n12 SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=140800 RB=50@0




Date: 21.DEC.2023 11:32:45

n12 SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=140800 RB=1@0




Date: 21.DEC.2023 11:33:51

n12 SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=140800 RB=50@0




Date: 21.DEC.2023 11:34:57

n12 SCS=15kHz CP_QPSK BW=10MHz LowChannel=140800
RB=52@0




Date: 21.DEC.2023 11:36:08

n12 SCS=15kHz DFT_BPSK BW=10MHz HighChannel=142200
RB=1@51




Date: 21.DEC.2023 11:37:13

n12 SCS=15kHz DFT_BPSK BW=10MHz HighChannel=142200
RB=50@0




Date: 21.DEC.2023 11:38:19

n12 SCS=15kHz DFT_QPSK BW=10MHz HighChannel=142200
RB=1@51




Date: 21.DEC.2023 11:39:24




Date: 21.DEC.2023 11:40:30

n12 SCS=15kHz DFT_QPSK BW=10MHz HighChannel=142200 RB=50@0

n12 SCS=15kHz DFT_16QAM BW=10MHz HighChannel=142200 RB=1@51




Date: 21.DEC.2023 11:41:35




Date: 21.DEC.2023 11:42:41

n12 SCS=15kHz DFT_16QAM BW=10MHz HighChannel=142200 RB=50@0

n12 SCS=15kHz DFT_64QAM BW=10MHz HighChannel=142200 RB=1@51




Date: 21.DEC.2023 11:43:46




Date: 21.DEC.2023 11:44:53

n12 SCS=15kHz DFT_64QAM BW=10MHz HighChannel=142200 RB=50@0

n12 SCS=15kHz DFT_256QAM BW=10MHz HighChannel=142200 RB=1@51




Date: 21.DEC.2023 11:45:59




Date: 21.DEC.2023 11:47:05

n12 SCS=15kHz DFT_256QAM BW=10MHz
HighChannel=142200 RB=50@0

n12 SCS=15kHz CP_QPSK BW=10MHz HighChannel=142200
RB=52@0




Date: 21.DEC.2023 11:48:47




Date: 21.DEC.2023 11:50:24

n12 SCS=15kHz DFT_BPSK BW=15MHz LowChannel=141300
RB=1@0

n12 SCS=15kHz DFT_BPSK BW=15MHz LowChannel=141300
RB=75@0




Date: 21.DEC.2023 11:52:01




Date: 21.DEC.2023 11:53:38

n12 SCS=15kHz DFT_QPSK BW=15MHz LowChannel=141300
RB=1@0

n12 SCS=15kHz DFT_QPSK BW=15MHz LowChannel=141300
RB=75@0




Date: 21.DEC.2023 11:55:16




Date: 21.DEC.2023 11:56:53

n12 SCS=15kHz DFT_16QAM BW=15MHz
LowChannel=141300 RB=1@0

n12 SCS=15kHz DFT_16QAM BW=15MHz
LowChannel=141300 RB=75@0




Date: 21.DEC.2023 11:58:30




Date: 21.DEC.2023 12:00:07

n12 SCS=15kHz DFT_64QAM BW=15MHz
LowChannel=141300 RB=1@0

n12 SCS=15kHz DFT_64QAM BW=15MHz
LowChannel=141300 RB=75@0




Date: 21.DEC.2023 12:01:45




Date: 21.DEC.2023 12:03:22

n12 SCS=15kHz DFT_256QAM BW=15MHz
LowChannel=141300 RB=1@0

n12 SCS=15kHz DFT_256QAM BW=15MHz
LowChannel=141300 RB=75@0




Date: 21.DEC.2023 12:05:00




Date: 21.DEC.2023 12:06:43

n12 SCS=15kHz CP_QPSK BW=15MHz LowChannel=141300
RB=79@0

n12 SCS=15kHz DFT_BPSK BW=15MHz HighChannel=141700
RB=1@78




Date: 21.DEC.2023 12:08:20




Date: 21.DEC.2023 12:09:57

n12 SCS=15kHz DFT_BPSK BW=15MHz HighChannel=141700
RB=75@0

n12 SCS=15kHz DFT_QPSK BW=15MHz HighChannel=141700
RB=1@78



Date: 21.DEC.2023 12:11:34



Date: 21.DEC.2023 12:13:11

n12 SCS=15kHz DFT_QPSK BW=15MHz HighChannel=141700
RB=75@0

n12 SCS=15kHz DFT_16QAM BW=15MHz
HighChannel=141700 RB=1@78