



Band43c_10MHz_16QAM_MCH_3650MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.37	/	/	/	/
Adjacent	-10	10.00	-25.42	-42.79	-30	12.79	Pass
Adjacent	10	10.00	-25.90	-43.27	-30	13.27	Pass

Band43c_10MHz_16QAM_HCH_3695MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.44	/	/	/	/
Adjacent	-10	10.00	-22.48	-39.92	-30	9.92	Pass
Adjacent	10	10.00	-35.06	-52.50	-30	22.50	Pass

Band43c_10MHz_16QAM_HCH_3695MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.48	/	/	/	/
Adjacent	-10	10.00	-35.20	-53.68	-30	23.68	Pass
Adjacent	10	10.00	-25.62	-44.10	-30	14.10	Pass

Band43c_10MHz_16QAM_HCH_3695MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.71	/	/	/	/
Adjacent	-10	10.00	-25.23	-42.94	-30	12.94	Pass
Adjacent	10	10.00	-25.20	-42.91	-30	12.91	Pass

Band43c_10MHz_64QAM_LCH_3605MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	14.16	/	/	/	/
Adjacent	-10	10.00	-27.04	-41.20	-30	11.20	Pass
Adjacent	10	10.00	-36.29	-50.45	-30	20.45	Pass

Band43c_10MHz_64QAM_LCH_3605MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.65	/	/	/	/
Adjacent	-10	10.00	-35.65	-52.30	-30	22.30	Pass
Adjacent	10	10.00	-24.50	-41.15	-30	11.15	Pass

Band43c_10MHz_64QAM_LCH_3605MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.47	/	/	/	/
Adjacent	-10	10.00	-26.65	-43.12	-30	13.12	Pass
Adjacent	10	10.00	-27.28	-43.75	-30	13.75	Pass

Band43c_10MHz_64QAM_MCH_3650MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.16	/	/	/	/
Adjacent	-10	10.00	-26.36	-43.52	-30	13.52	Pass
Adjacent	10	10.00	-35.64	-52.80	-30	22.80	Pass


Band43c_10MHz_64QAM_MCH_3650MHz_RB_1_49_NTNV



Band43c_10MHz_64QAM_MCH_3650MHz_RB_50_0_NTNV




Band43c_10MHz_64QAM_HCH_3695MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.41	/	/	/	/
Adjacent	-10	10.00	-26.70	-44.11	-30	14.11	Pass
Adjacent	10	10.00	-35.25	-52.66	-30	22.66	Pass

Band43c_10MHz_64QAM_HCH_3695MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.33	/	/	/	/
Adjacent	-10	10.00	-35.28	-52.61	-30	22.61	Pass
Adjacent	10	10.00	-26.49	-43.82	-30	13.82	Pass

Band43c_10MHz_64QAM_HCH_3695MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.42	/	/	/	/
Adjacent	-10	10.00	-26.84	-43.26	-30	13.26	Pass
Adjacent	10	10.00	-26.95	-43.37	-30	13.37	Pass

6.2.3 B43c_15MHz




Band43c_15MHz_QPSK_LCH_3607.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.49	/	/	/	/
Adjacent	-15	15.00	-24.67	-43.16	-30	13.16	Pass
Adjacent	15	15.00	-25.35	-43.84	-30	13.84	Pass

Band43c_15MHz_QPSK_MCH_3650MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.18	/	/	/	/
Adjacent	-15	15.00	-24.77	-43.95	-30	13.95	Pass
Adjacent	15	15.00	-33.71	-52.89	-30	22.89	Pass

Band43c_15MHz_QPSK_MCH_3650MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.79	/	/	/	/
Adjacent	-15	15.00	-34.02	-53.81	-30	23.81	Pass
Adjacent	15	15.00	-24.13	-43.92	-30	13.92	Pass

Band43c_15MHz_QPSK_MCH_3650MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.27	/	/	/	/
Adjacent	-15	15.00	-25.10	-43.37	-30	13.37	Pass
Adjacent	15	15.00	-25.27	-43.54	-30	13.54	Pass

Band43c_15MHz_QPSK_HCH_3692.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.30	/	/	/	/
Adjacent	-15	15.00	-25.19	-44.49	-30	14.49	Pass
Adjacent	15	15.00	-33.69	-52.99	-30	22.99	Pass

Band43c_15MHz_QPSK_HCH_3692.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.93	/	/	/	/
Adjacent	-15	15.00	-33.52	-53.45	-30	23.45	Pass
Adjacent	15	15.00	-23.64	-43.57	-30	13.57	Pass

Band43c_15MHz_QPSK_HCH_3692.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.28	/	/	/	/
Adjacent	-15	15.00	-24.86	-43.14	-30	13.14	Pass
Adjacent	15	15.00	-25.14	-43.42	-30	13.42	Pass

Band43c_15MHz_16QAM_LCH_3607.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.40	/	/	/	/
Adjacent	-15	15.00	-24.53	-42.93	-30	12.93	Pass
Adjacent	15	15.00	-34.20	-52.60	-30	22.60	Pass

Band43c_15MHz_16QAM_LCH_3607.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.82	/	/	/	/
Adjacent	-15	15.00	-34.44	-53.26	-30	23.26	Pass
Adjacent	15	15.00	-26.29	-45.11	-30	15.11	Pass

Band43c_15MHz_16QAM_LCH_3607.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.22	/	/	/	/
Adjacent	-15	15.00	-25.48	-42.70	-30	12.70	Pass
Adjacent	15	15.00	-25.87	-43.09	-30	13.09	Pass


Band43c_15MHz_16QAM_MCH_3650MHz_RB_1_0_NTNV



Band43c_15MHz_16QAM_MCH_3650MHz_RB_1_74_NTNV




Band43c_15MHz_16QAM_MCH_3650MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.11	/	/	/	/
Adjacent	-15	15.00	-25.84	-42.95	-30	12.95	Pass
Adjacent	15	15.00	-25.79	-42.90	-30	12.90	Pass

Band43c_15MHz_16QAM_HCH_3692.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.77	/	/	/	/
Adjacent	-15	15.00	-26.02	-44.79	-30	14.79	Pass
Adjacent	15	15.00	-33.67	-52.44	-30	22.44	Pass

Band43c_15MHz_16QAM_HCH_3692.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.44	/	/	/	/
Adjacent	-15	15.00	-33.84	-52.28	-30	22.28	Pass
Adjacent	15	15.00	-25.35	-43.79	-30	13.79	Pass

Band43c_15MHz_16QAM_HCH_3692.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.40	/	/	/	/
Adjacent	-15	15.00	-25.38	-42.78	-30	12.78	Pass
Adjacent	15	15.00	-25.65	-43.05	-30	13.05	Pass

Band43c_15MHz_64QAM_LCH_3607.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.34	/	/	/	/
Adjacent	-15	15.00	-25.55	-42.89	-30	12.89	Pass
Adjacent	15	15.00	-34.32	-51.66	-30	21.66	Pass

Band43c_15MHz_64QAM_LCH_3607.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.70	/	/	/	/
Adjacent	-15	15.00	-34.69	-51.39	-30	21.39	Pass
Adjacent	15	15.00	-27.23	-43.93	-30	13.93	Pass

Band43c_15MHz_64QAM_LCH_3607.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.12	/	/	/	/
Adjacent	-15	15.00	-27.47	-43.59	-30	13.59	Pass
Adjacent	15	15.00	-27.52	-43.64	-30	13.64	Pass

Band43c_15MHz_64QAM_MCH_3650MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.03	/	/	/	/
Adjacent	-15	15.00	-26.40	-43.43	-30	13.43	Pass
Adjacent	15	15.00	-34.06	-51.09	-30	21.09	Pass

Band43c_15MHz_64QAM_MCH_3650MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.16	/	/	/	/
Adjacent	-15	15.00	-34.33	-51.49	-30	21.49	Pass
Adjacent	15	15.00	-26.53	-43.69	-30	13.69	Pass

Band43c_15MHz_64QAM_MCH_3650MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.17	/	/	/	/
Adjacent	-15	15.00	-27.50	-43.67	-30	13.67	Pass
Adjacent	15	15.00	-27.52	-43.69	-30	13.69	Pass

Band43c_15MHz_64QAM_HCH_3692.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.96	/	/	/	/
Adjacent	-15	15.00	-25.46	-43.42	-30	13.42	Pass
Adjacent	15	15.00	-33.74	-51.70	-30	21.70	Pass

Band43c_15MHz_64QAM_HCH_3692.5MHz_RB_1_74_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.42	/	/	/	/
Adjacent	-15	15.00	-33.87	-51.29	-30	21.29	Pass
Adjacent	15	15.00	-24.80	-42.22	-30	12.22	Pass


Band43c_15MHz_64QAM_HCH_3692.5MHz_RB_75_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.41	/	/	/	/
Adjacent	-15	15.00	-27.18	-43.59	-30	13.59	Pass
Adjacent	15	15.00	-27.27	-43.68	-30	13.68	Pass


6.2.4 B43c_20MHz

Band43c 20MHz QPSK LCH 3610MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.64	/	/	/	/
Adjacent	-20	20.00	-25.83	-45.47	-30	15.47	Pass
Adjacent	20	20.00	-33.15	-52.79	-30	22.79	Pass

Band43c 20MHz QPSK LCH 3610MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.58	/	/	/	/
Adjacent	-20	20.00	-33.49	-53.07	-30	23.07	Pass
Adjacent	20	20.00	-24.69	-44.27	-30	14.27	Pass


Band43c_20MHz_QPSK_LCH_3610MHz_RB_100_0_NTNV



Band43c_20MHz_QPSK_MCH_3650MHz_RB_1_0_NTNV




Band43c_20MHz_QPSK_MCH_3650MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.91	/	/	/	/
Adjacent	-20	20.00	-33.26	-53.17	-30	23.17	Pass
Adjacent	20	20.00	-25.38	-45.29	-30	15.29	Pass

Band43c_20MHz_QPSK_MCH_3650MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.66	/	/	/	/
Adjacent	-20	20.00	-24.40	-42.06	-30	12.06	Pass
Adjacent	20	20.00	-24.93	-42.59	-30	12.59	Pass

Band43c_20MHz_QPSK_HCH_3690MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.59	/	/	/	/
Adjacent	-20	20.00	-25.43	-43.02	-30	13.02	Pass
Adjacent	20	20.00	-32.72	-50.31	-30	20.31	Pass

Band43c_20MHz_QPSK_HCH_3690MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.23	/	/	/	/
Adjacent	-20	20.00	-32.96	-51.19	-30	21.19	Pass
Adjacent	20	20.00	-25.03	-43.26	-30	13.26	Pass

Band43c_20MHz_QPSK_HCH_3690MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.67	/	/	/	/
Adjacent	-20	20.00	-25.98	-45.65	-30	15.65	Pass
Adjacent	20	20.00	-25.69	-45.36	-30	15.36	Pass

Band43c_20MHz_16QAM_LCH_3610MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.08	/	/	/	/
Adjacent	-20	20.00	-26.42	-44.50	-30	14.50	Pass
Adjacent	20	20.00	-33.29	-51.37	-30	21.37	Pass

Band43c_20MHz_16QAM_LCH_3610MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.42	/	/	/	/
Adjacent	-20	20.00	-33.55	-51.97	-30	21.97	Pass
Adjacent	20	20.00	-26.65	-45.07	-30	15.07	Pass

Band43c_20MHz_16QAM_LCH_3610MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.32	/	/	/	/
Adjacent	-20	20.00	-25.39	-42.71	-30	12.71	Pass
Adjacent	20	20.00	-25.69	-43.01	-30	13.01	Pass

Band43c_20MHz_16QAM_MCH_3650MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.77	/	/	/	/
Adjacent	-20	20.00	-24.39	-43.16	-30	13.16	Pass
Adjacent	20	20.00	-33.03	-51.80	-30	21.80	Pass

Band43c_20MHz_16QAM_MCH_3650MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.59	/	/	/	/
Adjacent	-20	20.00	-33.33	-51.92	-30	21.92	Pass
Adjacent	20	20.00	-26.26	-44.85	-30	14.85	Pass

Band43c 20MHz 16QAM MCH 3650MHz RB 100 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.45	/	/	/	/
Adjacent	-20	20.00	-25.23	-42.68	-30	12.68	Pass
Adjacent	20	20.00	-26.04	-43.49	-30	13.49	Pass

Band43c 20MHz 16QAM HCH 3690MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.51	/	/	/	/
Adjacent	-20	20.00	-24.87	-45.38	-30	15.38	Pass
Adjacent	20	20.00	-32.86	-53.37	-30	23.37	Pass

Band43c_20MHz_16QAM_HCH_3690MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.83	/	/	/	/
Adjacent	-20	20.00	-32.93	-50.76	-30	20.76	Pass
Adjacent	20	20.00	-25.82	-43.65	-30	13.65	Pass

Band43c_20MHz_16QAM_HCH_3690MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.88	/	/	/	/
Adjacent	-20	20.00	-25.09	-42.97	-30	12.97	Pass
Adjacent	20	20.00	-26.27	-44.15	-30	14.15	Pass

Band43c 20MHz 64QAM LCH 3610MHz RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.70	/	/	/	/
Adjacent	-20	20.00	-26.64	-43.34	-30	13.34	Pass
Adjacent	20	20.00	-33.29	-49.99	-30	19.99	Pass

Band43c 20MHz 64QAM LCH 3610MHz RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.08	/	/	/	/
Adjacent	-20	20.00	-33.68	-50.76	-30	20.76	Pass
Adjacent	20	20.00	-27.23	-44.31	-30	14.31	Pass

Band43c_20MHz_64QAM_LCH_3610MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.29	/	/	/	/
Adjacent	-20	20.00	-26.82	-43.11	-30	13.11	Pass
Adjacent	20	20.00	-27.14	-43.43	-30	13.43	Pass

Band43c_20MHz_64QAM_MCH_3650MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.17	/	/	/	/
Adjacent	-20	20.00	-28.18	-45.35	-30	15.35	Pass
Adjacent	20	20.00	-33.08	-50.25	-30	20.25	Pass

Band43c_20MHz_64QAM_MCH_3650MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.59	/	/	/	/
Adjacent	-20	20.00	-33.33	-50.92	-30	20.92	Pass
Adjacent	20	20.00	-27.03	-44.62	-30	14.62	Pass

Band43c_20MHz_64QAM_MCH_3650MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.45	/	/	/	/
Adjacent	-20	20.00	-27.26	-43.71	-30	13.71	Pass
Adjacent	20	20.00	-27.33	-43.78	-30	13.78	Pass

Band43c_20MHz_64QAM_HCH_3690MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.72	/	/	/	/
Adjacent	-20	20.00	-27.62	-44.34	-30	14.34	Pass
Adjacent	20	20.00	-32.75	-49.47	-30	19.47	Pass

Band43c_20MHz_64QAM_HCH_3690MHz_RB_1_99_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.79	/	/	/	/
Adjacent	-20	20.00	-32.91	-50.70	-30	20.70	Pass
Adjacent	20	20.00	-25.17	-42.96	-30	12.96	Pass

Band43c 20MHz 64QAM HCH 3690MHz RB 100 0 NTN



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	14.84	/	/	/	/
Adjacent	-20	20.00	-26.28	-41.12	-30	11.12	Pass
Adjacent	20	20.00	-26.47	-41.31	-30	11.31	Pass

7. Field Strength of Spurious Radiation

LTE Band 43(3700-3800)-Low channel, Modulation: QPSK, Bandwidth:xxMHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.497	-51.25	-13	-38.25	-57.13	4.26	10.14	Horizontal	Pass
9393.689	-49.82	-13	-36.82	-58.28	4.77	13.23	Horizontal	Pass
17741.74	-49.51	-13	-36.51	-58.9	4.65	14.04	Horizontal	Pass
5046.062	-51.7	-13	-38.7	-57.61	4.26	10.17	Vertical	Pass
10791.69	-45.94	-13	-32.94	-54.08	5.07	13.21	Vertical	Pass
17336.2	-49.78	-13	-36.78	-59.02	4.65	13.89	Vertical	Pass

LTE Band 43(3700-3800)-Middle channel, Modulation: QPSK, Bandwidth:xxMHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7784.729	-53.54	-13	-40.54	-61.39	4.23	12.08	Horizontal	Pass
10791.69	-51.03	-13	-38.03	-59.17	5.07	13.21	Horizontal	Pass
13997.93	-51.74	-13	-38.74	-61.4	4.82	14.48	Horizontal	Pass
3598.203	-51.75	-13	-38.75	-56.7	3.35	8.3	Vertical	Pass
8153.195	-52.75	-13	-39.75	-60.97	4.29	12.51	Vertical	Pass
16891.04	-50.51	-13	-37.51	-59.08	4.75	13.32	Vertical	Pass

LTE Band 43(3700-3800)-High channel, Modulation: QPSK, Bandwidth:xxMHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7015.42	-51.45	-13	-38.45	-58.41	4.19	11.15	Horizontal	Pass
13997.93	-51.74	-13	-38.74	-61.4	4.82	14.48	Horizontal	Pass
17741.74	-49.51	-13	-36.51	-58.9	4.65	14.04	Horizontal	Pass
5046.062	-51.7	-13	-38.7	-57.61	4.26	10.17	Vertical	Pass
8917.462	-50.81	-13	-37.81	-59.43	4.54	13.16	Vertical	Pass
10791.69	-50.94	-13	-37.94	-59.08	5.07	13.21	Vertical	Pass

---End of Attachment---