



N5-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N5-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N5-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N5-20M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N5-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N5-20M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



Effective (Isotropic) Radiated Power Output Data

Band width	Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)	ERP(dBm)	Limit	Verdict	Gain
5MHz	DFT-s-OFDM PI/2 BPSK	826.5MHz	Edge_Full_Left	23.5	22.67	38.45	Pass	1.3
			Edge_Full_Right	23.59	22.76	38.45	Pass	1.3
			Edge_1RB_Left	23.37	22.54	38.45	Pass	1.3
			Edge_1RB_Right	23.58	22.75	38.45	Pass	1.3
			Outer_Full	23.73	22.9	38.45	Pass	1.3
			Inner_Full	23.76	22.93	38.45	Pass	1.3
			Inner_1RB_Left	23.64	22.81	38.45	Pass	1.3
			Inner_1RB_Right	23.74	22.91	38.45	Pass	1.3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.87	22.04	38.45	Pass	1.3
			Edge_Full_Right	23.27	22.44	38.45	Pass	1.3
			Edge_1RB_Left	22.71	21.88	38.45	Pass	1.3
			Edge_1RB_Right	22.95	22.12	38.45	Pass	1.3
			Outer_Full	23.2	22.37	38.45	Pass	1.3
			Inner_Full	23.87	23.04	38.45	Pass	1.3
			Inner_1RB_Left	23.39	22.56	38.45	Pass	1.3
			Inner_1RB_Right	23.44	22.61	38.45	Pass	1.3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.89	21.06	38.45	Pass	1.3
			Edge_Full_Right	21.87	21.04	38.45	Pass	1.3
			Edge_1RB_Left	21.71	20.88	38.45	Pass	1.3
			Edge_1RB_Right	21.77	20.94	38.45	Pass	1.3
			Outer_Full	22.23	21.4	38.45	Pass	1.3
			Inner_Full	23.18	22.35	38.45	Pass	1.3
			Inner_1RB_Left	22.86	22.03	38.45	Pass	1.3
			Inner_1RB_Right	22.88	22.05	38.45	Pass	1.3
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.84	21.01	38.45	Pass	1.3
			Edge_Full_Right	21.91	21.08	38.45	Pass	1.3
			Edge_1RB_Left	21.49	20.66	38.45	Pass	1.3
			Edge_1RB_Right	21.7	20.87	38.45	Pass	1.3
			Outer_Full	21.9	21.07	38.45	Pass	1.3
			Inner_Full	21.57	20.74	38.45	Pass	1.3
			Inner_1RB_Left	21.46	20.63	38.45	Pass	1.3
			Inner_1RB_Right	21.5	20.67	38.45	Pass	1.3
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.54	18.71	38.45	Pass	1.3
			Edge_Full_Right	19.77	18.94	38.45	Pass	1.3
			Edge_1RB_Left	19.5	18.67	38.45	Pass	1.3
			Edge_1RB_Right	19.41	18.58	38.45	Pass	1.3
			Outer_Full	19.55	18.72	38.45	Pass	1.3
			Inner_Full	19.64	18.81	38.45	Pass	1.3
			Inner_1RB_Left	19.4	18.57	38.45	Pass	1.3

	CP-OFDM QPSK	836.5MHz	Inner_1RB_Right	19.36	18.53	38.45	Pass	1.3
			Edge_Full_Left	20.86	20.03	38.45	Pass	1.3
			Edge_Full_Right	21.11	20.28	38.45	Pass	1.3
			Edge_1RB_Left	21.19	20.36	38.45	Pass	1.3
			Edge_1RB_Right	21.19	20.36	38.45	Pass	1.3
			Outer_Full	21.24	20.41	38.45	Pass	1.3
			Inner_Full	22.84	22.01	38.45	Pass	1.3
			Inner_1RB_Left	22.49	21.66	38.45	Pass	1.3
			Inner_1RB_Right	22.44	21.61	38.45	Pass	1.3
	CP-OFDM 16QAM		Edge_Full_Left	21	20.17	38.45	Pass	1.3
			Edge_Full_Right	21.28	20.45	38.45	Pass	1.3
			Edge_1RB_Left	21.29	20.46	38.45	Pass	1.3
			Edge_1RB_Right	21.3	20.47	38.45	Pass	1.3
			Outer_Full	21.07	20.24	38.45	Pass	1.3
			Inner_Full	22.17	21.34	38.45	Pass	1.3
			Inner_1RB_Left	21.9	21.07	38.45	Pass	1.3
			Inner_1RB_Right	22.43	21.6	38.45	Pass	1.3
			Edge_Full_Left	20.48	19.65	38.45	Pass	1.3
	CP-OFDM 64QAM		Edge_Full_Right	20.37	19.54	38.45	Pass	1.3
			Edge_1RB_Left	20.52	19.69	38.45	Pass	1.3
			Edge_1RB_Right	20.61	19.78	38.45	Pass	1.3
			Outer_Full	20.66	19.83	38.45	Pass	1.3
			Inner_Full	20.72	19.89	38.45	Pass	1.3
			Inner_1RB_Left	20.53	19.7	38.45	Pass	1.3
			Inner_1RB_Right	20.74	19.91	38.45	Pass	1.3
			Edge_Full_Left	17.88	17.05	38.45	Pass	1.3
			Edge_Full_Right	18.02	17.19	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_1RB_Left	18.28	17.45	38.45	Pass	1.3
			Edge_1RB_Right	18.02	17.19	38.45	Pass	1.3
			Outer_Full	17.75	16.92	38.45	Pass	1.3
			Inner_Full	17.53	16.7	38.45	Pass	1.3
			Inner_1RB_Left	18.14	17.31	38.45	Pass	1.3
			Inner_1RB_Right	18.2	17.37	38.45	Pass	1.3
			Edge_Full_Left	23.38	22.55	38.45	Pass	1.3
			Edge_Full_Right	23.55	22.72	38.45	Pass	1.3
			Edge_1RB_Left	23.55	22.72	38.45	Pass	1.3
	DFT-s-OFDM PI/2 BPSK		Edge_1RB_Right	23.53	22.7	38.45	Pass	1.3
			Outer_Full	23.67	22.84	38.45	Pass	1.3
			Inner_Full	23.73	22.9	38.45	Pass	1.3
			Inner_1RB_Left	23.86	23.03	38.45	Pass	1.3
Inner_1RB_Right		23.69	22.86	38.45	Pass	1.3		
DFT-s-OFDM QPSK	Edge_Full_Left	23.21	22.38	38.45	Pass	1.3		
	Edge_Full_Right	23.13	22.3	38.45	Pass	1.3		
	Edge_1RB_Left	22.83	22	38.45	Pass	1.3		
	Edge_1RB_Right	22.76	21.93	38.45	Pass	1.3		

			Outer_Full	23.21	22.38	38.45	Pass	1.3
			Inner_Full	23.89	23.06	38.45	Pass	1.3
			Inner_1RB_Left	23.4	22.57	38.45	Pass	1.3
			Inner_1RB_Right	23.61	22.78	38.45	Pass	1.3
DFT-s-OFDM 16QAM			Edge_Full_Left	21.85	21.02	38.45	Pass	1.3
			Edge_Full_Right	21.85	21.02	38.45	Pass	1.3
			Edge_1RB_Left	21.6	20.77	38.45	Pass	1.3
			Edge_1RB_Right	21.67	20.84	38.45	Pass	1.3
			Outer_Full	22.27	21.44	38.45	Pass	1.3
			Inner_Full	23.25	22.42	38.45	Pass	1.3
			Inner_1RB_Left	22.77	21.94	38.45	Pass	1.3
			Inner_1RB_Right	22.98	22.15	38.45	Pass	1.3
			Edge_Full_Left	21.9	21.07	38.45	Pass	1.3
			Edge_Full_Right	21.76	20.93	38.45	Pass	1.3
			Edge_1RB_Left	21.39	20.56	38.45	Pass	1.3
			Edge_1RB_Right	21.47	20.64	38.45	Pass	1.3
DFT-s-OFDM 64QAM			Outer_Full	21.63	20.8	38.45	Pass	1.3
			Inner_Full	21.65	20.82	38.45	Pass	1.3
			Inner_1RB_Left	21.35	20.52	38.45	Pass	1.3
			Inner_1RB_Right	21.57	20.74	38.45	Pass	1.3
			Edge_Full_Left	19.72	18.89	38.45	Pass	1.3
			Edge_Full_Right	19.97	19.14	38.45	Pass	1.3
			Edge_1RB_Left	19.66	18.83	38.45	Pass	1.3
			Edge_1RB_Right	19.65	18.82	38.45	Pass	1.3
			Outer_Full	19.85	19.02	38.45	Pass	1.3
			Inner_Full	19.64	18.81	38.45	Pass	1.3
			Inner_1RB_Left	19.51	18.68	38.45	Pass	1.3
			Inner_1RB_Right	19.56	18.73	38.45	Pass	1.3
DFT-s-OFDM 256QAM			Edge_Full_Left	20.81	19.98	38.45	Pass	1.3
			Edge_Full_Right	20.84	20.01	38.45	Pass	1.3
			Edge_1RB_Left	21.07	20.24	38.45	Pass	1.3
			Edge_1RB_Right	21.19	20.36	38.45	Pass	1.3
			Outer_Full	20.99	20.16	38.45	Pass	1.3
			Inner_Full	22.78	21.95	38.45	Pass	1.3
			Inner_1RB_Left	22.57	21.74	38.45	Pass	1.3
			Inner_1RB_Right	22.58	21.75	38.45	Pass	1.3
			Edge_Full_Left	21.38	20.55	38.45	Pass	1.3
			Edge_Full_Right	21.36	20.53	38.45	Pass	1.3
			Edge_1RB_Left	20.82	19.99	38.45	Pass	1.3
			Edge_1RB_Right	20.9	20.07	38.45	Pass	1.3
CP-OFDM QPSK			Outer_Full	21.06	20.23	38.45	Pass	1.3
			Inner_Full	22.42	21.59	38.45	Pass	1.3
			Inner_1RB_Left	22.29	21.46	38.45	Pass	1.3
			Inner_1RB_Right	22.33	21.5	38.45	Pass	1.3
			Edge_Full_Left	20.37	19.54	38.45	Pass	1.3
CP-OFDM 16QAM								
CP-OFDM 64QAM								

		846.5MHz	Edge_Full_Right	20.23	19.4	38.45	Pass	1.3
			Edge_1RB_Left	20.64	19.81	38.45	Pass	1.3
			Edge_1RB_Right	20.54	19.71	38.45	Pass	1.3
			Outer_Full	20.78	19.95	38.45	Pass	1.3
			Inner_Full	20.58	19.75	38.45	Pass	1.3
			Inner_1RB_Left	20.49	19.66	38.45	Pass	1.3
			Inner_1RB_Right	20.52	19.69	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_Full_Left	17.78	16.95	38.45	Pass	1.3
			Edge_Full_Right	17.67	16.84	38.45	Pass	1.3
			Edge_1RB_Left	18.19	17.36	38.45	Pass	1.3
			Edge_1RB_Right	17.98	17.15	38.45	Pass	1.3
			Outer_Full	17.79	16.96	38.45	Pass	1.3
			Inner_Full	17.55	16.72	38.45	Pass	1.3
			Inner_1RB_Left	17.86	17.03	38.45	Pass	1.3
	Inner_1RB_Right		18.13	17.3	38.45	Pass	1.3	
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.42	22.59	38.45	Pass	1.3
			Edge_Full_Right	23.41	22.58	38.45	Pass	1.3
			Edge_1RB_Left	23.38	22.55	38.45	Pass	1.3
			Edge_1RB_Right	23.04	22.21	38.45	Pass	1.3
			Outer_Full	23.54	22.71	38.45	Pass	1.3
			Inner_Full	23.65	22.82	38.45	Pass	1.3
			Inner_1RB_Left	23.64	22.81	38.45	Pass	1.3
	Inner_1RB_Right		23.67	22.84	38.45	Pass	1.3	
	DFT-s-OFDM QPSK		Edge_Full_Left	23.05	22.22	38.45	Pass	1.3
			Edge_Full_Right	22.96	22.13	38.45	Pass	1.3
			Edge_1RB_Left	22.88	22.05	38.45	Pass	1.3
			Edge_1RB_Right	22.89	22.06	38.45	Pass	1.3
			Outer_Full	23.06	22.23	38.45	Pass	1.3
			Inner_Full	23.69	22.86	38.45	Pass	1.3
			Inner_1RB_Left	23.34	22.51	38.45	Pass	1.3
	Inner_1RB_Right		23.33	22.5	38.45	Pass	1.3	
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.7	20.87	38.45	Pass	1.3
			Edge_Full_Right	21.56	20.73	38.45	Pass	1.3
			Edge_1RB_Left	21.89	21.06	38.45	Pass	1.3
			Edge_1RB_Right	21.58	20.75	38.45	Pass	1.3
			Outer_Full	22	21.17	38.45	Pass	1.3
			Inner_Full	22.94	22.11	38.45	Pass	1.3
			Inner_1RB_Left	22.58	21.75	38.45	Pass	1.3
	Inner_1RB_Right		22.65	21.82	38.45	Pass	1.3	
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.57	20.74	38.45	Pass	1.3
			Edge_Full_Right	21.55	20.72	38.45	Pass	1.3
			Edge_1RB_Left	21.31	20.48	38.45	Pass	1.3
			Edge_1RB_Right	21.35	20.52	38.45	Pass	1.3
			Outer_Full	21.47	20.64	38.45	Pass	1.3
			Inner_Full	21.53	20.7	38.45	Pass	1.3

	DFT-s-OFDM 256QAM		Inner_1RB_Left	21.29	20.46	38.45	Pass	1.3	
			Inner_1RB_Right	21.3	20.47	38.45	Pass	1.3	
			Edge_Full_Left	19.51	18.68	38.45	Pass	1.3	
			Edge_Full_Right	19.41	18.58	38.45	Pass	1.3	
			Edge_1RB_Left	19.42	18.59	38.45	Pass	1.3	
			Edge_1RB_Right	19.08	18.25	38.45	Pass	1.3	
			Outer_Full	19.46	18.63	38.45	Pass	1.3	
			Inner_Full	19.45	18.62	38.45	Pass	1.3	
			Inner_1RB_Left	19.54	18.71	38.45	Pass	1.3	
			Inner_1RB_Right	19.34	18.51	38.45	Pass	1.3	
	CP-OFDM QPSK		Edge_Full_Left	21.2	20.37	38.45	Pass	1.3	
			Edge_Full_Right	21.3	20.47	38.45	Pass	1.3	
			Edge_1RB_Left	20.97	20.14	38.45	Pass	1.3	
			Edge_1RB_Right	20.89	20.06	38.45	Pass	1.3	
			Outer_Full	20.99	20.16	38.45	Pass	1.3	
			Inner_Full	22.31	21.48	38.45	Pass	1.3	
			Inner_1RB_Left	22.35	21.52	38.45	Pass	1.3	
			Inner_1RB_Right	22.28	21.45	38.45	Pass	1.3	
			Edge_Full_Left	20.85	20.02	38.45	Pass	1.3	
			Edge_Full_Right	20.67	19.84	38.45	Pass	1.3	
	CP-OFDM 16QAM		Edge_1RB_Left	21.22	20.39	38.45	Pass	1.3	
			Edge_1RB_Right	21.17	20.34	38.45	Pass	1.3	
			Outer_Full	21.05	20.22	38.45	Pass	1.3	
			Inner_Full	22.3	21.47	38.45	Pass	1.3	
			Inner_1RB_Left	21.68	20.85	38.45	Pass	1.3	
			Inner_1RB_Right	21.53	20.7	38.45	Pass	1.3	
			Edge_Full_Left	20.4	19.57	38.45	Pass	1.3	
			Edge_Full_Right	20.77	19.94	38.45	Pass	1.3	
			Edge_1RB_Left	20.5	19.67	38.45	Pass	1.3	
			Edge_1RB_Right	20.66	19.83	38.45	Pass	1.3	
	CP-OFDM 64QAM		Outer_Full	20.69	19.86	38.45	Pass	1.3	
			Inner_Full	20.68	19.85	38.45	Pass	1.3	
			Inner_1RB_Left	20.43	19.6	38.45	Pass	1.3	
			Inner_1RB_Right	20.51	19.68	38.45	Pass	1.3	
			Edge_Full_Left	17.7	16.87	38.45	Pass	1.3	
			Edge_Full_Right	17.72	16.89	38.45	Pass	1.3	
			Edge_1RB_Left	17.56	16.73	38.45	Pass	1.3	
			Edge_1RB_Right	17.65	16.82	38.45	Pass	1.3	
			Outer_Full	17.73	16.9	38.45	Pass	1.3	
			Inner_Full	17.38	16.55	38.45	Pass	1.3	
	CP-OFDM 256QAM		Inner_1RB_Left	17.63	16.8	38.45	Pass	1.3	
			Inner_1RB_Right	17.93	17.1	38.45	Pass	1.3	
			Edge_Full_Left	23.48	22.65	38.45	Pass	1.3	
			Edge_Full_Right	23.45	22.62	38.45	Pass	1.3	
			Edge_1RB_Left	23.15	22.32	38.45	Pass	1.3	
10MHz		DFT-s-OFDM PI/2 BPSK	829MHz	Edge_Full_Left	23.48	22.65	38.45	Pass	1.3
				Edge_Full_Right	23.45	22.62	38.45	Pass	1.3
				Edge_1RB_Left	23.15	22.32	38.45	Pass	1.3

	CP-OFDM 16QAM	836.5MHz	Edge_Full_Left	20.82	19.99	38.45	Pass	1.3
			Edge_Full_Right	21.05	20.22	38.45	Pass	1.3
			Edge_1RB_Left	20.78	19.95	38.45	Pass	1.3
			Edge_1RB_Right	21.09	20.26	38.45	Pass	1.3
			Outer_Full	21.1	20.27	38.45	Pass	1.3
			Inner_Full	22.06	21.23	38.45	Pass	1.3
			Inner_1RB_Left	21.74	20.91	38.45	Pass	1.3
			Inner_1RB_Right	22.24	21.41	38.45	Pass	1.3
	CP-OFDM 64QAM		Edge_Full_Left	20.14	19.31	38.45	Pass	1.3
			Edge_Full_Right	20.16	19.33	38.45	Pass	1.3
			Edge_1RB_Left	20.17	19.34	38.45	Pass	1.3
			Edge_1RB_Right	20.18	19.35	38.45	Pass	1.3
			Outer_Full	20.76	19.93	38.45	Pass	1.3
			Inner_Full	20.34	19.51	38.45	Pass	1.3
			Inner_1RB_Left	20.25	19.42	38.45	Pass	1.3
			Inner_1RB_Right	20.43	19.6	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_Full_Left	17.61	16.78	38.45	Pass	1.3
			Edge_Full_Right	17.66	16.83	38.45	Pass	1.3
			Edge_1RB_Left	18.03	17.2	38.45	Pass	1.3
			Edge_1RB_Right	17.93	17.1	38.45	Pass	1.3
			Outer_Full	17.57	16.74	38.45	Pass	1.3
			Inner_Full	17.14	16.31	38.45	Pass	1.3
			Inner_1RB_Left	17.87	17.04	38.45	Pass	1.3
			Inner_1RB_Right	18.08	17.25	38.45	Pass	1.3
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.17	22.34	38.45	Pass	1.3
			Edge_Full_Right	23.19	22.36	38.45	Pass	1.3
			Edge_1RB_Left	23.25	22.42	38.45	Pass	1.3
			Edge_1RB_Right	23.22	22.39	38.45	Pass	1.3
			Outer_Full	23.54	22.71	38.45	Pass	1.3
			Inner_Full	23.65	22.82	38.45	Pass	1.3
Inner_1RB_Left		23.64	22.81	38.45	Pass	1.3		
Inner_1RB_Right		23.6	22.77	38.45	Pass	1.3		
DFT-s-OFDM QPSK	Edge_Full_Left	22.92	22.09	38.45	Pass	1.3		
	Edge_Full_Right	22.83	22	38.45	Pass	1.3		
	Edge_1RB_Left	22.59	21.76	38.45	Pass	1.3		
	Edge_1RB_Right	22.54	21.71	38.45	Pass	1.3		
	Outer_Full	23.13	22.3	38.45	Pass	1.3		
	Inner_Full	23.55	22.72	38.45	Pass	1.3		
	Inner_1RB_Left	23.41	22.58	38.45	Pass	1.3		
	Inner_1RB_Right	23.35	22.52	38.45	Pass	1.3		
DFT-s-OFDM 16QAM	Edge_Full_Left	21.78	20.95	38.45	Pass	1.3		
	Edge_Full_Right	21.7	20.87	38.45	Pass	1.3		
	Edge_1RB_Left	21.47	20.64	38.45	Pass	1.3		
	Edge_1RB_Right	21.52	20.69	38.45	Pass	1.3		
	Outer_Full	22.06	21.23	38.45	Pass	1.3		

		Inner_Full	22.97	22.14	38.45	Pass	1.3
		Inner_1RB_Left	22.69	21.86	38.45	Pass	1.3
		Inner_1RB_Right	22.6	21.77	38.45	Pass	1.3
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.58	20.75	38.45	Pass	1.3
		Edge_Full_Right	21.61	20.78	38.45	Pass	1.3
		Edge_1RB_Left	21.24	20.41	38.45	Pass	1.3
		Edge_1RB_Right	21.34	20.51	38.45	Pass	1.3
		Outer_Full	21.43	20.6	38.45	Pass	1.3
		Inner_Full	21.53	20.7	38.45	Pass	1.3
		Inner_1RB_Left	21.25	20.42	38.45	Pass	1.3
		Inner_1RB_Right	21.27	20.44	38.45	Pass	1.3
		Edge_Full_Left	19.53	18.7	38.45	Pass	1.3
	DFT-s-OFDM 256QAM	Edge_Full_Right	19.49	18.66	38.45	Pass	1.3
		Edge_1RB_Left	19.5	18.67	38.45	Pass	1.3
		Edge_1RB_Right	19.22	18.39	38.45	Pass	1.3
		Outer_Full	19.53	18.7	38.45	Pass	1.3
		Inner_Full	19.37	18.54	38.45	Pass	1.3
		Inner_1RB_Left	19.54	18.71	38.45	Pass	1.3
		Inner_1RB_Right	19.41	18.58	38.45	Pass	1.3
		Edge_Full_Left	20.83	20	38.45	Pass	1.3
		Edge_Full_Right	20.76	19.93	38.45	Pass	1.3
	CP-OFDM QPSK	Edge_1RB_Left	20.69	19.86	38.45	Pass	1.3
		Edge_1RB_Right	20.8	19.97	38.45	Pass	1.3
		Outer_Full	20.79	19.96	38.45	Pass	1.3
		Inner_Full	22.46	21.63	38.45	Pass	1.3
		Inner_1RB_Left	22.28	21.45	38.45	Pass	1.3
		Inner_1RB_Right	22.34	21.51	38.45	Pass	1.3
		Edge_Full_Left	21.09	20.26	38.45	Pass	1.3
		Edge_Full_Right	20.94	20.11	38.45	Pass	1.3
		Edge_1RB_Left	20.58	19.75	38.45	Pass	1.3
	CP-OFDM 16QAM	Edge_1RB_Right	20.61	19.78	38.45	Pass	1.3
		Outer_Full	21	20.17	38.45	Pass	1.3
		Inner_Full	22.14	21.31	38.45	Pass	1.3
		Inner_1RB_Left	22.11	21.28	38.45	Pass	1.3
		Inner_1RB_Right	22.04	21.21	38.45	Pass	1.3
		Edge_Full_Left	20.22	19.39	38.45	Pass	1.3
		Edge_Full_Right	20.13	19.3	38.45	Pass	1.3
		Edge_1RB_Left	20.45	19.62	38.45	Pass	1.3
		Edge_1RB_Right	20.54	19.71	38.45	Pass	1.3
	CP-OFDM 64QAM	Outer_Full	20.7	19.87	38.45	Pass	1.3
		Inner_Full	20.45	19.62	38.45	Pass	1.3
		Inner_1RB_Left	20.4	19.57	38.45	Pass	1.3
		Inner_1RB_Right	20.3	19.47	38.45	Pass	1.3
		Edge_Full_Left	17.55	16.72	38.45	Pass	1.3
		Edge_Full_Right	17.52	16.69	38.45	Pass	1.3
	CP-OFDM 256QAM						

			Edge_1RB_Left	17.88	17.05	38.45	Pass	1.3
			Edge_1RB_Right	17.78	16.95	38.45	Pass	1.3
			Outer_Full	17.46	16.63	38.45	Pass	1.3
			Inner_Full	17.31	16.48	38.45	Pass	1.3
			Inner_1RB_Left	17.86	17.03	38.45	Pass	1.3
			Inner_1RB_Right	17.93	17.1	38.45	Pass	1.3
	DFT-s-OFDM PI/2 BPSK	844MHz	Edge_Full_Left	23.16	22.33	38.45	Pass	1.3
			Edge_Full_Right	22.98	22.15	38.45	Pass	1.3
			Edge_1RB_Left	23.29	22.46	38.45	Pass	1.3
			Edge_1RB_Right	22.99	22.16	38.45	Pass	1.3
			Outer_Full	23.42	22.59	38.45	Pass	1.3
			Inner_Full	23.45	22.62	38.45	Pass	1.3
			Inner_1RB_Left	23.35	22.52	38.45	Pass	1.3
			Inner_1RB_Right	23.38	22.55	38.45	Pass	1.3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.86	22.03	38.45	Pass	1.3
			Edge_Full_Right	22.73	21.9	38.45	Pass	1.3
			Edge_1RB_Left	22.67	21.84	38.45	Pass	1.3
			Edge_1RB_Right	22.54	21.71	38.45	Pass	1.3
			Outer_Full	22.86	22.03	38.45	Pass	1.3
			Inner_Full	23.45	22.62	38.45	Pass	1.3
			Inner_1RB_Left	23.3	22.47	38.45	Pass	1.3
			Inner_1RB_Right	23.2	22.37	38.45	Pass	1.3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.42	20.59	38.45	Pass	1.3
			Edge_Full_Right	21.45	20.62	38.45	Pass	1.3
			Edge_1RB_Left	21.52	20.69	38.45	Pass	1.3
			Edge_1RB_Right	21.36	20.53	38.45	Pass	1.3
			Outer_Full	21.71	20.88	38.45	Pass	1.3
			Inner_Full	22.76	21.93	38.45	Pass	1.3
			Inner_1RB_Left	22.44	21.61	38.45	Pass	1.3
			Inner_1RB_Right	22.52	21.69	38.45	Pass	1.3
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.42	20.59	38.45	Pass	1.3
			Edge_Full_Right	21.4	20.57	38.45	Pass	1.3
			Edge_1RB_Left	21.06	20.23	38.45	Pass	1.3
			Edge_1RB_Right	21.06	20.23	38.45	Pass	1.3
			Outer_Full	21.29	20.46	38.45	Pass	1.3
			Inner_Full	21.2	20.37	38.45	Pass	1.3
			Inner_1RB_Left	21.13	20.3	38.45	Pass	1.3
			Inner_1RB_Right	20.99	20.16	38.45	Pass	1.3
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.33	18.5	38.45	Pass	1.3
			Edge_Full_Right	19.13	18.3	38.45	Pass	1.3
			Edge_1RB_Left	19.17	18.34	38.45	Pass	1.3
			Edge_1RB_Right	19.02	18.19	38.45	Pass	1.3
			Outer_Full	19.2	18.37	38.45	Pass	1.3
			Inner_Full	19.08	18.25	38.45	Pass	1.3
			Inner_1RB_Left	19.15	18.32	38.45	Pass	1.3

	CP-OFDM QPSK	831.5MHz	Inner_1RB_Right	19.18	18.35	38.45	Pass	1.3
			Edge_Full_Left	20.89	20.06	38.45	Pass	1.3
			Edge_Full_Right	20.92	20.09	38.45	Pass	1.3
			Edge_1RB_Left	20.77	19.94	38.45	Pass	1.3
			Edge_1RB_Right	20.65	19.82	38.45	Pass	1.3
			Outer_Full	20.91	20.08	38.45	Pass	1.3
			Inner_Full	22.21	21.38	38.45	Pass	1.3
			Inner_1RB_Left	22.19	21.36	38.45	Pass	1.3
			Inner_1RB_Right	21.92	21.09	38.45	Pass	1.3
	CP-OFDM 16QAM		Edge_Full_Left	20.56	19.73	38.45	Pass	1.3
			Edge_Full_Right	20.38	19.55	38.45	Pass	1.3
			Edge_1RB_Left	21.21	20.38	38.45	Pass	1.3
			Edge_1RB_Right	21.02	20.19	38.45	Pass	1.3
			Outer_Full	20.79	19.96	38.45	Pass	1.3
			Inner_Full	21.77	20.94	38.45	Pass	1.3
			Inner_1RB_Left	21.46	20.63	38.45	Pass	1.3
			Inner_1RB_Right	21.43	20.6	38.45	Pass	1.3
			Edge_Full_Left	19.96	19.13	38.45	Pass	1.3
	CP-OFDM 64QAM		Edge_Full_Right	20.36	19.53	38.45	Pass	1.3
			Edge_1RB_Left	20.24	19.41	38.45	Pass	1.3
			Edge_1RB_Right	20.43	19.6	38.45	Pass	1.3
			Outer_Full	20.56	19.73	38.45	Pass	1.3
			Inner_Full	20.32	19.49	38.45	Pass	1.3
			Inner_1RB_Left	20.25	19.42	38.45	Pass	1.3
			Inner_1RB_Right	20.22	19.39	38.45	Pass	1.3
			Edge_Full_Left	17.64	16.81	38.45	Pass	1.3
			Edge_Full_Right	17.5	16.67	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_1RB_Left	17.36	16.53	38.45	Pass	1.3
			Edge_1RB_Right	17.38	16.55	38.45	Pass	1.3
			Outer_Full	17.39	16.56	38.45	Pass	1.3
			Inner_Full	17.11	16.28	38.45	Pass	1.3
			Inner_1RB_Left	17.42	16.59	38.45	Pass	1.3
			Inner_1RB_Right	17.61	16.78	38.45	Pass	1.3
			Edge_Full_Left	23.57	22.74	38.45	Pass	1.3
			Edge_Full_Right	23.38	22.55	38.45	Pass	1.3
			Edge_1RB_Left	23.37	22.54	38.45	Pass	1.3
15MHz	DFT-s-OFDM PI/2 BPSK	831.5MHz	Edge_1RB_Right	23.56	22.73	38.45	Pass	1.3
			Outer_Full	23.67	22.84	38.45	Pass	1.3
			Inner_Full	23.77	22.94	38.45	Pass	1.3
			Inner_1RB_Left	23.74	22.91	38.45	Pass	1.3
			Inner_1RB_Right	23.82	22.99	38.45	Pass	1.3
			Edge_Full_Left	22.89	22.06	38.45	Pass	1.3
	DFT-s-OFDM QPSK		Edge_Full_Right	23.09	22.26	38.45	Pass	1.3
			Edge_1RB_Left	22.8	21.97	38.45	Pass	1.3
			Edge_1RB_Right	23.06	22.23	38.45	Pass	1.3

			Outer_Full	22.96	22.13	38.45	Pass	1.3
			Inner_Full	23.57	22.74	38.45	Pass	1.3
			Inner_1RB_Left	23.77	22.94	38.45	Pass	1.3
			Inner_1RB_Right	23.68	22.85	38.45	Pass	1.3
DFT-s-OFDM 16QAM			Edge_Full_Left	21.61	20.78	38.45	Pass	1.3
			Edge_Full_Right	21.75	20.92	38.45	Pass	1.3
			Edge_1RB_Left	21.56	20.73	38.45	Pass	1.3
			Edge_1RB_Right	21.46	20.63	38.45	Pass	1.3
			Outer_Full	22.04	21.21	38.45	Pass	1.3
			Inner_Full	23.12	22.29	38.45	Pass	1.3
			Inner_1RB_Left	22.52	21.69	38.45	Pass	1.3
			Inner_1RB_Right	22.44	21.61	38.45	Pass	1.3
			Edge_Full_Left	21.51	20.68	38.45	Pass	1.3
			Edge_Full_Right	21.41	20.58	38.45	Pass	1.3
			Edge_1RB_Left	21.48	20.65	38.45	Pass	1.3
			Edge_1RB_Right	21.45	20.62	38.45	Pass	1.3
DFT-s-OFDM 64QAM			Outer_Full	21.65	20.82	38.45	Pass	1.3
			Inner_Full	21.35	20.52	38.45	Pass	1.3
			Inner_1RB_Left	21.52	20.69	38.45	Pass	1.3
			Inner_1RB_Right	21.52	20.69	38.45	Pass	1.3
			Edge_Full_Left	19.5	18.67	38.45	Pass	1.3
			Edge_Full_Right	19.55	18.72	38.45	Pass	1.3
			Edge_1RB_Left	18.78	17.95	38.45	Pass	1.3
			Edge_1RB_Right	18.73	17.9	38.45	Pass	1.3
			Outer_Full	19.55	18.72	38.45	Pass	1.3
			Inner_Full	19.54	18.71	38.45	Pass	1.3
			Inner_1RB_Left	18.7	17.87	38.45	Pass	1.3
			Inner_1RB_Right	18.84	18.01	38.45	Pass	1.3
DFT-s-OFDM 256QAM			Edge_Full_Left	20.83	20	38.45	Pass	1.3
			Edge_Full_Right	20.74	19.91	38.45	Pass	1.3
			Edge_1RB_Left	20.86	20.03	38.45	Pass	1.3
			Edge_1RB_Right	20.89	20.06	38.45	Pass	1.3
			Outer_Full	21.1	20.27	38.45	Pass	1.3
			Inner_Full	22.47	21.64	38.45	Pass	1.3
			Inner_1RB_Left	22.24	21.41	38.45	Pass	1.3
			Inner_1RB_Right	22.45	21.62	38.45	Pass	1.3
			Edge_Full_Left	20.64	19.81	38.45	Pass	1.3
			Edge_Full_Right	20.76	19.93	38.45	Pass	1.3
			Edge_1RB_Left	20.53	19.7	38.45	Pass	1.3
			Edge_1RB_Right	20.47	19.64	38.45	Pass	1.3
CP-OFDM QPSK			Outer_Full	21.13	20.3	38.45	Pass	1.3
			Inner_Full	21.96	21.13	38.45	Pass	1.3
			Inner_1RB_Left	21.74	20.91	38.45	Pass	1.3
			Inner_1RB_Right	21.49	20.66	38.45	Pass	1.3
			Edge_Full_Left	20.19	19.36	38.45	Pass	1.3
			Edge_Full_Right	20.76	19.93	38.45	Pass	1.3
			Edge_1RB_Left	20.53	19.7	38.45	Pass	1.3
			Edge_1RB_Right	20.47	19.64	38.45	Pass	1.3
CP-OFDM 16QAM			Outer_Full	21.13	20.3	38.45	Pass	1.3
			Inner_Full	21.96	21.13	38.45	Pass	1.3
			Inner_1RB_Left	21.74	20.91	38.45	Pass	1.3
			Inner_1RB_Right	21.49	20.66	38.45	Pass	1.3
			Edge_Full_Left	20.19	19.36	38.45	Pass	1.3
			Edge_Full_Right	20.76	19.93	38.45	Pass	1.3
			Edge_1RB_Left	20.53	19.7	38.45	Pass	1.3
			Edge_1RB_Right	20.47	19.64	38.45	Pass	1.3
CP-OFDM 64QAM			Edge_Full_Left	20.19	19.36	38.45	Pass	1.3

		836.5MHz	Edge_Full_Right	20.04	19.21	38.45	Pass	1.3
			Edge_1RB_Left	19.78	18.95	38.45	Pass	1.3
			Edge_1RB_Right	19.83	19	38.45	Pass	1.3
			Outer_Full	20.49	19.66	38.45	Pass	1.3
			Inner_Full	20.37	19.54	38.45	Pass	1.3
			Inner_1RB_Left	19.85	19.02	38.45	Pass	1.3
			Inner_1RB_Right	19.8	18.97	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_Full_Left	17.67	16.84	38.45	Pass	1.3
			Edge_Full_Right	17.67	16.84	38.45	Pass	1.3
			Edge_1RB_Left	17.54	16.71	38.45	Pass	1.3
			Edge_1RB_Right	17.53	16.7	38.45	Pass	1.3
			Outer_Full	17.66	16.83	38.45	Pass	1.3
			Inner_Full	17.48	16.65	38.45	Pass	1.3
			Inner_1RB_Left	17.33	16.5	38.45	Pass	1.3
	Inner_1RB_Right		17.47	16.64	38.45	Pass	1.3	
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.54	22.71	38.45	Pass	1.3
			Edge_Full_Right	23.45	22.62	38.45	Pass	1.3
			Edge_1RB_Left	23.39	22.56	38.45	Pass	1.3
			Edge_1RB_Right	23.53	22.7	38.45	Pass	1.3
			Outer_Full	23.66	22.83	38.45	Pass	1.3
			Inner_Full	23.65	22.82	38.45	Pass	1.3
			Inner_1RB_Left	23.85	23.02	38.45	Pass	1.3
	Inner_1RB_Right		23.9	23.07	38.45	Pass	1.3	
	DFT-s-OFDM QPSK		Edge_Full_Left	23.08	22.25	38.45	Pass	1.3
			Edge_Full_Right	23	22.17	38.45	Pass	1.3
			Edge_1RB_Left	23.06	22.23	38.45	Pass	1.3
			Edge_1RB_Right	22.97	22.14	38.45	Pass	1.3
			Outer_Full	23.22	22.39	38.45	Pass	1.3
			Inner_Full	23.72	22.89	38.45	Pass	1.3
			Inner_1RB_Left	23.84	23.01	38.45	Pass	1.3
	Inner_1RB_Right		23.74	22.91	38.45	Pass	1.3	
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.86	21.03	38.45	Pass	1.3
			Edge_Full_Right	21.7	20.87	38.45	Pass	1.3
			Edge_1RB_Left	21.57	20.74	38.45	Pass	1.3
			Edge_1RB_Right	21.3	20.47	38.45	Pass	1.3
			Outer_Full	21.99	21.16	38.45	Pass	1.3
			Inner_Full	23.03	22.2	38.45	Pass	1.3
			Inner_1RB_Left	22.45	21.62	38.45	Pass	1.3
	Inner_1RB_Right		22.45	21.62	38.45	Pass	1.3	
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.54	20.71	38.45	Pass	1.3
			Edge_Full_Right	21.49	20.66	38.45	Pass	1.3
			Edge_1RB_Left	21.42	20.59	38.45	Pass	1.3
			Edge_1RB_Right	21.55	20.72	38.45	Pass	1.3
			Outer_Full	21.59	20.76	38.45	Pass	1.3
			Inner_Full	21.58	20.75	38.45	Pass	1.3

	DFT-s-OFDM 256QAM	841.5MHz	Inner_1RB_Left	21.37	20.54	38.45	Pass	1.3	
			Inner_1RB_Right	21.54	20.71	38.45	Pass	1.3	
			Edge_Full_Left	19.32	18.49	38.45	Pass	1.3	
			Edge_Full_Right	19.53	18.7	38.45	Pass	1.3	
			Edge_1RB_Left	19.03	18.2	38.45	Pass	1.3	
			Edge_1RB_Right	18.83	18	38.45	Pass	1.3	
			Outer_Full	19.53	18.7	38.45	Pass	1.3	
			Inner_Full	19.47	18.64	38.45	Pass	1.3	
			Inner_1RB_Left	18.9	18.07	38.45	Pass	1.3	
			Inner_1RB_Right	18.92	18.09	38.45	Pass	1.3	
	CP-OFDM QPSK		Edge_Full_Left	20.87	20.04	38.45	Pass	1.3	
			Edge_Full_Right	20.87	20.04	38.45	Pass	1.3	
			Edge_1RB_Left	20.99	20.16	38.45	Pass	1.3	
			Edge_1RB_Right	21.02	20.19	38.45	Pass	1.3	
			Outer_Full	21.16	20.33	38.45	Pass	1.3	
			Inner_Full	22.44	21.61	38.45	Pass	1.3	
			Inner_1RB_Left	22.38	21.55	38.45	Pass	1.3	
			Inner_1RB_Right	22.46	21.63	38.45	Pass	1.3	
			CP-OFDM 16QAM	Edge_Full_Left	20.82	19.99	38.45	Pass	1.3
				Edge_Full_Right	20.93	20.1	38.45	Pass	1.3
	Edge_1RB_Left			20.92	20.09	38.45	Pass	1.3	
	Edge_1RB_Right			20.89	20.06	38.45	Pass	1.3	
	Outer_Full			21.25	20.42	38.45	Pass	1.3	
	Inner_Full			21.98	21.15	38.45	Pass	1.3	
	Inner_1RB_Left			21.61	20.78	38.45	Pass	1.3	
	Inner_1RB_Right			21.63	20.8	38.45	Pass	1.3	
	CP-OFDM 64QAM			Edge_Full_Left	20.25	19.42	38.45	Pass	1.3
				Edge_Full_Right	20.25	19.42	38.45	Pass	1.3
			Edge_1RB_Left	19.8	18.97	38.45	Pass	1.3	
			Edge_1RB_Right	20.07	19.24	38.45	Pass	1.3	
			Outer_Full	20.54	19.71	38.45	Pass	1.3	
			Inner_Full	20.56	19.73	38.45	Pass	1.3	
			Inner_1RB_Left	19.86	19.03	38.45	Pass	1.3	
			Inner_1RB_Right	19.82	18.99	38.45	Pass	1.3	
			CP-OFDM 256QAM	Edge_Full_Left	17.79	16.96	38.45	Pass	1.3
				Edge_Full_Right	17.9	17.07	38.45	Pass	1.3
	Edge_1RB_Left			17.56	16.73	38.45	Pass	1.3	
	Edge_1RB_Right			17.51	16.68	38.45	Pass	1.3	
	Outer_Full			17.58	16.75	38.45	Pass	1.3	
	Inner_Full			17.46	16.63	38.45	Pass	1.3	
	Inner_1RB_Left			17.56	16.73	38.45	Pass	1.3	
	Inner_1RB_Right			17.79	16.96	38.45	Pass	1.3	
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.5	22.67	38.45	Pass	1.3	
			Edge_Full_Right	23.32	22.49	38.45	Pass	1.3	
			Edge_1RB_Left	23.55	22.72	38.45	Pass	1.3	

	CP-OFDM 16QAM		Edge_Full_Left	20.51	19.68	38.45	Pass	1.3
			Edge_Full_Right	20.02	19.19	38.45	Pass	1.3
			Edge_1RB_Left	20.34	19.51	38.45	Pass	1.3
			Edge_1RB_Right	19.82	18.99	38.45	Pass	1.3
			Outer_Full	20.96	20.13	38.45	Pass	1.3
			Inner_Full	21.42	20.59	38.45	Pass	1.3
			Inner_1RB_Left	20.89	20.06	38.45	Pass	1.3
			Inner_1RB_Right	20.34	19.51	38.45	Pass	1.3
	CP-OFDM 64QAM		Edge_Full_Left	20.18	19.35	38.45	Pass	1.3
			Edge_Full_Right	19.91	19.08	38.45	Pass	1.3
			Edge_1RB_Left	19.84	19.01	38.45	Pass	1.3
			Edge_1RB_Right	19.71	18.88	38.45	Pass	1.3
			Outer_Full	20.4	19.57	38.45	Pass	1.3
			Inner_Full	20.42	19.59	38.45	Pass	1.3
			Inner_1RB_Left	19.97	19.14	38.45	Pass	1.3
			Inner_1RB_Right	19.49	18.66	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_Full_Left	17.88	17.05	38.45	Pass	1.3
			Edge_Full_Right	17.8	16.97	38.45	Pass	1.3
			Edge_1RB_Left	17.44	16.61	38.45	Pass	1.3
			Edge_1RB_Right	17.71	16.88	38.45	Pass	1.3
			Outer_Full	17.52	16.69	38.45	Pass	1.3
			Inner_Full	17.27	16.44	38.45	Pass	1.3
			Inner_1RB_Left	17.65	16.82	38.45	Pass	1.3
			Inner_1RB_Right	17.59	16.76	38.45	Pass	1.3
20MHz	DFT-s-OFDM PI/2 BPSK	834MHz	Edge_Full_Left	23.57	22.74	38.45	Pass	1.3
			Edge_Full_Right	23.63	22.8	38.45	Pass	1.3
			Edge_1RB_Left	23.32	22.49	38.45	Pass	1.3
			Edge_1RB_Right	23.27	22.44	38.45	Pass	1.3
			Outer_Full	23.7	22.87	38.45	Pass	1.3
			Inner_Full	23.85	23.02	38.45	Pass	1.3
			Inner_1RB_Left	23.58	22.75	38.45	Pass	1.3
			Inner_1RB_Right	23.69	22.86	38.45	Pass	1.3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.84	22.01	38.45	Pass	1.3
			Edge_Full_Right	22.7	21.87	38.45	Pass	1.3
			Edge_1RB_Left	23.04	22.21	38.45	Pass	1.3
			Edge_1RB_Right	22.99	22.16	38.45	Pass	1.3
			Outer_Full	23.17	22.34	38.45	Pass	1.3
			Inner_Full	23.77	22.94	38.45	Pass	1.3
			Inner_1RB_Left	23.5	22.67	38.45	Pass	1.3
			Inner_1RB_Right	23.71	22.88	38.45	Pass	1.3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.69	20.86	38.45	Pass	1.3
			Edge_Full_Right	21.62	20.79	38.45	Pass	1.3
			Edge_1RB_Left	21.96	21.13	38.45	Pass	1.3
			Edge_1RB_Right	21.86	21.03	38.45	Pass	1.3
			Outer_Full	22.09	21.26	38.45	Pass	1.3

		Inner_Full	23.03	22.2	38.45	Pass	1.3
		Inner_1RB_Left	22.99	22.16	38.45	Pass	1.3
		Inner_1RB_Right	22.86	22.03	38.45	Pass	1.3
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.61	20.78	38.45	Pass	1.3
		Edge_Full_Right	21.51	20.68	38.45	Pass	1.3
		Edge_1RB_Left	21.45	20.62	38.45	Pass	1.3
		Edge_1RB_Right	21.43	20.6	38.45	Pass	1.3
		Outer_Full	21.61	20.78	38.45	Pass	1.3
		Inner_Full	21.67	20.84	38.45	Pass	1.3
		Inner_1RB_Left	21.55	20.72	38.45	Pass	1.3
		Inner_1RB_Right	21.35	20.52	38.45	Pass	1.3
		Edge_Full_Left	19.71	18.88	38.45	Pass	1.3
	DFT-s-OFDM 256QAM	Edge_Full_Right	19.63	18.8	38.45	Pass	1.3
		Edge_1RB_Left	19.53	18.7	38.45	Pass	1.3
		Edge_1RB_Right	19.62	18.79	38.45	Pass	1.3
		Outer_Full	19.84	19.01	38.45	Pass	1.3
		Inner_Full	19.65	18.82	38.45	Pass	1.3
		Inner_1RB_Left	19.6	18.77	38.45	Pass	1.3
		Inner_1RB_Right	19.49	18.66	38.45	Pass	1.3
		Edge_Full_Left	21.15	20.32	38.45	Pass	1.3
		Edge_Full_Right	21.13	20.3	38.45	Pass	1.3
	CP-OFDM QPSK	Edge_1RB_Left	20.71	19.88	38.45	Pass	1.3
		Edge_1RB_Right	20.61	19.78	38.45	Pass	1.3
		Outer_Full	21.26	20.43	38.45	Pass	1.3
		Inner_Full	22.5	21.67	38.45	Pass	1.3
		Inner_1RB_Left	22.18	21.35	38.45	Pass	1.3
		Inner_1RB_Right	22.14	21.31	38.45	Pass	1.3
		Edge_Full_Left	21.56	20.73	38.45	Pass	1.3
		Edge_Full_Right	21.39	20.56	38.45	Pass	1.3
		Edge_1RB_Left	20.79	19.96	38.45	Pass	1.3
	CP-OFDM 16QAM	Edge_1RB_Right	20.78	19.95	38.45	Pass	1.3
		Outer_Full	21.13	20.3	38.45	Pass	1.3
		Inner_Full	22.08	21.25	38.45	Pass	1.3
		Inner_1RB_Left	21.98	21.15	38.45	Pass	1.3
		Inner_1RB_Right	21.72	20.89	38.45	Pass	1.3
		Edge_Full_Left	20.81	19.98	38.45	Pass	1.3
		Edge_Full_Right	20.75	19.92	38.45	Pass	1.3
		Edge_1RB_Left	20.33	19.5	38.45	Pass	1.3
		Edge_1RB_Right	20.51	19.68	38.45	Pass	1.3
	CP-OFDM 64QAM	Outer_Full	20.81	19.98	38.45	Pass	1.3
		Inner_Full	20.55	19.72	38.45	Pass	1.3
		Inner_1RB_Left	20.44	19.61	38.45	Pass	1.3
		Inner_1RB_Right	20.38	19.55	38.45	Pass	1.3
		Edge_Full_Left	18.16	17.33	38.45	Pass	1.3
		Edge_Full_Right	18.34	17.51	38.45	Pass	1.3
	CP-OFDM 256QAM						

			Edge_1RB_Left	17.82	16.99	38.45	Pass	1.3
			Edge_1RB_Right	17.75	16.92	38.45	Pass	1.3
			Outer_Full	17.66	16.83	38.45	Pass	1.3
			Inner_Full	17.56	16.73	38.45	Pass	1.3
			Inner_1RB_Left	17.92	17.09	38.45	Pass	1.3
			Inner_1RB_Right	17.65	16.82	38.45	Pass	1.3
	DFT-s-OFDM PI/2 BPSK	836.5MHz	Edge_Full_Left	23.66	22.83	38.45	Pass	1.3
			Edge_Full_Right	23.68	22.85	38.45	Pass	1.3
			Edge_1RB_Left	23.4	22.57	38.45	Pass	1.3
			Edge_1RB_Right	23.29	22.46	38.45	Pass	1.3
			Outer_Full	23.76	22.93	38.45	Pass	1.3
			Inner_Full	23.72	22.89	38.45	Pass	1.3
			Inner_1RB_Left	23.67	22.84	38.45	Pass	1.3
			Inner_1RB_Right	23.39	22.56	38.45	Pass	1.3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.96	22.13	38.45	Pass	1.3
			Edge_Full_Right	22.77	21.94	38.45	Pass	1.3
			Edge_1RB_Left	22.5	21.67	38.45	Pass	1.3
			Edge_1RB_Right	22.55	21.72	38.45	Pass	1.3
			Outer_Full	23.39	22.56	38.45	Pass	1.3
			Inner_Full	23.79	22.96	38.45	Pass	1.3
			Inner_1RB_Left	23.61	22.78	38.45	Pass	1.3
			Inner_1RB_Right	23.42	22.59	38.45	Pass	1.3
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.9	21.07	38.45	Pass	1.3
			Edge_Full_Right	22.03	21.2	38.45	Pass	1.3
			Edge_1RB_Left	21.68	20.85	38.45	Pass	1.3
			Edge_1RB_Right	21.84	21.01	38.45	Pass	1.3
			Outer_Full	22.15	21.32	38.45	Pass	1.3
			Inner_Full	23	22.17	38.45	Pass	1.3
			Inner_1RB_Left	23	22.17	38.45	Pass	1.3
			Inner_1RB_Right	22.82	21.99	38.45	Pass	1.3
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.36	20.53	38.45	Pass	1.3
			Edge_Full_Right	21.37	20.54	38.45	Pass	1.3
			Edge_1RB_Left	21.37	20.54	38.45	Pass	1.3
			Edge_1RB_Right	21.31	20.48	38.45	Pass	1.3
			Outer_Full	21.82	20.99	38.45	Pass	1.3
			Inner_Full	21.58	20.75	38.45	Pass	1.3
			Inner_1RB_Left	21.49	20.66	38.45	Pass	1.3
			Inner_1RB_Right	21.37	20.54	38.45	Pass	1.3
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.8	18.97	38.45	Pass	1.3
			Edge_Full_Right	19.6	18.77	38.45	Pass	1.3
			Edge_1RB_Left	19.53	18.7	38.45	Pass	1.3
			Edge_1RB_Right	19.61	18.78	38.45	Pass	1.3
			Outer_Full	19.54	18.71	38.45	Pass	1.3
			Inner_Full	19.54	18.71	38.45	Pass	1.3
			Inner_1RB_Left	19.65	18.82	38.45	Pass	1.3

	CP-OFDM QPSK	839MHz	Inner_1RB_Right	19.5	18.67	38.45	Pass	1.3
			Edge_Full_Left	21.03	20.2	38.45	Pass	1.3
			Edge_Full_Right	20.74	19.91	38.45	Pass	1.3
			Edge_1RB_Left	20.7	19.87	38.45	Pass	1.3
			Edge_1RB_Right	20.81	19.98	38.45	Pass	1.3
			Outer_Full	21.27	20.44	38.45	Pass	1.3
			Inner_Full	22.52	21.69	38.45	Pass	1.3
			Inner_1RB_Left	22.22	21.39	38.45	Pass	1.3
			Inner_1RB_Right	22.09	21.26	38.45	Pass	1.3
	CP-OFDM 16QAM		Edge_Full_Left	21.36	20.53	38.45	Pass	1.3
			Edge_Full_Right	21.36	20.53	38.45	Pass	1.3
			Edge_1RB_Left	20.99	20.16	38.45	Pass	1.3
			Edge_1RB_Right	20.92	20.09	38.45	Pass	1.3
			Outer_Full	21.33	20.5	38.45	Pass	1.3
			Inner_Full	22.21	21.38	38.45	Pass	1.3
			Inner_1RB_Left	21.78	20.95	38.45	Pass	1.3
			Inner_1RB_Right	21.84	21.01	38.45	Pass	1.3
			Edge_Full_Left	20.88	20.05	38.45	Pass	1.3
	CP-OFDM 64QAM		Edge_Full_Right	20.54	19.71	38.45	Pass	1.3
			Edge_1RB_Left	20.32	19.49	38.45	Pass	1.3
			Edge_1RB_Right	20.5	19.67	38.45	Pass	1.3
			Outer_Full	20.85	20.02	38.45	Pass	1.3
			Inner_Full	20.67	19.84	38.45	Pass	1.3
			Inner_1RB_Left	20.56	19.73	38.45	Pass	1.3
			Inner_1RB_Right	20.33	19.5	38.45	Pass	1.3
			Edge_Full_Left	18.28	17.45	38.45	Pass	1.3
			Edge_Full_Right	18	17.17	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_1RB_Left	17.82	16.99	38.45	Pass	1.3
			Edge_1RB_Right	17.98	17.15	38.45	Pass	1.3
			Outer_Full	17.64	16.81	38.45	Pass	1.3
			Inner_Full	17.65	16.82	38.45	Pass	1.3
			Inner_1RB_Left	18.03	17.2	38.45	Pass	1.3
Inner_1RB_Right		17.96	17.13	38.45	Pass	1.3		
Edge_Full_Left		23.57	22.74	38.45	Pass	1.3		
Edge_Full_Right		23.16	22.33	38.45	Pass	1.3		
Edge_1RB_Left		23.47	22.64	38.45	Pass	1.3		
DFT-s-OFDM PI/2 BPSK	Edge_1RB_Right	22.73	21.9	38.45	Pass	1.3		
	Outer_Full	23.6	22.77	38.45	Pass	1.3		
	Inner_Full	23.43	22.6	38.45	Pass	1.3		
	Inner_1RB_Left	23.62	22.79	38.45	Pass	1.3		
	Inner_1RB_Right	23.31	22.48	38.45	Pass	1.3		
DFT-s-OFDM QPSK	Edge_Full_Left	22.53	21.7	38.45	Pass	1.3		
	Edge_Full_Right	21.41	20.58	38.45	Pass	1.3		
	Edge_1RB_Left	22.29	21.46	38.45	Pass	1.3		
	Edge_1RB_Right	20.92	20.09	38.45	Pass	1.3		

			Outer_Full	22.3	21.47	38.45	Pass	1.3
			Inner_Full	23.1	22.27	38.45	Pass	1.3
			Inner_1RB_Left	23.38	22.55	38.45	Pass	1.3
			Inner_1RB_Right	22.14	21.31	38.45	Pass	1.3
DFT-s-OFDM 16QAM			Edge_Full_Left	21.64	20.81	38.45	Pass	1.3
			Edge_Full_Right	20.4	19.57	38.45	Pass	1.3
			Edge_1RB_Left	21.48	20.65	38.45	Pass	1.3
			Edge_1RB_Right	20.19	19.36	38.45	Pass	1.3
			Outer_Full	21.32	20.49	38.45	Pass	1.3
			Inner_Full	22.16	21.33	38.45	Pass	1.3
			Inner_1RB_Left	22.57	21.74	38.45	Pass	1.3
			Inner_1RB_Right	21.41	20.58	38.45	Pass	1.3
			Edge_Full_Left	21.04	20.21	38.45	Pass	1.3
			Edge_Full_Right	19.68	18.85	38.45	Pass	1.3
			Edge_1RB_Left	21.13	20.3	38.45	Pass	1.3
			Edge_1RB_Right	19.66	18.83	38.45	Pass	1.3
DFT-s-OFDM 64QAM			Outer_Full	20.82	19.99	38.45	Pass	1.3
			Inner_Full	20.57	19.74	38.45	Pass	1.3
			Inner_1RB_Left	21.05	20.22	38.45	Pass	1.3
			Inner_1RB_Right	19.76	18.93	38.45	Pass	1.3
			Edge_Full_Left	19.27	18.44	38.45	Pass	1.3
			Edge_Full_Right	18.01	17.18	38.45	Pass	1.3
			Edge_1RB_Left	19.38	18.55	38.45	Pass	1.3
			Edge_1RB_Right	17.84	17.01	38.45	Pass	1.3
			Outer_Full	19.34	18.51	38.45	Pass	1.3
			Inner_Full	19.38	18.55	38.45	Pass	1.3
			Inner_1RB_Left	19.25	18.42	38.45	Pass	1.3
			Inner_1RB_Right	18.04	17.21	38.45	Pass	1.3
DFT-s-OFDM 256QAM			Edge_Full_Left	21.05	20.22	38.45	Pass	1.3
			Edge_Full_Right	19.83	19	38.45	Pass	1.3
			Edge_1RB_Left	20.53	19.7	38.45	Pass	1.3
			Edge_1RB_Right	20.66	19.83	38.45	Pass	1.3
			Outer_Full	20.86	20.03	38.45	Pass	1.3
			Inner_Full	21.51	20.68	38.45	Pass	1.3
			Inner_1RB_Left	21.68	20.85	38.45	Pass	1.3
			Inner_1RB_Right	20.58	19.75	38.45	Pass	1.3
			Edge_Full_Left	21.25	20.42	38.45	Pass	1.3
			Edge_Full_Right	20.39	19.56	38.45	Pass	1.3
			Edge_1RB_Left	20.93	20.1	38.45	Pass	1.3
			Edge_1RB_Right	19.71	18.88	38.45	Pass	1.3
CP-OFDM QPSK			Outer_Full	20.67	19.84	38.45	Pass	1.3
			Inner_Full	21.44	20.61	38.45	Pass	1.3
			Inner_1RB_Left	21.61	20.78	38.45	Pass	1.3
			Inner_1RB_Right	20.22	19.39	38.45	Pass	1.3
			Edge_Full_Left	20.55	19.72	38.45	Pass	1.3
			Edge_Full_Right	20.55	19.72	38.45	Pass	1.3
			Edge_1RB_Left	20.55	19.72	38.45	Pass	1.3
			Edge_1RB_Right	20.55	19.72	38.45	Pass	1.3
CP-OFDM 16QAM			Edge_Full_Left	20.55	19.72	38.45	Pass	1.3
			Edge_Full_Right	20.55	19.72	38.45	Pass	1.3
			Edge_1RB_Left	20.55	19.72	38.45	Pass	1.3
			Edge_1RB_Right	20.55	19.72	38.45	Pass	1.3
			Outer_Full	20.55	19.72	38.45	Pass	1.3
			Inner_Full	20.55	19.72	38.45	Pass	1.3
			Inner_1RB_Left	20.55	19.72	38.45	Pass	1.3
			Inner_1RB_Right	20.55	19.72	38.45	Pass	1.3
CP-OFDM 64QAM			Edge_Full_Left	20.55	19.72	38.45	Pass	1.3
			Edge_Full_Right	20.55	19.72	38.45	Pass	1.3

			Edge_Full_Right	19.99	19.16	38.45	Pass	1.3
			Edge_1RB_Left	20.21	19.38	38.45	Pass	1.3
			Edge_1RB_Right	19.8	18.97	38.45	Pass	1.3
			Outer_Full	20.52	19.69	38.45	Pass	1.3
			Inner_Full	20.31	19.48	38.45	Pass	1.3
			Inner_1RB_Left	20.38	19.55	38.45	Pass	1.3
			Inner_1RB_Right	20.03	19.2	38.45	Pass	1.3
	CP-OFDM 256QAM		Edge_Full_Left	18.15	17.32	38.45	Pass	1.3
			Edge_Full_Right	17.6	16.77	38.45	Pass	1.3
			Edge_1RB_Left	17.61	16.78	38.45	Pass	1.3
			Edge_1RB_Right	17.42	16.59	38.45	Pass	1.3
			Outer_Full	17.56	16.73	38.45	Pass	1.3
			Inner_Full	17.45	16.62	38.45	Pass	1.3
			Inner_1RB_Left	17.88	17.05	38.45	Pass	1.3
			Inner_1RB_Right	17.38	16.55	38.45	Pass	1.3

Frequency Stability

Band width	Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	2.75	0.0015	2.5	Pass
					HV	-3.53	-0.0019	2.5	Pass
				-30	NV	-5.39	-0.0029	2.5	Pass
				-20	NV	2.93	0.0016	2.5	Pass
				-10	NV	-8.61	-0.0046	2.5	Pass
				0	NV	-7.45	-0.0040	2.5	Pass
				10	NV	5.14	0.0027	2.5	Pass
				20	NV	2.9	0.0015	2.5	Pass
				30	NV	-9.5	-0.0051	2.5	Pass
				40	NV	-1.99	-0.0011	2.5	Pass
				50	NV	-5.17	-0.0028	2.5	Pass
	CP-OFDM QPSK			20	LV	4.55	0.0024	2.5	Pass
					HV	3.15	0.0017	2.5	Pass
				-30	NV	-4.68	-0.0025	2.5	Pass
				-20	NV	7.82	0.0042	2.5	Pass
				-10	NV	-5.46	-0.0029	2.5	Pass
				0	NV	-4.09	-0.0022	2.5	Pass
				10	NV	6.46	0.0034	2.5	Pass
				20	NV	9.88	0.0053	2.5	Pass
				30	NV	-6.52	-0.0035	2.5	Pass
				40	NV	-4.09	-0.0022	2.5	Pass
				50	NV	3.74	0.0020	2.5	Pass
10MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	3.01	0.0016	2.5	Pass
					HV	-2.89	-0.0015	2.5	Pass
				-30	NV	2.03	0.0011	2.5	Pass
				-20	NV	-5.05	-0.0027	2.5	Pass
				-10	NV	-9.11	-0.0048	2.5	Pass
				0	NV	-9.7	-0.0052	2.5	Pass
				10	NV	8.36	0.0044	2.5	Pass
				20	NV	-4.27	-0.0023	2.5	Pass
				30	NV	5.86	0.0031	2.5	Pass
				40	NV	-3.05	-0.0016	2.5	Pass
				50	NV	4.04	0.0021	2.5	Pass
	CP-OFDM QPSK			20	LV	3.07	0.0016	2.5	Pass
					HV	3.2	0.0017	2.5	Pass
				-30	NV	-4.81	-0.0026	2.5	Pass
				-20	NV	6.36	0.0034	2.5	Pass
				-10	NV	-9	-0.0048	2.5	Pass

				0	NV	-1.77	-0.0009	2.5	Pass
				10	NV	-7.4	-0.0039	2.5	Pass
				20	NV	-2.92	-0.0016	2.5	Pass
				30	NV	-8.71	-0.0046	2.5	Pass
				40	NV	8.41	0.0045	2.5	Pass
				50	NV	7.78	0.0041	2.5	Pass
15MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	3.13	0.0017	2.5	Pass
					HV	10.49	0.0056	2.5	Pass
				-30	NV	6.24	0.0033	2.5	Pass
				-20	NV	5.47	0.0029	2.5	Pass
				-10	NV	-6.58	-0.0035	2.5	Pass
				0	NV	5.36	0.0029	2.5	Pass
				10	NV	3.55	0.0019	2.5	Pass
				20	NV	-7.32	-0.0039	2.5	Pass
				30	NV	-3.03	-0.0016	2.5	Pass
				40	NV	-6.19	-0.0033	2.5	Pass
				50	NV	-3.08	-0.0016	2.5	Pass
	CP-OFDM QPSK			20	LV	-6.25	-0.0033	2.5	Pass
					HV	-4.89	-0.0026	2.5	Pass
				-30	NV	4.46	0.0024	2.5	Pass
				-20	NV	-5.43	-0.0029	2.5	Pass
				-10	NV	4	0.0021	2.5	Pass
				0	NV	-4.78	-0.0025	2.5	Pass
				10	NV	-10.2	-0.0054	2.5	Pass
				20	NV	-7.35	-0.0039	2.5	Pass
				30	NV	-5.76	-0.0031	2.5	Pass
				40	NV	-3.55	-0.0019	2.5	Pass
				50	NV	-4.29	-0.0023	2.5	Pass
20MHz	DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	20	LV	4.43	0.0024	2.5	Pass
					HV	-6.26	-0.0033	2.5	Pass
				-30	NV	2.34	0.0012	2.5	Pass
				-20	NV	-3.2	-0.0017	2.5	Pass
				-10	NV	5.81	0.0031	2.5	Pass
				0	NV	3.41	0.0018	2.5	Pass
				10	NV	10.18	0.0054	2.5	Pass
				20	NV	9.46	0.0050	2.5	Pass
				30	NV	-2.1	-0.0011	2.5	Pass
				40	NV	7.59	0.0040	2.5	Pass
				50	NV	-2.62	-0.0014	2.5	Pass
	CP-OFDM QPSK			20	LV	-3.79	-0.0020	2.5	Pass
					HV	5.4	0.0029	2.5	Pass
				-30	NV	-5.42	-0.0029	2.5	Pass
				-20	NV	3.48	0.0019	2.5	Pass
				-10	NV	-5.36	-0.0029	2.5	Pass
				0	NV	5.37	0.0029	2.5	Pass

				10	NV	-7.17	-0.0038	2.5	Pass
				20	NV	2.57	0.0014	2.5	Pass
				30	NV	4.15	0.0022	2.5	Pass
				40	NV	-4.94	-0.0026	2.5	Pass
				50	NV	-7.79	-0.0041	2.5	Pass

Field Strength of Spurious Radiation

NR Band n5-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1650.0	-68.43	-13	-55.43	-71.83	2.1	5.5	Horizontal	Pass
2475.0	-67.22	-13	-54.22	-70.34	2.64	5.76	Horizontal	Pass
3300.0	-64.53	-13	-51.53	-69.04	3.16	7.67	Horizontal	Pass
1650.0	-70.36	-13	-57.36	-73.76	2.1	5.5	Vertical	Pass
2475.0	-68.47	-13	-55.47	-71.59	2.64	5.76	Vertical	Pass
3300.0	-65.04	-13	-52.04	-69.55	3.16	7.67	Vertical	Pass

NR Band n5-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1655.0	-69.35	-13	-56.35	-72.73	2.11	5.49	Horizontal	Pass
2482.5	-67.39	-13	-54.39	-70.52	2.65	5.78	Horizontal	Pass
3310.0	-64.5	-13	-51.5	-69.04	3.16	7.7	Horizontal	Pass
1655.0	-70.25	-13	-57.25	-73.63	2.11	5.49	Vertical	Pass
2482.5	-67.82	-13	-54.82	-70.95	2.65	5.78	Vertical	Pass
3310.0	-65.28	-13	-52.28	-69.82	3.16	7.7	Vertical	Pass

NR Band n5-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1660.0	-69.25	-13	-56.25	-72.62	2.11	5.48	Horizontal	Pass
2490.0	-67.31	-13	-54.31	-70.46	2.65	5.8	Horizontal	Pass
3320.0	-64.66	-13	-51.66	-69.21	3.17	7.72	Horizontal	Pass
1660.0	-70.2	-13	-57.2	-73.57	2.11	5.48	Vertical	Pass
2490.0	-68.15	-13	-55.15	-71.3	2.65	5.8	Vertical	Pass
3320.0	-65.13	-13	-52.13	-69.68	3.17	7.72	Vertical	Pass

---End of Attachment---