

1. Effective (Isotropic) Radiated Power Output Data

1.1 B5_1.4MHz_ERP

1.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.93	-0.50	21.28	<=38.45	Pass
			2	23.91	-0.50	21.26	<=38.45	Pass
			5	23.86	-0.50	21.21	<=38.45	Pass
		3	0	23.86	-0.50	21.21	<=38.45	Pass
			2	23.84	-0.50	21.19	<=38.45	Pass
			3	23.92	-0.50	21.27	<=38.45	Pass
		6	0	22.90	-0.50	20.25	<=38.45	Pass
	836.5	1	0	23.95	-0.50	21.30	<=38.45	Pass
			2	24.01	-0.50	21.36	<=38.45	Pass
			5	23.95	-0.50	21.30	<=38.45	Pass
		3	0	23.85	-0.50	21.20	<=38.45	Pass
			2	23.72	-0.50	21.07	<=38.45	Pass
			3	23.75	-0.50	21.10	<=38.45	Pass
		6	0	22.57	-0.50	19.92	<=38.45	Pass
	848.3	1	0	23.90	-0.50	21.25	<=38.45	Pass
			2	23.93	-0.50	21.28	<=38.45	Pass
			5	23.93	-0.50	21.28	<=38.45	Pass
		3	0	24.02	-0.50	21.37	<=38.45	Pass
			2	23.97	-0.50	21.32	<=38.45	Pass
			3	23.97	-0.50	21.32	<=38.45	Pass
		6	0	22.80	-0.50	20.15	<=38.45	Pass
16QAM	824.7	1	0	23.55	-0.50	20.90	<=38.45	Pass
			2	23.51	-0.50	20.86	<=38.45	Pass
			5	23.51	-0.50	20.86	<=38.45	Pass
		3	0	22.77	-0.50	20.12	<=38.45	Pass
			2	22.74	-0.50	20.09	<=38.45	Pass
			3	22.77	-0.50	20.12	<=38.45	Pass
		6	0	21.75	-0.50	19.10	<=38.45	Pass
	836.5	1	0	22.47	-0.50	19.82	<=38.45	Pass
			2	22.14	-0.50	19.49	<=38.45	Pass
			5	22.17	-0.50	19.52	<=38.45	Pass
		3	0	22.44	-0.50	19.79	<=38.45	Pass
			2	22.41	-0.50	19.76	<=38.45	Pass
			3	22.38	-0.50	19.73	<=38.45	Pass
		6	0	21.63	-0.50	18.98	<=38.45	Pass
	848.3	1	0	23.01	-0.50	20.36	<=38.45	Pass
			2	22.85	-0.50	20.20	<=38.45	Pass
			5	22.98	-0.50	20.33	<=38.45	Pass
		3	0	22.82	-0.50	20.17	<=38.45	Pass
			2	22.64	-0.50	19.99	<=38.45	Pass
			3	22.73	-0.50	20.08	<=38.45	Pass
		6	0	21.89	-0.50	19.24	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.2 B5_3MHz_ERP

1.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.93	-0.50	21.28	<=38.45	Pass
			7	23.90	-0.50	21.25	<=38.45	Pass
			14	23.83	-0.50	21.18	<=38.45	Pass
		8	0	22.94	-0.50	20.29	<=38.45	Pass
			4	22.95	-0.50	20.30	<=38.45	Pass
			7	22.74	-0.50	20.09	<=38.45	Pass
		15	0	22.89	-0.50	20.24	<=38.45	Pass
	836.5	1	0	23.75	-0.50	21.10	<=38.45	Pass
			7	23.72	-0.50	21.07	<=38.45	Pass
			14	23.68	-0.50	21.03	<=38.45	Pass
		8	0	22.67	-0.50	20.02	<=38.45	Pass
			4	22.58	-0.50	19.93	<=38.45	Pass
			7	22.48	-0.50	19.83	<=38.45	Pass
		15	0	22.56	-0.50	19.91	<=38.45	Pass
	847.5	1	0	24.03	-0.50	21.38	<=38.45	Pass
			7	24.04	-0.50	21.39	<=38.45	Pass
			14	24.12	-0.50	21.47	<=38.45	Pass
		8	0	22.86	-0.50	20.21	<=38.45	Pass
			4	22.94	-0.50	20.29	<=38.45	Pass
			7	22.83	-0.50	20.18	<=38.45	Pass
		15	0	22.88	-0.50	20.23	<=38.45	Pass
16QAM	825.5	1	0	23.07	-0.50	20.42	<=38.45	Pass
			7	23.05	-0.50	20.40	<=38.45	Pass
			14	22.80	-0.50	20.15	<=38.45	Pass
		8	0	21.78	-0.50	19.13	<=38.45	Pass
			4	21.70	-0.50	19.05	<=38.45	Pass
			7	21.89	-0.50	19.24	<=38.45	Pass
		15	0	21.63	-0.50	18.98	<=38.45	Pass
	836.5	1	0	23.52	-0.50	20.87	<=38.45	Pass
			7	23.32	-0.50	20.67	<=38.45	Pass
			14	23.30	-0.50	20.65	<=38.45	Pass
		8	0	21.67	-0.50	19.02	<=38.45	Pass
			4	21.75	-0.50	19.10	<=38.45	Pass
			7	21.72	-0.50	19.07	<=38.45	Pass
		15	0	21.61	-0.50	18.96	<=38.45	Pass
	847.5	1	0	22.57	-0.50	19.92	<=38.45	Pass
			7	22.67	-0.50	20.02	<=38.45	Pass
			14	22.57	-0.50	19.92	<=38.45	Pass
		8	0	21.74	-0.50	19.09	<=38.45	Pass
			4	21.79	-0.50	19.14	<=38.45	Pass
			7	21.98	-0.50	19.33	<=38.45	Pass
		15	0	21.64	-0.50	18.99	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.3 B5_5MHz_ERP

1.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.02	-0.50	21.37	<=38.45	Pass
			13	23.82	-0.50	21.17	<=38.45	Pass
			24	23.88	-0.50	21.23	<=38.45	Pass
		12	0	22.90	-0.50	20.25	<=38.45	Pass
			6	22.74	-0.50	20.09	<=38.45	Pass
			13	22.63	-0.50	19.98	<=38.45	Pass
		25	0	22.66	-0.50	20.01	<=38.45	Pass
	836.5	1	0	23.88	-0.50	21.23	<=38.45	Pass
			13	23.81	-0.50	21.16	<=38.45	Pass
			24	23.90	-0.50	21.25	<=38.45	Pass
		12	0	22.84	-0.50	20.19	<=38.45	Pass
			6	22.63	-0.50	19.98	<=38.45	Pass
			13	22.50	-0.50	19.85	<=38.45	Pass
		25	0	22.53	-0.50	19.88	<=38.45	Pass
	846.5	1	0	23.58	-0.50	20.93	<=38.45	Pass
			13	23.59	-0.50	20.94	<=38.45	Pass
			24	23.59	-0.50	20.94	<=38.45	Pass
		12	0	22.52	-0.50	19.87	<=38.45	Pass
			6	22.81	-0.50	20.16	<=38.45	Pass
			13	22.74	-0.50	20.09	<=38.45	Pass
		25	0	22.78	-0.50	20.13	<=38.45	Pass
16QAM	826.5	1	0	22.08	-0.50	19.43	<=38.45	Pass
			13	21.80	-0.50	19.15	<=38.45	Pass
			24	22.07	-0.50	19.42	<=38.45	Pass
		12	0	21.64	-0.50	18.99	<=38.45	Pass
			6	21.69	-0.50	19.04	<=38.45	Pass
			13	21.63	-0.50	18.98	<=38.45	Pass
		25	0	21.71	-0.50	19.06	<=38.45	Pass
	836.5	1	0	22.75	-0.50	20.10	<=38.45	Pass
			13	22.49	-0.50	19.84	<=38.45	Pass
			24	22.69	-0.50	20.04	<=38.45	Pass
		12	0	21.61	-0.50	18.96	<=38.45	Pass
			6	21.60	-0.50	18.95	<=38.45	Pass
			13	21.52	-0.50	18.87	<=38.45	Pass
		25	0	21.65	-0.50	19.00	<=38.45	Pass
	846.5	1	0	22.54	-0.50	19.89	<=38.45	Pass
			13	22.59	-0.50	19.94	<=38.45	Pass
			24	22.61	-0.50	19.96	<=38.45	Pass
		12	0	21.39	-0.50	18.74	<=38.45	Pass
			6	21.40	-0.50	18.75	<=38.45	Pass
			13	21.45	-0.50	18.80	<=38.45	Pass
		25	0	21.38	-0.50	18.73	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.4 B5_10MHz_ERP

1.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.63	-0.50	20.98	<=38.45	Pass
			25	23.61	-0.50	20.96	<=38.45	Pass
			49	23.29	-0.50	20.64	<=38.45	Pass
		25	0	22.36	-0.50	19.71	<=38.45	Pass
			13	22.72	-0.50	20.07	<=38.45	Pass
			25	22.51	-0.50	19.86	<=38.45	Pass
		50	0	22.63	-0.50	19.98	<=38.45	Pass
	836.5	1	0	23.80	-0.50	21.15	<=38.45	Pass
			25	23.63	-0.50	20.98	<=38.45	Pass
			49	23.66	-0.50	21.01	<=38.45	Pass
		25	0	22.63	-0.50	19.98	<=38.45	Pass
			13	22.36	-0.50	19.71	<=38.45	Pass
			25	22.64	-0.50	19.99	<=38.45	Pass
		50	0	22.45	-0.50	19.80	<=38.45	Pass
	844	1	0	23.47	-0.50	20.82	<=38.45	Pass
			25	23.42	-0.50	20.77	<=38.45	Pass
			49	23.55	-0.50	20.90	<=38.45	Pass
		25	0	22.44	-0.50	19.79	<=38.45	Pass
			13	22.44	-0.50	19.79	<=38.45	Pass
			25	22.70	-0.50	20.05	<=38.45	Pass
		50	0	22.49	-0.50	19.84	<=38.45	Pass
16QAM	829	1	0	22.75	-0.50	20.10	<=38.45	Pass
			25	22.72	-0.50	20.07	<=38.45	Pass
			49	22.45	-0.50	19.80	<=38.45	Pass
		25	0	21.40	-0.50	18.75	<=38.45	Pass
			13	21.44	-0.50	18.79	<=38.45	Pass
			25	21.32	-0.50	18.67	<=38.45	Pass
		50	0	21.38	-0.50	18.73	<=38.45	Pass
	836.5	1	0	22.90	-0.50	20.25	<=38.45	Pass
			25	22.65	-0.50	20.00	<=38.45	Pass
			49	22.79	-0.50	20.14	<=38.45	Pass
		25	0	21.31	-0.50	18.66	<=38.45	Pass
			13	21.33	-0.50	18.68	<=38.45	Pass
			25	21.35	-0.50	18.70	<=38.45	Pass
		50	0	21.32	-0.50	18.67	<=38.45	Pass
	844	1	0	22.74	-0.50	20.09	<=38.45	Pass
			25	22.61	-0.50	19.96	<=38.45	Pass
			49	22.69	-0.50	20.04	<=38.45	Pass
		25	0	21.61	-0.50	18.96	<=38.45	Pass
			13	21.55	-0.50	18.90	<=38.45	Pass
			25	21.39	-0.50	18.74	<=38.45	Pass
		50	0	21.51	-0.50	18.86	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 B5_1.4MHz

2.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	36.52	0.04	-2.5 to 2.5	Pass
					3.85	38.32	0.05	-2.5 to 2.5	Pass
					4.43	39.22	0.05	-2.5 to 2.5	Pass
				-30	3.85	40.88	0.05	-2.5 to 2.5	Pass
				-20	3.85	40.77	0.05	-2.5 to 2.5	Pass
				-10	3.85	42.43	0.05	-2.5 to 2.5	Pass
				0	3.85	42.64	0.05	-2.5 to 2.5	Pass
				10	3.85	42.90	0.05	-2.5 to 2.5	Pass
				30	3.85	44.25	0.05	-2.5 to 2.5	Pass
				40	3.85	43.72	0.05	-2.5 to 2.5	Pass
				50	3.85	43.56	0.05	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	2.40	0.00	-2.5 to 2.5	Pass
					3.85	0.66	0.00	-2.5 to 2.5	Pass
					4.43	-1.52	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-3.53	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-5.45	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-6.92	-0.01	-2.5 to 2.5	Pass
				0	3.85	-8.84	-0.01	-2.5 to 2.5	Pass
				10	3.85	-10.47	-0.01	-2.5 to 2.5	Pass
				30	3.85	-12.40	-0.01	-2.5 to 2.5	Pass
				40	3.85	-14.45	-0.02	-2.5 to 2.5	Pass
				50	3.85	-14.76	-0.02	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	2.12	0.00	-2.5 to 2.5	Pass
					3.85	3.33	0.00	-2.5 to 2.5	Pass
					4.43	4.33	0.01	-2.5 to 2.5	Pass
				-30	3.85	5.08	0.01	-2.5 to 2.5	Pass
				-20	3.85	6.48	0.01	-2.5 to 2.5	Pass
				-10	3.85	7.45	0.01	-2.5 to 2.5	Pass
				0	3.85	8.83	0.01	-2.5 to 2.5	Pass
				10	3.85	10.30	0.01	-2.5 to 2.5	Pass
				30	3.85	12.56	0.01	-2.5 to 2.5	Pass
				40	3.85	13.76	0.02	-2.5 to 2.5	Pass
				50	3.85	15.99	0.02	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	-24.20	-0.03	-2.5 to 2.5	Pass
					3.85	-21.69	-0.03	-2.5 to 2.5	Pass
					4.43	-21.57	-0.03	-2.5 to 2.5	Pass
				-30	3.85	-19.40	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-18.02	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-16.24	-0.02	-2.5 to 2.5	Pass
				0	3.85	-14.55	-0.02	-2.5 to 2.5	Pass
				10	3.85	-12.76	-0.02	-2.5 to 2.5	Pass
				30	3.85	-10.03	-0.01	-2.5 to 2.5	Pass
				40	3.85	-8.41	-0.01	-2.5 to 2.5	Pass
				50	3.85	-5.81	-0.01	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-5.79	-0.01	-2.5 to 2.5	Pass
					3.85	-5.48	-0.01	-2.5 to 2.5	Pass

					4.43	-5.62	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-4.76	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-4.09	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-3.95	-0.00	-2.5 to 2.5	Pass
				0	3.85	-2.07	-0.00	-2.5 to 2.5	Pass
				10	3.85	-0.27	-0.00	-2.5 to 2.5	Pass
				30	3.85	1.10	0.00	-2.5 to 2.5	Pass
				40	3.85	2.93	0.00	-2.5 to 2.5	Pass
				50	3.85	4.95	0.01	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	26.87	0.03	-2.5 to 2.5	Pass
					3.85	28.21	0.03	-2.5 to 2.5	Pass
					4.43	29.47	0.03	-2.5 to 2.5	Pass
				-30	3.85	32.53	0.04	-2.5 to 2.5	Pass
				-20	3.85	34.23	0.04	-2.5 to 2.5	Pass
				-10	3.85	35.85	0.04	-2.5 to 2.5	Pass
				0	3.85	38.39	0.05	-2.5 to 2.5	Pass
				10	3.85	40.00	0.05	-2.5 to 2.5	Pass
				30	3.85	42.36	0.05	-2.5 to 2.5	Pass
				40	3.85	44.25	0.05	-2.5 to 2.5	Pass
				50	3.85	46.66	0.06	-2.5 to 2.5	Pass

2.2 B5_3MHz

2.2.1 Test Result

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	12.79	0.02	-2.5 to 2.5	Pass
					3.85	12.37	0.01	-2.5 to 2.5	Pass
					4.43	11.53	0.01	-2.5 to 2.5	Pass
				-30	3.85	10.91	0.01	-2.5 to 2.5	Pass
				-20	3.85	10.10	0.01	-2.5 to 2.5	Pass
				-10	3.85	9.17	0.01	-2.5 to 2.5	Pass
				0	3.85	8.48	0.01	-2.5 to 2.5	Pass
				10	3.85	8.08	0.01	-2.5 to 2.5	Pass
				30	3.85	6.90	0.01	-2.5 to 2.5	Pass
				40	3.85	4.99	0.01	-2.5 to 2.5	Pass
				50	3.85	4.28	0.01	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	0.27	0.00	-2.5 to 2.5	Pass
					3.85	-1.39	-0.00	-2.5 to 2.5	Pass
					4.43	-2.83	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-4.22	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-5.51	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-6.45	-0.01	-2.5 to 2.5	Pass
				0	3.85	-8.37	-0.01	-2.5 to 2.5	Pass
				10	3.85	-9.11	-0.01	-2.5 to 2.5	Pass
				30	3.85	-11.66	-0.01	-2.5 to 2.5	Pass
				40	3.85	-12.10	-0.01	-2.5 to 2.5	Pass
				50	3.85	-13.70	-0.02	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	5.02	0.01	-2.5 to 2.5	Pass
					3.85	5.19	0.01	-2.5 to 2.5	Pass
					4.43	6.35	0.01	-2.5 to 2.5	Pass
				-30	3.85	7.57	0.01	-2.5 to 2.5	Pass
				-20	3.85	8.67	0.01	-2.5 to 2.5	Pass
				-10	3.85	9.48	0.01	-2.5 to 2.5	Pass
				0	3.85	10.46	0.01	-2.5 to 2.5	Pass
				10	3.85	11.90	0.01	-2.5 to 2.5	Pass
				30	3.85	13.25	0.02	-2.5 to 2.5	Pass
				40	3.85	14.56	0.02	-2.5 to 2.5	Pass
				50	3.85	14.76	0.02	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	-5.81	-0.01	-2.5 to 2.5	Pass
					3.85	-4.65	-0.01	-2.5 to 2.5	Pass
					4.43	-3.22	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-1.36	-0.00	-2.5 to 2.5	Pass
				-20	3.85	0.49	0.00	-2.5 to 2.5	Pass
				-10	3.85	2.53	0.00	-2.5 to 2.5	Pass
				0	3.85	4.18	0.01	-2.5 to 2.5	Pass
				10	3.85	5.46	0.01	-2.5 to 2.5	Pass
				30	3.85	8.07	0.01	-2.5 to 2.5	Pass
				40	3.85	9.51	0.01	-2.5 to 2.5	Pass
				50	3.85	11.62	0.01	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-29.64	-0.04	-2.5 to 2.5	Pass
					3.85	-30.28	-0.04	-2.5 to 2.5	Pass
					4.43	-30.04	-0.04	-2.5 to 2.5	Pass
				-30	3.85	-29.80	-0.04	-2.5 to 2.5	Pass
				-20	3.85	-29.31	-0.04	-2.5 to 2.5	Pass

				-10	3.85	-28.11	-0.03	-2.5 to 2.5	Pass
				0	3.85	-27.61	-0.03	-2.5 to 2.5	Pass
				10	3.85	-27.02	-0.03	-2.5 to 2.5	Pass
				30	3.85	-25.72	-0.03	-2.5 to 2.5	Pass
				40	3.85	-24.58	-0.03	-2.5 to 2.5	Pass
				50	3.85	-23.82	-0.03	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	29.23	0.03	-2.5 to 2.5	Pass
					3.85	31.14	0.04	-2.5 to 2.5	Pass
					4.43	33.45	0.04	-2.5 to 2.5	Pass
				-30	3.85	34.49	0.04	-2.5 to 2.5	Pass
				-20	3.85	36.66	0.04	-2.5 to 2.5	Pass
				-10	3.85	37.85	0.04	-2.5 to 2.5	Pass
				0	3.85	39.71	0.05	-2.5 to 2.5	Pass
				10	3.85	41.61	0.05	-2.5 to 2.5	Pass
				30	3.85	43.60	0.05	-2.5 to 2.5	Pass
				40	3.85	44.60	0.05	-2.5 to 2.5	Pass
				50	3.85	46.53	0.05	-2.5 to 2.5	Pass

2.3 B5_5MHz

2.3.1 Test Result

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	14.03	0.02	-2.5 to 2.5	Pass
					3.85	13.83	0.02	-2.5 to 2.5	Pass
					4.43	12.79	0.02	-2.5 to 2.5	Pass
				-30	3.85	13.25	0.02	-2.5 to 2.5	Pass
				-20	3.85	12.42	0.01	-2.5 to 2.5	Pass
				-10	3.85	12.73	0.02	-2.5 to 2.5	Pass
				0	3.85	12.35	0.01	-2.5 to 2.5	Pass
				10	3.85	12.39	0.01	-2.5 to 2.5	Pass
				30	3.85	12.33	0.01	-2.5 to 2.5	Pass
				40	3.85	12.16	0.01	-2.5 to 2.5	Pass
				50	3.85	11.87	0.01	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	0.56	0.00	-2.5 to 2.5	Pass
					3.85	-0.09	-0.00	-2.5 to 2.5	Pass
					4.43	-0.70	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-2.40	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-3.52	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-4.71	-0.01	-2.5 to 2.5	Pass
				0	3.85	-6.12	-0.01	-2.5 to 2.5	Pass
				10	3.85	-6.94	-0.01	-2.5 to 2.5	Pass
				30	3.85	-8.51	-0.01	-2.5 to 2.5	Pass
				40	3.85	-9.28	-0.01	-2.5 to 2.5	Pass
				50	3.85	-10.01	-0.01	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-2.07	-0.00	-2.5 to 2.5	Pass
					3.85	-1.14	-0.00	-2.5 to 2.5	Pass
					4.43	-0.69	-0.00	-2.5 to 2.5	Pass
				-30	3.85	0.14	0.00	-2.5 to 2.5	Pass
				-20	3.85	0.76	0.00	-2.5 to 2.5	Pass
				-10	3.85	1.02	0.00	-2.5 to 2.5	Pass
				0	3.85	1.79	0.00	-2.5 to 2.5	Pass
				10	3.85	2.42	0.00	-2.5 to 2.5	Pass
				30	3.85	3.05	0.00	-2.5 to 2.5	Pass
				40	3.85	3.35	0.00	-2.5 to 2.5	Pass
				50	3.85	3.71	0.00	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	17.02	0.02	-2.5 to 2.5	Pass
					3.85	19.13	0.02	-2.5 to 2.5	Pass
					4.43	20.60	0.02	-2.5 to 2.5	Pass
				-30	3.85	21.86	0.03	-2.5 to 2.5	Pass
				-20	3.85	23.70	0.03	-2.5 to 2.5	Pass
				-10	3.85	25.48	0.03	-2.5 to 2.5	Pass
				0	3.85	26.91	0.03	-2.5 to 2.5	Pass
				10	3.85	28.14	0.03	-2.5 to 2.5	Pass
				30	3.85	30.57	0.04	-2.5 to 2.5	Pass
				40	3.85	32.20	0.04	-2.5 to 2.5	Pass
				50	3.85	33.72	0.04	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-14.98	-0.02	-2.5 to 2.5	Pass
					3.85	-15.36	-0.02	-2.5 to 2.5	Pass
					4.43	-15.18	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-14.92	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-15.01	-0.02	-2.5 to 2.5	Pass

				-10	3.85	-15.49	-0.02	-2.5 to 2.5	Pass
				0	3.85	-15.68	-0.02	-2.5 to 2.5	Pass
				10	3.85	-15.82	-0.02	-2.5 to 2.5	Pass
				30	3.85	-15.85	-0.02	-2.5 to 2.5	Pass
				40	3.85	-15.88	-0.02	-2.5 to 2.5	Pass
				50	3.85	-16.39	-0.02	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-1.79	-0.00	-2.5 to 2.5	Pass
					3.85	-2.50	-0.00	-2.5 to 2.5	Pass
					4.43	-2.80	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-2.78	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-3.36	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-3.52	-0.00	-2.5 to 2.5	Pass
				0	3.85	-3.72	-0.00	-2.5 to 2.5	Pass
				10	3.85	-4.13	-0.00	-2.5 to 2.5	Pass
				30	3.85	-4.85	-0.01	-2.5 to 2.5	Pass
				40	3.85	-5.22	-0.01	-2.5 to 2.5	Pass
				50	3.85	-5.92	-0.01	-2.5 to 2.5	Pass

2.4 B5_10MHz

2.4.1 Test Result

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-1.03	-0.00	-2.5 to 2.5	Pass
					3.85	-1.24	-0.00	-2.5 to 2.5	Pass
					4.43	-1.76	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-2.73	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-3.16	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-3.78	-0.00	-2.5 to 2.5	Pass
				0	3.85	-4.08	-0.00	-2.5 to 2.5	Pass
				10	3.85	-5.35	-0.01	-2.5 to 2.5	Pass
				30	3.85	-5.35	-0.01	-2.5 to 2.5	Pass
				40	3.85	-6.47	-0.01	-2.5 to 2.5	Pass
				50	3.85	-7.07	-0.01	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-0.82	-0.00	-2.5 to 2.5	Pass
					3.85	-1.22	-0.00	-2.5 to 2.5	Pass
					4.43	-1.66	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-2.13	-0.00	-2.5 to 2.5	Pass
				-20	3.85	-2.68	-0.00	-2.5 to 2.5	Pass
				-10	3.85	-3.49	-0.00	-2.5 to 2.5	Pass
				0	3.85	-4.13	-0.00	-2.5 to 2.5	Pass
				10	3.85	-4.32	-0.01	-2.5 to 2.5	Pass
				30	3.85	-4.92	-0.01	-2.5 to 2.5	Pass
				40	3.85	-5.28	-0.01	-2.5 to 2.5	Pass
				50	3.85	-5.58	-0.01	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-7.94	-0.01	-2.5 to 2.5	Pass
					3.85	-8.87	-0.01	-2.5 to 2.5	Pass
					4.43	-9.80	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-10.27	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-11.04	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-12.36	-0.01	-2.5 to 2.5	Pass
				0	3.85	-13.18	-0.02	-2.5 to 2.5	Pass
				10	3.85	-14.06	-0.02	-2.5 to 2.5	Pass
				30	3.85	-15.25	-0.02	-2.5 to 2.5	Pass
				40	3.85	-16.05	-0.02	-2.5 to 2.5	Pass
				50	3.85	-16.88	-0.02	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	-8.35	-0.01	-2.5 to 2.5	Pass
					3.85	-8.75	-0.01	-2.5 to 2.5	Pass
					4.43	-8.70	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-8.50	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-8.77	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-8.58	-0.01	-2.5 to 2.5	Pass
				0	3.85	-9.30	-0.01	-2.5 to 2.5	Pass
				10	3.85	-9.88	-0.01	-2.5 to 2.5	Pass
				30	3.85	-9.97	-0.01	-2.5 to 2.5	Pass
				40	3.85	-9.94	-0.01	-2.5 to 2.5	Pass
				50	3.85	-10.43	-0.01	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	4.89	0.01	-2.5 to 2.5	Pass
					3.85	3.49	0.00	-2.5 to 2.5	Pass
					4.43	4.01	0.00	-2.5 to 2.5	Pass
				-30	3.85	3.53	0.00	-2.5 to 2.5	Pass
				-20	3.85	3.12	0.00	-2.5 to 2.5	Pass

				-10	3.85	2.62	0.00	-2.5 to 2.5	Pass
				0	3.85	1.90	0.00	-2.5 to 2.5	Pass
				10	3.85	2.72	0.00	-2.5 to 2.5	Pass
				30	3.85	1.77	0.00	-2.5 to 2.5	Pass
				40	3.85	1.23	0.00	-2.5 to 2.5	Pass
				50	3.85	0.36	0.00	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-18.08	-0.02	-2.5 to 2.5	Pass
					3.85	-18.37	-0.02	-2.5 to 2.5	Pass
					4.43	-18.74	-0.02	-2.5 to 2.5	Pass
				-30	3.85	-18.68	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-19.13	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-19.66	-0.02	-2.5 to 2.5	Pass
				0	3.85	-19.48	-0.02	-2.5 to 2.5	Pass
				10	3.85	-20.01	-0.02	-2.5 to 2.5	Pass
				30	3.85	-20.36	-0.02	-2.5 to 2.5	Pass
				40	3.85	-20.71	-0.02	-2.5 to 2.5	Pass
				50	3.85	-21.13	-0.03	-2.5 to 2.5	Pass


4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5 / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.117	Pass
		836.5	6	0	1.124	Pass
		848.3	6	0	1.123	Pass
	16QAM	824.7	6	0	1.119	Pass
		836.5	6	0	1.130	Pass
		848.3	6	0	1.120	Pass
3	QPSK	825.5	15	0	2.791	Pass
		836.5	15	0	2.776	Pass
		847.5	15	0	2.775	Pass
	16QAM	825.5	15	0	2.781	Pass
		836.5	15	0	2.777	Pass
		847.5	15	0	2.789	Pass
5	QPSK	826.5	25	0	4.580	Pass
		836.5	25	0	4.585	Pass
		846.5	25	0	4.562	Pass
	16QAM	826.5	25	0	4.557	Pass
		836.5	25	0	4.590	Pass
		846.5	25	0	4.591	Pass
10	QPSK	829	50	0	9.042	Pass
		836.5	50	0	9.078	Pass
		844	50	0	9.040	Pass
	16QAM	829	50	0	9.040	Pass
		836.5	50	0	9.102	Pass
		844	50	0	9.053	Pass


4.1.2 Test Graph




Band5 1.4MHz QPSK HCH 848.3MHz RB 6.0 NTNV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6.0 NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




4.2 Band5_XDB


4.2.1 Test Result

Band: 5 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.334	Pass
		836.5	6	0	1.344	Pass
		848.3	6	0	1.372	Pass
	16QAM	824.7	6	0	1.533	Pass
		836.5	6	0	1.419	Pass
		848.3	6	0	1.368	Pass
3	QPSK	825.5	15	0	3.411	Pass
		836.5	15	0	3.299	Pass
		847.5	15	0	3.513	Pass
	16QAM	825.5	15	0	3.261	Pass
		836.5	15	0	3.540	Pass
		847.5	15	0	3.516	Pass
5	QPSK	826.5	25	0	5.512	Pass
		836.5	25	0	6.108	Pass
		846.5	25	0	5.784	Pass
	16QAM	826.5	25	0	5.491	Pass
		836.5	25	0	5.497	Pass
		846.5	25	0	5.456	Pass
10	QPSK	829	50	0	10.231	Pass
		836.5	50	0	10.276	Pass
		844	50	0	10.128	Pass
	16QAM	829	50	0	10.124	Pass
		836.5	50	0	10.390	Pass
		844	50	0	10.377	Pass


4.2.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5. Peak-Average Ratio

5.1 B5_1.4MHz


5.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.50	<=13	Pass
	836.5	6	0	5.80	<=13	Pass
	848.3	6	0	5.00	<=13	Pass
16QAM	824.7	6	0	6.42	<=13	Pass
	836.5	6	0	6.52	<=13	Pass
	848.3	6	0	5.77	<=13	Pass


5.1.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV



Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV



Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2 B5_3MHz


5.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.55	<=13	Pass
	836.5	15	0	5.79	<=13	Pass
	847.5	15	0	5.04	<=13	Pass
16QAM	825.5	15	0	6.38	<=13	Pass
	836.5	15	0	6.60	<=13	Pass
	847.5	15	0	5.94	<=13	Pass


5.2.2 Test Graph




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.3 B5_5MHz


5.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.54	<=13	Pass
	836.5	25	0	5.78	<=13	Pass
	846.5	25	0	5.46	<=13	Pass
16QAM	826.5	25	0	6.18	<=13	Pass
	836.5	25	0	6.50	<=13	Pass
	846.5	25	0	6.21	<=13	Pass


5.3.2 Test Graph




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.4 B5_10MHz


5.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.99	<=13	Pass
	836.5	50	0	5.98	<=13	Pass
	844	50	0	6.11	<=13	Pass
16QAM	829	50	0	6.76	<=13	Pass
	836.5	50	0	6.84	<=13	Pass
	844	50	0	6.74	<=13	Pass


5.4.2 Test Graph




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




6. Spurious Emission

6.1 B5_1.4MHz


6.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass


6.1.2 Test Graph




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 6.0 NTNV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 1.0 NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV



Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV

