


Test Mode UNII-3\_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.690	18.200	0.5	Complies
157	5785	17.700	18.400	0.5	Complies
165	5825	17.689	18.200	0.5	Complies

**CH149**




Date: 22.JAN.2024 10:12:49

**CH157**  
6 dB Bandwidth




Date: 22.JAN.2024 10:13:57

**CH165**




Date: 22.JAN.2024 10:15:00


**99 % Occupied Bandwidth**



Date: 22.JAN.2024 10:12:22



Date: 22.JAN.2024 10:13:29




Date: 22.JAN.2024 10:14:03

Test Mode UNII-3\_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	37.400	0.5	Complies
159	5795	36.500	38.000	0.5	Complies

**CH151**




Date: 22\_JAN\_2024 10:45:27

**CH159**  
6 dB Bandwidth




Date: 22\_JAN\_2024 10:47:06

**99 % Occupied Bandwidth**



Date: 22\_JAN\_2024 10:46:51




Date: 22\_JAN\_2024 10:46:29

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.600	76.800	0.5	Complies

### CH155 6 dB Bandwidth



Date: 22\_JAN\_2024 11:02:07

### 99 % Occupied Bandwidth




Date: 22\_JAN\_2024 11:01:31

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.090	19.400	0.5	Complies
157	5785	19.150	19.400	0.5	Complies
165	5825	19.090	19.400	0.5	Complies

**CH149**




Date: 22.JAN.2024 11:15:04

**CH157**  
6 dB Bandwidth




Date: 22.JAN.2024 11:16:23

**CH165**




Date: 22.JAN.2024 11:17:37


**99 % Occupied Bandwidth**



Date: 22.JAN.2024 11:14:37



Date: 22.JAN.2024 11:15:56




Date: 22.JAN.2024 11:17:10

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.199	38.400	0.5	Complies
159	5795	38.300	38.600	0.5	Complies

**CH151**




Date: 22\_JAN\_2024 11:30:30

**CH159**  
6 dB Bandwidth




Date: 22\_JAN\_2024 11:32:20

**99 % Occupied Bandwidth**



Date: 22\_JAN\_2024 11:29:54




Date: 22\_JAN\_2024 11:31:43

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.200	77.600	0.5	Complies

### CH155 6 dB Bandwidth



Date: 22\_JAN\_2024 11:40:50

### 99 % Occupied Bandwidth



Date: 22\_JAN\_2024 11:40:14

## **APPENDIX F - MAXIMUM OUTPUT POWER**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.02	0.00	15.02	25.84	0.3837	Complies
40	5200	15.04	0.00	15.04	25.84	0.3837	Complies
48	5240	15.35	0.00	15.35	25.84	0.3837	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.46	0.00	14.46	25.84	0.3837	Complies
40	5200	14.76	0.00	14.76	25.84	0.3837	Complies
48	5240	14.69	0.00	14.69	25.84	0.3837	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.76	25.84	0.3837	Complies
40	5200	17.91	25.84	0.3837	Complies
48	5240	18.04	25.84	0.3837	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.05	0.00	15.05	25.84	0.3837	Complies
40	5200	15.15	0.00	15.15	25.84	0.3837	Complies
48	5240	15.22	0.00	15.22	25.84	0.3837	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.51	0.00	14.51	25.84	0.3837	Complies
40	5200	14.76	0.00	14.76	25.84	0.3837	Complies
48	5240	14.93	0.00	14.93	25.84	0.3837	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.80	25.84	0.3837	Complies
40	5200	17.97	25.84	0.3837	Complies
48	5240	18.09	25.84	0.3837	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.51	0.00	15.51	25.84	0.3837	Complies
46	5230	15.16	0.00	15.16	25.84	0.3837	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.75	0.00	14.75	25.84	0.3837	Complies
46	5230	14.92	0.00	14.92	25.84	0.3837	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.16	25.84	0.3837	Complies
46	5230	18.05	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.09	0.00	15.09	25.84	0.3837	Complies
40	5200	15.26	0.00	15.26	25.84	0.3837	Complies
48	5240	15.22	0.00	15.22	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.45	0.00	14.45	25.84	0.3837	Complies
40	5200	14.58	0.00	14.58	25.84	0.3837	Complies
48	5240	15.05	0.00	15.05	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.79	25.84	0.3837	Complies
40	5200	17.94	25.84	0.3837	Complies
48	5240	18.15	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.53	0.00	15.53	25.84	0.3837	Complies
46	5230	15.07	0.00	15.07	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.61	0.00	14.61	25.84	0.3837	Complies
46	5230	14.72	0.00	14.72	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.10	25.84	0.3837	Complies
46	5230	17.91	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.48	0.19	15.67	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.77	0.19	14.96	25.84	0.3837	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.34	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.44	0.00	15.44	25.84	0.3837	Complies
40	5200	15.42	0.00	15.42	25.84	0.3837	Complies
48	5240	15.05	0.00	15.05	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.76	0.00	14.76	25.84	0.3837	Complies
40	5200	15.03	0.00	15.03	25.84	0.3837	Complies
48	5240	14.75	0.00	14.75	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.12	25.84	0.3837	Complies
40	5200	18.24	25.84	0.3837	Complies
48	5240	17.91	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.38	0.00	15.38	25.84	0.3837	Complies
46	5230	15.48	0.00	15.48	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.87	0.00	14.87	25.84	0.3837	Complies
46	5230	15.18	0.00	15.18	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.14	25.84	0.3837	Complies
46	5230	18.34	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.49	0.13	15.62	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.62	0.13	14.75	25.84	0.3837	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.22	25.84	0.3837	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.95	0.00	12.95	19.84	0.0964	Complies
60	5300	12.97	0.00	12.97	19.84	0.0964	Complies
64	5320	12.87	0.00	12.87	19.84	0.0964	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.96	0.00	12.96	19.84	0.0964	Complies
60	5300	12.67	0.00	12.67	19.84	0.0964	Complies
64	5320	12.53	0.00	12.53	19.84	0.0964	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.97	19.84	0.0964	Complies
60	5300	15.83	19.84	0.0964	Complies
64	5320	15.71	19.84	0.0964	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.12	0.00	13.12	19.84	0.0964	Complies
60	5300	12.79	0.00	12.79	19.84	0.0964	Complies
64	5320	12.62	0.00	12.62	19.84	0.0964	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.53	0.00	12.53	19.84	0.0964	Complies
60	5300	12.61	0.00	12.61	19.84	0.0964	Complies
64	5320	12.49	0.00	12.49	19.84	0.0964	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.85	19.84	0.0964	Complies
60	5300	15.71	19.84	0.0964	Complies
64	5320	15.57	19.84	0.0964	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.42	0.00	15.42	19.84	0.0964	Complies
62	5310	15.13	0.00	15.13	19.84	0.0964	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.64	0.00	14.64	19.84	0.0964	Complies
62	5310	14.51	0.00	14.51	19.84	0.0964	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.06	19.84	0.0964	Complies
62	5310	17.84	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.36	0.00	13.36	19.84	0.0964	Complies
60	5300	13.01	0.00	13.01	19.84	0.0964	Complies
64	5320	13.01	0.00	13.01	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.84	0.00	12.84	19.84	0.0964	Complies
60	5300	12.75	0.00	12.75	19.84	0.0964	Complies
64	5320	12.43	0.00	12.43	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.12	19.84	0.0964	Complies
60	5300	15.89	19.84	0.0964	Complies
64	5320	15.74	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.26	0.00	15.26	19.84	0.0964	Complies
62	5310	15.11	0.00	15.11	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.68	0.00	14.68	19.84	0.0964	Complies
62	5310	14.42	0.00	14.42	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.99	19.84	0.0964	Complies
62	5310	17.79	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.16	0.19	15.35	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.18	0.19	14.37	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.90	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.53	0.00	13.53	19.84	0.0964	Complies
60	5300	13.44	0.00	13.44	19.84	0.0964	Complies
64	5320	13.25	0.00	13.25	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.75	0.00	12.75	19.84	0.0964	Complies
60	5300	13.25	0.00	13.25	19.84	0.0964	Complies
64	5320	12.87	0.00	12.87	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.17	19.84	0.0964	Complies
60	5300	16.36	19.84	0.0964	Complies
64	5320	16.07	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.03	0.00	15.03	19.84	0.0964	Complies
62	5310	15.48	0.00	15.48	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.56	0.00	14.56	19.84	0.0964	Complies
62	5310	14.91	0.00	14.91	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.81	19.84	0.0964	Complies
62	5310	18.21	19.84	0.0964	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.58	0.13	15.71	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.18	0.13	15.31	19.84	0.0964	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.53	19.84	0.0964	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.05	0.00	13.05	19.84	0.0964	Complies
116	5580	13.38	0.00	13.38	19.84	0.0964	Complies
140	5700	10.74	0.00	10.74	19.84	0.0964	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.28	0.00	11.28	19.84	0.0964	Complies
116	5580	12.55	0.00	12.55	19.84	0.0964	Complies
140	5700	12.05	0.00	12.05	19.84	0.0964	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.26	19.84	0.0964	Complies
116	5580	16.00	19.84	0.0964	Complies
140	5700	14.45	19.84	0.0964	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.77	0.00	12.77	19.84	0.0964	Complies
116	5580	12.96	0.00	12.96	19.84	0.0964	Complies
140	5700	11.17	0.00	11.17	19.84	0.0964	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.28	0.00	11.28	19.84	0.0964	Complies
116	5580	12.03	0.00	12.03	19.84	0.0964	Complies
140	5700	11.95	0.00	11.95	19.84	0.0964	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.10	19.84	0.0964	Complies
116	5580	15.53	19.84	0.0964	Complies
140	5700	14.59	19.84	0.0964	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.79	0.00	15.79	19.84	0.0964	Complies
110	5550	15.49	0.00	15.49	19.84	0.0964	Complies
134	5670	14.23	0.00	14.23	19.84	0.0964	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.32	0.00	14.32	19.84	0.0964	Complies
110	5550	14.44	0.00	14.44	19.84	0.0964	Complies
134	5670	15.48	0.00	15.48	19.84	0.0964	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.13	19.84	0.0964	Complies
110	5550	18.01	19.84	0.0964	Complies
134	5670	17.91	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.05	0.00	13.05	19.84	0.0964	Complies
116	5580	13.12	0.00	13.12	19.84	0.0964	Complies
140	5700	11.86	0.00	11.86	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.43	0.00	11.43	19.84	0.0964	Complies
116	5580	12.05	0.00	12.05	19.84	0.0964	Complies
140	5700	13.15	0.00	13.15	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.33	19.84	0.0964	Complies
116	5580	15.63	19.84	0.0964	Complies
140	5700	15.56	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.61	0.00	15.61	19.84	0.0964	Complies
110	5550	15.32	0.00	15.32	19.84	0.0964	Complies
134	5670	14.21	0.00	14.21	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.22	0.00	14.22	19.84	0.0964	Complies
110	5550	14.45	0.00	14.45	19.84	0.0964	Complies
134	5670	15.27	0.00	15.27	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.98	19.84	0.0964	Complies
110	5550	17.92	19.84	0.0964	Complies
134	5670	17.78	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.42	0.19	15.61	19.84	0.0964	Complies
122	5610	15.41	0.19	15.60	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.18	0.19	14.37	19.84	0.0964	Complies
122	5610	15.48	0.19	15.67	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.05	19.84	0.0964	Complies
122	5610	18.65	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.26	0.00	13.26	19.84	0.0964	Complies
116	5580	13.79	0.00	13.79	19.84	0.0964	Complies
140	5700	11.54	0.00	11.54	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.52	0.00	11.52	19.84	0.0964	Complies
116	5580	12.99	0.00	12.99	19.84	0.0964	Complies
140	5700	13.12	0.00	13.12	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.49	19.84	0.0964	Complies
116	5580	16.42	19.84	0.0964	Complies
140	5700	15.41	19.84	0.0964	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.85	0.00	15.85	19.84	0.0964	Complies
110	5550	15.65	0.00	15.65	19.84	0.0964	Complies
134	5670	14.34	0.00	14.34	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.61	0.00	14.61	19.84	0.0964	Complies
110	5550	14.71	0.00	14.71	19.84	0.0964	Complies
134	5670	15.68	0.00	15.68	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.28	19.84	0.0964	Complies
110	5550	18.22	19.84	0.0964	Complies
134	5670	18.07	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.82	0.13	15.95	19.84	0.0964	Complies
122	5610	14.97	0.13	15.10	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.72	0.13	14.85	19.84	0.0964	Complies
122	5610	15.28	0.13	15.41	19.84	0.0964	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.45	19.84	0.0964	Complies
122	5610	18.27	19.84	0.0964	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.36	0.00	15.36	25.84	0.3837	Complies
157	5785	14.87	0.00	14.87	25.84	0.3837	Complies
165	5825	15.14	0.00	15.14	25.84	0.3837	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.99	0.00	13.99	25.84	0.3837	Complies
157	5785	13.38	0.00	13.38	25.84	0.3837	Complies
165	5825	13.82	0.00	13.82	25.84	0.3837	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.74	25.84	0.3837	Complies
157	5785	17.20	25.84	0.3837	Complies
165	5825	17.54	25.84	0.3837	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.31	0.00	15.31	25.84	0.3837	Complies
157	5785	15.43	0.00	15.43	25.84	0.3837	Complies
165	5825	15.54	0.00	15.54	25.84	0.3837	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.84	0.00	13.84	25.84	0.3837	Complies
157	5785	14.05	0.00	14.05	25.84	0.3837	Complies
165	5825	14.74	0.00	14.74	25.84	0.3837	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.65	25.84	0.3837	Complies
157	5785	17.80	25.84	0.3837	Complies
165	5825	18.17	25.84	0.3837	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.38	0.00	15.38	25.84	0.3837	Complies
159	5795	15.07	0.00	15.07	25.84	0.3837	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.25	0.00	14.25	25.84	0.3837	Complies
159	5795	13.89	0.00	13.89	25.84	0.3837	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.86	25.84	0.3837	Complies
159	5795	17.53	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.08	0.00	15.08	25.84	0.3837	Complies
157	5785	15.58	0.00	15.58	25.84	0.3837	Complies
165	5825	15.26	0.00	15.26	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.67	0.00	13.67	25.84	0.3837	Complies
157	5785	14.34	0.00	14.34	25.84	0.3837	Complies
165	5825	13.91	0.00	13.91	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.44	25.84	0.3837	Complies
157	5785	18.01	25.84	0.3837	Complies
165	5825	17.65	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.45	0.00	15.45	25.84	0.3837	Complies
159	5795	15.49	0.00	15.49	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.23	0.00	14.23	25.84	0.3837	Complies
159	5795	14.25	0.00	14.25	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.89	25.84	0.3837	Complies
159	5795	17.92	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.22	0.19	15.41	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.24	0.19	14.43	25.84	0.3837	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.96	25.84	0.3837	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.44	0.00	15.44	25.84	0.3837	Complies
157	5785	15.46	0.00	15.46	25.84	0.3837	Complies
165	5825	15.53	0.00	15.53	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.03	0.00	14.03	25.84	0.3837	Complies
157	5785	14.07	0.00	14.07	25.84	0.3837	Complies
165	5825	14.24	0.00	14.24	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.80	25.84	0.3837	Complies
157	5785	17.83	25.84	0.3837	Complies
165	5825	17.94	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.43	0.00	15.43	25.84	0.3837	Complies
159	5795	15.52	0.00	15.52	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.14	0.00	14.14	25.84	0.3837	Complies
159	5795	14.06	0.00	14.06	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.84	25.84	0.3837	Complies
159	5795	17.86	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.20	0.13	15.33	25.84	0.3837	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.41	0.13	14.54	25.84	0.3837	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.97	25.84	0.3837	Complies

## **APPENDIX G - POWER SPECTRAL DENSITY**


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.66	0.00	4.66	12.84	Complies
40	5200	4.87	0.00	4.87	12.84	Complies
48	5240	4.84	0.00	4.84	12.84	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.85	0.00	4.85	12.84	Complies
40	5200	5.02	0.00	5.02	12.84	Complies
48	5240	5.10	0.00	5.10	12.84	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.77	12.84	Complies
40	5200	7.96	12.84	Complies
48	5240	7.98	12.84	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.89	0.00	4.89	12.84	Complies
40	5200	5.04	0.00	5.04	12.84	Complies
48	5240	5.18	0.00	5.18	12.84	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.40	0.00	4.40	12.84	Complies
40	5200	4.58	0.00	4.58	12.84	Complies
48	5240	4.76	0.00	4.76	12.84	Complies





Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.66	12.84	Complies
40	5200	7.83	12.84	Complies
48	5240	7.99	12.84	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.88	0.00	1.88	12.84	Complies
46	5230	1.49	0.00	1.49	12.84	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.43	0.00	1.43	12.84	Complies
46	5230	1.32	0.00	1.32	12.84	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.67	12.84	Complies
46	5230	4.42	12.84	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.90	0.19	-0.71	12.84	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.18	0.19	-0.99	12.84	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.17	12.84	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.91	0.00	4.91	12.84	Complies
40	5200	5.17	0.00	5.17	12.84	Complies
48	5240	5.66	0.00	5.66	12.84	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.69	0.00	4.69	12.84	Complies
40	5200	4.86	0.00	4.86	12.84	Complies
48	5240	4.60	0.00	4.60	12.84	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.81	12.84	Complies
40	5200	8.03	12.84	Complies
48	5240	8.17	12.84	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.57	0.00	1.57	12.84	Complies
46	5230	1.66	0.00	1.66	12.84	Complies




Date: 22\_JAN\_2024 11:19:59




Date: 22\_JAN\_2024 11:21:33

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.77	0.00	1.77	12.84	Complies
46	5230	2.10	0.00	2.10	12.84	Complies



Date: 22\_JAN\_2024 14:21:48




Date: 22\_JAN\_2024 14:22:26

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.68	12.84	Complies
46	5230	4.90	12.84	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.76	0.13	-0.63	12.84	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.22	0.13	-3.09	12.84	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.33	12.84	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.08	0.00	3.08	6.84	Complies
60	5300	2.83	0.00	2.83	6.84	Complies
64	5320	2.89	0.00	2.89	6.84	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.33	0.00	3.33	6.84	Complies
60	5300	3.25	0.00	3.25	6.84	Complies
64	5320	3.27	0.00	3.27	6.84	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.22	6.84	Complies
60	5300	6.06	6.84	Complies
64	5320	6.09	6.84	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.14	0.00	3.14	6.84	Complies
60	5300	2.89	0.00	2.89	6.84	Complies
64	5320	2.73	0.00	2.73	6.84	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.80	0.00	2.80	6.84	Complies
60	5300	2.77	0.00	2.77	6.84	Complies
64	5320	2.78	0.00	2.78	6.84	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.98	6.84	Complies
60	5300	5.84	6.84	Complies
64	5320	5.77	6.84	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.62	0.00	1.62	6.84	Complies
62	5310	1.60	0.00	1.60	6.84	Complies




Date: 22\_JAN\_2024 10:20:40




Date: 22\_JAN\_2024 10:38:52

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.31	0.00	1.31	6.84	Complies
62	5310	1.26	0.00	1.26	6.84	Complies



Date: 22\_JAN\_2024 14:00:15




Date: 22\_JAN\_2024 14:00:47

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.48	6.84	Complies
62	5310	4.44	6.84	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.60	0.19	-1.41	6.84	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.4	0.19	-1.26	6.84	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.68	6.84	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.24	0.00	3.24	6.84	Complies
60	5300	2.95	0.00	2.95	6.84	Complies
64	5320	2.91	0.00	2.91	6.84	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.16	0.00	3.16	6.84	Complies
60	5300	3.09	0.00	3.09	6.84	Complies
64	5320	3.04	0.00	3.04	6.84	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.21	6.84	Complies
60	5300	6.03	6.84	Complies
64	5320	5.99	6.84	Complies




Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.39	0.00	1.39	6.84	Complies
62	5310	1.77	0.00	1.77	6.84	Complies




Date: 22\_JAN\_2024 11:23:12




Date: 22\_JAN\_2024 11:24:43

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.86	0.00	1.86	6.84	Complies
62	5310	1.73	0.00	1.73	6.84	Complies



Date: 22\_JAN\_2024 14:23:34




Date: 22\_JAN\_2024 14:24:11

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.64	6.84	Complies
62	5310	4.76	6.84	Complies


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.84	0.13	-0.71	6.84	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.32	0.13	-1.19	6.84	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.07	6.84	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.77	0.00	2.77	6.84	Complies
116	5580	3.15	0.00	3.15	6.84	Complies
140	5700	3.00	0.00	3.00	6.84	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.65	0.00	1.65	6.84	Complies
116	5580	3.11	0.00	3.11	6.84	Complies
140	5700	2.43	0.00	2.43	6.84	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.26	6.84	Complies
116	5580	6.14	6.84	Complies
140	5700	5.73	6.84	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.52	0.00	2.52	6.84	Complies
116	5580	2.85	0.00	2.85	6.84	Complies
140	5700	2.59	0.00	2.59	6.84	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.21	0.00	1.21	6.84	Complies
116	5580	2.54	0.00	2.54	6.84	Complies
140	5700	1.93	0.00	1.93	6.84	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.92	6.84	Complies
116	5580	5.71	6.84	Complies
140	5700	5.28	6.84	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.96	0.00	1.96	6.84	Complies
110	5550	1.80	0.00	1.80	6.84	Complies
134	5670	-0.30	0.00	-0.30	6.84	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.08	0.00	1.08	6.84	Complies
110	5550	1.31	0.00	1.31	6.84	Complies
134	5670	1.70	0.00	1.70	6.84	Complies





Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.55	6.84	Complies
110	5550	4.57	6.84	Complies
134	5670	3.82	6.84	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.17	0.19	-0.98	6.84	Complies
122	5610	-1.56	0.19	-1.37	6.84	Complies





Date: 22\_JAN\_2024 10:58:20

Date: 22\_JAN\_2024 11:00:35

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.68	0.19	-1.49	6.84	Complies
122	5610	-0.60	0.19	-0.41	6.84	Complies



Date: 22\_JAN\_2024 14:12:20


Date: 22\_JAN\_2024 14:12:51

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.79	6.84	Complies
122	5610	2.15	6.84	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.66	0.00	2.66	6.84	Complies
116	5580	2.99	0.00	2.99	6.84	Complies
140	5700	2.31	0.00	2.31	6.84	Complies



Date: 22.JAN.2024 11:11:27




Date: 22.JAN.2024 11:12:01




Date: 22.JAN.2024 11:13:57

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.61	0.00	1.61	6.84	Complies
116	5580	2.91	0.00	2.91	6.84	Complies
140	5700	2.22	0.00	2.22	6.84	Complies



Date: 22.JAN.2024 14:17:45



Date: 22.JAN.2024 14:18:14



Date: 22.JAN.2024 14:18:42

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.18	6.84	Complies
116	5580	5.96	6.84	Complies
140	5700	5.28	6.84	Complies