



2.4GHz WLAN Ant1				Full power forstandalone		simultaneous for DBS		
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	802.11b 1Mbps	1	2412	18.89	20.00	16.85	18.00	97.03
		6	2437	18.86	20.00	16.86	18.00	
		11	2462	16.94	20.00	16.84	18.00	
	802.11g 6Mbps	1	2412	18.23	19.50	Not Required	18.00	99.32
		6	2437	18.85	20.00		18.00	
		11	2462	16.70	17.50		17.50	
	802.11n-HT20 MCS0	1	2412	16.62	17.50		17.50	100.00
		6	2437	18.78	20.00		18.00	
		11	2462	17.81	19.00		18.00	
	802.11n-HT40 MCS0	3	2422	16.55	16.50		16.50	100.00
		6	2437	16.99	18.00		18.00	
		9	2452	16.43	17.50		17.50	
	802.11ax-HE20 MCS0	1	2412	16.69	17.50		17.50	100.00
		6	2437	16.81	20.00		18.00	
		11	2462	17.93	19.00		18.00	
	802.11ax-HE40 MCS0	3	2422	15.59	16.50		16.50	100.00
		6	2437	17.01	18.00		18.00	
		9	2452	16.46	17.50		17.50	
	802.11be EHT20	1	2412	16.71	17.50		17.50	100.00
		6	2437	18.86	20.00		18.00	
		11	2462	17.98	19.00		18.00	
	802.11be EHT40	3	2422	15.62	16.50		16.50	100.00
		6	2437	17.05	18.00		18.00	
		9	2452	16.53	17.50		17.50	

2.4GHz WLAN Ant2				Full power forstandalone		simultaneous for DBS		
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	802.11b 1Mbps	1	2412	18.10	20.00	16.82	18.00	97.03
		6	2437	19.01	20.00	16.90	18.00	
		11	2462	19.03	20.00	16.75	18.00	
	802.11g 6Mbps	1	2412	18.55	19.50	Not Required	18.00	99.32
		6	2437	18.88	20.00		18.00	
		11	2462	16.74	17.50		17.50	
	802.11n-HT20 MCS0	1	2412	16.89	17.50		17.50	100.00
		6	2437	18.95	20.00		18.00	
		11	2462	17.88	19.00		18.00	
	802.11n-HT40 MCS0	3	2422	16.76	16.50		16.50	100.00
		6	2437	17.35	18.00		18.00	
		9	2452	16.58	17.50		17.50	
	802.11ax-HE20 MCS0	1	2412	16.95	17.50		17.50	100.00
		6	2437	19.01	20.00		18.00	
		11	2462	17.96	19.00		18.00	
	802.11ax-HE40 MCS0	3	2422	15.81	16.50		16.50	100.00
		6	2437	17.39	18.00		18.00	
		9	2452	16.63	17.50		17.50	
	802.11be EHT20	1	2412	16.99	17.50		17.50	100.00
		6	2437	19.03	20.00		18.00	
		11	2462	18.03	19.00		18.00	
	802.11be EHT40	3	2422	15.84	16.50		16.50	100.00
		6	2437	17.43	18.00		18.00	
		9	2452	16.69	17.50		17.50	

2.4GHz WLAN Ant1+2				Full power for standalone		simultaneous for DBS		
2.4GHz WLAN	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
	802.11b 1Mbps	1	2412	22.00	23.00	19.85	21.00	97.03
		6	2437	21.95	23.00	19.89	21.00	
		11	2462	22.00	23.00	19.81	21.00	
	802.11g 6Mbps	1	2412	21.40	22.50	Not Required	21.00	99.32
		6	2437	21.88	23.00		21.00	
		11	2462	19.73	20.50		20.50	
	802.11n-HT20 MCS0	1	2412	19.77	20.50		20.50	100.00
		6	2437	21.88	23.00		21.00	
		11	2462	20.91	22.00		21.00	
	802.11n-HT40 MCS0	3	2422	18.88	19.50		19.50	100.00
		6	2437	20.18	21.00		21.00	
		9	2452	19.52	20.50		20.50	
	802.11ax-HE20 MCS0	1	2412	19.83	20.50		20.50	100.00
		6	2437	21.92	23.00		21.00	
		11	2462	20.96	22.00		21.00	
	802.11ax-HE40 MCS0	3	2422	18.71	19.50		19.50	100.00
		6	2437	20.21	21.00		21.00	
		9	2452	19.36	20.50		20.50	
	802.11be EHT20	1	2412	19.96	20.50		20.50	100.00
		6	2437	21.96	23.00		21.00	
		11	2462	21.02	22.00		21.00	
	802.11be EHT40	3	2422	18.74	19.50		19.50	100.00
		6	2437	20.25	21.00		21.00	
		9	2452	19.62	20.50		20.50	



5.0GHz WLAN Act1							Full power for standalone simultaneous for DBS/HES			
Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Duty Cycle %		Average power (dBm)	Time-Up Limit	Duty Cycle %	
802.11a 6Mbps	36	5180	11.67	13.00	98.82					
	40	5200	11.84	13.00						
	44	5220	11.92	13.00						
	48	5240	11.97	13.00						
802.11a-HT20 MCS0	36	5180	11.96	13.00	100.00					
	40	5200	12.13	13.00						
	44	5220	12.11	13.00						
	48	5240	12.03	13.00						
802.11a-VHT40 MCS0	36	5180	12.02	14.00	100.00					
	40	5200	12.02	15.00						
	44	5220	12.16	13.50						
	48	5240	12.06	13.50						
802.11a-VHT40 MCS3	36	5180	12.01	14.00	100.00					
	40	5200	12.01	15.00						
	44	5220	12.16	13.50						
	48	5240	12.06	13.50						
802.11a-HE40 MCS0	36	5180	12.05	13.50	100.00					
	40	5200	12.05	14.50						
	44	5220	12.23	13.50						
	48	5240	12.23	13.50						
802.11a-HE40 MCS3	36	5180	12.05	14.50	100.00					
	40	5200	12.05	15.50						
	44	5220	12.23	13.50						
	48	5240	12.23	13.50						
802.11a-HE80 MCS0	36	5180	12.09	14.50	100.00					
	40	5200	12.09	15.50						
	44	5220	12.27	13.50						
	48	5240	12.27	13.50						
802.11a-HE80 MCS3	36	5180	12.09	15.50	100.00					
	40	5200	12.09	16.50						
	44	5220	12.27	13.50						
	48	5240	12.27	13.50						
802.11b EHT20	48	5240	12.24	13.50	100.00					
	40	5200	12.24	13.50						
	44	5220	12.24	13.50						
	48	5240	12.24	13.50						
802.11b EHT40	36	5180	12.87	14.00	100.00					
	40	5200	12.87	14.00						
802.11b EHT80	42	5210	13.68	14.50	100.00					
	42	5210	13.68	14.50						

5.0GHz WLAN Act1							Full power for standalone simultaneous for DBS				simultaneous for HES			
Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Duty Cycle %		Average power (dBm)	Time-Up Limit	Duty Cycle %		Average power (dBm)	Time-Up Limit	Duty Cycle %	
802.11a 6Mbps	52	5260	16.76	16.00	98.82		17.00	16.00			17.00	16.00		
	56	5280	17.02	16.00			17.00	16.00			17.00	16.00		
	60	5300	17.09	16.00			17.00	16.00			17.00	16.00		
	64	5320	16.98	16.00		Not Required	17.00	16.00	Not Required		17.00	16.00		
802.11a-HT20 MCS0	52	5260	17.07	16.00	100.00		17.00	16.00			17.00	16.00		
	56	5280	16.93	16.00			17.00	16.00			17.00	16.00		
	60	5300	16.93	16.00			17.00	16.00			17.00	16.00		
	64	5320	16.42	17.50		16.50	17.00	16.50			17.00	16.50		
802.11a-VHT40 MCS0	54	5270	16.02	17.00	100.00	14.81	17.00	15.55	16.00		17.00	15.55	16.00	
	54	5270	16.91	16.00			16.00	16.00			16.00	16.00		
	56	5280	17.12	16.00			17.00	16.00			17.00	16.00		
	56	5280	16.85	16.00			17.00	16.00			17.00	16.00		
802.11a-VHT20 MCS0	56	5280	16.85	16.00	100.00		17.00	16.00			17.00	16.00		
	60	5300	16.48	16.00			17.00	16.00			17.00	16.00		
	64	5320	16.48	17.00			17.00	16.00			17.00	16.00		
	64	5320	16.04	17.00			17.00	16.00			17.00	16.00		
802.11a-VHT40 MCS3	62	5310	14.82	16.00	100.00		16.00	16.00			16.00	16.00		
	58	5290	13.54	14.50			14.50	14.50	100.00		14.50	14.50	100.00	
	52	5260	13.07	14.00			14.00	14.00	100.00		14.00	14.00	100.00	
	52	5260	17.13	18.00			17.00	16.50			17.00	16.50		
802.11a-HE20 MCS0	56	5280	17.39	16.00	100.00		17.00	16.00			17.00	16.00		
	60	5300	17.49	16.00			17.00	16.00			17.00	16.00		
	64	5320	16.51	17.00		Not Required	17.00	16.00	Not Required		17.00	16.00		
	54	5270	16.11	17.00		Not Required	17.00	16.00	Not Required		17.00	16.00		
802.11a-HE40 MCS0	62	5310	14.85	16.00	100.00		16.00	16.00			16.00	16.00		
	58	5290	13.57	14.50			14.50	14.50	100.00		14.50	14.50	100.00	
	52	5260	13.15	14.00			14.00	14.00	100.00		14.00	14.00	100.00	
	52	5260	17.15	18.00			17.00	16.50			17.00	16.50		
802.11b EHT20	56	5280	17.42	16.00	100.00		17.00	16.50			17.00	16.50		
	56	5280	17.06	16.00			17.00	16.00			17.00	16.00		
	64	5320	16.03	17.50			17.00	16.00			17.00	16.00		
	54	5270	16.13	17.00			17.00	16.00			17.00	16.00		
802.11b EHT40	62	5310	14.88	16.00	100.00		16.00	16.00			16.00	16.00		
	58	5290	13.59	14.50			14.50	14.50	100.00		14.50	14.50	100.00	
802.11b EHT80	50	5250	13.18	14.00	100.00		14.00	14.00	100.00		14.00	14.00	100.00	
	50	5250	13.18	14.00			14.00	14.00	100.00		14.00	14.00	100.00	

5.0GHz WLAN Act1			Full power for standalone			Simultaneous for DBS			Simultaneous for HES						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Duty Cycle %	Average power (dBm)	Time-Up Limit	Duty Cycle %	Average power (dBm)	Time-Up Limit	Duty Cycle %				
802.11a 6Mbps	100	5500	16.47	17.50	98.82	16.00	16.00	100.00	16.00	16.00	100.00				
	116	5580	16.86	16.00		16.00	16.00								
	124	5620	17.03	16.00		16.00	16.00								
	132	5660	16.77	16.00		16.00	16.00								
	140	5700	15.70	16.00		16.00	16.00								
	144	5720	16.71	16.00		16.00	16.00								
	152	5680	17.36	16.00		16.00	16.00								
	156	5640	17.45	16.00		16.00	16.00								
	124	5600	17.45	16.00		16.00	16.00								
	132	5680	17.21	16.00		16.00	16.00								
	140	5700	14.83	15.00		15.00	15.00								
	144	5720	17.02	16.00		16.00	16.00								
802.11a-VHT40 MCS0	102	5510	13.96	15.00	100.00	15.00	15.00	100.00	15.00	15.00	100.00				
	110	5550	16.09	17.00		16.00	16.00								
	126	5630	15.98	17.00		16.00	16.00								
	134	5670	14.76	16.00		16.00	16.00								
	142	5710	16.91	16.00		16.00	16.00								
	100	5500	17.42	16.00		16.00	16.00								
	116	5580	17.53	16.00		16.00	16.00								
	124	5600	17.47	16.00		16.00	16.00								
	132	5680	17.23	16.00		16.00	16.00								
	140	5700	14.83	15.00		15.00	15.00								
	144	5720	17.07	16.00		16.00	16.00								
	102	5510	13.96	15.00		15.00	15.00								
802.11a-VHT40 MCS3	110	5550	16.08	17.00	100.00	16.00	16.00	100.00	16.00	16.00	100.00				
	126	5630	15.98	17.00		16.00	16.00								
	134	5670	14.77	16.00		16.00	16.00								
	142	5710	16.97	16.00		16.00	16.00								
	100	5500	17.45	16.00		16.00	16.00								
	116	5580	17.53	16.00		16.00	16.00								
	124	5600	17.47	16.00		16.00	16.00								
	132	5680	17.23	16.00		16.00	16.00								
	140	5700	14.83	15.00		15.00	15.00								
	144	5720	17.07	16.00		16.00	16.00								
	102	5510	13.96	15.00		15.00	15.00								
	802.11a-VHT80 MCS0	110	5550	16.08		17.00	100.00		16.00	16.00		100.00	16.00	16.00	100.00
126		5630	15.98	17.00	16.00	16.00									
134		5670	14.77	16.00	16.00	16.00									
142		5710	16.97	16.00	16.00	16.00									
100		5500	17.45	16.00	16.00	16.00									
116		5580	17.53	16.00	16.00	16.00									
124		5600	17.47	16.00	16.00	16.00									
132		5680	17.26	16.00	16.00	16.00									
140		5700	14.88	15.00	15.00	15.00									
144		5720	17.29	16.00	16.00	16.00									
102		5510	14.81	15.00	15.00	15.00									
110		5550	16.16	17.00	16.00	16.00									
802.11a-EHT40 MCS0	126	5630	16.01	17.00	100.00	16.00	16.00	100.00	16.00	16.00	100.00				
	134	5670	14.81	16.00		16.00	16.00								
	142	5710	17.02	16.00		16.00	16.00								
	106	5530	14.89	16.00		16.00	16.00								
	122	5610	16.28	17.00		16.00	16.00								
	138	5690	17.33	16.00		16.00	16.00								
	802.11a-EHT80 MCS0	114	5510	13.96		14.00	Not Required		14.00	14.00		Not Required	14.00	14.00	100.00
		130	5590	17.46		16.00			16.00	16.00					
		146	5670	17.69		16.00			16.00	16.00					
		162	5750	17.42		16.00			16.00	16.00					
	802.11a-EHT20	116	5580	17.69		16.00	Not Required		16.00	16.00		Not Required	16.00	16.00	100.00
		132	5660	17.42		16.00			16.00	16.00					
148		5740	14.71	15.00	15.00	15.00									
164		5720	17.32	16.00	16.00	16.00									
802.11a-EHT160	102	5510	14.05	14.00	Not Required	14.00	14.00	Not Required	14.00	14.00	100.00				
	118	5590	16.19	17.00		16.00	16.00								
	134	5670	16.85	16.00		16.00	16.00								
	150	5750	17.66	16.00		16.00	16.00								
802.11a-EHT40	126	5630	16.03	17.00	Not Required	16.00	16.00	Not Required	16.00	16.00	100.00				
	138	5670	14.85	16.00		16.00	16.00								
	142	5710	17.06	16.00		16.00	16.00								
	150	5530	14.92	16.00		16.00	16.00								
802.11a-EHT80	122	5610	16.32	17.00	Not Required	16.00	16.00	Not Required	16.00	16.00	100.00				
	138	5690	17.09	16.00		16.00	16.00								
	154	5770	17.61	17.00		17.00	17.00								
	170	5750	17.42	16.00		16.00	16.00								

Full power standalone/simultaneous for FCC						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WIFI 6E	802.11ax- HE20 MCS0	1	5955	-1.09	0.00	100.00
		57	6235	-1.82	-0.50	
		113	6515	-1.19	-0.50	
		173	6815	-1.27	0.00	
		229	7095	-0.41	0.50	
	802.11ax- HE40 MCS0	3	5955	2.18	3.00	100.00
		59	6245	1.42	2.50	
		107	6485	2.01	3.00	
		171	6805	1.82	3.05	
		227	7085	2.99	4.00	
	802.11ax- HE80 MCS0	7	5985	4.37	5.00	100.00
		71	6305	4.16	5.00	
		119	6545	4.98	5.00	
		167	6785	4.38	5.50	
		215	7025	5.69	6.50	
	802.11ax- HE160 MCS0	15	6025	6.69	7.50	100.00
		47	6185	6.71	7.50	
		111	6505	7.68	8.00	
		175	6825	7.61	8.50	
		207	6985	8.69	9.50	

Full power standalone/simultaneous for FCC						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WIFI 7	802.11be EHT20 MCS0	1	5955	-1.06	0.00	100.00
		57	6235	-1.58	-0.50	
		113	6515	-1.03	-0.50	
		173	6815	-1.22	0.00	
		229	7095	-0.37	0.50	
	802.11be EHT40 MCS0	3	5965	2.24	3.00	100.00
		59	6245	1.46	2.50	
		107	6485	2.06	3.00	
		171	6805	1.86	3.00	
		227	7085	3.04	4.00	
	802.11be EHT80 MCS0	7	5985	4.48	5.50	100.00
		71	6305	4.22	5.00	
		119	6545	5.05	6.00	
		167	6785	4.42	5.50	
		215	7025	5.73	6.50	
	802.11be EHT160 MCS0	15	6025	6.76	7.50	100.00
		47	6185	6.78	7.50	
		111	6505	7.74	8.50	
		175	6825	7.68	8.50	
		207	6985	8.74	9.50	
	802.11be EHT320 MCS0	31	6105	9.46	10.50	98.03
		95	6425	10.77	11.00	
		127	6585	10.42	11.00	
		159	6745	10.27	11.50	
		191	6905	10.72	12.50	

Full power standalone/simultaneous for FCC						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WIFI 6E	802.11ax- HE20 MCS0	1	5955	-0.99	0.00	100.00
		57	6235	-1.48	-0.50	
		113	6515	-1.81	-0.50	
		173	6815	-1.17	0.00	
		229	7095	-0.51	0.50	
	802.11ax- HE40 MCS0	3	5965	2.01	3.00	100.00
		59	6245	1.57	2.50	
		107	6485	1.37	2.50	
		171	6805	1.95	3.00	
		227	7085	2.78	4.00	
	802.11ax- HE80 MCS0	7	5985	4.79	5.50	100.00
		71	6305	4.37	5.50	
		119	6545	4.55	5.50	
		167	6785	4.86	6.00	
		215	7025	5.51	6.50	
	802.11ax- HE160 MCS0	15	6025	6.68	7.50	100.00
		47	6185	6.85	7.50	
		111	6505	6.81	7.50	
		175	6825	7.15	8.50	
		207	6985	8.55	9.50	

Full power standalone/simultaneous for FCC						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WIFI 7	802.11be EHT20 MCS0	1	5955	-0.97	0.00	100.00
		57	6235	-1.41	-0.50	
		113	6515	-1.75	-0.50	
		173	6815	-1.13	0.00	
		229	7095	-0.47	0.50	
	802.11be EHT40 MCS0	3	5965	2.09	3.00	100.00
		59	6245	1.62	2.50	
		107	6485	1.42	2.50	
		171	6805	1.98	3.00	
		227	7085	2.86	4.00	
	802.11be EHT80 MCS0	7	5985	4.85	5.50	100.00
		71	6305	4.39	5.50	
		119	6545	4.62	5.50	
		167	6785	4.91	6.00	
		215	7025	5.57	6.50	
	802.11be EHT160 MCS0	15	6025	6.75	7.50	100.00
		47	6185	6.92	8.00	
		111	6505	6.90	8.00	
		175	6825	7.27	8.00	
		207	6985	8.61	9.50	
	802.11be EHT320 MCS0	31	6105	9.90	10.50	98.03
		95	6425	10.60	11.00	
		127	6585	9.75	10.50	
		159	6745	10.36	11.50	
		191	6905	10.61	11.50	

Full power standalone/simultaneous for FCC						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WIFI 6E	802.11ax- HE20 MCS0	1	5955	1.97	3.00	100.00
		57	6235	1.46	2.50	
		113	6515	1.52	2.50	
		173	6815	1.80	3.00	
		229	7095	2.55	3.50	
	802.11ax- HE40 MCS0	3	5965	5.11	6.00	100.00
		59	6245	4.51	5.50	
		107	6485	4.71	6.00	
		171	6805	4.89	6.00	
		227	7085	5.50	7.00	
	802.11ax- HE80 MCS0	7	5985	7.50	8.50	100.00
		71	6305	7.29	8.50	
		119	6545	7.79	9.00	
		167	6785	7.64	9.00	
		215	7025	8.61	9.50	
	802.11ax- HE160 MCS0	15	6025	9.70	10.50	100.00
		47	6185	9.79	10.50	
		111	6505	10.28	11.00	
		175	6825	10.40	11.50	
		207	6985	11.63	12.50	

Full power standalone/simultaneous for FCC						
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %	
WIFI 7	802.11be EHT20 MCS0	1	5955	2.00	3.00	100.00
		57	6235	1.52	2.50	
		113	6515	1.84	2.50	
		173	6815	1.84	3.00	
		229	7095	2.59	3.50	
	802.11be EHT40 MCS0	3	5965	5.18	6.00	100.00
		59	6245	4.55	5.50	
		107	6485	4.76	6.00	
		171	6805	4.92	6.00	
		227	7085	5.96	7.00	
	802.11be EHT80 MCS0	7	5985	7.68	8.50	100.00
		71	6305	7.32	8.50	
		119	6545	7.85	9.00	
		167	6785	7.68	9.00	
		215	7025	8.66	9.50	
	802.11be EHT160 MCS0	15	6025	9.77	10.50	100.00
		47	6185	9.86	11.00	
		111	6505	10.35	11.50	
		175	6825	10.49	11.50	
		207	6985	11.69	12.50	
	802.11be EHT320 MCS0	31	6105	12.69	13.50	98.03
		95	6425	13.40	14.00	
		127	6585	13.10	14.50	
		159	6745	13.32	14.50	
		191	6905	13.67	15.00	

BR / EDR **ANT1**

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	7.40	4.89	4.74
	CH 39	2441	6.60	4.05	4.45
	CH 78	2480	6.61	4.08	4.05
Tune-up Limit			8.00	5.50	5.50

BLE_1M **ANT1**

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	1.90
	CH 19	2440	1.82
	CH 39	2480	1.55
Tune-up Limit			3.00

BLE_2M **ANT1**

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	2.00
	CH 19	2440	2.05
	CH 39	2480	1.74
Tune-up Limit			3.00

BT 2.0 **ANT2**

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	6.72	4.71	4.66
	CH 39	2441	6.49	4.05	4.04
	CH 78	2480	6.47	4.24	4.12
Tune-up Limit			8.00	5.50	5.50

BLE_1M **ANT2**

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	1.70
	CH 19	2440	1.16
	CH 39	2480	1.35
Tune-up Limit			3.00

BLE_2M **ANT2**

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	1.68
	CH 19	2440	1.25
	CH 39	2480	1.42
Tune-up Limit			3.00



NRF1		ANT1	
Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	6.10
	CH 19	2440	6.21
	CH 39	2480	6.12
	Tune-up Limit		7.00

NRF2		ANT2	
Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	6.06
	CH 19	2440	6.13
	CH 39	2480	6.10
	Tune-up Limit		7.00