



5470-5725 MHz Band:
802.11a mode, 5500MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:58:02

802.11a mode, 5580MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:00:05

802.11a mode, 5700MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:02:43

802.11a mode, 5720MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:04:40

802.11 ac20 mode, 5500MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:07:10

802.11 ac20 mode, 5580MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:09:08

802.11 ac20 mode, 5700MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:11:07

802.11 ac20 mode, 5720MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:13:04

802.11ac40 mode, 5510MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:15:23

802.11ac40 mode, 5550MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:17:29

802.11 ac40 mode, 5670MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:19:02

802.11 ac40 mode, 5710MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:21:53


802.11ac80 mode, 5530MHz




802.11ac80 mode, 5610MHz




802.11ac80 mode, 5690MHz




802.11ax20 mode, 5500MHz




802.11ax20 mode, 5580MHz




802.11ax20 mode, 5700MHz




802.11ax20 mode, 5720MHz




802.11ax40 mode, 5510MHz




802.11ax40 mode, 5550MHz




802.11ax40 mode, 5670MHz




802.11ax40 mode, 5710MHz



802.11ax80 mode, 5530MHz




802.11ax80 mode, 5610MHz



ProjectNo.: RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:21:25


802.11ax80 mode, 5690MHz



ProjectNo.: RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:23:08


5725-5850 MHz Band:

802.11a mode, 5745MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 10:51:07

802.11a mode, 5785MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 10:52:26

802.11a mode, 5825MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 10:52:57

802.11ac20 mode, 5745MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 13:17:37

802.11 ac20 mode, 5785MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 13:18:38

802.11 ac20 mode, 5825MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 13:19:58

802.11ax20 mode, 5745MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 10:58:43

802.11ax20 mode, 5785MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 10:56:40

802.11ax20 mode, 5825MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 10:55:27

802.11ac40 mode, 5755MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:00:55

802.11 ac40 mode, 5795MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:09:53

802.11ax40 mode, 5755MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:01:26

802.11ax40 mode, 5795MHz




ProjectNo: RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 11:02:00

802.11ac80 mode, 5775MHz









ProjectNo: RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 13:03:23


802.11ax80 mode, 5775MHz



ProjectNo: RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 13:05:19


99% Occupied Bandwidth**5150-5250 MHz Band:****802.11a mode, 5180MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:30:50**802.11a mode, 5200MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:33:48**802.11a mode, 5240MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:35:45**802.11ac20 mode, 5180MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:40:07**802.11 ac20 mode, 5200MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:43:04**802.11 ac20 mode, 5240MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:46:20

802.11ax20 mode, 5180MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:03:09

802.11ax20 mode, 5200MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:04:55

802.11ax20 mode, 5240MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:06:34

802.11ac40 mode, 5190MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:53:13

802.11 ac40 mode, 5230MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:58:15

802.11ax40 mode, 5190MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:09:24


802.11ax40 mode, 5230MHz




802.11ac80 mode, 5210MHz




802.11ax80 mode, 5210MHz




**5250-5350 MHz Band:
802.11a mode, 5260MHz**


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:14:45

802.11a mode, 5280MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:27:39

802.11a mode, 5320MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:29:41

802.11ac20 mode, 5260MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:33:20


802.11 ac20 mode, 5280MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:35:05


802.11 ac20 mode, 5320MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 16:36:45


802.11ax20 mode, 5260MHz




802.11ax20 mode, 5280MHz




802.11ax20 mode, 5320MHz




802.11ac40 mode, 5270MHz




802.11 ac40 mode, 5310MHz




802.11ax40 mode, 5270MHz




802.11ax40 mode, 5310MHz









802.11ac80 mode, 5290MHz




802.11ax80 mode, 5290MHz




**5470-5725 MHz Band:
802.11a mode, 5500MHz****802.11a mode, 5580MHz****802.11a mode, 5700MHz****802.11a mode, 5720MHz****802.11 ac20 mode, 5500MHz****802.11 ac20 mode, 5580MHz**

802.11 ac20 mode, 5700MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:10:16

802.11 ac20 mode, 5720MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:12:09

802.11ac40 mode, 5510MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:14:33

802.11ac40 mode, 5550MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:16:44

802.11 ac40 mode, 5670MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:18:18

802.11 ac40 mode, 5710MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:20:57

802.11ac80 mode, 5530MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:23:39

802.11ac80 mode, 5610MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:25:38

802.11ac80 mode, 5690MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:27:19

802.11ax20 mode, 5500MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:42:17

802.11ax20 mode, 5580MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:44:25

802.11ax20 mode, 5700MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:47:01

802.11ax20 mode, 5720MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:49:17

802.11ax40 mode, 5510MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:51:12

802.11ax40 mode, 5550MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 17:52:34

802.11ax40 mode, 5670MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 20:05:39

802.11ax40 mode, 5710MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:14:47

802.11ax80 mode, 5530MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:17:49

802.11ax80 mode, 5610MHz




ProjectNo: RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:20:48


802.11ax80 mode, 5690MHz




ProjectNo: RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:22:23

**5725-5850 MHz Band:
802.11a mode, 5745MHz**


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:24:24

802.11a mode, 5785MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:26:36

802.11a mode, 5825MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:28:50

802.11ac20 mode, 5745MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:34:15


802.11 ac20 mode, 5785MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:37:53

802.11 ac20 mode, 5825MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 09:55:12

802.11ax20 mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 10:02:53

802.11ax20 mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 10:28:18

802.11ax20 mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 10:30:10

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 09:57:20

802.11 ac40 mode, 5795MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 09:59:09

802.11ax40 mode, 5755MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 7 JUN 2024 10:31:47


802.11ax40 mode, 5795MHz



802.11ac80 mode, 5775MHz



802.11ax80 mode, 5775MHz



CONDUCTED TRANSMITTER OUTPUT POWER*Test Mode: Transmitting*

Band	Mode	Frequency (MHz)	Reading (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5150-5250 MHz	802.11a	5180	18.21	18.38	/	24
		5200	18.23	18.41	/	
		5240	17.15	17.59	/	
	802.11ac20	5180	18.51	18.77	21.65	
		5200	18.36	18.71	21.55	
		5240	17.59	18.22	20.93	
	802.11ac40	5190	18.61	17.89	21.28	
		5230	18.03	17.18	20.64	
	802.11ac80	5210	18.01	18.11	21.07	
	802.11ax20	5180	18.74	18.76	21.76	
		5200	18.25	18.78	21.53	
		5240	17.38	18.23	20.84	
	802.11ax40	5190	18.39	17.96	21.19	
		5230	17.61	17.21	20.42	
	802.11ax80	5210	18.11	18.05	21.09	

Note:

The maximum antenna gain is 2.72 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$;

So: Directional gain = GANT + Array Gain = 2.72 dBi < 6dBi, no RF output power limit was reduced

Band	Mode	Frequency (MHz)	Reading (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5250-5350 MHz	802.11a	5260	16.77	17.97	/	24
		5280	16.95	17.48	/	
		5320	16.18	16.41	/	
	802.11ac20	5260	17.37	18.06	20.74	
		5280	17.03	17.59	20.33	
		5320	16.33	16.66	19.51	
	802.11ac40	5270	16.91	16.55	19.74	
		5310	14.43	13.89	17.18	
	802.11ac80	5290	14.67	14.69	17.69	
	802.11ax20	5260	17.38	18.14	20.79	
		5280	17.08	17.69	20.41	
		5320	16.36	16.67	19.53	
	802.11ax40	5270	16.82	16.67	19.76	
		5310	15.32	15.89	18.62	
	802.11ax80	5290	14.71	14.66	17.70	

Note:

The maximum antenna gain is 2.93 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for NANT ≤ 4;

So: Directional gain = GANT + Array Gain = 2.93 dBi < 6dBi, no RF output power limit was reduced

Band	Mode	Frequency (MHz)	Reading (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5470-5725 MHz	802.11a	5500	15.24	16.84	/	24
		5580	15.36	16.94	/	
		5700	16.09	15.93	/	
		5720	15.92	15.67	/	
	802.11ac20	5500	16.52	16.98	19.77	
		5580	16.51	17.09	19.82	
		5700	10.57	11.01	13.81	
		5720	10.49	10.75	13.63	
	802.11ac40	5510	14.69	14.75	17.73	
		5550	14.24	14.91	17.60	
		5670	13.67	13.84	16.77	
		5710	13.37	13.45	16.42	
	802.11ac80	5530	15.86	16.26	19.07	
		5610	14.97	15.15	18.07	
		5690	14.21	14.55	17.39	
	802.11ax20	5500	15.48	16.14	18.83	
		5580	15.68	16.29	19.01	
		5700	11.83	12.08	14.97	
		5720	11.68	12.02	14.86	
	802.11ax40	5510	14.65	14.62	17.65	
		5550	14.71	14.84	17.79	
		5670	13.52	13.62	16.58	
		5710	13.27	13.27	16.28	
	802.11ax80	5530	15.84	16.32	19.10	
		5610	14.96	15.15	18.07	
		5690	14.23	14.51	17.38	

Note:

The maximum antenna gain is 3.01 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$;

So: Directional gain = GANT + Array Gain = 3.01 dBi < 6dBi, no RF output power limit was reduced

Band	Mode	Frequency (MHz)	Result (dBm)			Limit (dBm)
			Chain 0	Chain 1	Total	
5725-5850 MHz	802.11a	5745	17.06	17.09	/	30
		5785	17.59	17.33	/	
		5825	18.12	18.03	/	
	802.11ac20	5745	17.18	17.18	20.19	
		5785	17.79	17.57	20.69	
		5825	18.32	18.23	21.29	
	802.11ac40	5755	17.18	16.86	20.03	
		5795	17.68	17.29	20.50	
	802.11ac80	5775	19.03	17.39	21.30	
	802.11ax20	5745	17.32	17.41	20.38	
		5785	17.86	17.63	20.76	
		5825	18.44	18.31	21.39	
	802.11ax40	5755	17.25	16.92	20.10	
		5795	17.79	17.42	20.62	
	802.11ax80	5775	19.08	17.38	21.32	

Note:

The maximum antenna gain is 3.11 dBi, the device employed Cyclic Delay Diversity (CDD) for 802.11 MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for NANT ≤ 4 ;

So: Directional gain = GANT + Array Gain = 3.11 dBi < 6dBi, no RF output power limit was reduced

POWER SPECTRAL DENSITY*Test Mode: Transmitting*

Band	Mode	Channel	Frequency (MHz)	PSD							Limit (dBm/MHz)
				Chain 0			Chain 1			Total (dBm/MHz)	
				Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)		
5150-5250 MHz	802.11a	Low	5180	3.48	1.37	4.85	3.68	1.37	5.05	/	11
		Middle	5200	3.35	1.37	4.72	3.72	1.37	5.09	/	
		High	5240	2.97	1.37	4.34	2.77	1.37	4.14	/	
	802.11ac20	Low	5180	3.78	1.58	5.36	3.27	1.58	4.85	8.12	
		Middle	5200	3.15	1.58	4.73	2.70	1.58	4.28	7.52	
		High	5240	2.78	1.58	4.36	2.07	1.58	3.65	7.03	
	802.11ac40	Low	5190	-0.11	2.75	2.64	-0.23	2.73	2.5	5.58	
		High	5230	-0.94	2.75	1.81	-1.12	2.73	1.61	4.72	
	802.11ac80	Middle	5210	-3.45	4.39	0.94	-3.54	4.39	0.85	3.91	
	802.11ax20	Low	5180	2.94	1.79	4.73	2.95	1.79	4.74	7.75	
		Middle	5200	2.82	1.79	4.61	2.77	1.79	4.56	7.60	
		High	5240	2.70	1.79	4.49	2.72	1.79	4.51	7.51	
	802.11ax40	Low	5190	-0.49	2.75	2.26	-0.92	2.95	2.03	5.16	
		High	5230	-1.09	2.75	1.66	-1.37	2.95	1.58	4.63	
	802.11ax80	Middle	5210	-3.71	4.39	0.68	-4.15	4.49	0.34	3.52	

Note:

The maximum antenna gain is 2.72 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $2.72 + 10 \cdot \log(2/1) = 5.72\text{dBi} < 6\text{dBi}$, so no power spectral density limit was reduced