
EK807G

Dongguan Togran Electronics Technology Co., Ltd Add: No. 110, Shidan Mid Rd, Shijie Town, Dongguan city, China

Tel.: +86 769 8630 8806 Fax: +86 769 8630 8826 Email: Info@dareu.com CS@dareu.com

Web: www.dareu.com







Keyboard x1




Key cap puller x 1



User manual x1

362mm 36



F7 ▶/II

Play/ Pause F8

Next

F9

Volume-

F10

Volume+

F12

L-win ≠L-alt

Mute



Physical specification

Keyboard type: TKL (87 keys)

Connection way: 2.4G wireless

Working distance: ≤10m Keycap: ABS double injection

Switch: Dareu switch - up to 50 million clicks

Batteries: 2*AAA

Weight: 586±10g (No include batteries)

Dimension: 362x134x42 mm

Electrical specification

Key conflict: 6-key without conflict

Working voltage: 1.5V

Working current: ≤5mA(Max)

Sleep mode current: ≤50µA(No operation in 6 seconds)

Compatibility: Windows XP/ Win 7/ Win 8 / Win 10

FCC Caution

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.