
GLOCUSENT MULTI-PURPOSE CLIP ON LIGHT



glocusent | Light Up Your Chapters

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This

Equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a Particular installation. If thise quipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

- -Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

 —Consult the dealer or an experienced radio/TV technician for help.
- Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Catalogue

English 1
Deutsch 9
Français 13
Italiano 17
Español 21
About Glocusent 25
Service Contact End

Scan the QR Code for 36-month upgraded VIP warranty



— For Customer Service ——

www.glocusent.com | service@glocusent.com

Words from The Product Designer

Hi dear friends,

This is Mason from Glocusent. I am always excited to connect with you through our original products and hope you all enjoy it.


After 5 years in the book light industry, we've been collecting your feedback and voices to design this multi-purpose clip on reading light. Many of you are avid readers, artists, architects, or handymen who need a decent lamp to get better concentration or to reduce eye strain. We believe this clamp light will be your perfect lighting aid in your study room or workshop. Here are the considerate designs that will upgrade your experience:


- Stepless brightness levels and multi-color temperatures allow you to customize your favorite settings to relax your eyes and boost your effectiveness;
- 1800K color temperature is 99.9% blue light filtered for best eye care;
- 30-min auto-off timer makes a good reminder for you to rest if you use Pomodoro Technique to work;
- 78-inch cord makes it extra convenient as you can move it around with you;
- It comes with a remote controller for better convenience;
- A stable & sturdy clamp allows you to attach the light to any thick surface.

This elegant & small book light is a subtle add-on to your room. It brings you not only excellent lighting but also strong practicality. We look forward to seeing your updates about your product reviews and don't forget to tag us on social media to show your enjoyable reading time with our book light.

Glocusent is always dedicated to bringing you the finest book lights, and we'd like to hear your voice and suggestion so then we can improve our products and services. Once your advice has been taken into designing our next products, we will put your name on our contributor list in the product manual.

Thank you for your support, Mason





Instruction

Power						
	Short Press Long Press when the ligh	nt is on	→ (ning On ning Sett Hours	
Brightness	s Level					
		1	1	1	1	Ò
Short Pres	s		25%	50%	75%	100%
	Or long					adjusting.
Color Tem	perature					
			-:0:-	-(\$)-		·\$:
Short Pres	S	18 <u>00K</u>	2500K	3200K	4200K	6000K
(Or long press f	or stepl	ess colc	r tempe	erature d	adjusting.

Instruction

Scenario Mode



Designed for Relaxing & General Reading Press Once



Reading Mode 3200 K /60 LM

Designed for Your Best Concentration

Press Twice



Focusing Mode 6000 K /220 LM


Dim glow of amber light for sweet dreams Press Three Times



* ့ Sleeping Mode 1800 k /5 LM


Remote Instruction

Battery Insulating Pull Tab Pull It Before Use



5

Remote Instruction



 \bullet A red indicator light will flash when the signal is sent.

Precautions

- Use 5V/2A output wall plug to make sure the clamp light is working at its full capacity.
- Please do not use a charger exceeding 5V high voltage may cause damage
- The power indicator light will turn green when the clamp light is connected with power.
- The indicator light will turn green when the mode function or timing function of the light is turned on.
- Please avoid placing this light in an extreme temperature environment (either too hot or too cold).
- Disposal: When you are ready to dispose of the product after wearing it out, please make sure to follow the instructions of your local government for environmental and safety purposes.


Product Specifications

Model	GLCSNTA1901
Brightness	5LM - 220LM
Color Temperature	1800K to 6000K
LED Beads	38
Dimensions	24.6*3*4.4 IN / 62.5*7.5*11.2 CM
Weight	10 OZ / 283 G
Certificates	FCC, PSE, CE, C-TICK
Input	5V2A

Include

Glocusent Multi-Purpose Clip-on Light (78inch cord)	x 1
Remote Control	x 1
USB AC Adapter (5V-2A)	x 1
User Manual	x 1
Bookmark	x 1

8





Anleitung

Strom							
	Kurz drücken		→ (OFF Ein-/ Ausschalter			
	Lange drücker das Licht an is	,	Zeiteinstellung für 0,5 Stunden				
Helligkeits	stufen						
E Kurz drück		Т С			75%	100%	
Oder drücken Sie lange, um die Helligkeit stufenlos einzustellen.							
Farbtemp	eraturen						
	1	® 1800K	© 2500K	3200K	4200K	6000K	



Anleitung

Szenario-Modus



Entwickelt für entspannendes und allgemeines Lesen

Einmal drücken



Entwickelt für Ihre beste Konzentration

Zweimal drücken



Fokussiermodus 6000 K /220 LM


Sanftes und bernsteinfarbenes Licht für süße Träume Dreimal drücken



Schlafmodus 1800 k /5 LM


Anleitung zur Fernbedienung


Isolierlasche Für Den Akku Vor Der Verwendung Herausziehen



11


Anleitung zur Fernbedienung






• Eine rot kontrollleuchte blinkt, wenn das signal gesendet wird.

12





Instructions

Alimentation



Pression brève



Mise en marche/arrêt




Pression longue lorsque la lumière est allumée



Réglage de la minuterie pour une durée de 0,5 heure

Niveaux de luminosité





Ou pression longue pour un réglage progressif de la luminosité.

Températures de couleur















Pression brève

1800K 2500K 3200K 4200K 6000K Ou pression longue pour un réglage progressif de la luminosité.

Instruction

Mode Scénario



Conçu pour la détente et la lecture d'une manière générale

Appuyez une fois



Mode lecture 3200 K /60 LM

Conçu pour votre meilleure concentration Appuyez deux fois



Mode Concentration 6000 K /220 LM

Une lumière ambrée à l'éclat tamisé pour de doux rêves







Mode Sommeil 1800 k /5 LM


Instructions de la télécommande


Tirette d'Isolation De La Batterie Tirez-la Avant De l'Utiliser





• Un témoin lumineux rouge clignote lorsque le signal est envoyé.





Istruzioni

Alimentazione

Premere brevemente



Accensione / Spegnimento




Premere a lungo quando la luce è accesa



Impostazione della temporizzazione a 0,5 ore

Livelli di luminosità





Oppure premere a lungo per regolare la luminosità in modo continuo.

Temperatura di colore















Oppure premere a lungo per regolare la luminosità in modo continuo.

Istruzioni

Modalità scenario



Progettato per rilassarsi e per la lettura generale

Premere una volta



Progettato per la massima concentrazione Premere due volte



Modalità di Concentrazione 6000 K /220 LM

Luce soffusa ambrata per un Sogno dolce


Premere tre volte




Modalità di Sonno 1800 k /5 LM

Istruzioni di telecomando


Linguetta Isolante della Batteria Rimuoverlo Prima Dell'Uso







• Una spia rosso lampeggerà quando viene inviato il segnale.





Pinza de hasta 2,36 pulgadas

Control remoto

Instrucciones

Pulse brevemente Pulse brevemente Ajuste de Temporización para 0,5 Horas Nivel de Brillo Nivel de Brillo O mantenga pulsado cuando la luz esté encendida O mantenga pulsado para ajustar el brillo de forma constante.













1800K 2500K 3200K 4200K 6000K

O mantenga pulsado para ajustar la temperatura del color.

Instrucción

Modo de Escenario



Diseñado para Lectura Relajante & General

Pulse una vez



Diseñado para Su Mejor Concentración

Pulse dos veces



Modo de Enfoque 6000 K /220 LM

Brillo tenue de luz ámbar para dulces sueños


Pulse tres veces




Modo de Reposo 1800 K /5 LM

Instrucción Remota

Tire el aislamiento de la batería antes del uso







 Cuando se envíe la señal, la luz indicadora rojo se encenderá como señal.

About Glocusent

Ever since we saw our first sunrise illuminate the beautiful Colorado Springs, we've become a lighting product company that believes that light is a critical element to capturing the magic in moments. No progress was ever made in the dark, and we're here to deliver that light to ensure that our users are always progressing. At Glocusent, we refer to three core principles; glory, focus, and moments.

Glory: We're about bringing light to your life, and we believe life is filled with glory, whether that's in your career or with your family. Let us shine a light on that glory.

Focus: Our team at Glocusent is focused on creating innovative lights and lamps that are convenient, smart, and tailored to its user. In the wise words of Roy T. Bennett, 'Life is short; focus on what really matters; you should change your priorities over time." With our lights, you can focus on what matters.

Moment: Moments are fleeting. Your lives are filled with beauty, romance, and happiness. Our innovative lights are there to help you capture the moments.







Points de collecte sur www.quefairedemesdechets.fr Privilégiez la réparation ou le don de votre appareil !











Warning: To avoid danger of suffocation, keep this bag away from childrenand babies. Do not use this bag in cribs, beds, baby carriagees or playpens. This bag is not a toy.



Verification of Compliance

Verification No.: MK24120151P01-C01

glocusent co., itd 110 16th Street, Suite 1400 #1095 Denver, CO 80202 United States. Name and address of Applicant:

Shenzhen Glocusent Technology Co., Ltd Building 8, 2001, Xinyi Lingyu R&D Center, No. 26 Honglang North Second Road, Xingdong Community, Xin'an Street, Bao'an District, Shenzhen Clio on Liaht A19 Manufacturer:

GLCSNTA1901, GLCSNTA1901, GLCSNTA1902, GLCSNTA1903.

GLCSNTA1901, GLCSNTA1902, GLCSNTA1902, GLCSNTA1904, GLCSNTA1905, GLCSNTA1907, GLCSNTA1908, GLCSNTA1909, GLCSNTA1911,

GLCSNTA1912, GLCSNTA1913, GLCSNTA1914.

Product trademark: GLOCUSENT

This verification confirms that the product meets the requirements of the following standard. The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive R

| Directive 2011/85/EU | IEC 62321-12013 | IEC 62321-3-12013 | IEC 62321-5-2013 | IEC 62321-6-2015 | IEC 62321-5-2015 | IEC 62321-5-2017 | IEC 62321-2-2017 | IEC 62321-2-2017 | IEC 62321-2-2017 | IEC 62321-3-12015 | IEC 62321-

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: December 26, 2024 Test conducted by:

Notes:
This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notlini Bodieis conformity assessment procedure appropriate for the product.
This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

£88-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street,







Glocusent Customer Support

Have questions, concerns, or feedback about Glocusent Multi-Purpose Clip On Light(A19)? Email us at service@glocusent.com. Our team will respond to your email in a swift time.

You're currently covered by our 24-month worry-free warranty. But there's more! You can easily bump that up to a 36-month VIP Service warranty. It's all on us - either a replacement, a full refund or a chance to try out our new products. Simply swing by our website and register your purchase to make the upgrade, we've got your back.

www.glocusent.com/pages/warranty

Alternatively, you can scan the QR code below to register your purchase:



For Customer Service

www.glocusent.com | service@glocusent.com