



Profile: 23A0637R	Page No.: 40
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2437MHz by 802.11b with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	44.457	54.931	-29.543	74.000	-10.474	PK
2		7311.000	47.104	54.239	-26.896	74.000	-7.135	PK
3	*	9748.000	50.669	53.563	-23.331	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 41
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2462MHz by 802.11b with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	44.158	55.769	-29.842	74.000	-11.611	PK
2		7386.000	47.386	54.001	-26.614	74.000	-6.615	PK
3	*	9848.000	50.364	52.830	-23.636	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 42
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2462MHz by 802.11b with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	43.621	55.232	-30.379	74.000	-11.611	PK
2		7386.000	47.450	54.065	-26.550	74.000	-6.615	PK
3	*	9848.000	50.666	53.132	-23.334	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 43
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2412MHz by 802.11g with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	43.567	55.487	-30.433	74.000	-11.920	PK
2		7236.000	47.775	54.409	-26.225	74.000	-6.634	PK
3	*	9648.000	50.160	53.934	-23.840	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 44
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2412MHz by 802.11g with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	43.201	55.121	-30.799	74.000	-11.920	PK
2		7236.000	47.097	53.731	-26.903	74.000	-6.634	PK
3	*	9648.000	49.435	53.209	-24.565	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 45
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2437MHz by 802.11g with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	44.634	55.814	-29.366	74.000	-11.180	PK
2		7311.000	47.606	54.741	-26.394	74.000	-7.135	PK
3	*	9748.000	50.102	52.996	-23.898	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 46
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2437MHz by 802.11g with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	45.500	55.974	-28.500	74.000	-10.474	PK
2		7311.000	47.105	54.240	-26.895	74.000	-7.135	PK
3	*	9748.000	50.262	53.156	-23.738	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 47
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2462MHz by 802.11g with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	43.299	54.910	-30.701	74.000	-11.611	PK
2		7386.000	46.978	53.593	-27.022	74.000	-6.615	PK
3	*	9848.000	50.539	53.005	-23.461	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 48
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2462MHz by 802.11g with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.566	54.177	-31.434	74.000	-11.611	PK
2		7386.000	46.472	53.087	-27.528	74.000	-6.615	PK
3	*	9848.000	50.111	52.577	-23.889	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 49
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2412MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	43.027	54.947	-30.973	74.000	-11.920	PK
2		7236.000	46.108	52.742	-27.892	74.000	-6.634	PK
3	*	9648.000	49.336	53.110	-24.664	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 50
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2412MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.204	54.124	-31.796	74.000	-11.920	PK
2		7236.000	46.368	53.002	-27.632	74.000	-6.634	PK
3	*	9648.000	48.926	52.700	-25.074	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 51
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2437MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	44.204	54.678	-29.796	74.000	-10.474	PK
2		7311.000	46.231	53.366	-27.769	74.000	-7.135	PK
3	*	9748.000	49.677	52.571	-24.323	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 52
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2437MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.589	54.063	-30.411	74.000	-10.474	PK
2		7311.000	45.701	52.836	-28.299	74.000	-7.135	PK
3	*	9748.000	49.996	52.890	-24.004	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 53
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2462MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.305	53.916	-31.695	74.000	-11.611	PK
2		7386.000	46.939	53.554	-27.061	74.000	-6.615	PK
3	*	9848.000	49.793	52.259	-24.207	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 54
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2462MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.487	54.098	-31.513	74.000	-11.611	PK
2		7386.000	46.738	53.353	-27.262	74.000	-6.615	PK
3	*	9848.000	50.574	53.040	-23.426	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 55
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2422MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	44.485	55.753	-29.515	74.000	-11.268	PK
2		7266.000	46.298	53.002	-27.702	74.000	-6.705	PK
3	*	9688.000	49.097	52.289	-24.903	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 56
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2422MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	43.208	54.476	-30.792	74.000	-11.268	PK
2		7266.000	46.216	52.920	-27.784	74.000	-6.705	PK
3	*	9688.000	49.404	52.596	-24.596	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 57
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2437MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.063	53.537	-30.937	74.000	-10.474	PK
2		7311.000	46.150	53.285	-27.850	74.000	-7.135	PK
3	*	9748.000	48.640	51.534	-25.360	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 58
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2437MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	44.546	55.020	-29.454	74.000	-10.474	PK
2		7311.000	46.334	53.469	-27.666	74.000	-7.135	PK
3	*	9748.000	48.916	51.810	-25.084	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 59
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2452MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	42.626	54.200	-31.374	74.000	-11.573	PK
2		7356.000	45.524	52.062	-28.476	74.000	-6.539	PK
3	*	9808.000	48.991	52.360	-25.009	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 60
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2452MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	43.322	54.896	-30.678	74.000	-11.573	PK
2		7356.000	46.747	53.285	-27.253	74.000	-6.539	PK
3	*	9808.000	48.779	52.148	-25.221	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 61
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2412MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.082	53.002	-32.918	74.000	-11.920	PK
2		7236.000	45.287	51.921	-28.713	74.000	-6.634	PK
3	*	9648.000	48.323	52.097	-25.677	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 62
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2412MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.776	54.696	-31.224	74.000	-11.920	PK
2		7236.000	46.771	53.405	-27.229	74.000	-6.634	PK
3	*	9648.000	48.068	51.842	-25.932	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 63
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2437MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.645	54.119	-30.355	74.000	-10.474	PK
2		7311.000	46.545	53.680	-27.455	74.000	-7.135	PK
3	*	9748.000	48.802	51.696	-25.198	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 64
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2437MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	42.522	52.996	-31.478	74.000	-10.474	PK
2		7311.000	45.772	52.907	-28.228	74.000	-7.135	PK
3	*	9748.000	48.869	51.763	-25.131	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 65
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2462MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.858	54.469	-31.142	74.000	-11.611	PK
2		7386.000	46.223	52.838	-27.777	74.000	-6.615	PK
3	*	9848.000	50.099	52.565	-23.901	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 66
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2462MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	43.041	54.652	-30.959	74.000	-11.611	PK
2		7386.000	45.742	52.357	-28.258	74.000	-6.615	PK
3	*	9848.000	50.667	53.133	-23.333	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 67
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2422MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	42.335	53.603	-31.665	74.000	-11.268	PK
2		7266.000	46.456	53.160	-27.544	74.000	-6.705	PK
3	*	9688.000	49.332	52.524	-24.668	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 68
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2422MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	42.963	54.231	-31.037	74.000	-11.268	PK
2		7266.000	45.644	52.348	-28.356	74.000	-6.705	PK
3	*	9688.000	48.590	51.782	-25.410	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 69
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2437MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	42.820	53.294	-31.180	74.000	-10.474	PK
2		7311.000	45.441	52.576	-28.559	74.000	-7.135	PK
3	*	9748.000	49.245	52.139	-24.755	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 70
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2437MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	42.660	53.134	-31.340	74.000	-10.474	PK
2		7311.000	46.243	53.378	-27.757	74.000	-7.135	PK
3	*	9748.000	49.866	52.760	-24.134	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 71
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2452MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	42.303	53.877	-31.697	74.000	-11.573	PK
2		7356.000	46.115	52.653	-27.885	74.000	-6.539	PK
3	*	9808.000	48.276	51.645	-25.724	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 72
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 00:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2452MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	42.735	54.309	-31.265	74.000	-11.573	PK
2		7356.000	46.503	53.041	-27.497	74.000	-6.539	PK
3	*	9808.000	49.325	52.694	-24.675	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 37
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2412MHz by 802.11b with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.090	54.010	-31.910	74.000	-11.920	PK
2		7236.000	47.406	54.040	-26.594	74.000	-6.634	PK
3	*	9648.000	48.636	52.410	-25.364	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 38
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2412MHz by 802.11b with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.878	53.798	-32.122	74.000	-11.920	PK
2		7236.000	46.487	53.121	-27.513	74.000	-6.634	PK
3	*	9648.000	49.259	53.033	-24.741	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 39
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2437MHz by 802.11b with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.465	53.939	-30.535	74.000	-10.474	PK
2		7311.000	46.417	53.552	-27.583	74.000	-7.135	PK
3	*	9748.000	48.721	51.615	-25.279	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 40
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2437MHz by 802.11b with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	42.694	53.168	-31.306	74.000	-10.474	PK
2		7311.000	45.493	52.628	-28.507	74.000	-7.135	PK
3	*	9748.000	48.721	51.615	-25.279	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 41
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2462MHz by 802.11b with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.612	54.223	-31.388	74.000	-11.611	PK
2		7386.000	45.863	52.478	-28.137	74.000	-6.615	PK
3	*	9848.000	49.821	52.287	-24.179	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 42
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2462MHz by 802.11b with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.847	54.458	-31.153	74.000	-11.611	PK
2		7386.000	46.632	53.247	-27.368	74.000	-6.615	PK
3	*	9848.000	49.999	52.465	-24.001	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 43
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2412MHz by 802.11g with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	43.148	55.068	-30.852	74.000	-11.920	PK
2		7236.000	45.935	52.569	-28.065	74.000	-6.634	PK
3	*	9648.000	48.586	52.360	-25.414	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 44
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2412MHz by 802.11g with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.166	54.086	-31.834	74.000	-11.920	PK
2		7236.000	45.158	51.792	-28.842	74.000	-6.634	PK
3	*	9648.000	48.311	52.085	-25.689	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 45
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2437MHz by 802.11g with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	42.919	53.393	-31.081	74.000	-10.474	PK
2		7311.000	45.482	52.617	-28.518	74.000	-7.135	PK
3	*	9748.000	49.004	51.898	-24.996	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 46
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2437MHz by 802.11g with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.203	53.677	-30.797	74.000	-10.474	PK
2		7311.000	45.967	53.102	-28.033	74.000	-7.135	PK
3	*	9748.000	49.458	52.352	-24.542	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 47
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2462MHz by 802.11g with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	41.568	53.179	-32.432	74.000	-11.611	PK
2		7386.000	45.870	52.485	-28.130	74.000	-6.615	PK
3	*	9848.000	49.804	52.270	-24.196	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 48
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 2462MHz by 802.11g with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	41.931	53.542	-32.069	74.000	-11.611	PK
2		7386.000	45.371	51.986	-28.629	74.000	-6.615	PK
3	*	9848.000	49.017	51.483	-24.983	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 49
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2412MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.080	54.000	-31.920	74.000	-11.920	PK
2		7236.000	45.991	52.625	-28.009	74.000	-6.634	PK
3	*	9648.000	48.508	52.282	-25.492	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 50
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2412MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.371	54.291	-31.629	74.000	-11.920	PK
2		7236.000	45.752	52.386	-28.248	74.000	-6.634	PK
3	*	9648.000	48.714	52.488	-25.286	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 51
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2437MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.136	53.610	-30.864	74.000	-10.474	PK
2		7311.000	46.967	54.102	-27.033	74.000	-7.135	PK
3	*	9748.000	49.081	51.975	-24.919	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 52
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2437MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	41.920	52.394	-32.080	74.000	-10.474	PK
2		7311.000	45.816	52.951	-28.184	74.000	-7.135	PK
3	*	9748.000	49.404	52.298	-24.596	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 53
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2462MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.720	54.331	-31.280	74.000	-11.611	PK
2		7386.000	46.141	52.756	-27.859	74.000	-6.615	PK
3	*	9848.000	49.328	51.794	-24.672	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 54
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 2462MHz by 802.11n(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.487	54.098	-31.513	74.000	-11.611	PK
2		7386.000	46.738	53.353	-27.262	74.000	-6.615	PK
3	*	9848.000	50.574	53.040	-23.426	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 55
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2422MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	42.833	54.101	-31.167	74.000	-11.268	PK
2		7266.000	47.457	54.161	-26.543	74.000	-6.705	PK
3	*	9688.000	49.914	53.106	-24.086	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 56
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2422MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	43.711	54.979	-30.289	74.000	-11.268	PK
2		7266.000	46.235	52.939	-27.765	74.000	-6.705	PK
3	*	9688.000	50.515	53.707	-23.485	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 57
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2437MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.077	53.551	-30.923	74.000	-10.474	PK
2		7311.000	46.541	53.676	-27.459	74.000	-7.135	PK
3	*	9748.000	49.527	52.421	-24.473	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 58
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2437MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.781	54.255	-30.219	74.000	-10.474	PK
2		7311.000	45.703	52.838	-28.297	74.000	-7.135	PK
3	*	9748.000	50.256	53.150	-23.744	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 59
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2452MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	43.390	54.964	-30.610	74.000	-11.573	PK
2		7356.000	46.533	53.071	-27.467	74.000	-6.539	PK
3	*	9808.000	50.405	53.774	-23.595	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 60
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 2452MHz by 802.11n(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	43.316	54.890	-30.684	74.000	-11.573	PK
2		7356.000	45.315	51.853	-28.685	74.000	-6.539	PK
3	*	9808.000	48.087	51.456	-25.913	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 61
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.627	54.547	-31.373	74.000	-11.920	PK
2		7236.000	47.670	54.304	-26.330	74.000	-6.634	PK
3	*	9648.000	49.818	53.592	-24.182	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 62
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	42.343	54.263	-31.657	74.000	-11.920	PK
2		7236.000	46.411	53.045	-27.589	74.000	-6.634	PK
3	*	9648.000	48.281	52.055	-25.719	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 63
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.205	53.679	-30.795	74.000	-10.474	PK
2		7311.000	45.561	52.696	-28.439	74.000	-7.135	PK
3	*	9748.000	49.069	51.963	-24.931	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 64
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.527	54.001	-30.473	74.000	-10.474	PK
2		7311.000	45.209	52.344	-28.791	74.000	-7.135	PK
3	*	9748.000	49.712	52.606	-24.288	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 65
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	43.744	55.355	-30.256	74.000	-11.611	PK
2		7386.000	46.289	52.904	-27.711	74.000	-6.615	PK
3	*	9848.000	50.165	52.631	-23.835	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 66
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	42.990	54.601	-31.010	74.000	-11.611	PK
2		7386.000	45.290	51.905	-28.710	74.000	-6.615	PK
3	*	9848.000	50.041	52.507	-23.959	74.000	-2.466	PK

Profile: 23A0637R	Page No.: 67
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	41.849	53.117	-32.151	74.000	-11.268	PK
2		7266.000	45.919	52.623	-28.081	74.000	-6.705	PK
3	*	9688.000	50.136	53.328	-23.864	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 68
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2422MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	43.339	54.607	-30.661	74.000	-11.268	PK
2		7266.000	45.791	52.495	-28.209	74.000	-6.705	PK
3	*	9688.000	50.074	53.266	-23.926	74.000	-3.191	PK

Profile: 23A0637R	Page No.: 69
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	42.993	53.467	-31.007	74.000	-10.474	PK
2		7311.000	45.665	52.800	-28.335	74.000	-7.135	PK
3	*	9748.000	49.574	52.468	-24.426	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 70
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	43.408	53.882	-30.592	74.000	-10.474	PK
2		7311.000	46.287	53.422	-27.713	74.000	-7.135	PK
3	*	9748.000	49.027	51.921	-24.973	74.000	-2.893	PK

Profile: 23A0637R	Page No.: 71
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	42.342	53.916	-31.658	74.000	-11.573	PK
2		7356.000	45.869	52.407	-28.131	74.000	-6.539	PK
3	*	9808.000	48.779	52.148	-25.221	74.000	-3.369	PK

Profile: 23A0637R	Page No.: 72
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/24 - 05:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	43.090	54.664	-30.910	74.000	-11.573	PK
2		7356.000	45.970	52.508	-28.030	74.000	-6.539	PK
3	*	9808.000	49.854	53.223	-24.146	74.000	-3.369	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.
5. We have evaluated SISO, MIMO mode, shown in the report is the worst data.


The worst case of Radiated Emission below 1GHz:

Profile: 23A0637R	Page No.: 33
Engineer: Pengchengyang	
Site: AC2	Time: 2023/11/29 - 15:50
Limit: FCC_Part 15.109_RE (3m)_Class B	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		62.616	15.118	2.115	-24.882	40.000	13.002	QP
2		127.000	22.518	3.333	-20.982	43.500	19.185	QP
3		256.495	22.733	2.223	-23.267	46.000	20.511	QP
4		446.494	27.240	2.674	-18.760	46.000	24.565	QP
5		557.565	29.762	2.627	-16.238	46.000	27.135	QP
6	*	823.824	32.386	3.023	-13.614	46.000	29.362	QP

Profile: 23A0637R	Page No.: 34
Engineer: Pengchengyang	
Site: AC2	Time: 2023/11/29 - 15:51
Limit: FCC_Part 15.109_RE (3m)_Class B	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		43.216	20.531	2.645	-19.469	40.000	17.885	QP
2		91.110	20.970	4.829	-22.530	43.500	16.141	QP
3		126.151	21.249	2.018	-22.251	43.500	19.230	QP
4		260.981	23.720	2.896	-22.280	46.000	20.824	QP
5		451.950	27.655	2.982	-18.345	46.000	24.673	QP
6	*	722.944	30.921	2.845	-15.079	46.000	28.076	QP

Note:

1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)


The worst case of Simultaneous Radiated Emission:

Profile: 23A0637R	Page No.: 9
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 05:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2402MHz by DH5 + 2412MHz by 802.11n(20MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	43.895	55.783	-30.105	74.000	-11.888	PK
2		4824.000	43.206	55.126	-30.794	74.000	-11.920	PK
3		7206.000	48.061	54.227	-25.939	74.000	-6.166	PK
4		7236.000	47.729	54.363	-26.271	74.000	-6.634	PK
5	*	9608.000	50.738	53.961	-23.262	74.000	-3.222	PK
6		9648.000	50.445	54.219	-23.555	74.000	-3.774	PK

Profile: 23A0637R	Page No.: 10
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 05:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 2402MHz by DH5 + 2412MHz by 802.11n(20MHz) with Ant1+Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	43.008	54.896	-30.992	74.000	-11.888	PK
2		4824.000	42.505	54.425	-31.495	74.000	-11.920	PK
3		7206.000	47.510	53.676	-26.490	74.000	-6.166	PK
4		7236.000	47.015	53.649	-26.985	74.000	-6.634	PK
5	*	9608.000	49.998	53.221	-24.002	74.000	-3.222	PK
6		9648.000	48.767	52.541	-25.233	74.000	-3.774	PK

_____ The End _____