

# USER MANUAL

## Android Auto Adapter

This adapter is designed for Android smartphones to use Android Auto wirelessly on factory car multimedia system which has built-in wired Android Auto function. However, NOT every car with built-in Android Auto could fit this adapter, please refer to the Android Auto official website adaptation table: <https://www.android.com/auto/compatibility>

If there is any issue while using the adapter, please do not hesitate to contact us.

### Product Information

Model: ACP05

Input Voltage: 5~9V

Current: 210mA

Working temperature: -50~158° F (-10~70°C)

Storage temperature: -77~176° F ( -25~80°C)

Screen display: 60 FPS

Function: Convert the original car wired Android Auto to wireless Android Auto

Wireless Android Auto is supported on:

1. Smartphone running Android 11 or newer;
2. Google or Samsung phone with Android 10.0;
3. Samsung Galaxy S8, Galaxy S8+, or Note 8, with Android 9.0.

### Installation Steps

1. Enable "Wireless Android Auto" on Android Auto app settings
2. Please connect the wireless Android Auto adapter to your car
3. Turn on your smartphone's Bluetooth and search BT name " Drivelink xxxx " then tap it to pair(Enter the password '88888888' if needed )
4. Confirm the BT pair request and other notifications
5. It will then connect to Android Auto wirelessly after a few seconds.

NOTE! The adapter should be plugged into the USB port that is for wired Android Auto connecting if there are multi USB ports in your car.

The indicator light will flash after 6 seconds. If no indicator please do not hesitate to contact us.

## Cautions

1. Before using Android Auto, please make sure the latest Android Auto app installed on your smartphone.
2. For using Hands-Free calling, please make sure the Bluetooth HFP is paired with your phone
3. Before pairing to a new iPhone/Android phone, please disconnect the currently connected phone from WiFi and Bluetooth.
4. If you would like to close the Android Auto wireless, please disable Bluetooth and forget the WiFi network or disconnect Android Auto adapter directly
5. The Android Auto adapter has WiFi and Bluetooth hardware. It will connect with Bluetooth and sends the WiFi credentials to the phone, then disconnects from the Bluetooth network. It works solely on WiFi from that point on. After the first installation, it will automatically start and quickly connect to your Phone when the car engine starts(Adapter's WiFi password is 88888888 if needed)
6. The Android Auto adapter is designed to perform well in a wide range of ambient temperatures, with 62° to 104° F (16° to 40° C) as the ideal comfort zone. It's especially important to avoid exposing your device to ambient temperatures higher than 176° F (80° C), which can damage device.

## Wireless Android Auto still can not be connected?

1. Factory reset the infotainment system
2. Restart your smartphone and Re-plug the Android Auto adaptor
3. Enter your smartphone, delete all paired Bluetooth connection
4. Turn on Android Auto app, enter Storage to clear all data
5. Refer to **Installation Steps** to pair your phone to the Android Auto again

Any issue while using the adapter, you could directly report the issue online and send us the feedback screenshot. We will fix it as soon as possible.

## DRIVELINK

website: <https://www.aidrivelink.com/>

FaceBook: aidrivelink

**FCC Warning:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Caution:** Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.