



Appendix E: Conducted Spurious Emission

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Start Freq (MHz)	Stop Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-89.05	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-85.09	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.83	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-41.77	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.86	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.25	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-89.71	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-83.86	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.90	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.60	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.96	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.89	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.16	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.55	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.30	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.23	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.09	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.97	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.33	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.73	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.48	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.38	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.10	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.77	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.16	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.19	≤-43dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.56	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.81	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.41	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.89	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.12	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.81	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 92 of 198

n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.45	≤-33dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.42	≤-23dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.57	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.72	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-47.06	≤-13dBm	PASS
n77(3450-3550)	30	10	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-49.87	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.08	≤-43dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.17	≤-33dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.56	≤-23dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.47	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-41.86	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.94	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.08	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-89.13	≤-43dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.47	≤-33dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.53	≤-23dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-43.11	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.78	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.07	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.40	≤-43dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.30	≤-33dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.73	≤-23dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.80	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-47.07	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.09	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.71	≤-43dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.61	≤-33dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.39	≤-23dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.08	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.95	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.21	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-89.48	≤-43dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.15	≤-33dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.76	≤-23dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.62	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-40.70	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.87	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.04	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.56	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 93 of 198

n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.13	≤-33dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.08	≤-23dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.63	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-43.17	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.89	≤-13dBm	PASS
n77(3450-3550)	30	15	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-89.27	≤-43dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.34	≤-33dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.48	≤-23dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.56	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-40.75	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.68	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.11	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.81	≤-43dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.08	≤-33dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.41	≤-23dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.74	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.75	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.10	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.25	≤-43dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.15	≤-33dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.08	≤-23dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-40.21	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-47.04	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.95	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.77	≤-43dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.89	≤-33dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.46	≤-23dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.56	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-40.87	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.99	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.27	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.11	≤-43dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.37	≤-33dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.54	≤-23dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.33	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-39.93	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.99	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.83	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 94 of 198

n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-83.39	≤-33dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.54	≤-23dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.60	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-38.62	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.84	≤-13dBm	PASS
n77(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.00	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.44	≤-43dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.36	≤-33dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.88	≤-23dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-41.16	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.98	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.99	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-91.08	≤-43dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.23	≤-33dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.63	≤-23dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.67	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-43.09	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.86	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.34	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.96	≤-43dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.41	≤-33dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	30	1000	-57.87	≤-23dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.57	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-40.77	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.91	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.11	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-91.32	≤-43dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.68	≤-33dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	30	1000	-57.84	≤-23dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.44	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.10	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.94	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.14	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.74	≤-43dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.77	≤-33dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.33	≤-23dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-40.16	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.92	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.18	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.70	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 95 of 198

n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-83.73	≤-33dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.33	≤-23dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.54	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-38.83	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.79	≤-13dBm	PASS
n77(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.20	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.44	≤-43dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.73	≤-33dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	30	1000	-57.72	≤-23dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.64	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.64	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.94	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.02	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.86	≤-43dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.18	≤-33dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.63	≤-23dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.57	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.86	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.20	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-88.39	≤-43dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.44	≤-33dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.65	≤-23dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-34.35	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-47.10	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.12	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-91.26	≤-43dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.42	≤-33dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.40	≤-23dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.38	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-41.16	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.94	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.17	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.03	≤-43dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.60	≤-33dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.58	≤-23dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.47	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-40.33	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.65	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.25	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.88	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 96 of 198

n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.23	≤-33dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.70	≤-23dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.63	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-37.35	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.73	≤-13dBm	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.27	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-91.02	≤-43dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.65	≤-33dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.13	≤-23dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.66	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-43.07	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.90	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.15	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.04	≤-43dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.49	≤-33dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	30	1000	-57.98	≤-23dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.51	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.97	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-47.03	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.18	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.76	≤-43dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.11	≤-33dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.45	≤-23dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.15	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.74	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.88	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.61	≤-43dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.46	≤-33dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.58	≤-23dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.55	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.02	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.88	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.20	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-89.87	≤-43dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.32	≤-33dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.89	≤-23dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.49	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-36.34	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.96	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.82	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 97 of 198

n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.74	≤-33dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.62	≤-23dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.52	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-33.19	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.90	≤-13dBm	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.25	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.91	≤-43dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.18	≤-33dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.20	≤-23dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.40	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-35.85	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.94	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.94	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.84	≤-43dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.77	≤-33dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.73	≤-23dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-39.75	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.69	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.08	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.68	≤-43dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.08	≤-33dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.52	≤-23dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-38.02	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.94	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.28	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.97	≤-43dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.49	≤-33dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.20	≤-23dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.63	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-38.16	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-47.07	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.15	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.50	≤-43dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.01	≤-33dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.88	≤-23dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.55	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-39.49	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.74	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.19	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.05	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 98 of 198

n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.31	≤-33dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.96	≤-23dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.56	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-39.61	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.92	≤-13dBm	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.29	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-91.05	≤-43dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.48	≤-33dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.96	≤-23dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.64	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.17	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.88	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.13	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.91	≤-43dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-83.03	≤-33dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.72	≤-23dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.56	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-40.36	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.64	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.29	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.43	≤-43dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.83	≤-33dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.74	≤-23dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-38.72	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.98	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.32	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.69	≤-43dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.40	≤-33dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.41	≤-23dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-32.36	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.93	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.17	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-88.81	≤-43dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.50	≤-33dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.38	≤-23dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-33.42	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.93	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.13	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.53	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 99 of 198

n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.38	≤-33dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.83	≤-23dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-40.34	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.93	≤-13dBm	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.10	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.69	≤-43dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.12	≤-33dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.46	≤-23dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-32.95	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.82	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.10	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.57	≤-43dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-83.01	≤-33dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.86	≤-23dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.45	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-38.32	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.88	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.18	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.45	≤-43dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.33	≤-33dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.46	≤-23dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.73	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.85	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.09	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-91.04	≤-43dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-85.08	≤-33dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.62	≤-23dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.57	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-38.15	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.95	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.18	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.16	≤-43dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-83.62	≤-33dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.25	≤-23dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-33.32	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.93	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.11	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.53	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 100 of 198

n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.28	≤-33dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.19	≤-23dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.53	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.93	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-47.02	≤-13dBm	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.20	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-91.05	≤-43dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.56	≤-33dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.84	≤-23dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.55	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-33.10	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-47.02	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.16	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.58	≤-43dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.47	≤-33dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	30	1000	-57.92	≤-23dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.54	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-31.89	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.95	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-49.90	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-88.90	≤-43dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-83.60	≤-33dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.86	≤-23dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-41.29	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.98	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.22	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.57	≤-43dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.46	≤-33dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.77	≤-23dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.63	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-37.38	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-47.05	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-49.71	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.19	≤-43dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-83.68	≤-33dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.27	≤-23dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.57	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-35.36	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-47.10	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.22	≤-13dBm	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.88	≤-43dBm	PASS