



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A11

Page 191 of 194

n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	NV	0	2	0.000535	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	NV	10	12	0.003209	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	NV	20	1	0.000267	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	NV	30	12	0.003209	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	NV	40	13	0.003476	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	NV	50	8	0.002139	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	-30	15	0.004	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	-20	4	0.001067	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	-10	5	0.001333	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	0	3	0.0008	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	10	11	0.002933	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	20	3	0.0008	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	30	11	0.002933	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	40	12	0.0032	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	NV	50	4	0.001067	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	-30	7	0.001867	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	-20	5	0.001333	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	-10	6	0.0016	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	0	14	0.003733	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	10	18	0.0048	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	20	10	0.002667	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	30	2	0.000533	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	40	3	0.0008	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	NV	50	14	0.003733	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	-30	14	0.003723	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	-20	14	0.003723	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	-10	6	0.001596	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	0	17	0.004521	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	10	18	0.004787	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	20	10	0.00266	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	30	18	0.004787	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	40	6	0.001596	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	NV	50	11	0.002926	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	-30	7	0.001862	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	-20	9	0.002394	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	-10	13	0.003457	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	0	5	0.00133	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	10	6	0.001596	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	20	14	0.003723	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	30	18	0.004787	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	40	17	0.004521	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A11

Page 192 of 194

n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	NV	50	5	0.00133	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	-30	4	0.001068	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	-20	7	0.001869	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	-10	11	0.002937	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	0	3	0.000801	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	10	7	0.001869	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	20	15	0.004005	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	30	13	0.003471	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	40	2	0.000534	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	NV	50	6	0.001602	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	-30	15	0.004005	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	-20	7	0.001869	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	-10	8	0.002136	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	0	19	0.005073	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	10	8	0.002136	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	20	15	0.004005	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	30	14	0.003738	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	40	15	0.004005	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	NV	50	7	0.001869	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	-30	6	0.0016	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	-20	16	0.004267	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	-10	5	0.001333	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	0	16	0.004267	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	10	17	0.004533	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	20	6	0.0016	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	30	17	0.004533	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	40	5	0.001333	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	NV	50	16	0.004267	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	-30	6	0.0016	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004533	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	-10	6	0.0016	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	0	14	0.003733	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	10	5	0.001333	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	20	16	0.004267	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	30	5	0.001333	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	40	13	0.003467	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	NV	50	5	0.001333	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	-30	14	0.003728	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	-20	3	0.000799	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	-10	17	0.004527	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	0	6	0.001598	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A11

Page 193 of 194

n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	10	17	0.004527	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	20	18	0.004794	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	30	16	0.004261	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	40	17	0.004527	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	NV	50	13	0.003462	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	-30	16	0.004261	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	-20	5	0.001332	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	-10	13	0.003462	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	0	5	0.001332	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	10	13	0.003462	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	20	1	0.000266	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	30	12	0.003196	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	40	16	0.004261	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	NV	50	17	0.004527	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	-30	11	0.002933	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	-20	11	0.002933	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	-10	10	0.002667	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	0	18	0.0048	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	10	7	0.001867	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	20	18	0.0048	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	30	18	0.0048	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	40	10	0.002667	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	NV	50	2	0.000533	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	-30	13	0.003467	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	-20	11	0.002933	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	-10	12	0.0032	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	0	11	0.002933	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	10	19	0.005067	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	20	4	0.001067	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	30	12	0.0032	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	40	3	0.0008	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	NV	50	11	0.002933	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	-30	6	0.0016	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	-20	14	0.003733	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	-10	6	0.0016	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	0	7	0.001867	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	10	18	0.0048	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	20	6	0.0016	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	30	14	0.003733	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	40	6	0.0016	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	NV	50	14	0.003733	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A11

Page 194 of 194

n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	-30	5	0.001333	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	-20	16	0.004267	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	-10	4	0.001067	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	0	19	0.005067	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	10	11	0.002933	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	20	12	0.0032	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	30	7	0.001867	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	40	13	0.003467	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	NV	50	2	0.000533	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	-30	16	0.004267	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	-20	9	0.0024	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	-10	7	0.001867	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	0	8	0.002133	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	10	7	0.001867	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	20	8	0.002133	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	30	19	0.005067	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	40	14	0.003733	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Outer_Full	NV	50	3	0.0008	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	-30	13	0.003467	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	-20	2	0.000533	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	-10	13	0.003467	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	0	14	0.003733	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	10	12	0.0032	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	20	1	0.000267	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	30	9	0.0024	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	40	1	0.000267	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Outer_Full	NV	50	2	0.000533	PASS

-----END-----