






EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

**EUT Housing and Board
View 1****EUT Housing and Board
View 2**

Solder Board-Component View 1	 A photograph of a small green printed circuit board (PCB) component, labeled 'QS-D3', mounted on a blue textured surface. The component features a yellow square component, several electrolytic capacitors, and other electronic components. A black ruler with white markings is placed horizontally below the component, showing measurements in millimeters (0 to 100 mm) and centimeters (0 to 10 cm).
Solder Board-Component View 2	 A photograph of the same green PCB component, labeled 'QS-D3', mounted on a blue textured surface. The component is densely populated with various electronic components, including capacitors, resistors, and integrated circuits. A black ruler with white markings is placed horizontally below the component, showing measurements in millimeters (0 to 100 mm) and centimeters (0 to 10 cm).

Solder Board-Component View 3	 A photograph of a green printed circuit board (PCB) component, labeled '3', placed on a blue textured surface. A black ruler with white markings is positioned vertically to the left of the component, showing measurements in millimeters. The component features a large, dark, rectangular component (likely a microcontroller or memory chip) mounted on its top surface. Various other smaller components, including resistors and capacitors, are visible on the board. The ruler markings range from 0 to 100 mm.
Solder Board-Component View 4	 A photograph of a green printed circuit board (PCB) component, labeled '4', placed on a blue textured surface. A black ruler with white markings is positioned vertically to the left of the component, showing measurements in millimeters. The component features a large, dark, rectangular component (likely a microcontroller or memory chip) mounted on its top surface. Various other smaller components, including resistors and capacitors, are visible on the board. The ruler markings range from 0 to 100 mm.

