

Antenna test report

Model	H5089
Manufacturer	Shenzhen Qianyan Technology LTD
Address	No.3301, Block C, Section 1, Chuangzhi Yuncheng Building, Liuxian Avenue, Xili Community, Xili Street, Nanshan District, Shenzhen

1. Test procedures

Name	Parameter	Method	Standard No.
Mobile communication antenna	VSWR	Generic specificaiton for antennas used in the mobile communications	GB/T 9410-2008
	Antenna Gain		
	Radiation pattern		
Antenna	Radiation efficiency	IEEE Standard Test Procedures for Antennas	ANSI/IEEE Std 149-1979

2. Test Equipment

Equipment	Model No.	Serial No.	Manufacture	Calibration Date	Next calibration Date
24 probe Microwave chamber	MPS2450 Multi-probe OTA measurement systems 5*5*5	YJ-PB-F01	XH-IOE	2023.09.01	2024.09.01
Network Analyzer	ZVB8	YJ-RD- 15	ROHDE& SCH WARS	2023.08.25	2024.08.25


Wideband radio Communication tester	CMW500	YJ-RD- 16	ROHDE& SCH WARS	2023.08.25	2024.08.25
---	--------	-----------	--------------------	------------	------------

3. WIFI&BT Antenna Type & Gain

Type: PCB




Frequency / MHz	WIFI Gain/ dBi
2400	2.48
2410	2.7
2420	2.71
2430	2.84
2440	2.99
2450	3.38
2460	2.96
2470	3.51
2480	3.53
2490	3.85
2500	3.4

BT&WiFi:






4. Bluetooth&WiFi Antenna Pattern Picture




2400MHz





2450MHz



2500MHz



5. 天线尺寸



Tester by: Wu xianming

Wu Xianming