



Occupied Bandwidth

Channel

20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Date: 21.APR.2023 00:28:34

Date: 21.APR.2023 00:28:58



Middle



Date: 21.APR.2023 00:29:30

Date: 21.APR.2023 00:29:57

Highest



Date: 21.APR.2023 00:30:37



Date: 21.APR.2023 00:30:57

Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.10 Antenna Port Test Data and Results for LTE Band 66

Serial Number:	24YP_4	Test Date:	2023/04/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	George Chen	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.2	Relative Humidity: (%)	42	ATM Pressure: (kPa)	99.8
----------------------	------	---------------------------	----	------------------------	------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101943	2022/7/25	2023/7/24
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022/7/15	2023/7/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022/9/29	2023/9/28
UNI-T	Multimeter	UT39A+	C210582554	2022/7/15	2023/7/14
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1745	1779.3
3MHz	1711.5	1745	1778.5
5MHz	1712.5	1745	1777.5
10MHz	1715	1745	1775
15MHz	1717.5	1745	1772.5
20MHz	1720	1745	1770

Test Data:**FCC §2.1046; §27.50(d)(4)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.58	22.29	21.93	23.52	30
	RB1#3	22.57	22.38	21.94		
	RB1#5	22.57	22.36	21.97		
	RB3#0	22.44	22.27	22.12		
	RB3#3	22.6	22.2	22.09		
	RB6#0	21.57	21.23	21.03		
1.4MHz 16QAM	RB1#0	22.22	21.1	21.8	23.2	30
	RB1#3	22.25	21.19	21.8		
	RB1#5	22.28	21.18	21.84		
	RB3#0	21.41	21.2	21.19		
	RB3#3	21.46	21.21	21.18		
	RB6#0	20.59	20.53	20.34		
3MHz QPSK	RB1#0	22.47	22.32	21.97	23.44	30
	RB1#8	22.47	22.36	22.02		
	RB1#14	22.52	22.38	21.95		
	RB6#0	21.5	21.25	20.96		
	RB6#9	21.5	21.2	21		
	RB15#0	21.43	21.17	21.09		
3MHz 16QAM	RB1#0	21.72	21.12	21.46	22.64	30
	RB1#8	21.63	21.13	21.51		
	RB1#14	21.66	21.15	21.49		
	RB6#0	20.61	20.53	20.01		
	RB6#9	20.67	20.53	20.07		
	RB15#0	20.58	20.37	20.25		
5MHz QPSK	RB1#0	22.57	22.1	22.03	23.59	30
	RB1#13	22.51	22.11	21.98		
	RB1#24	22.67	22.12	21.92		
	RB15#0	21.58	21.1	21.04		
	RB15#10	21.46	21.2	21.13		
	RB25#0	21.55	21.12	21.08		
5MHz 16QAM	RB1#0	21.65	20.9	20.29	22.63	30
	RB1#13	21.7	20.79	20.16		
	RB1#24	21.71	20.9	20.24		
	RB15#0	20.53	20.26	20.2		
	RB15#10	20.46	20.21	20.25		
	RB25#0	20.59	20.29	20.19		

10MHz QPSK	RB1#0	22.53	22.31	21.91	23.49	30
	RB1#25	22.55	22.2	21.95		
	RB1#49	22.57	22.23	22		
	RB25#0	21.45	21.27	21.01		
	RB25#25	21.41	21.26	20.98		
	RB50#0	21.47	21.19	21		
10MHz 16QAM	RB1#0	21.68	21.01	21.48	22.6	30
	RB1#25	21.68	20.87	21.55		
	RB1#49	21.64	20.9	21.53		
	RB25#0	20.68	20.52	20.1		
	RB25#25	20.65	20.46	20.2		
	RB50#0	20.69	20.37	20.18		
15MHz QPSK	RB1#0	22.63	22.27	21.85	23.55	30
	RB1#38	22.57	22.22	21.93		
	RB1#74	22.57	22.17	21.98		
	RB36#0	21.53	21.28	21.06		
	RB36#39	21.39	21.15	21.1		
	RB75#0	21.48	21.13	21.08		
15MHz 16QAM	RB1#0	21.67	21.66	21.29	22.6	30
	RB1#38	21.65	21.59	21.35		
	RB1#74	21.68	21.62	21.37		
	RB36#0	20.66	20.3	20.19		
	RB36#39	20.67	20.25	20.27		
	RB75#0	20.54	20.32	20.16		
20MHz QPSK	RB1#0	22.62	22.37	22.11	23.54	30
	RB1#50	22.59	22.29	22.08		
	RB1#99	22.51	22.23	22.14		
	RB50#0	21.4	21.19	20.92		
	RB50#50	21.44	21.14	21.1		
	RB100#0	21.47	21.23	20.97		
20MHz 16QAM	RB1#0	21.52	22.13	21.16	23.05	30
	RB1#50	21.52	21.96	21.12		
	RB1#99	21.39	21.92	21.17		
	RB50#0	20.6	20.37	20.14		
	RB50#50	20.58	20.22	20.22		
	RB100#0	20.49	20.33	20.08		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)

Result:

Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.52	5.04	4.58	13
	RB100#0	5.04	5.16	5.1	13
20MHz 16QAM	RB1#0	5.51	6.09	5.16	13
	RB100#0	5.97	6	6.03	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.096	1.26	1.254	1.248
1.4MHz 16QAM	1.096	1.102	1.108	1.26	1.26	1.266
3MHz QPSK	2.695	2.695	2.695	3	3.012	3
3MHz 16QAM	2.695	2.683	2.695	3	3.024	3.012
5MHz QPSK	4.511	4.491	4.511	5.02	5	5
5MHz 16QAM	4.531	4.551	4.511	4.86	5	5
10MHz QPSK	8.942	8.982	8.982	9.8	9.8	9.76
10MHz 16QAM	8.982	8.942	8.942	9.84	9.8	9.72
15MHz QPSK	13.473	13.533	13.533	14.46	15.12	14.58
15MHz 16QAM	13.533	13.533	13.533	15.12	15.06	15.06
20MHz QPSK	17.964	18.044	17.884	19.6	19.84	18.8
20MHz 16QAM	18.044	17.964	17.964	19.76	18.88	19.68
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.


FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §27.54: Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	1711.091	1710.00	1778.975	1780
	-20	3.85	1711.043	1710.00	1778.951	1780
	-10	3.85	1711.047	1710.00	1778.932	1780
	0	3.85	1711.070	1710.00	1778.971	1780
	10	3.85	1711.048	1710.00	1778.920	1780
	20	3.85	1711.058	1710.00	1778.942	1780
	30	3.85	1711.010	1710.00	1778.910	1780
	40	3.85	1711.010	1710.00	1778.919	1780
	50	3.85	1711.060	1710.00	1778.997	1780
Frequency Stability vs. Voltage	20	3.6	1711.073	1710.00	1778.982	1780
	20	4.4	1711.071	1710.00	1778.987	1780
					Result:	Pass


Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.85	1710.901	1710.00	1779.074	1780
	-20	3.85	1710.981	1710.00	1779.061	1780
	-10	3.85	1710.959	1710.00	1779.016	1780
	0	3.85	1710.989	1710.00	1779.029	1780
	10	3.85	1710.957	1710.00	1779.073	1780
	20	3.85	1710.978	1710.00	1779.022	1780
	30	3.85	1710.909	1710.00	1779.003	1780
	40	3.85	1710.921	1710.00	1779.083	1780
	50	3.85	1710.964	1710.00	1779.013	1780
Frequency Stability vs. Voltage	20	3.6	1710.910	1710.00	1779.096	1780
	20	4.4	1710.993	1710.00	1779.099	1780
					Result:	Pass

Test Plots(Note: The 5.6dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):


Occupied Bandwidth




Occupied Bandwidth



Occupied Bandwidth



Occupied Bandwidth





Occupied Bandwidth

Channel

15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Date: 21.APR.2023 00:43:36

Date: 21.APR.2023 00:44:07



Middle



Date: 21.APR.2023 00:44:36

Date: 21.APR.2023 00:45:03

Highest



Date: 21.APR.2023 00:45:35

Date: 21.APR.2023 00:46:03

Occupied Bandwidth



Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM																																																																						
Lowest	<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>CF 1.72 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.71024 GHz</td> <td>-11.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7110579 GHz</td> <td>10.01 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.729022 GHz</td> <td>10.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.6 MHz</td> <td>0.09 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.APR.2023 00:46:31</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.71024 GHz	-11.20 dBm			T1	1		1.7110579 GHz	10.01 dBm	Occ Bw	17.964071856 MHz	T2	1		1.729022 GHz	10.59 dBm			D1	M1	1	19.6 MHz	0.09 dB			<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>CF 1.72 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.71008 GHz</td> <td>-12.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.710579 GHz</td> <td>8.46 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.729022 GHz</td> <td>9.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.76 MHz</td> <td>-0.21 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.APR.2023 00:47:02</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.71008 GHz	-12.09 dBm			T1	1		1.710579 GHz	8.46 dBm	Occ Bw	18.043912176 MHz	T2	1		1.729022 GHz	9.91 dBm			D1	M1	1	19.76 MHz	-0.21 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.71024 GHz	-11.20 dBm																																																																				
T1	1		1.7110579 GHz	10.01 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		1.729022 GHz	10.59 dBm																																																																				
D1	M1	1	19.6 MHz	0.09 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.71008 GHz	-12.09 dBm																																																																				
T1	1		1.710579 GHz	8.46 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		1.729022 GHz	9.91 dBm																																																																				
D1	M1	1	19.76 MHz	-0.21 dB																																																																				
Middle	<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>CF 1.745 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.73516 GHz</td> <td>-11.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.735978 GHz</td> <td>9.42 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.754022 GHz</td> <td>10.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.84 MHz</td> <td>-1.86 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.APR.2023 00:47:38</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.73516 GHz	-11.33 dBm			T1	1		1.735978 GHz	9.42 dBm	Occ Bw	18.043912176 MHz	T2	1		1.754022 GHz	10.57 dBm			D1	M1	1	19.84 MHz	-1.86 dB			<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>CF 1.745 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.73564 GHz</td> <td>-2.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7360579 GHz</td> <td>9.24 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.754022 GHz</td> <td>9.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>18.88 MHz</td> <td>-0.13 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.APR.2023 00:48:06</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.73564 GHz	-2.51 dBm			T1	1		1.7360579 GHz	9.24 dBm	Occ Bw	17.964071856 MHz	T2	1		1.754022 GHz	9.85 dBm			D1	M1	1	18.88 MHz	-0.13 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.73516 GHz	-11.33 dBm																																																																				
T1	1		1.735978 GHz	9.42 dBm	Occ Bw	18.043912176 MHz																																																																		
T2	1		1.754022 GHz	10.57 dBm																																																																				
D1	M1	1	19.84 MHz	-1.86 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.73564 GHz	-2.51 dBm																																																																				
T1	1		1.7360579 GHz	9.24 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		1.754022 GHz	9.85 dBm																																																																				
D1	M1	1	18.88 MHz	-0.13 dB																																																																				
Highest	<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>CF 1.77 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.76064 GHz</td> <td>-2.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7610579 GHz</td> <td>11.58 dBm</td> <td>Occ Bw</td> <td>17.884231537 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7789421 GHz</td> <td>11.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.8 MHz</td> <td>-1.47 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.APR.2023 00:48:38</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.76064 GHz	-2.24 dBm			T1	1		1.7610579 GHz	11.58 dBm	Occ Bw	17.884231537 MHz	T2	1		1.7789421 GHz	11.05 dBm			D1	M1	1	19.8 MHz	-1.47 dB			<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 300 kHz Att 35 dB SWT 1 ms VBW 1 MHz Mode Sweep</p> <p>CF 1.77 GHz 501 pts Span 40.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.76016 GHz</td> <td>-11.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7610579 GHz</td> <td>10.01 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.779022 GHz</td> <td>10.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>19.68 MHz</td> <td>-1.14 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.APR.2023 00:48:09</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.76016 GHz	-11.48 dBm			T1	1		1.7610579 GHz	10.01 dBm	Occ Bw	17.964071856 MHz	T2	1		1.779022 GHz	10.96 dBm			D1	M1	1	19.68 MHz	-1.14 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.76064 GHz	-2.24 dBm																																																																				
T1	1		1.7610579 GHz	11.58 dBm	Occ Bw	17.884231537 MHz																																																																		
T2	1		1.7789421 GHz	11.05 dBm																																																																				
D1	M1	1	19.8 MHz	-1.47 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.76016 GHz	-11.48 dBm																																																																				
T1	1		1.7610579 GHz	10.01 dBm	Occ Bw	17.964071856 MHz																																																																		
T2	1		1.779022 GHz	10.96 dBm																																																																				
D1	M1	1	19.68 MHz	-1.14 dB																																																																				

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK

Lowest



Middle



Highest

