

High gain
Omani-directional
Wide bandwidth

Main Antenna

Application :

GSM850/900/1800/1900




WCDMA : B2/B4/B5




LTE : B2/B4/B7/28/66




BT communication applications




TYPE	
Frequency	GSM 850/WCDMA B5: 824–896 MHz
	GSM 900: 880–960 MHz
	DCS (1800)/WCDMA B4/LTE B4/B66: 1710–1880 MHz
	PCS (1900)/ WCDMA B2/LTE B2: 1880–1990 MHz
	LTE B28: 710-790 MHz
	LTE B7: 2510–2690 MHz
	BT:2.4G
Main Antenna Gain (Unit:dBi)	GSM 850/WCDMA B5:-0.6
	GSM 900:-2.1
	DCS (1800)/WCDMA B4/LTE B4/B66: 0.4
	PCS (1900)/ WCDMA B2/LTE B2: 0.6
	LTE B28: -2.8
	LTE B7:0.5
	BT 2.4G: 0.9




Main Antenna

















Antenna Photo



Manufacture: Shenzhen Tianyutong Electronic Technology Co. LTD

Address: 701, Building 212, Taran, Chegongmiao Industrial Zone, Shatou Street, Futian District, Shenzhen, Guangdong, China

Antenna Model: K70-1B

Note: GSM, WCDMA, LTE Antenna & BT Antenna models, Manufacture are the same.