






Test instrument and environment





Antenna type:
PCB Antenna



Antenna Size



Antenna parameters (π-type circuit)




Element	parameter value
ANT	PCB Antenna
E2	NC
E3	NC
E4	NC


Antenna Gain

Passive Test For BT												
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHIS (%)	DHIS (%)	Max (dB)	Min (dB)	irectivity (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	23.72	-6.25	0.35	-1.8	14.031	9.687	0.35	-19.71	6.6	60	46.52	46.42
2410	26.9	-5.7	0.89	-1.26	15.904	10.992	0.89	-18.98	6.59	60	46.11	46.03
2420	24.68	-6.08	0.46	-1.69	14.537	10.138	0.46	-18.43	6.54	60	46.45	46.36
2430	26.6	-5.75	0.78	-1.37	15.616	10.986	0.78	-17.15	6.53	60	46.15	46.03
2440	24.6	-6.09	0.53	-1.62	14.31	10.292	0.53	-17.3	6.62	60	46.75	46.57
2450	27.46	-5.61	0.99	-1.16	15.931	11.526	0.99	-15.75	6.6	60	46.74	46.58
2460	22.28	-6.52	0.11	-2.04	12.848	9.433	0.11	-16.24	6.63	60	46.92	46.75
2470	22.5	-6.48	0.14	-2.01	12.889	9.611	0.14	-16.36	6.62	60	46.63	46.48
2480	20.41	-6.9	-0.15	-2.3	11.545	8.867	-0.15	-16.68	6.75	60	46.92	46.8

2400.00MHz - 2480.00MHz Gain




2400.00MHz - 2480.00MHz Efficiency




OTA Passive Test


2400.000MHz




2400.000MHz H



2400.000MHz E1




2400.000MHz E2




OTA Passive Test


2440.000MHz




2440.000MHz H



2440.000MHz E1




2440.000MHz E2




OTA无源测试


2480.000MHz



2480.000MHz H



2480.000MHz E1



2480.000MHz E2

