











-6dB Bandwidth



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	15.482	0.5	Pass
NVNT	a	5785	15.388	0.5	Pass
NVNT	a	5825	15.401	0.5	Pass
NVNT	n20	5745	17.600	0.5	Pass
NVNT	n20	5785	17.188	0.5	Pass
NVNT	n20	5825	17.600	0.5	Pass
NVNT	n40	5755	35.238	0.5	Pass
NVNT	n40	5795	35.986	0.5	Pass
NVNT	ac20	5745	17.446	0.5	Pass
NVNT	ac20	5785	17.522	0.5	Pass
NVNT	ac20	5825	17.589	0.5	Pass
NVNT	ac40	5755	35.669	0.5	Pass
NVNT	ac40	5795	35.545	0.5	Pass
NVNT	ac80	5775	75.323	0.5	Pass
























Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.371
NVNT	a	5200	16.347
NVNT	a	5240	16.352
NVNT	n20	5180	17.665
NVNT	n20	5200	17.647
NVNT	n20	5240	17.649
NVNT	n40	5190	36.118
NVNT	n40	5230	36.059
NVNT	ac20	5180	17.667
NVNT	ac20	5200	17.671
NVNT	ac20	5240	17.681
NVNT	ac40	5190	36.300
NVNT	ac40	5230	36.270
NVNT	ac80	5210	75.169
NVNT	a	5260	16.357
NVNT	a	5300	16.371
NVNT	a	5320	16.349
NVNT	n20	5260	17.643
NVNT	n20	5300	17.661
NVNT	n20	5320	17.632
NVNT	n40	5270	36.102
NVNT	n40	5310	36.126
NVNT	ac20	5260	17.685
NVNT	ac20	5300	17.688
NVNT	ac20	5320	17.665
NVNT	ac40	5270	36.331
NVNT	ac40	5310	36.308
NVNT	ac80	5290	75.394
NVNT	a	5500	16.353
NVNT	a	5600	16.358
NVNT	a	5700	16.365
NVNT	n20	5500	17.648
NVNT	n20	5600	17.667
NVNT	n20	5700	17.655
NVNT	n40	5510	36.084
NVNT	n40	5590	36.070
NVNT	n40	5670	36.100
NVNT	ac20	5500	17.676
NVNT	ac20	5600	17.676
NVNT	ac20	5700	17.668
NVNT	ac40	5510	36.255
NVNT	ac40	5590	36.295
NVNT	ac40	5670	36.284
NVNT	ac80	5530	75.237
NVNT	ac80	5610	75.260
NVNT	a	5745	16.364



NVNT	a	5785	16.363
NVNT	a	5825	16.377
NVNT	n20	5745	17.656
NVNT	n20	5785	17.651
NVNT	n20	5825	17.668
NVNT	n40	5755	36.084
NVNT	n40	5795	36.078
NVNT	ac20	5745	17.670
NVNT	ac20	5785	17.682
NVNT	ac20	5825	17.691
NVNT	ac40	5755	36.237
NVNT	ac40	5795	36.281
NVNT	ac80	5775	75.280











































































































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	6.45	0.66	7.11	11	Pass
NVNT	a	5200	6.57	0.66	7.23	11	Pass
NVNT	a	5240	6.69	0.67	7.36	11	Pass
NVNT	n20	5180	5.02	0.70	5.72	11	Pass
NVNT	n20	5200	5.18	0.70	5.88	11	Pass
NVNT	n20	5240	5.10	0.70	5.80	11	Pass
NVNT	n40	5190	-0.74	1.00	0.26	11	Pass
NVNT	n40	5230	-0.95	1.03	0.08	11	Pass
NVNT	ac20	5180	4.94	0.68	5.62	11	Pass
NVNT	ac20	5200	5.37	0.69	6.06	11	Pass
NVNT	ac20	5240	5.26	0.69	5.95	11	Pass
NVNT	ac40	5190	-1.78	1.09	-0.69	11	Pass
NVNT	ac40	5230	1.07	1.09	2.16	11	Pass
NVNT	ac80	5210	-4.98	1.44	-3.54	11	Pass
NVNT	a	5260	5.97	0.66	6.63	11	Pass
NVNT	a	5300	5.20	0.66	5.86	11	Pass
NVNT	a	5320	4.55	0.67	5.22	11	Pass
NVNT	n20	5260	4.37	0.70	5.07	11	Pass
NVNT	n20	5300	3.42	0.71	4.13	11	Pass
NVNT	n20	5320	3.02	0.70	3.72	11	Pass
NVNT	n40	5270	-2.42	1.03	-1.39	11	Pass
NVNT	n40	5310	-3.52	1.03	-2.49	11	Pass
NVNT	ac20	5260	4.73	0.00	4.73	11	Pass
NVNT	ac20	5300	3.34	0.69	4.03	11	Pass
NVNT	ac20	5320	3.10	0.69	3.79	11	Pass
NVNT	ac40	5270	-2.72	1.09	-1.63	11	Pass
NVNT	ac40	5310	-1.34	1.09	-0.25	11	Pass
NVNT	ac80	5290	-6.78	1.44	-5.34	11	Pass
NVNT	a	5500	6.01	0.66	6.67	11	Pass
NVNT	a	5600	6.15	0.66	6.81	11	Pass
NVNT	a	5700	5.28	0.66	5.94	11	Pass
NVNT	n20	5500	4.27	0.70	4.97	11	Pass
NVNT	n20	5600	4.56	0.70	5.26	11	Pass
NVNT	n20	5700	3.69	0.70	4.39	11	Pass
NVNT	n40	5510	-2.14	1.03	-1.11	11	Pass
NVNT	n40	5590	-1.52	1.03	-0.49	11	Pass
NVNT	n40	5670	-2.37	1.03	-1.34	11	Pass
NVNT	ac20	5500	4.48	0.68	5.16	11	Pass
NVNT	ac20	5600	4.70	0.68	5.38	11	Pass
NVNT	ac20	5700	3.69	0.69	4.38	11	Pass
NVNT	ac40	5510	-0.34	1.09	0.75	11	Pass
NVNT	ac40	5590	-2.63	1.09	-1.54	11	Pass
NVNT	ac40	5670	-3.58	1.09	-2.49	11	Pass
NVNT	ac80	5530	-5.47	1.44	-4.03	11	Pass
NVNT	ac80	5610	-5.54	1.44	-4.10	11	Pass

NVNT	a	5745	2.40	0.66	3.06	30	Pass
NVNT	a	5785	2.44	0.66	3.10	30	Pass
NVNT	a	5825	2.00	0.67	2.67	30	Pass
NVNT	n20	5745	0.92	0.70	1.62	30	Pass
NVNT	n20	5785	0.82	0.70	1.52	30	Pass
NVNT	n20	5825	0.60	0.70	1.30	30	Pass
NVNT	n40	5755	-2.99	1.02	-1.97	30	Pass
NVNT	n40	5795	-2.54	1.02	-1.52	30	Pass
NVNT	ac20	5745	0.47	0.69	1.16	30	Pass
NVNT	ac20	5785	0.95	0.68	1.63	30	Pass
NVNT	ac20	5825	0.30	0.68	0.98	30	Pass
NVNT	ac40	5755	-3.93	1.08	-2.85	30	Pass
NVNT	ac40	5795	-3.51	1.09	-2.42	30	Pass
NVNT	ac80	5775	-9.08	1.43	-7.65	30	Pass

