






9538




9538




9538




9538




9538




9538



9538





9538




9538

HSUPA






9262




9262




9262




9262




9262




9262




9262




9262




9262




9262




9262




9262



9262




9262




9262




9262




9262




9400




9400




9400




9400




9400




9400




9400



9400




9400




9400




9400




9400




9400




9400




9400




9400




9400




9400




9400



9400




9538




9538




9538




9538




9538




9538




9538




9538




9538




9538




9538



9538




9538




9538




9538




9538




9538



9538



9538



9538

Appendix F: Frequency Stability

Test Result

WCDMA

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VH	NT	5.30	0.002861	±2.5	PASS
Band2	9262	VL	NT	4.72	0.002548	±2.5	PASS
Band2	9262	VN	NT	5.26	0.002840	±2.5	PASS
Band2	9400	VH	NT	2.52	0.001340	±2.5	PASS
Band2	9400	VL	NT	2.25	0.001197	±2.5	PASS
Band2	9400	VN	NT	2.83	0.001505	±2.5	PASS
Band2	9538	VH	NT	-0.78	-0.000409	±2.5	PASS
Band2	9538	VL	NT	-0.87	-0.000456	±2.5	PASS
Band2	9538	VN	NT	-1.17	-0.000613	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	0	4.63	0.002499	±2.5	PASS
Band2	9262	NV	10	5.55	0.002996	±2.5	PASS
Band2	9262	NV	-10	4.87	0.002629	±2.5	PASS
Band2	9262	NV	20	4.93	0.002661	±2.5	PASS
Band2	9262	NV	-20	5.23	0.002823	±2.5	PASS
Band2	9262	NV	30	5.26	0.002840	±2.5	PASS
Band2	9262	NV	-30	4.76	0.002570	±2.5	PASS
Band2	9262	NV	40	5.18	0.002796	±2.5	PASS
Band2	9262	NV	50	5.06	0.002732	±2.5	PASS
Band2	9400	NV	0	2.62	0.001394	±2.5	PASS
Band2	9400	NV	10	2.23	0.001186	±2.5	PASS
Band2	9400	NV	-10	2.77	0.001473	±2.5	PASS
Band2	9400	NV	20	1.87	0.000995	±2.5	PASS
Band2	9400	NV	-20	2.01	0.001069	±2.5	PASS
Band2	9400	NV	30	1.88	0.001000	±2.5	PASS
Band2	9400	NV	-30	2.39	0.001271	±2.5	PASS
Band2	9400	NV	40	2.45	0.001303	±2.5	PASS
Band2	9400	NV	50	2.42	0.001287	±2.5	PASS
Band2	9538	NV	0	-1.18	-0.000619	±2.5	PASS
Band2	9538	NV	10	-0.86	-0.000451	±2.5	PASS

Band2	9538	NV	-10	-0.93	-0.000488	±2.5	PASS
Band2	9538	NV	20	-0.87	-0.000456	±2.5	PASS
Band2	9538	NV	-20	-0.54	-0.000283	±2.5	PASS
Band2	9538	NV	30	-0.45	-0.000236	±2.5	PASS
Band2	9538	NV	-30	-0.82	-0.000430	±2.5	PASS
Band2	9538	NV	40	-0.54	-0.000283	±2.5	PASS
Band2	9538	NV	50	-1.00	-0.000524	±2.5	PASS

HSDPA

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VH	NT	-0.78	-0.000421	±2.5	PASS
Band2	9262	1	VL	NT	-0.43	-0.000232	±2.5	PASS
Band2	9262	1	VN	NT	-0.39	-0.000211	±2.5	PASS
Band2	9262	2	VH	NT	-1.00	-0.000540	±2.5	PASS
Band2	9262	2	VL	NT	-0.46	-0.000248	±2.5	PASS
Band2	9262	2	VN	NT	0.36	0.000194	±2.5	PASS
Band2	9262	3	VH	NT	-0.74	-0.000399	±2.5	PASS
Band2	9262	3	VL	NT	-0.64	-0.000345	±2.5	PASS
Band2	9262	3	VN	NT	-0.70	-0.000378	±2.5	PASS
Band2	9262	4	VH	NT	-0.45	-0.000243	±2.5	PASS
Band2	9262	4	VL	NT	-0.52	-0.000281	±2.5	PASS
Band2	9262	4	VN	NT	-0.26	-0.000140	±2.5	PASS
Band2	9400	1	VH	NT	-0.49	-0.000261	±2.5	PASS
Band2	9400	1	VL	NT	-0.77	-0.000410	±2.5	PASS
Band2	9400	1	VN	NT	-0.74	-0.000394	±2.5	PASS
Band2	9400	2	VH	NT	-0.57	-0.000303	±2.5	PASS
Band2	9400	2	VL	NT	-0.99	-0.000527	±2.5	PASS
Band2	9400	2	VN	NT	-0.63	-0.000335	±2.5	PASS
Band2	9400	3	VH	NT	-0.57	-0.000303	±2.5	PASS
Band2	9400	3	VL	NT	-1.12	-0.000596	±2.5	PASS
Band2	9400	3	VN	NT	-0.72	-0.000383	±2.5	PASS
Band2	9400	4	VH	NT	-0.44	-0.000234	±2.5	PASS
Band2	9400	4	VL	NT	-0.84	-0.000447	±2.5	PASS
Band2	9400	4	VN	NT	-1.02	-0.000543	±2.5	PASS
Band2	9538	1	VH	NT	-0.87	-0.000456	±2.5	PASS
Band2	9538	1	VL	NT	-0.79	-0.000414	±2.5	PASS
Band2	9538	1	VN	NT	-0.26	-0.000136	±2.5	PASS
Band2	9538	2	VH	NT	-1.22	-0.000640	±2.5	PASS

Band2	9538	2	VL	NT	-0.55	-0.000288	±2.5	PASS
Band2	9538	2	VN	NT	-0.79	-0.000414	±2.5	PASS
Band2	9538	3	VH	NT	-0.29	-0.000152	±2.5	PASS
Band2	9538	3	VL	NT	-0.54	-0.000283	±2.5	PASS
Band2	9538	3	VN	NT	-0.40	-0.000210	±2.5	PASS
Band2	9538	4	VH	NT	-0.79	-0.000414	±2.5	PASS
Band2	9538	4	VL	NT	-0.56	-0.000294	±2.5	PASS
Band2	9538	4	VN	NT	-0.87	-0.000456	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	0	-0.51	-0.000275	±2.5	PASS
Band2	9262	1	NV	10	-0.82	-0.000443	±2.5	PASS
Band2	9262	1	NV	-10	-0.53	-0.000286	±2.5	PASS
Band2	9262	1	NV	20	-0.74	-0.000399	±2.5	PASS
Band2	9262	1	NV	-20	-0.57	-0.000308	±2.5	PASS
Band2	9262	1	NV	30	-0.28	-0.000151	±2.5	PASS
Band2	9262	1	NV	-30	-0.54	-0.000292	±2.5	PASS
Band2	9262	1	NV	40	-0.34	-0.000184	±2.5	PASS
Band2	9262	1	NV	50	-0.53	-0.000286	±2.5	PASS
Band2	9262	2	NV	0	-0.42	-0.000227	±2.5	PASS
Band2	9262	2	NV	10	-0.47	-0.000254	±2.5	PASS
Band2	9262	2	NV	-10	-0.10	-0.000054	±2.5	PASS
Band2	9262	2	NV	20	-0.47	-0.000254	±2.5	PASS
Band2	9262	2	NV	-20	-0.09	-0.000049	±2.5	PASS
Band2	9262	2	NV	30	-0.51	-0.000275	±2.5	PASS
Band2	9262	2	NV	-30	-0.31	-0.000167	±2.5	PASS
Band2	9262	2	NV	40	-0.27	-0.000146	±2.5	PASS
Band2	9262	2	NV	50	-0.80	-0.000432	±2.5	PASS
Band2	9262	3	NV	0	-0.67	-0.000362	±2.5	PASS
Band2	9262	3	NV	10	-0.35	-0.000189	±2.5	PASS
Band2	9262	3	NV	-10	-0.24	-0.000130	±2.5	PASS
Band2	9262	3	NV	20	-0.83	-0.000448	±2.5	PASS
Band2	9262	3	NV	-20	-0.59	-0.000319	±2.5	PASS
Band2	9262	3	NV	30	-0.45	-0.000243	±2.5	PASS
Band2	9262	3	NV	-30	-0.48	-0.000259	±2.5	PASS
Band2	9262	3	NV	40	-0.67	-0.000362	±2.5	PASS
Band2	9262	3	NV	50	-0.61	-0.000329	±2.5	PASS
Band2	9262	4	NV	0	-0.72	-0.000389	±2.5	PASS

Band2	9262	4	NV	10	-0.76	-0.000410	±2.5	PASS
Band2	9262	4	NV	-10	-0.49	-0.000265	±2.5	PASS
Band2	9262	4	NV	20	-0.64	-0.000345	±2.5	PASS
Band2	9262	4	NV	-20	-0.74	-0.000399	±2.5	PASS
Band2	9262	4	NV	30	-0.41	-0.000221	±2.5	PASS
Band2	9262	4	NV	-30	-0.73	-0.000394	±2.5	PASS
Band2	9262	4	NV	40	-0.60	-0.000324	±2.5	PASS
Band2	9262	4	NV	50	-0.40	-0.000216	±2.5	PASS
Band2	9400	1	NV	0	-0.26	-0.000138	±2.5	PASS
Band2	9400	1	NV	10	-0.36	-0.000191	±2.5	PASS
Band2	9400	1	NV	-10	-0.79	-0.000420	±2.5	PASS
Band2	9400	1	NV	20	-0.64	-0.000340	±2.5	PASS
Band2	9400	1	NV	-20	-0.25	-0.000133	±2.5	PASS
Band2	9400	1	NV	30	-0.56	-0.000298	±2.5	PASS
Band2	9400	1	NV	-30	-0.65	-0.000346	±2.5	PASS
Band2	9400	1	NV	40	-0.64	-0.000340	±2.5	PASS
Band2	9400	1	NV	50	-0.94	-0.000500	±2.5	PASS
Band2	9400	2	NV	0	-0.95	-0.000505	±2.5	PASS
Band2	9400	2	NV	10	-0.61	-0.000324	±2.5	PASS
Band2	9400	2	NV	-10	-0.49	-0.000261	±2.5	PASS
Band2	9400	2	NV	20	-0.89	-0.000473	±2.5	PASS
Band2	9400	2	NV	-20	-0.49	-0.000261	±2.5	PASS
Band2	9400	2	NV	30	-0.57	-0.000303	±2.5	PASS
Band2	9400	2	NV	-30	-0.92	-0.000489	±2.5	PASS
Band2	9400	2	NV	40	-0.41	-0.000218	±2.5	PASS
Band2	9400	2	NV	50	-0.44	-0.000234	±2.5	PASS
Band2	9400	3	NV	0	-0.55	-0.000293	±2.5	PASS
Band2	9400	3	NV	10	-0.33	-0.000176	±2.5	PASS
Band2	9400	3	NV	-10	-0.27	-0.000144	±2.5	PASS
Band2	9400	3	NV	20	-0.89	-0.000473	±2.5	PASS
Band2	9400	3	NV	-20	-0.61	-0.000324	±2.5	PASS
Band2	9400	3	NV	30	-0.95	-0.000505	±2.5	PASS
Band2	9400	3	NV	-30	-0.62	-0.000330	±2.5	PASS
Band2	9400	3	NV	40	-0.78	-0.000415	±2.5	PASS
Band2	9400	3	NV	50	-0.56	-0.000298	±2.5	PASS
Band2	9400	4	NV	0	-0.83	-0.000441	±2.5	PASS
Band2	9400	4	NV	10	-0.58	-0.000309	±2.5	PASS
Band2	9400	4	NV	-10	-0.89	-0.000473	±2.5	PASS
Band2	9400	4	NV	20	-0.53	-0.000282	±2.5	PASS
Band2	9400	4	NV	-20	-0.63	-0.000335	±2.5	PASS

Band2	9400	4	NV	30	-0.70	-0.000372	±2.5	PASS
Band2	9400	4	NV	-30	-1.18	-0.000628	±2.5	PASS
Band2	9400	4	NV	40	-0.32	-0.000170	±2.5	PASS
Band2	9400	4	NV	50	-0.62	-0.000330	±2.5	PASS
Band2	9538	1	NV	0	-0.98	-0.000514	±2.5	PASS
Band2	9538	1	NV	10	-0.56	-0.000294	±2.5	PASS
Band2	9538	1	NV	-10	-0.39	-0.000204	±2.5	PASS
Band2	9538	1	NV	20	-0.70	-0.000367	±2.5	PASS
Band2	9538	1	NV	-20	-0.25	-0.000131	±2.5	PASS
Band2	9538	1	NV	30	-0.73	-0.000383	±2.5	PASS
Band2	9538	1	NV	-30	-0.78	-0.000409	±2.5	PASS
Band2	9538	1	NV	40	-1.04	-0.000545	±2.5	PASS
Band2	9538	1	NV	50	-1.12	-0.000587	±2.5	PASS
Band2	9538	2	NV	0	-0.44	-0.000231	±2.5	PASS
Band2	9538	2	NV	10	-0.67	-0.000351	±2.5	PASS
Band2	9538	2	NV	-10	-0.89	-0.000467	±2.5	PASS
Band2	9538	2	NV	20	-0.72	-0.000377	±2.5	PASS
Band2	9538	2	NV	-20	-0.87	-0.000456	±2.5	PASS
Band2	9538	2	NV	30	-0.51	-0.000267	±2.5	PASS
Band2	9538	2	NV	-30	-0.94	-0.000493	±2.5	PASS
Band2	9538	2	NV	40	-0.40	-0.000210	±2.5	PASS
Band2	9538	2	NV	50	-0.77	-0.000404	±2.5	PASS
Band2	9538	3	NV	0	-0.32	-0.000168	±2.5	PASS
Band2	9538	3	NV	10	-1.12	-0.000587	±2.5	PASS
Band2	9538	3	NV	-10	-0.45	-0.000236	±2.5	PASS
Band2	9538	3	NV	20	-0.67	-0.000351	±2.5	PASS
Band2	9538	3	NV	-20	-0.70	-0.000367	±2.5	PASS
Band2	9538	3	NV	30	-0.90	-0.000472	±2.5	PASS
Band2	9538	3	NV	-30	-0.57	-0.000299	±2.5	PASS
Band2	9538	3	NV	40	0.04	0.000021	±2.5	PASS
Band2	9538	3	NV	50	-0.83	-0.000435	±2.5	PASS
Band2	9538	4	NV	0	-1.14	-0.000598	±2.5	PASS
Band2	9538	4	NV	10	-1.02	-0.000535	±2.5	PASS
Band2	9538	4	NV	-10	-0.73	-0.000383	±2.5	PASS
Band2	9538	4	NV	20	-0.89	-0.000467	±2.5	PASS
Band2	9538	4	NV	-20	-0.79	-0.000414	±2.5	PASS
Band2	9538	4	NV	30	-1.12	-0.000587	±2.5	PASS
Band2	9538	4	NV	-30	-0.63	-0.000330	±2.5	PASS
Band2	9538	4	NV	40	-0.79	-0.000414	±2.5	PASS
Band2	9538	4	NV	50	-0.37	-0.000194	±2.5	PASS

HSUPA

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VH	NT	4.96	0.002678	±2.5	PASS
Band2	9262	1	VL	NT	4.76	0.002570	±2.5	PASS
Band2	9262	1	VN	NT	3.70	0.001997	±2.5	PASS
Band2	9262	2	VH	NT	5.20	0.002807	±2.5	PASS
Band2	9262	2	VL	NT	4.91	0.002651	±2.5	PASS
Band2	9262	2	VN	NT	3.95	0.002132	±2.5	PASS
Band2	9262	3	VH	NT	5.27	0.002845	±2.5	PASS
Band2	9262	3	VL	NT	5.00	0.002699	±2.5	PASS
Band2	9262	3	VN	NT	4.16	0.002246	±2.5	PASS
Band2	9262	4	VH	NT	5.20	0.002807	±2.5	PASS
Band2	9262	4	VL	NT	5.06	0.002732	±2.5	PASS
Band2	9262	4	VN	NT	3.98	0.002149	±2.5	PASS
Band2	9262	5	VH	NT	5.40	0.002915	±2.5	PASS
Band2	9262	5	VL	NT	5.34	0.002883	±2.5	PASS
Band2	9262	5	VN	NT	5.17	0.002791	±2.5	PASS
Band2	9400	1	VH	NT	5.10	0.002713	±2.5	PASS
Band2	9400	1	VL	NT	5.17	0.002750	±2.5	PASS
Band2	9400	1	VN	NT	4.84	0.002574	±2.5	PASS
Band2	9400	2	VH	NT	5.14	0.002734	±2.5	PASS
Band2	9400	2	VL	NT	5.23	0.002782	±2.5	PASS
Band2	9400	2	VN	NT	5.11	0.002718	±2.5	PASS
Band2	9400	3	VH	NT	5.47	0.002910	±2.5	PASS
Band2	9400	3	VL	NT	5.31	0.002824	±2.5	PASS
Band2	9400	3	VN	NT	5.26	0.002798	±2.5	PASS
Band2	9400	4	VH	NT	5.31	0.002824	±2.5	PASS
Band2	9400	4	VL	NT	5.23	0.002782	±2.5	PASS
Band2	9400	4	VN	NT	5.37	0.002856	±2.5	PASS
Band2	9400	5	VH	NT	5.26	0.002798	±2.5	PASS
Band2	9400	5	VL	NT	5.24	0.002787	±2.5	PASS
Band2	9400	5	VN	NT	4.99	0.002654	±2.5	PASS
Band2	9538	1	VH	NT	5.23	0.002742	±2.5	PASS
Band2	9538	1	VL	NT	5.50	0.002883	±2.5	PASS
Band2	9538	1	VN	NT	5.10	0.002674	±2.5	PASS
Band2	9538	2	VH	NT	5.35	0.002805	±2.5	PASS
Band2	9538	2	VL	NT	5.34	0.002799	±2.5	PASS
Band2	9538	2	VN	NT	5.12	0.002684	±2.5	PASS

Band2	9538	3	VH	NT	5.26	0.002757	±2.5	PASS
Band2	9538	3	VL	NT	5.35	0.002805	±2.5	PASS
Band2	9538	3	VN	NT	5.14	0.002694	±2.5	PASS
Band2	9538	4	VH	NT	5.39	0.002826	±2.5	PASS
Band2	9538	4	VL	NT	5.20	0.002726	±2.5	PASS
Band2	9538	4	VN	NT	5.01	0.002626	±2.5	PASS
Band2	9538	5	VH	NT	5.25	0.002752	±2.5	PASS
Band2	9538	5	VL	NT	5.44	0.002852	±2.5	PASS
Band2	9538	5	VN	NT	5.06	0.002653	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	0	5.12	0.002764	±2.5	PASS
Band2	9262	1	NV	10	5.36	0.002894	±2.5	PASS
Band2	9262	1	NV	-10	5.06	0.002732	±2.5	PASS
Band2	9262	1	NV	20	2.60	0.001404	±2.5	PASS
Band2	9262	1	NV	-20	5.26	0.002840	±2.5	PASS
Band2	9262	1	NV	30	5.06	0.002732	±2.5	PASS
Band2	9262	1	NV	-30	5.03	0.002715	±2.5	PASS
Band2	9262	1	NV	40	5.38	0.002904	±2.5	PASS
Band2	9262	1	NV	50	5.46	0.002948	±2.5	PASS
Band2	9262	2	NV	0	5.29	0.002856	±2.5	PASS
Band2	9262	2	NV	10	5.20	0.002807	±2.5	PASS
Band2	9262	2	NV	-10	5.31	0.002867	±2.5	PASS
Band2	9262	2	NV	20	5.13	0.002769	±2.5	PASS
Band2	9262	2	NV	-20	5.11	0.002759	±2.5	PASS
Band2	9262	2	NV	30	5.46	0.002948	±2.5	PASS
Band2	9262	2	NV	-30	5.08	0.002742	±2.5	PASS
Band2	9262	2	NV	40	5.52	0.002980	±2.5	PASS
Band2	9262	2	NV	50	5.29	0.002856	±2.5	PASS
Band2	9262	3	NV	0	5.36	0.002894	±2.5	PASS
Band2	9262	3	NV	10	5.16	0.002786	±2.5	PASS
Band2	9262	3	NV	-10	5.44	0.002937	±2.5	PASS
Band2	9262	3	NV	20	5.24	0.002829	±2.5	PASS
Band2	9262	3	NV	-20	5.29	0.002856	±2.5	PASS
Band2	9262	3	NV	30	5.41	0.002921	±2.5	PASS
Band2	9262	3	NV	-30	5.24	0.002829	±2.5	PASS
Band2	9262	3	NV	40	5.35	0.002888	±2.5	PASS
Band2	9262	3	NV	50	5.31	0.002867	±2.5	PASS

Band2	9262	4	NV	0	5.14	0.002775	±2.5	PASS
Band2	9262	4	NV	10	5.25	0.002834	±2.5	PASS
Band2	9262	4	NV	-10	5.27	0.002845	±2.5	PASS
Band2	9262	4	NV	20	5.26	0.002840	±2.5	PASS
Band2	9262	4	NV	-20	5.10	0.002753	±2.5	PASS
Band2	9262	4	NV	30	5.27	0.002845	±2.5	PASS
Band2	9262	4	NV	-30	5.29	0.002856	±2.5	PASS
Band2	9262	4	NV	40	4.01	0.002165	±2.5	PASS
Band2	9262	4	NV	50	5.26	0.002840	±2.5	PASS
Band2	9262	5	NV	0	5.24	0.002829	±2.5	PASS
Band2	9262	5	NV	10	5.26	0.002840	±2.5	PASS
Band2	9262	5	NV	-10	5.31	0.002867	±2.5	PASS
Band2	9262	5	NV	20	5.43	0.002931	±2.5	PASS
Band2	9262	5	NV	-20	5.39	0.002910	±2.5	PASS
Band2	9262	5	NV	30	5.27	0.002845	±2.5	PASS
Band2	9262	5	NV	-30	5.60	0.003023	±2.5	PASS
Band2	9262	5	NV	40	5.21	0.002813	±2.5	PASS
Band2	9262	5	NV	50	5.32	0.002872	±2.5	PASS
Band2	9400	1	NV	0	5.34	0.002840	±2.5	PASS
Band2	9400	1	NV	10	5.36	0.002851	±2.5	PASS
Band2	9400	1	NV	-10	5.33	0.002835	±2.5	PASS
Band2	9400	1	NV	20	5.27	0.002803	±2.5	PASS
Band2	9400	1	NV	-20	5.40	0.002872	±2.5	PASS
Band2	9400	1	NV	30	5.52	0.002936	±2.5	PASS
Band2	9400	1	NV	-30	5.39	0.002867	±2.5	PASS
Band2	9400	1	NV	40	5.32	0.002830	±2.5	PASS
Band2	9400	1	NV	50	5.49	0.002920	±2.5	PASS
Band2	9400	2	NV	0	5.14	0.002734	±2.5	PASS
Band2	9400	2	NV	10	5.41	0.002878	±2.5	PASS
Band2	9400	2	NV	-10	5.35	0.002846	±2.5	PASS
Band2	9400	2	NV	20	5.30	0.002819	±2.5	PASS
Band2	9400	2	NV	-20	5.51	0.002931	±2.5	PASS
Band2	9400	2	NV	30	5.20	0.002766	±2.5	PASS
Band2	9400	2	NV	-30	4.98	0.002649	±2.5	PASS
Band2	9400	2	NV	40	5.34	0.002840	±2.5	PASS
Band2	9400	2	NV	50	5.40	0.002872	±2.5	PASS
Band2	9400	3	NV	0	5.31	0.002824	±2.5	PASS
Band2	9400	3	NV	10	5.35	0.002846	±2.5	PASS
Band2	9400	3	NV	-10	5.69	0.003027	±2.5	PASS
Band2	9400	3	NV	20	5.35	0.002846	±2.5	PASS

Band2	9400	3	NV	-20	5.38	0.002862	±2.5	PASS
Band2	9400	3	NV	30	5.17	0.002750	±2.5	PASS
Band2	9400	3	NV	-30	5.19	0.002761	±2.5	PASS
Band2	9400	3	NV	40	5.46	0.002904	±2.5	PASS
Band2	9400	3	NV	50	5.31	0.002824	±2.5	PASS
Band2	9400	4	NV	0	5.24	0.002787	±2.5	PASS
Band2	9400	4	NV	10	5.44	0.002894	±2.5	PASS
Band2	9400	4	NV	-10	5.44	0.002894	±2.5	PASS
Band2	9400	4	NV	20	5.29	0.002814	±2.5	PASS
Band2	9400	4	NV	-20	5.45	0.002899	±2.5	PASS
Band2	9400	4	NV	30	5.13	0.002729	±2.5	PASS
Band2	9400	4	NV	-30	5.39	0.002867	±2.5	PASS
Band2	9400	4	NV	40	5.41	0.002878	±2.5	PASS
Band2	9400	4	NV	50	5.41	0.002878	±2.5	PASS
Band2	9400	5	NV	0	5.21	0.002771	±2.5	PASS
Band2	9400	5	NV	10	5.40	0.002872	±2.5	PASS
Band2	9400	5	NV	-10	5.49	0.002920	±2.5	PASS
Band2	9400	5	NV	20	5.11	0.002718	±2.5	PASS
Band2	9400	5	NV	-20	5.34	0.002840	±2.5	PASS
Band2	9400	5	NV	30	5.30	0.002819	±2.5	PASS
Band2	9400	5	NV	-30	5.28	0.002809	±2.5	PASS
Band2	9400	5	NV	40	5.55	0.002952	±2.5	PASS
Band2	9400	5	NV	50	5.25	0.002793	±2.5	PASS
Band2	9538	1	NV	0	5.34	0.002799	±2.5	PASS
Band2	9538	1	NV	10	5.43	0.002847	±2.5	PASS
Band2	9538	1	NV	-10	5.46	0.002862	±2.5	PASS
Band2	9538	1	NV	20	5.34	0.002799	±2.5	PASS
Band2	9538	1	NV	-20	5.29	0.002773	±2.5	PASS
Band2	9538	1	NV	30	5.29	0.002773	±2.5	PASS
Band2	9538	1	NV	-30	5.38	0.002820	±2.5	PASS
Band2	9538	1	NV	40	5.44	0.002852	±2.5	PASS
Band2	9538	1	NV	50	5.49	0.002878	±2.5	PASS
Band2	9538	2	NV	0	5.51	0.002888	±2.5	PASS
Band2	9538	2	NV	10	5.46	0.002862	±2.5	PASS
Band2	9538	2	NV	-10	5.34	0.002799	±2.5	PASS
Band2	9538	2	NV	20	5.51	0.002888	±2.5	PASS
Band2	9538	2	NV	-20	5.24	0.002747	±2.5	PASS
Band2	9538	2	NV	30	5.37	0.002815	±2.5	PASS
Band2	9538	2	NV	-30	5.22	0.002736	±2.5	PASS
Band2	9538	2	NV	40	5.46	0.002862	±2.5	PASS

Band2	9538	2	NV	50	5.29	0.002773	±2.5	PASS
Band2	9538	3	NV	0	5.29	0.002773	±2.5	PASS
Band2	9538	3	NV	10	5.35	0.002805	±2.5	PASS
Band2	9538	3	NV	-10	5.42	0.002841	±2.5	PASS
Band2	9538	3	NV	20	5.23	0.002742	±2.5	PASS
Band2	9538	3	NV	-20	5.31	0.002784	±2.5	PASS
Band2	9538	3	NV	30	5.33	0.002794	±2.5	PASS
Band2	9538	3	NV	-30	5.52	0.002894	±2.5	PASS
Band2	9538	3	NV	40	5.36	0.002810	±2.5	PASS
Band2	9538	3	NV	50	5.26	0.002757	±2.5	PASS
Band2	9538	4	NV	0	5.34	0.002799	±2.5	PASS
Band2	9538	4	NV	10	5.37	0.002815	±2.5	PASS
Band2	9538	4	NV	-10	5.26	0.002757	±2.5	PASS
Band2	9538	4	NV	20	5.30	0.002778	±2.5	PASS
Band2	9538	4	NV	-20	5.51	0.002888	±2.5	PASS
Band2	9538	4	NV	30	5.03	0.002637	±2.5	PASS
Band2	9538	4	NV	-30	5.36	0.002810	±2.5	PASS
Band2	9538	4	NV	40	5.28	0.002768	±2.5	PASS
Band2	9538	4	NV	50	5.42	0.002841	±2.5	PASS
Band2	9538	5	NV	0	5.28	0.002768	±2.5	PASS
Band2	9538	5	NV	10	5.38	0.002820	±2.5	PASS
Band2	9538	5	NV	-10	5.22	0.002736	±2.5	PASS
Band2	9538	5	NV	20	5.39	0.002826	±2.5	PASS
Band2	9538	5	NV	-20	5.49	0.002878	±2.5	PASS
Band2	9538	5	NV	30	5.33	0.002794	±2.5	PASS
Band2	9538	5	NV	-30	5.31	0.002784	±2.5	PASS
Band2	9538	5	NV	40	5.39	0.002826	±2.5	PASS
Band2	9538	5	NV	50	5.33	0.002794	±2.5	PASS