

# RF Test Data for 5G Wi-Fi (Conducted Measurements)

General Description of EUT	
<b>Product Name:</b>	Orbit
<b>Test Model:</b>	Orbit/KR2126
<b>Sample ID:</b>	202302-0333-3-2#
Environmental Conditions	
<b>Temperature:</b>	25°C
<b>Relative Humidity:</b>	55%
<b>Test Voltage:</b>	DC 3.8V
<b>Test Engineer:</b>	Huang jian ping
Note: For a more detailed features description, please refer to the report TBR-C-202302-0333-33 The report only show the worst case data.	

## Contents


1. Emission Bandwidth.....	3
1.1. Test Result.....	3
2.1. Test Graphs .....	4
2. Occupied channel bandwidth .....	9
2.1. Test Result.....	9
2.2. Test Graphs .....	10
3. Maximum conducted output power.....	15
3.1. Test Result.....	15
4. Maximum power spectral density .....	16
4.1. Test Result.....	16
4.2. Test Graphs .....	17
5. Band edge measurements .....	22
5.1. Test Result.....	22
5.2. Test Graphs .....	23
6. Emissions in Restricted Bands.....	27
6.1. Test Result.....	27
6.2. Test Graphs .....	29
7. Conducted Spurious Emission.....	37
7.1. Test Result.....	37
7.2. Test Graphs .....	38
8. Frequency Stability .....	48
8.1. Test Result.....	48
9. Duty Cycle .....	50
9.1. Test Result.....	50
9.2. Test Graphs .....	51

# 1. Emission Bandwidth


## 1.1. Test Result

TestMode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	20.56	5169.72	5190.28	---	---
		5200	20.20	5189.92	5210.12	---	---
		5240	19.32	5230.52	5249.84	---	---
11N20SISO	Ant1	5180	20.52	5169.72	5190.24	---	---
		5200	20.44	5189.84	5210.28	---	---
		5240	20.24	5229.96	5250.20	---	---
11N40SISO	Ant1	5190	40.72	5169.60	5210.32	---	---
		5230	39.68	5210.32	5250.00	---	---
11AC20SISO	Ant1	5180	21.44	5169.32	5190.76	---	---
		5200	20.56	5189.76	5210.32	---	---
		5240	20.32	5229.92	5250.24	---	---
11AC40SISO	Ant1	5190	47.04	5163.20	5210.24	---	---
		5230	40.40	5209.92	5250.32	---	---
11AC80SISO	Ant1	5210	84.80	5168.24	5253.04	---	---


## 2.1. Test Graphs




11A\_Ant1\_5180




11A\_Ant1\_5200




11A\_Ant1\_5240




11N20SISO\_Ant1\_5180




11N20SISO\_Ant1\_5200




11N20SISO\_Ant1\_5240



11N40SISO\_Ant1\_5190




11N40SISO\_Ant1\_5230




11N40SISO\_Ant1\_5230


11AC20SISO\_Ant1\_5180




11AC20SISO\_Ant1\_5200




11AC20SISO\_Ant1\_5240



11AC40SISO\_Ant1\_5190



11AC40SISO\_Ant1\_5230



11AC80SISO\_Ant1\_5210




## 2. Occupied channel bandwidth


### 2.1. Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.663	5171.6883	5188.3516	---	---
		5200	16.623	5191.7682	5208.3916	---	---
		5240	17.662	5231.3287	5248.9910	---	---
11N20SISO	Ant1	5180	24.256	5167.5325	5191.7882	---	---
		5200	22.737	5188.5315	5211.2687	---	---
		5240	18.342	5230.8891	5249.2308	---	---
11N40SISO	Ant1	5190	43.317	5165.8641	5209.1808	---	---
		5230	37.802	5211.4585	5249.2607	---	---
11AC20SISO	Ant1	5180	24.496	5167.3327	5191.8282	---	---
		5200	23.576	5187.8921	5211.4685	---	---
		5240	18.382	5230.9291	5249.3107	---	---
11AC40SISO	Ant1	5190	46.593	5164.9051	5211.4985	---	---
		5230	37.323	5211.4585	5248.7812	---	---
11AC80SISO	Ant1	5210	78.641	5170.1998	5248.8412	---	---

## 2.2. Test Graphs




11A\_Ant1\_5180




11A\_Ant1\_5200




11A\_Ant1\_5240




11N20SISO\_Ant1\_5180




11N20SISO\_Ant1\_5200




11N20SISO\_Ant1\_5240




11N40SISO\_Ant1\_5190




11N40SISO\_Ant1\_5230




11AC20SISO\_Ant1\_5180




11AC20SISO\_Ant1\_5200



11AC20SISO\_Ant1\_5240



11AC40SISO\_Ant1\_5190



11AC40SISO\_Ant1\_5230



11AC80SISO\_Ant1\_5210

### 3. Maximum conducted output power

#### 3.1. Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	15.67	≤23.98	PASS
		5200	15.02	≤23.98	PASS
		5240	14.74	≤23.98	PASS
11N20SISO	Ant1	5180	15.17	≤23.98	PASS
		5200	15.38	≤23.98	PASS
		5240	14.64	≤23.98	PASS
11N40SISO	Ant1	5190	15.24	≤23.98	PASS
		5230	15.09	≤23.98	PASS
11AC20SISO	Ant1	5180	15.15	≤23.98	PASS
		5200	15.41	≤23.98	PASS
		5240	14.63	≤23.98	PASS
11AC40SISO	Ant1	5190	15.24	≤23.98	PASS
		5230	15.13	≤23.98	PASS
11AC80SISO	Ant1	5210	13.98	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.

## 4. Maximum power spectral density

### 4.1. Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	3.92	≤11.00	PASS
		5200	4.22	≤11.00	PASS
		5240	4.24	≤11.00	PASS
11N20SISO	Ant1	5180	3.53	≤11.00	PASS
		5200	3.82	≤11.00	PASS
		5240	4.32	≤11.00	PASS
11N40SISO	Ant1	5190	0.65	≤11.00	PASS
		5230	1.37	≤11.00	PASS
11AC20SISO	Ant1	5180	3.48	≤11.00	PASS
		5200	3.55	≤11.00	PASS
		5240	4.48	≤11.00	PASS
11AC40SISO	Ant1	5190	0.99	≤11.00	PASS
		5230	1.44	≤11.00	PASS
11AC80SISO	Ant1	5210	-3.08	≤11.00	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.



## 4.2. Test Graphs



11A\_Ant1\_5180



11A\_Ant1\_5200




11A\_Ant1\_5240



11N20SISO\_Ant1\_5180



11N20SISO\_Ant1\_5200




11N20SISO\_Ant1\_5240



11N40SISO\_Ant1\_5190



11N40SISO\_Ant1\_5230




11AC20SISO\_Ant1\_5180



11AC20SISO\_Ant1\_5200




11AC20SISO\_Ant1\_5240



11AC40SISO\_Ant1\_5190



11AC40SISO\_Ant1\_5230




11AC80SISO\_Ant1\_5210

## 5. Band edge measurements


### 5.1. Test Result

TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-41.23	≤-27	PASS
		High	5240	-48.80	≤-27	PASS
11N20SISO	Ant1	Low	5180	-39.75	≤-27	PASS
		High	5240	-48.53	≤-27	PASS
11N40SISO	Ant1	Low	5190	-36.94	≤-27	PASS
		High	5230	-49.07	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-38.55	≤-27	PASS
		High	5240	-49.31	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-27.27	≤-27	PASS
		High	5230	-48.62	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-34.23	≤-27	PASS
		High	5210	-47.80	≤-27	PASS


## 5.2. Test Graphs




11A\_Ant1\_Low\_5180




11A\_Ant1\_High\_5240




11N20SISO\_Ant1\_Low\_5180



11N20SISO\_Ant1\_High\_5240




11N40SISO\_Ant1\_Low\_5190




11N40SISO\_Ant1\_High\_5230







11AC20SISO\_Ant1\_Low\_5180




11AC20SISO\_Ant1\_High\_5240




11AC40SISO\_Ant1\_Low\_5190



11AC40SISO\_Ant1\_High\_5230



11AC80SISO\_Ant1\_Low\_5210



11AC80SISO\_Ant1\_High\_5210

## 6. Emissions in Restricted Bands

### 6.1. Test Result




TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-63.92	≤-41.20	PASS
				AV	5149.275	-52.92	≤-41.20	PASS
				AV	5150.000	-51.88	≤-41.20	PASS
				Peak	4500.000	-51.92	≤-21.20	PASS
				Peak	5148.261	-39.32	≤-21.20	PASS
				Peak	5150.000	-39.78	≤-21.20	PASS
		High	5240	AV	5350.000	-61.19	≤-41.20	PASS
				AV	5446.783	-59.57	≤-41.20	PASS
				AV	5460.000	-61.07	≤-41.20	PASS
				Peak	5350.000	-50.09	≤-21.20	PASS
				Peak	5447.130	-48.4	≤-21.20	PASS
				Peak	5460.000	-50.84	≤-21.20	PASS
11N20SISO	Ant1	Low	5180	AV	4500.000	-64.32	≤-41.20	PASS
				AV	5149.275	-52.96	≤-41.20	PASS
				AV	5150.000	-52.48	≤-41.20	PASS
				Peak	4500.000	-52.23	≤-21.20	PASS
				Peak	5149.275	-38.41	≤-21.20	PASS
				Peak	5150.000	-38.95	≤-21.20	PASS
		High	5240	AV	5350.000	-61.76	≤-41.20	PASS
				AV	5446.783	-60.06	≤-41.20	PASS
				AV	5460.000	-61.54	≤-41.20	PASS
				Peak	5350.000	-51.66	≤-21.20	PASS
				Peak	5448.174	-48.15	≤-21.20	PASS
				Peak	5460.000	-51.64	≤-21.20	PASS
11N40SISO	Ant1	Low	5190	AV	4500.000	-64.03	≤-41.20	PASS
				AV	5149.275	-48.48	≤-41.20	PASS
				AV	5150.000	-47.76	≤-41.20	PASS
				Peak	4500.000	-51.4	≤-21.20	PASS
				Peak	5149.275	-36.16	≤-21.20	PASS
				Peak	5150.000	-33.83	≤-21.20	PASS
		High	5230	AV	5350.000	-60.97	≤-41.20	PASS
				AV	5447.188	-59.5	≤-41.20	PASS
				AV	5460.000	-61.01	≤-41.20	PASS
				Peak	5350.000	-51.16	≤-21.20	PASS
				Peak	5456.232	-47.36	≤-21.20	PASS
				Peak	5460.000	-50.59	≤-21.20	PASS
11AC20SIS O	Ant1	Low	5180	AV	4500.000	-64.31	≤-41.20	PASS
				AV	5149.275	-52.94	≤-41.20	PASS
				AV	5150.000	-52.45	≤-41.20	PASS


		High	5240	Peak	4500.000	-51.55	≤-21.20	PASS
				Peak	5149.275	-38.9	≤-21.20	PASS
				Peak	5150.000	-38.45	≤-21.20	PASS
				AV	5350.000	-61.73	≤-41.20	PASS
				AV	5447.826	-60.08	≤-41.20	PASS
				AV	5460.000	-61.57	≤-41.20	PASS
				Peak	5350.000	-51.03	≤-21.20	PASS
				Peak	5360.174	-48.38	≤-21.20	PASS
				Peak	5460.000	-49.88	≤-21.20	PASS
11AC40SIS O	Ant1	Low	5190	AV	4500.000	-63.96	≤-41.20	PASS
				AV	5149.275	-48.43	≤-41.20	PASS
				AV	5150.000	-47.79	≤-41.20	PASS
				Peak	4500.000	-51.52	≤-21.20	PASS
				Peak	5149.275	-35.64	≤-21.20	PASS
				Peak	5150.000	-34.88	≤-21.20	PASS
		High	5230	AV	5350.000	-61.09	≤-41.20	PASS
				AV	5447.942	-59.11	≤-41.20	PASS
				AV	5460.000	-61.08	≤-41.20	PASS
				Peak	5350.000	-51.76	≤-21.20	PASS
				Peak	5373.710	-48.37	≤-21.20	PASS
				Peak	5460.000	-49.79	≤-21.20	PASS
11AC80SIS O	Ant1	Low	5210	AV	4500.000	-63.67	≤-41.20	PASS
				AV	5148.913	-45.74	≤-41.20	PASS
				AV	5150.000	-45.75	≤-41.20	PASS
				Peak	4500.000	-51.05	≤-21.20	PASS
				Peak	5146.739	-33.58	≤-21.20	PASS
				Peak	5150.000	-34.35	≤-21.20	PASS
		High	5210	AV	5350.000	-59.9	≤-41.20	PASS
				AV	5447.826	-58.99	≤-41.20	PASS
				AV	5460.000	-60.46	≤-41.20	PASS
				Peak	5350.000	-49.29	≤-21.20	PASS
				Peak	5447.826	-46.95	≤-21.20	PASS
				Peak	5460.000	-51.01	≤-21.20	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

### 6.2. Test Graphs






11A\_Ant1\_High\_5240\_Peak



11N20SISO\_Ant1\_Low\_5180\_AV



11N20SISO\_Ant1\_Low\_5180\_Peak