

# 1. Peak-Average Ratio

## 1.1 30\_Single

### 1.1.1 Test Result

Band n48 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Peak-Average Ratio (dB)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	9.80	<=13	Pass
			2	9.49	<=13	Pass
			3	9.47	<=13	Pass
			4	9.49	<=13	Pass
		NR-FR1-TM3.1a	1	9.56	<=13	Pass
			2	9.55	<=13	Pass
			3	9.47	<=13	Pass
			4	9.42	<=13	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	9.55	<=13	Pass
			2	9.63	<=13	Pass
			3	9.50	<=13	Pass
			4	9.41	<=13	Pass
		NR-FR1-TM3.1a	1	9.63	<=13	Pass
			2	9.63	<=13	Pass
			3	9.52	<=13	Pass
			4	9.55	<=13	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	9.45	<=13	Pass
			2	9.53	<=13	Pass
			3	9.41	<=13	Pass
			4	9.49	<=13	Pass
		NR-FR1-TM3.1a	1	9.55	<=13	Pass
			2	9.66	<=13	Pass
			3	9.36	<=13	Pass
			4	9.40	<=13	Pass

## 1.1.2 Test Graph























