



Highest Channel 99% Occupied Bandwidth



Highest Channel -26dBc Bandwidth





TEST A.5: SPURIOUS EMISSIONS AT ANTENNA TERMINALS

I IMITO.	Product standard:	FCC Part 24 / IC RSS-133
LIMITS:	Test standard:	FCC §2.1051 and § 24.238/ RSS-133 Clause 6.5

LIMITS

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. P in watts.

At Po transmitting power of 2 watts (33 dBm), the specified minimum attenuation becomes 43+10log (Po). and the level in dBm relative to Po becomes:

Po (dBm) - [43 + 10 log (Po in watts)] = -13 dBm


TEST SETUP

The EUT RF output connector was connected to a spectrum analyzer and to the Universal Radio Communication Tester R&S CMW500 (selecting maximum transmission power of the EUT and different modes of modulation) using a 50-ohm attenuator and a power splitter.

The spectrum was investigated from 9 kHz to 26 GHz for LTE Band 25.

The reading of the spectrum analyzer is corrected with the attenuation loss of connection between output terminal of EUT and input of the spectrum analyzer.

For LTE mode the configuration of Resource Blocks and modulation which is the worst case for conducted power was used.



DEKRA Certification, Inc. 405 Glenn Dr. Suite 12, Sterling, VA 20164 United States of America



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01
TEST RESULTS:	PASS

Frequency range 9 kHz - 26 GHz

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
1932.47	-28.98	< ± 1.20

Middle Channel

Spurious signal found in the frequency range Middle channel were shown below plots.

Highest Channel

Spurious signal found in the frequency range for Highest channel were shown in below plots.

LTE QPSK MODULATION. BW = 10 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.

LTE QPSK MODULATION. BW = 15 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.


LTE QPSK MODULATION. BW = 20 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.




LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel




Middle Channel






Highest Channel




LTE QPSK MODULATION. BW = 10 MHz


Lowest Channel





Middle Channel









LTE QPSK MODULATION. BW = 15 MHz

Lowest Channel




Middle Channel






Highest Channel




LTE QPSK MODULATION. BW = 20 MHz


Lowest Channel





Middle Channel







TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02
TEST RESULTS:	PASS

Frequency range 9 kHz - 26 GHz

LTE QPSK MODULATION. BW = 5 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.

LTE QPSK MODULATION. BW = 10 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.

LTE QPSK MODULATION. BW = 15 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.


LTE QPSK MODULATION. BW = 20 MHz

Spurious signal found in the frequency range for Lowest, Middle, and Highest channels were shown in the plots.




LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel




Middle Channel






Highest Channel




LTE QPSK MODULATION. BW = 10 MHz


Lowest Channel





Middle Channel









LTE QPSK MODULATION. BW = 15 MHz

Lowest Channel




Middle Channel






Highest Channel




LTE QPSK MODULATION. BW = 20 MHz


Lowest Channel





Middle Channel







TEST A.6: SPURIOUS EMISSIONS AT ANTENNA TERMINALS AT BLOCK EDGES

LIMITS:	Product standard:	FCC Part 24 / IC RSS-133
	Test standard:	FCC § 24.238 and FCC §2.1051 / RSS 133- Clause 6.6

LIMITS

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. P in watts.

At Po transmitting power of 2 watts (33 dBm), the specified minimum attenuation becomes 43+10log (Po). and the level in dBm relative to Po becomes:

Po (dBm) - [43 + 10 log (Po in watts)] = -13 dBm


TEST SETUP

The EUT RF output connector was connected to a spectrum analyzer and to the Universal Radio Communication Tester R&S CMW500 (selecting maximum transmission power of the EUT and different modes of modulation) using a 50-ohm attenuator and a power splitter.

The reading of the spectrum analyzer is corrected with the attenuation loss of connection between output terminal of EUT and input of the spectrum analyzer.

For LTE mode the configuration of modulation which is the worst case for conducted power was used.

As indicated in FCC part 24, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block or band, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.






TESTED SAMPLES:		S/01 TC#01 PASS			
ESTED CONDITIONS MODE	S:				
TEST RESULTS:					
LTE QPSK MODULATION	RB=1.	RB=1.	RB=1.	RB=1.	
	Offset =0.	Offset =0.	Offset =0.	Offset =0.	
Maximum measured level at lowest Block Edge at antenna port (dBm)	BW = 5 MHz -14.96	BW = 10 MHz -29.67	-30.96	BW = 20 MHz -37.23	
LTE QPSK MODULATION:	RB= 6.	RB= 6.	RB= 6.	RB= 6.	
	Offset =0.	Offset =0.	Offset =0.	Offset =0.	
	BW = 5 MHz	BW = 10 MHz	BW = 15 MHz	BW = 20 MHz	
Maximum measured level at lowest Block Edge at antenna port (dBm)	-16.88	-19.46	-21.85	-39.47	
LTE QPSK MODULATION:	RB= 1.	RB= 1.	RB= 1.	RB= 1.	
	Offset=5.	Offset=5.	Offset=5.	Offset=5.	
	BW = 5 MHz	BW = 10 MHz	BW = 15 MHz	BW = 20 MHz	
Maximum measured level at highest Block Edge at antenna port (dBm)	-16.62	-30.17	-32.96	-36.46	
		<u> </u>	<u> </u>		
LTE QPSK MODULATION:	RB= 6.	RB= 6.	RB= 6.	RB= 6.	
	Offset =0.	Offset =0.	Offset =0.	Offset =0.	
	BW = 5 MHz	BW = 10 MHz	BW = 15 MHz	BW = 20 MHz	
Maximum measured level at highest Block Edge at antenna port (dBm)	-16.97	-22.16	-22.03	-35.12	



LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 5 MHz


Lowest Channel



Date: 25.NOV.2019 18:53:13

LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 5 MHz

Highest Channel




Date: 25.NOV.2019 19:05:39



LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 5 MHz

Lowest Channel



Date: 25.NOV.2019 18:52:22


LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 5 MHz





LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 10 MHz


Lowest Channel



Date: 25.NOV.2019 18:50:20

LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 10 MHz

Highest Channel




Date: 25.NOV.2019 19:02:53




LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 10 MHz

Lowest Channel



Date: 25.NOV.2019 18:49:32


LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 10 MHz





LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 15 MHz


Lowest Channel



Date: 25.NOV.2019 18:46:54

LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 15 MHz

Highest Channel




Date: 25.NOV.2019 18:58:28



LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 15 MHz


Lowest Channel



Date: 25.NOV.2019 18:47:40

LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 15 MHz

Highest Channel




Date: 25.NOV.2019 18:56:09



LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 20 MHz

Lowest Channel



Date: 25.NOV.2019 18:36:32


LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 20 MHz





LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 20 MHz

Lowest Channel



Date: 25.NOV.2019 18:34:44

LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 20 MHz






TESTED SAMPLES: TESTED CONDITIONS MODES:			S/01		
			TC#02		
TEST RESULTS:				PASS	
	1			1	
LTE QPSK MODULATION	RB=1		RB=1.	RB=1.	RB=1.
	Offset =	=0.	Offset =0.	Offset =0.	Offset =0.
	BW = 5 N	ИНz	BW = 10 MHz	BW = 15 MHz	BW = 20 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-15.39		-30.39	-32.67	-37.86
	1			1	
LTE QPSK MODULATION:	RB= All.		RB= All.	RB= All.	RB= All.
	Offset =0.		Offset =0.	Offset =0.	Offset =0.
	BW = 5 MHz		BW = 10 MHz	BW = 15 MHz	BW = 20 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-15.91		-19.65	-23.03	-38.99
	1				
LTE QPSK MODULATION:	RB= 1	١.	RB= 1.	RB= 1.	RB= 1.
	Offset=Max.		Offset=Max.	Offset=Max.	Offset=Max.
	BW = 5 N	ИНz	BW = 10 MHz	BW = 15 MHz	BW = 20 MHz
Maximum measured level at highest Block Edge at antenna port (dBm)	-16.1	3	-30.41	-32.90	-35.76
	T			Ī	
LTE QPSK MODULATION:	RB= A	II.	RB= All.	RB= All.	RB= AII.
	Offset =	=0.	Offset =0.	Offset =0.	Offset =0.
	BW = 5 N	MHz	BW = 10 MHz	BW = 15 MHz	BW = 20 MHz
Maximum measured level at highest Block Edge at antenna port (dBm)	-18.6	4	-21.45	-23.28	-37.06



LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 5 MHz

Lowest Channel



Date: 25.NOV.2019 19:08:54


LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 5 MHz






LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 5 MHz

Lowest Channel



Date: 25.NOV.2019 19:07:44


LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 5 MHz






LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 10 MHz

Lowest Channel



Date: 25.NOV.2019 19:28:19


LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 10 MHz






LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 10 MHz

Lowest Channel



Date: 25.NOV.2019 19:27:52


LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 10 MHz






LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 15 MHz

Lowest Channel



Date: 25.NOV.2019 19:30:05


LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 15 MHz





LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 15 MHz


Lowest Channel



Date: 25.NOV.2019 19:29:22

LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 15 MHz

Highest Channel




Date: 25.NOV.2019 19:36:55



LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 20 MHz

Lowest Channel



Date: 25.NOV.2019 19:32:31


LTE QPSK MODULATION. RB = 1. Offset = 5. BW = 20 MHz





LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 20 MHz

Lowest Channel



Date: 25.NOV.2019 19:31:27

LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 20 MHz





TEST A.7: RADIATED EMISSIONS

LIMITS:	Product standard:	FCC Part 24 / IC RSS-133
	Test standard:	FCC §2.1053 and §24.238 /RSS-133 Clause 6.6

LIMITS

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. P in watts.

At Po transmitting power of 2 watts (33 dBm), the specified minimum attenuation becomes 43+10log (Po). and the level in dBm relative to Po becomes:

Po (dBm) - [43 + 10 log (Po in watts)] = -13 dBm


TEST SETUP

The measurement was performed with the EUT inside an anechoic chamber. The spectrum was scanned from 30 MHz to at least the 10th harmonic of the highest frequency generated within the equipment.


The EUT was placed on a non-conductive stand at a 3-meter distance from the measuring antenna for measurements below 1 GHz and at 1-meter distance for measurements above 1 GHz.

Detected emissions were maximized at each frequency by rotating the EUT and adjusting the measuring antenna height and polarization. The maximum reading was recorded.

Radiated measurements < 1GHz



Radiated measurements > 1GHz






TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01
TEST RESULTS:	PASS

RESULTS

A preliminary scan determined the QPSK 15 MHz bandwidth as the worst case. The configuration of Resource Blocks which is the worst case for conducted power was used.

The following plots show the results for this configuration.


LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 15 MHz



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)
32.295667	-53.57	-36.59
59.876000	-66.87	-43.32
184.165333	-64.49	-50.69




Low Channel



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)	Comment
1864.000000	-46.25	25.67	Fundamental UL
5552.500000	-49.61	-24.39	
7456.500000	-53.49	-28.13	
7742.000000	-51.08	-41.44	
8473.500000	-51.85	-42.39	
9320.500000	-51.00	-26.95	




Middle Channel



Frequency	PK+_CLRWR	PK+_MAXH
(MHz)	(dBm)	(dBm)
32.813000	-54.84	-37.19
59.940667	-68.16	-44.28
183.001333	-60.63	-51.79




Middle Channel



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)	Comment
1886.500000	4.08	25.21	Fundamental UL
2295.000000	-48.21	-36.44	
3773.000000	-53.31	-46.29	
5622.000000	-46.44	-24.70	
7546.500000	-54.00	-26.69	
8472.500000	-53.15	-38.19	
9369.500000	-42.46	-23.43	




High Channel



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)
32.198667	-60.85	-36.24
60.167000	-67.34	-42.61
304.316000	-59.61	-51.38



High Channel



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)	Comment
1909.000000	-48.73	25.34	Fundamental UL
3818.000000	-47.68	-41.91	
5727.000000	-46.76	-16.82	
7636.500000	-52.61	-27.44	
8473.000000	-51.06	-37.55	
9481.500000	-51.03	-27.17	
9546.000000	-51.48	-24.25	



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02
TEST RESULTS:	PASS

RESULTS


A preliminary scan determined the QPSK 20 MHz bandwidth as the worst case. The configuration of Resource Blocks which is the worst case for conducted power was used.

The following plots show the results for this configuration.

No spurious signal was found at less than 20dB respect to the limit in all the frequency ranges.

LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 20 MHz


TEST RESULTS (Cont): Low Channel



Frequency	PK+_CLRWR	PK+_MAXH
(MHz)	(dBm)	(dBm)
32.134000	-51.76	-37.74
69.317333	-65.16	-29.00
200.946333	-63.61	-46.18
365.943333	-54.91	-44.16




Low Channel




Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)	Comment
1854.000000	-1.01	24.80	Fundamental UL
1932.500000	-37.89	-28.99	Fundamental DL
3707.000000	-53.98	-44.47	
5551.500000	-47.36	-25.56	
7415.000000	-51.64	-27.85	
7733.500000	-44.96	-42.13	
8469.000000	-51.79	-43.27	
9269.000000	-34.46	-28.90	








Middle Channel



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)
38.697667	-55.03	-44.02
69.188000	-65.06	-31.61
129.134000	-66.44	-48.26
201.205000	-60.13	-44.20
261.312667	-59.01	-46.56
365.749333	-56.54	-46.27




Middle Channel




Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)	Comment
1884.500000	-48.36	25.01	Fundamental UL
1963.000000	-39.75	-33.94	Fundamental DL
3761.500000	-54.75	-45.68	
5654.000000	-47.38	-26.06	
7538.500000	-53.04	-25.41	
7853.500000	-42.41	-40.86	
8470.500000	-51.47	-39.61	
9423.000000	-51.05	-32.92	








High Channel



Frequency	PK+_CLRWR	PK+_MAXH	
(MHz)	(dBm)	(dBm)	
32.489667	-45.98	-29.32	
75.363667	-64.95	-35.80	
105.304333	-63.44	-45.56	
195.740667	-63.57	-47.26	
261.377333	-58.75	-47.29	



High Channel



Frequency (MHz)	PK+_CLRWR (dBm)	PK+_MAXH (dBm)	Comment
1914.000000	-48.85	26.09	Fundamental UL
1993.000000	-38.82	-29.08	Fundamental DL
3827.500000	-44.60	-41.89	
5741.000000	-48.52	-27.09	
7655.000000	-36.29	-22.27	
7973.500000	-53.41	-39.89	
8149.000000	-53.17	-42.38	
8468.000000	-52.70	-41.61	
9569.500000	-47.13	-32.96	



