




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2534	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 11/40/47
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 1(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2337	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 9/32/05
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 6(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	47.24	-11.65	35.59	46.50	-10.91	QP			
2	721.7259	50.46	-9.28	41.18	46.50	-5.32	QP			
3	842.1295	43.02	-7.10	35.92	46.50	-10.58	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2338	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 9/35/53
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 6(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	360.4476	56.97	-15.92	41.05	46.50	-5.45	QP			
2	721.7259	53.97	-9.28	44.69	46.50	-1.81	QP			
3	842.1296	48.08	-7.10	40.98	46.50	-5.52	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2511
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 6(802.11b)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/24/
Time: 10/10/42
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2512	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/24/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 10/14/21
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 6(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2535	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 11/43/05
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 6(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2536	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 11/48/21
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 6(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2339	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 9/39/19
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 11(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	360.4476	57.13	-15.92	41.21	46.50	-5.29	QP			
2	721.7259	54.11	-9.28	44.83	46.50	-1.67	QP			
3	842.1295	48.43	-7.10	41.33	46.50	-5.17	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2340
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11b)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 9/42/01
Engineer Signature: STAR
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	46.74	-11.65	35.09	46.50	-11.41	QP			
2	721.7259	50.33	-9.28	41.05	46.50	-5.45	QP			
3	842.1295	42.58	-7.10	35.48	46.50	-11.02	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2513
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11b)
Model: VRP150
Manufacturer: HouTian

Polarization: Horizontal
Power Source: DC 5V
Date: 13/07/24/
Time: 10/18/09
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2514
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11b)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/24/
Time: 10/22/55
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2537
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11b)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 11/53/37
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2#chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2538	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 11/56/00
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 11(802.11b)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2341
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 9/45/35
Engineer Signature: STAR
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	47.05	-11.65	35.40	46.50	-11.10	QP			
2	721.7259	50.06	-9.28	40.78	46.50	-5.72	QP			
3	842.1295	42.93	-7.10	35.83	46.50	-10.67	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2342	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 9/48/08
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 1(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	360.4476	57.04	-15.92	41.12	46.50	-5.38	QP			
2	721.7259	54.19	-9.28	44.91	46.50	-1.59	QP			
3	842.1296	50.73	-7.10	43.63	46.50	-2.87	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2515
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/24/
Time: 10/25/36
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2516
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Horizontal
Power Source: DC 5V
Date: 13/07/24/
Time: 10/27/44
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2539	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 11/59/53
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 1(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2540
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 12/04/12
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2343
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: Wifi Repeater
Mode: TX Channel 6(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Horizontal
Power Source: DC 5V
Date: 13/07/25/
Time: 9/51/52
Engineer Signature: STAR
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	360.4476	57.21	-15.92	41.29	46.50	-5.21	QP			
2	721.7259	54.03	-9.28	44.75	46.50	-1.75	QP			
3	842.1295	51.31	-7.10	44.21	46.50	-2.29	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2344
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: Wifi Repeater
Mode: TX Channel 6(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 9/53/41
Engineer Signature: STAR
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	46.52	-11.65	34.87	46.50	-11.63	QP			
2	721.7259	50.05	-9.28	40.77	46.50	-5.73	QP			
3	842.1295	43.42	-7.10	36.32	46.50	-10.18	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2517	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/24/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 10/31/37
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 6(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2518
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 6(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/24/
Time: 10/35/22
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2541	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/09/07
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 6(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2542	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/12/12
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 6(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A.Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2345
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 9/56/13
Engineer Signature: STAR
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	46.38	-11.65	34.73	46.50	-11.77	QP			
2	721.7259	49.85	-9.28	40.57	46.50	-5.93	QP			
3	842.1295	43.39	-7.10	36.29	46.50	-10.21	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2346
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Horizontal
Power Source: DC 5V
Date: 13/07/25/
Time: 9/59/37
Engineer Signature: STAR
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	360.4476	56.98	-15.92	41.06	46.50	-5.44	QP			
2	721.7259	54.18	-9.28	44.90	46.50	-1.60	QP			
3	842.1296	50.47	-7.10	43.37	46.50	-3.13	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2519
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/24/
Time: 10/38/11
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2520	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/24/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 10/41/31
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 11(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2543	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 12/18/56
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 11(802.11g)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2544
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 11(802.11g)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 12/21/48
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2347	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 10/02/12
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 1(802.11n)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	360.4476	56.66	-15.92	40.74	46.50	-5.76	QP			
2	721.7259	54.11	-9.28	44.83	46.50	-1.67	QP			
3	842.1295	48.48	-7.10	41.38	46.50	-5.12	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2348	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 10/05/00
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 1(802.11n)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	46.40	-11.65	34.75	46.50	-11.75	QP			
2	721.7259	50.47	-9.28	41.19	46.50	-5.31	QP			
3	842.1295	42.68	-7.10	35.58	46.50	-10.92	QP			




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2521	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/24/
Temp.(C)/Hum.(%) 23 C / 49 %	Time: 10/45/24
EUT: Wifi Repeater	Engineer Signature:
Mode: TX Channel 1(802.11n)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2522
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11n)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/24/
Time: 10/48/28
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2545
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11n)
Model: VRP150
Manufacturer: HouTian

Polarization: Vertical
Power Source: DC 5V
Date: 13/07/25/
Time: 12/24/29
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2546
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 49 %
EUT: Wifi Repeater
Mode: TX Channel 1(802.11n)
Model: VRP150
Manufacturer: HouTian

Polarization: Horizontal
Power Source: DC 5V
Date: 13/07/25/
Time: 12/26/14
Engineer Signature:
Distance: 3m

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
-----	-------------	------------------	-------------	-----------------	----------------	-------------	----------	-------------	---------------	--------




ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: star #2349	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 13/07/25/
Temp.(C)/Hum.(%) 25 C / 55 %	Time: 10/08/47
EUT: Wifi Repeater	Engineer Signature: STAR
Mode: TX Channel 6(802.11n)	Distance: 3m
Model: VRP150	
Manufacturer: HouTian	

Note: Report No.:ATE20131606



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	601.4265	47.04	-11.65	35.39	46.50	-11.11	QP			
2	721.7259	50.00	-9.28	40.72	46.50	-5.78	QP			
3	842.1296	42.57	-7.10	35.47	46.50	-11.03	QP			