



Appendix A
Worst radiation spurious emissions margin test plots

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Middle Channel 6175MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7259.400	48.50	-1.50	47.00	74.00	27.00	Peak
2	7259.400	36.73	-1.50	35.23	54.00	18.77	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Middle Channel 6175MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7963.600	46.77	-0.52	46.25	88.20	41.95	Peak
2	7963.600	34.73	-0.52	34.21	68.20	33.99	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 Middle Channel 6175MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12350.000	47.27	5.40	52.67	74.00	21.33	Peak
2	12350.000	35.16	5.40	40.56	54.00	13.44	Average
3	17808.000	44.70	13.55	58.25	74.00	15.75	Peak
4	17808.000	32.72	13.55	46.27	54.00	7.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Middle Channel 6175MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12350.000	46.89	5.40	52.29	74.00	21.71	Peak
2	12350.000	34.36	5.40	39.76	54.00	14.24	Average
3	17772.000	44.68	13.42	58.10	74.00	15.90	Peak
4	17772.000	32.89	13.42	46.31	54.00	7.69	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Middle Channel 6165MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7283.200	47.51	-1.48	46.03	74.00	27.97	Peak

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Middle Channel 6165MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7329.400	47.49	-1.09	46.40	74.00	27.60	Peak

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax40 Middle Channel 6165MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12330.000	46.69	5.47	52.16	74.00	21.84	Peak
2	12330.000	34.50	5.47	39.97	54.00	14.03	Average
3	17786.000	45.21	13.49	58.70	74.00	15.30	Peak
4	17786.000	32.78	13.49	46.27	54.00	7.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Middle Channel 6165MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12330.000	45.47	5.47	50.94	74.00	23.06	Peak
2	12330.000	33.62	5.47	39.09	54.00	14.91	Average
3	17806.000	45.07	13.55	58.62	74.00	15.38	Peak
4	17806.000	32.79	13.55	46.34	54.00	7.66	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Low Channel 5985MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7797.000	48.03	-1.36	46.67	88.20	41.53	Peak
2	7797.000	35.05	-1.36	33.69	68.20	34.51	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Low Channel 5985MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7368.600	47.61	-0.93	46.68	74.00	27.32	Peak
2	7368.600	34.71	-0.93	33.78	54.00	20.22	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Low Channel 5985MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11970.000	46.50	5.18	51.68	74.00	22.32	Peak
2	11970.000	34.43	5.18	39.61	54.00	14.39	Average
3	17794.000	44.94	13.52	58.46	74.00	15.54	Peak
4	17794.000	33.00	13.52	46.52	54.00	7.48	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Low Channel 5985MHz Band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11970.000	46.18	5.18	51.36	74.00	22.64	Peak
2	11970.000	34.02	5.18	39.20	54.00	14.80	Average
3	17788.000	44.55	13.49	58.04	74.00	15.96	Peak
4	17788.000	32.72	13.49	46.21	54.00	7.79	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 High Channel 6515MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7337.800	47.02	-0.98	46.04	74.00	27.96	Peak
2	7337.800	34.45	-0.98	33.47	54.00	20.53	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 High Channel 6515MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7283.200	48.27	-1.48	46.79	74.00	27.21	Peak
2	7283.200	34.89	-1.48	33.41	54.00	20.59	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 High Channel 6515MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13030.000	46.41	5.88	52.29	88.20	35.91	Peak
2	13030.000	34.69	5.88	40.57	68.20	27.63	Average
3	17864.000	44.46	13.53	57.99	74.00	16.01	Peak
4	17864.000	32.35	13.53	45.88	54.00	8.12	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax20 High Channel 6515MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13030.000	47.02	5.88	52.90	88.20	35.30	Peak
2	13030.000	35.12	5.88	41.00	68.20	27.20	Average
3	17778.000	45.95	13.44	59.39	74.00	14.61	Peak
4	17778.000	33.22	13.44	46.66	54.00	7.34	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Low Channel 6445MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	2607.200	51.18	-10.26	40.92	88.20	47.28	Peak
2	2607.200	38.80	-10.26	28.54	68.20	39.66	Average
3	7384.000	47.69	-1.01	46.68	74.00	27.32	Peak
4	7384.000	34.46	-1.01	33.45	54.00	20.55	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Low Channel 6445MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7941.200	46.51	-0.60	45.91	88.20	42.29	Peak
2	7941.200	32.85	-0.60	32.25	68.20	35.95	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Low Channel 6445MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12890.000	46.96	5.49	52.45	88.20	35.75	Peak
2	12890.000	34.57	5.49	40.06	68.20	28.14	Average
3	17798.000	46.16	13.54	59.70	74.00	14.30	Peak
4	17798.000	32.57	13.54	46.11	54.00	7.89	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Low Channel 6445MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12890.000	47.24	5.49	52.73	88.20	35.47	Peak
2	12890.000	35.29	5.49	40.78	68.20	27.42	Average
3	17730.000	45.00	13.21	58.21	74.00	15.79	Peak
4	17730.000	33.37	13.21	46.58	54.00	7.42	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Middle Channel 6465MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7337.800	47.71	-0.98	46.73	74.00	27.27	Peak
2	7337.800	34.46	-0.98	33.48	54.00	20.52	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Middle Channel 6465MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7227.200	48.84	-1.79	47.05	88.20	41.15	Peak
2	7227.200	35.97	-1.79	34.18	68.20	34.02	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Middle Channel 6465MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12930.000	45.91	5.64	51.55	88.20	36.65	Peak
2	12930.000	33.25	5.64	38.89	68.20	29.31	Average
3	17782.000	44.55	13.47	58.02	74.00	15.98	Peak
4	17782.000	33.30	13.47	46.77	54.00	7.23	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Middle Channel 6465MHz Band 6 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12930.000	45.78	5.64	51.42	88.20	36.78	Peak
2	12930.000	33.47	5.64	39.11	68.20	29.09	Average
3	17772.000	44.35	13.42	57.77	74.00	16.23	Peak
4	17772.000	32.45	13.42	45.87	54.00	8.13	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7370.000	47.24	-0.94	46.30	74.00	27.70	Peak
2	7370.000	34.48	-0.94	33.54	54.00	20.46	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7932.800	47.01	-0.71	46.30	88.20	41.90	Peak
2	7932.800	34.39	-0.71	33.68	68.20	34.52	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13050.000	45.90	5.86	51.76	88.20	36.44	Peak
2	13050.000	33.86	5.86	39.72	68.20	28.48	Average
3	17802.000	44.38	13.54	57.92	74.00	16.08	Peak
4	17802.000	32.35	13.54	45.89	54.00	8.11	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13050.000	45.85	5.86	51.71	88.20	36.49	Peak
2	13050.000	33.40	5.86	39.26	68.20	28.94	Average
3	17802.000	44.67	13.54	58.21	74.00	15.79	Peak
4	17802.000	33.10	13.54	46.64	54.00	7.36	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7328.000	47.70	-1.10	46.60	74.00	27.40	Peak
2	7328.000	34.61	-1.10	33.51	54.00	20.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7934.200	47.16	-0.68	46.48	88.20	41.72	Peak
2	7934.200	34.28	-0.68	33.60	68.20	34.60	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13090.000	46.25	5.81	52.06	88.20	36.14	Peak
2	13090.000	34.58	5.81	40.39	68.20	27.81	Average
3	17782.000	44.87	13.47	58.34	74.00	15.66	Peak
4	17782.000	33.10	13.47	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 0



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13090.000	46.33	5.81	52.14	88.20	36.06	Peak
2	13090.000	34.45	5.81	40.26	68.20	27.94	Average
3	17726.000	45.07	13.20	58.27	74.00	15.73	Peak
4	17726.000	33.34	13.20	46.54	54.00	7.46	Average


Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Middle Channel 6695MHz Band 7 Chain 0



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7287.400	47.82	-1.48	46.34	74.00	27.66	Peak
2	7287.400	34.79	-1.48	33.31	54.00	20.69	Average


Chain

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Middle Channel 6695MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	2611.400	49.83	-10.21	39.62	88.20	48.58	Peak
2	2611.400	37.35	-10.21	27.14	68.20	41.06	Average
3	7259.400	48.50	-1.50	47.00	74.00	27.00	Peak
4	7259.400	35.78	-1.50	34.28	54.00	19.72	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 Middle Channel 6695MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13390.000	46.34	6.55	52.89	74.00	21.11	Peak
2	13390.000	34.21	6.55	40.76	54.00	13.24	Average
3	17718.000	46.23	13.15	59.38	74.00	14.62	Peak
4	17718.000	33.42	13.15	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Middle Channel 6695MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13390.000	46.40	6.55	52.95	74.00	21.05	Peak
2	13390.000	34.25	6.55	40.80	54.00	13.20	Average
3	17804.000	45.39	13.55	58.94	74.00	15.06	Peak
4	17804.000	32.78	13.55	46.33	54.00	7.67	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Middle Channel 6685MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7925.800	47.42	-0.80	46.62	88.20	41.58	Peak
2	7925.800	34.37	-0.80	33.57	68.20	34.63	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Middle Channel 6685MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7196.400	48.59	-2.11	46.48	88.20	41.72	Peak
2	7196.400	35.70	-2.11	33.59	68.20	34.61	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax40 Middle Channel 6685MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13370.000	47.25	6.60	53.85	74.00	20.15	Peak
2	13370.000	35.48	6.60	42.08	54.00	11.92	Average
3	17784.000	44.72	13.47	58.19	74.00	15.81	Peak
4	17784.000	32.90	13.47	46.37	54.00	7.63	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Middle Channel 6685MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13370.000	47.36	6.60	53.96	74.00	20.04	Peak
2	13370.000	35.10	6.60	41.70	54.00	12.30	Average
3	17818.000	45.30	13.55	58.85	74.00	15.15	Peak
4	17818.000	32.72	13.55	46.27	54.00	7.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Low Channel 6625MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7951.000	47.53	-0.48	47.05	88.20	41.15	Peak
2	7951.000	35.19	-0.48	34.71	68.20	33.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Low Channel 6625MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7953.800	47.08	-0.49	46.59	88.20	41.61	Peak
2	7953.800	33.66	-0.49	33.17	68.20	35.03	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Low Channel 6625MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13250.000	46.54	6.61	53.15	74.00	20.85	Peak
2	13250.000	34.48	6.61	41.09	54.00	12.91	Average
3	17926.000	44.88	13.67	58.55	74.00	15.45	Peak
4	17926.000	32.67	13.67	46.34	54.00	7.66	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Low Channel 6625MHz Band 7 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13250.000	46.81	6.61	53.42	74.00	20.58	Peak
2	13250.000	34.68	6.61	41.29	54.00	12.71	Average
3	17814.000	45.39	13.54	58.93	74.00	15.07	Peak
4	17814.000	33.03	13.54	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7917.400	47.05	-0.91	46.14	88.20	42.06	Peak
2	7917.400	34.32	-0.91	33.41	68.20	34.79	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7238.400	48.05	-1.66	46.39	88.20	41.81	Peak
2	7238.400	34.86	-1.66	33.20	68.20	35.00	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13750.000	47.48	6.22	53.70	88.20	34.50	Peak
2	13750.000	35.27	6.22	41.49	68.20	26.71	Average
3	17830.000	45.27	13.54	58.81	74.00	15.19	Peak
4	17830.000	33.01	13.54	46.55	54.00	7.45	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13750.000	46.50	6.22	52.72	88.20	35.48	Peak
2	13750.000	34.53	6.22	40.75	68.20	27.45	Average
3	17808.000	44.86	13.55	58.41	74.00	15.59	Peak
4	17808.000	33.03	13.55	46.58	54.00	7.42	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7970.600	47.13	-0.55	46.58	88.20	41.62	Peak
2	7970.600	33.96	-0.55	33.41	68.20	34.79	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7272.000	47.88	-1.49	46.39	74.00	27.61	Peak
2	7272.000	35.16	-1.49	33.67	54.00	20.33	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13770.000	46.67	6.28	52.95	88.20	35.25	Peak
2	13770.000	34.57	6.28	40.85	68.20	27.35	Average
3	17742.000	45.78	13.27	59.05	74.00	14.95	Peak
4	17742.000	33.74	13.27	47.01	54.00	6.99	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13770.000	46.51	6.28	52.79	88.20	35.41	Peak
2	13770.000	34.59	6.28	40.87	68.20	27.33	Average
3	17792.000	44.76	13.51	58.27	74.00	15.73	Peak
4	17792.000	32.82	13.51	46.33	54.00	7.67	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7911.800	48.02	-0.98	47.04	88.20	41.16	Peak
2	7911.800	35.26	-0.98	34.28	68.20	33.92	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7360.200	47.42	-0.89	46.53	74.00	27.47	Peak
2	7360.200	34.46	-0.89	33.57	54.00	20.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13730.000	46.50	6.17	52.67	88.20	35.53	Peak
2	13730.000	34.39	6.17	40.56	68.20	27.64	Average
3	17738.000	45.29	13.25	58.54	74.00	15.46	Peak
4	17738.000	33.29	13.25	46.54	54.00	7.46	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13730.000	47.21	6.17	53.38	88.20	34.82	Peak
2	13730.000	35.01	6.17	41.18	68.20	27.02	Average
3	17802.000	45.29	13.54	58.83	74.00	15.17	Peak
4	17802.000	33.03	13.54	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 High Channel 7115MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7274.800	48.13	-1.48	46.65	74.00	27.35	Peak
2	7274.800	35.16	-1.48	33.68	54.00	20.32	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7914.600	47.57	-0.95	46.62	88.20	41.58	Peak
2	7914.600	34.63	-0.95	33.68	68.20	34.52	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 High Channel 7115MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14230.000	45.67	7.70	53.37	88.20	34.83	Peak
2	14230.000	32.69	7.70	40.39	68.20	27.81	Average
3	17794.000	44.71	13.52	58.23	74.00	15.77	Peak
4	17794.000	33.12	13.52	46.64	54.00	7.36	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14230.000	45.82	7.70	53.52	88.20	34.68	Peak
2	14230.000	33.47	7.70	41.17	68.20	27.03	Average
3	17754.000	45.51	13.32	58.83	74.00	15.17	Peak
4	17754.000	32.96	13.32	46.28	54.00	7.72	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 High Channel 7085MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7280.400	48.00	-1.48	46.52	74.00	27.48	Peak
2	7280.400	35.02	-1.48	33.54	54.00	20.46	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 High Channel 7085MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7942.600	46.99	-0.58	46.41	88.20	41.79	Peak
2	7942.600	33.94	-0.58	33.36	68.20	34.84	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 High Channel 7085MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14170.000	45.37	7.82	53.19	88.20	35.01	Peak
2	14170.000	32.69	7.82	40.51	68.20	27.69	Average
3	17778.000	44.39	13.44	57.83	74.00	16.17	Peak
4	17778.000	31.14	13.44	44.58	54.00	9.42	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 High Channel 7085MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14170.000	46.18	7.82	54.00	88.20	34.20	Peak
2	14170.000	33.26	7.82	41.08	68.20	27.12	Average
3	17778.000	44.86	13.44	58.30	74.00	15.70	Peak
4	17778.000	33.20	13.44	46.64	54.00	7.36	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 High Channel 7025MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7787.200	47.30	-1.37	45.93	88.20	42.27	Peak
2	7787.200	33.89	-1.37	32.52	68.20	35.68	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 High Channel 7025MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7252.400	48.55	-1.51	47.04	74.00	26.96	Peak
2	7252.400	35.79	-1.51	34.28	54.00	19.72	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 High Channel 7025MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14050.000	45.91	7.50	53.41	88.20	34.79	Peak
2	14050.000	32.82	7.50	40.32	68.20	27.88	Average
3	17806.000	44.26	13.55	57.81	74.00	16.19	Peak
4	17806.000	32.33	13.55	45.88	54.00	8.12	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 High Channel 7025MHz Band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14050.000	46.07	7.50	53.57	88.20	34.63	Peak
2	14050.000	32.99	7.50	40.49	68.20	27.71	Average
3	17790.000	44.56	13.50	58.06	74.00	15.94	Peak
4	17790.000	32.75	13.50	46.25	54.00	7.75	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Middle Channel 6175MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7833.400	47.76	-1.32	46.44	88.20	41.76	Peak
2	7833.400	35.03	-1.32	33.71	68.20	34.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Middle Channel 6175MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7974.800	46.48	-0.56	45.92	88.20	42.28	Peak
2	7974.800	33.76	-0.56	33.20	68.20	35.00	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 Middle Channel 6175MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12350.000	45.35	5.40	50.75	74.00	23.25	Peak
2	12350.000	32.64	5.40	38.04	54.00	15.96	Average
3	17806.000	45.00	13.55	58.55	74.00	15.45	Peak
4	17806.000	33.06	13.55	46.61	54.00	7.39	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Middle Channel 6175MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12350.000	46.59	5.40	51.99	74.00	22.01	Peak
2	12350.000	32.27	5.40	37.67	54.00	16.33	Average
3	17746.000	45.01	13.30	58.31	74.00	15.69	Peak
4	17746.000	33.38	13.30	46.68	54.00	7.32	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Low Channel 5965MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7424.600	47.85	-1.16	46.69	74.00	27.31	Peak
2	7424.600	34.70	-1.16	33.54	54.00	20.46	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Low Channel 5965MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7906.200	47.50	-1.06	46.44	88.20	41.76	Peak
2	7906.200	34.74	-1.06	33.68	68.20	34.52	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Low Channel 5965MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11970.000	45.45	5.18	50.63	74.00	23.37	Peak
2	11970.000	32.30	5.18	37.48	54.00	16.52	Average
3	17816.000	45.16	13.54	58.70	74.00	15.30	Peak
4	17816.000	33.01	13.54	46.55	54.00	7.45	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Low Channel 5965MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	11970.000	45.94	5.18	51.12	74.00	22.88	Peak
2	11970.000	32.89	5.18	38.07	54.00	15.93	Average
3	17606.000	46.00	12.17	58.17	88.20	30.03	Peak
4	17606.000	33.08	12.17	45.25	68.20	22.95	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Middle Channel 6145MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7773.200	47.64	-1.39	46.25	88.20	41.95	Peak
2	7773.200	34.96	-1.39	33.57	68.20	34.63	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Middle Channel 6145MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7900.600	47.62	-1.14	46.48	88.20	41.72	Peak
2	7900.600	34.61	-1.14	33.47	68.20	34.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Middle Channel 6145MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12290.000	45.21	5.56	50.77	74.00	23.23	Peak
2	12290.000	32.65	5.56	38.21	54.00	15.79	Average
3	17802.000	44.74	13.54	58.28	74.00	15.72	Peak
4	17802.000	33.03	13.54	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Middle Channel 6145MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12290.000	46.31	5.56	51.87	74.00	22.13	Peak
2	12290.000	33.17	5.56	38.73	54.00	15.27	Average
3	17738.000	45.01	13.25	58.26	74.00	15.74	Peak
4	17738.000	33.26	13.25	46.51	54.00	7.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Middle Channel 6475MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7930.000	47.15	-0.75	46.40	88.20	41.80	Peak
2	7930.000	34.33	-0.75	33.58	68.20	34.62	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Middle Channel 6475MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7246.800	47.76	-1.55	46.21	88.20	41.99	Peak
2	7246.800	35.02	-1.55	33.47	68.20	34.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 Middle Channel 6475MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12950.000	45.00	5.72	50.72	88.20	37.48	Peak
2	12950.000	33.45	5.72	39.17	68.20	29.03	Average
3	17762.000	44.82	13.37	58.19	74.00	15.81	Peak
4	17762.000	33.17	13.37	46.54	54.00	7.46	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Middle Channel 6475MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12950.000	40.97	5.72	46.69	88.20	41.51	Peak
2	12950.000	31.76	5.72	37.48	68.20	30.72	Average
3	17820.000	45.47	13.54	59.01	74.00	14.99	Peak
4	17820.000	33.01	13.54	46.55	54.00	7.45	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Low Channel 6445MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7245.400	47.93	-1.57	46.36	88.20	41.84	Peak
2	7245.400	35.28	-1.57	33.71	68.20	34.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Low Channel 6445MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7935.600	46.84	-0.67	46.17	88.20	42.03	Peak
2	7935.600	34.21	-0.67	33.54	68.20	34.66	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Low Channel 6445MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12890.000	45.71	5.49	51.20	88.20	37.00	Peak
2	12890.000	33.51	5.49	39.00	68.20	29.20	Average
3	17660.000	46.15	12.69	58.84	88.20	29.36	Peak
4	17660.000	33.78	12.69	46.47	68.20	21.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Low Channel 6445MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12890.000	46.18	5.49	51.67	88.20	36.53	Peak
2	12890.000	34.30	5.49	39.79	68.20	28.41	Average
3	17810.000	45.56	13.55	59.11	74.00	14.89	Peak
4	17810.000	33.33	13.55	46.88	54.00	7.12	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Middle Channel 6465MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7805.400	47.41	-1.35	46.06	88.20	42.14	Peak
2	7805.400	34.82	-1.35	33.47	68.20	34.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Middle Channel 6465MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7211.800	48.15	-1.99	46.16	88.20	42.04	Peak
2	7211.800	35.58	-1.99	33.59	68.20	34.61	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Middle Channel 6465MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12930.000	44.75	5.64	50.39	88.20	37.81	Peak
2	12930.000	32.63	5.64	38.27	68.20	29.93	Average
3	17730.000	45.06	13.21	58.27	74.00	15.73	Peak
4	17730.000	33.12	13.21	46.33	54.00	7.67	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Middle Channel 6465MHz Band 6 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	12930.000	44.35	5.64	49.99	88.20	38.21	Peak
2	12930.000	32.56	5.64	38.20	68.20	30.00	Average
3	17744.000	44.84	13.28	58.12	74.00	15.88	Peak
4	17744.000	33.38	13.28	46.66	54.00	7.34	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7244.000	47.79	-1.59	46.20	88.20	42.00	Peak
2	7244.000	35.18	-1.59	33.59	68.20	34.61	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7248.200	48.63	-1.53	47.10	88.20	41.10	Peak
2	7248.200	35.64	-1.53	34.11	68.20	34.09	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13050.000	44.92	5.86	50.78	88.20	37.42	Peak
2	13050.000	32.59	5.86	38.45	68.20	29.75	Average
3	17808.000	45.16	13.55	58.71	74.00	15.29	Peak
4	17808.000	32.66	13.55	46.21	54.00	7.79	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Additional Channel 6525MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13050.000	44.33	5.86	50.19	88.20	38.01	Peak
2	13050.000	32.46	5.86	38.32	68.20	29.88	Average
3	17788.000	45.27	13.49	58.76	74.00	15.24	Peak
4	17788.000	32.76	13.49	46.25	54.00	7.75	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7942.600	47.72	-0.58	47.14	88.20	41.06	Peak
2	7942.600	34.83	-0.58	34.25	68.20	33.95	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7246.800	47.86	-1.55	46.31	88.20	41.89	Peak
2	7246.800	35.24	-1.55	33.69	68.20	34.51	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13090.000	44.59	5.81	50.40	88.20	37.80	Peak
2	13090.000	32.63	5.81	38.44	68.20	29.76	Average
3	17818.000	45.48	13.55	59.03	74.00	14.97	Peak
4	17818.000	33.12	13.55	46.67	54.00	7.33	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Additional Channel 6545MHz Crossed U-NII 6-7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13090.000	45.33	5.81	51.14	88.20	37.06	Peak
2	13090.000	33.90	5.81	39.71	68.20	28.49	Average
3	17808.000	45.70	13.55	59.25	74.00	14.75	Peak
4	17808.000	33.32	13.55	46.87	54.00	7.13	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Middle Channel 6695MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7301.400	47.52	-1.44	46.08	74.00	27.92	Peak
2	7301.400	35.72	-1.44	34.28	54.00	19.72	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Middle Channel 6695MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7925.800	47.13	-0.80	46.33	88.20	41.87	Peak
2	7925.800	35.46	-0.80	34.66	68.20	33.54	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 Middle Channel 6695MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13390.000	44.69	6.55	51.24	74.00	22.76	Peak
2	13390.000	32.53	6.55	39.08	54.00	14.92	Average
3	17802.000	44.53	13.54	58.07	74.00	15.93	Peak
4	17802.000	32.98	13.54	46.52	54.00	7.48	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Middle Channel 6695MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13390.000	44.79	6.55	51.34	74.00	22.66	Peak
2	13390.000	32.03	6.55	38.58	54.00	15.42	Average
3	17740.000	45.20	13.26	58.46	74.00	15.54	Peak
4	17740.000	33.31	13.26	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Middle Channel 6685MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7944.000	46.69	-0.56	46.13	88.20	42.07	Peak
2	7944.000	35.16	-0.56	34.60	68.20	33.60	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Middle Channel 6685MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7281.800	48.54	-1.48	47.06	74.00	26.94	Peak
2	7281.800	36.89	-1.48	35.41	54.00	18.59	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax40 Middle Channel 6685MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13370.000	44.14	6.60	50.74	74.00	23.26	Peak
2	13370.000	32.56	6.60	39.16	54.00	14.84	Average
3	17712.000	45.29	13.13	58.42	74.00	15.58	Peak
4	17712.000	33.42	13.13	46.55	54.00	7.45	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax40 Middle Channel 6685MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13370.000	43.98	6.60	50.58	74.00	23.42	Peak
2	13370.000	31.85	6.60	38.45	54.00	15.55	Average
3	17800.000	45.93	13.55	59.48	74.00	14.52	Peak
4	17800.000	32.90	13.55	46.45	54.00	7.55	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Low Channel 6625MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7274.800	47.21	-1.48	45.73	74.00	28.27	Peak
2	7274.800	34.77	-1.48	33.29	54.00	20.71	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Low Channel 6625MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7231.400	48.49	-1.73	46.76	88.20	41.44	Peak
2	7231.400	36.21	-1.73	34.48	68.20	33.72	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Low Channel 6625MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13250.000	44.64	6.61	51.25	74.00	22.75	Peak
2	13250.000	32.55	6.61	39.16	54.00	14.84	Average
3	17768.000	44.91	13.39	58.30	74.00	15.70	Peak
4	17768.000	33.12	13.39	46.51	54.00	7.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Low Channel 6625MHz Band 7 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13250.000	44.93	6.61	51.54	74.00	22.46	Peak
2	13250.000	32.73	6.61	39.34	54.00	14.66	Average
3	17930.000	44.49	13.68	58.17	74.00	15.83	Peak
4	17930.000	33.00	13.68	46.68	54.00	7.32	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7953.800	46.80	-0.49	46.31	88.20	41.89	Peak
2	7953.800	34.07	-0.49	33.58	68.20	34.62	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7881.000	47.62	-1.21	46.41	88.20	41.79	Peak
2	7881.000	34.90	-1.21	33.69	68.20	34.51	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13750.000	45.46	6.22	51.68	88.20	36.52	Peak
2	13750.000	33.05	6.22	39.27	68.20	28.93	Average
3	17800.000	44.99	13.55	58.54	74.00	15.46	Peak
4	17800.000	32.78	13.55	46.33	54.00	7.67	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 Additional Channel 6875MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13750.000	44.91	6.22	51.13	88.20	37.07	Peak
2	13750.000	32.57	6.22	38.79	68.20	29.41	Average
3	17804.000	45.10	13.55	58.65	74.00	15.35	Peak
4	17804.000	33.03	13.55	46.58	54.00	7.42	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7924.400	47.58	-0.81	46.77	88.20	41.43	Peak
2	7924.400	34.28	-0.81	33.47	68.20	34.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7745.200	47.92	-1.42	46.50	74.00	27.50	Peak
2	7745.200	35.10	-1.42	33.68	54.00	20.32	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13770.000	43.92	6.28	50.20	88.20	38.00	Peak
2	13770.000	31.25	6.28	37.53	68.20	30.67	Average
3	17816.000	44.40	13.54	57.94	74.00	16.06	Peak
4	17816.000	32.73	13.54	46.27	54.00	7.73	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax40 Additional Channel 6885MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13770.000	45.03	6.28	51.31	88.20	36.89	Peak
2	13770.000	33.04	6.28	39.32	68.20	28.88	Average
3	17824.000	45.44	13.54	58.98	74.00	15.02	Peak
4	17824.000	33.10	13.54	46.64	54.00	7.36	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7241.200	48.30	-1.61	46.69	88.20	41.51	Peak
2	7241.200	35.22	-1.61	33.61	68.20	34.59	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7276.200	47.77	-1.48	46.29	74.00	27.71	Peak
2	7276.200	35.07	-1.48	33.59	54.00	20.41	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13730.000	45.21	6.17	51.38	88.20	36.82	Peak
2	13730.000	33.63	6.17	39.80	68.20	28.40	Average
3	17802.000	45.07	13.54	58.61	74.00	15.39	Peak
4	17802.000	32.83	13.54	46.37	54.00	7.63	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Additional Channel 6865MHz Crossed U-NII 7-8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13730.000	44.58	6.17	50.75	88.20	37.45	Peak
2	13730.000	32.75	6.17	38.92	68.20	29.28	Average
3	17770.000	45.55	13.41	58.96	74.00	15.04	Peak
4	17770.000	32.90	13.41	46.31	54.00	7.69	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7344.800	46.90	-0.90	46.00	74.00	28.00	Peak
2	7344.800	34.26	-0.90	33.36	54.00	20.64	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7259.400	48.18	-1.50	46.68	74.00	27.32	Peak
2	7259.400	36.07	-1.50	34.57	54.00	19.43	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14230.000	45.06	7.70	52.76	88.20	35.44	Peak
2	14230.000	33.27	7.70	40.97	68.20	27.23	Average
3	17786.000	44.86	13.49	58.35	74.00	15.65	Peak
4	17786.000	33.08	13.49	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	14230.000	45.36	7.70	53.06	88.20	35.14	Peak
2	14230.000	33.89	7.70	41.59	68.20	26.61	Average
3	17822.000	45.37	13.54	58.91	74.00	15.09	Peak
4	17822.000	33.03	13.54	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax40 Middle Channel 6965MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7760.600	47.76	-1.41	46.35	88.20	41.85	Peak
2	7760.600	34.95	-1.41	33.54	68.20	34.66	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax40 Middle Channel 6965MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7354.600	47.25	-0.86	46.39	74.00	27.61	Peak
2	7354.600	34.45	-0.86	33.59	54.00	20.41	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax40 Middle Channel 6965MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13930.000	46.00	7.07	53.07	88.20	35.13	Peak
2	13930.000	34.20	7.07	41.27	68.20	26.93	Average
3	17812.000	45.16	13.54	58.70	74.00	15.30	Peak
4	17812.000	33.03	13.54	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: ax40 Middle Channel 6965MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13930.000	45.59	7.07	52.66	88.20	35.54	Peak
2	13930.000	33.14	7.07	40.21	68.20	27.99	Average
3	17740.000	46.29	13.26	59.55	74.00	14.45	Peak
4	17740.000	33.31	13.26	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: horizontal
Note: ax80 Low Channel 6945MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7862.800	47.46	-1.25	46.21	88.20	41.99	Peak
2	7862.800	34.79	-1.25	33.54	68.20	34.66	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: vertical
Note: ax80 Low Channel 6945MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7241.200	47.93	-1.61	46.32	88.20	41.88	Peak
2	7241.200	35.30	-1.61	33.69	68.20	34.51	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: ax80 Low Channel 6945MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13890.000	44.19	6.91	51.10	88.20	37.10	Peak
2	13890.000	32.07	6.91	38.98	68.20	29.22	Average
3	17764.000	45.18	13.37	58.55	74.00	15.45	Peak
4	17764.000	33.20	13.37	46.57	54.00	7.43	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax80 Low Channel 6945MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	13890.000	45.06	6.91	51.97	88.20	36.23	Peak
2	13890.000	33.58	6.91	40.49	68.20	27.71	Average
3	17798.000	44.54	13.54	58.08	74.00	15.92	Peak
4	17798.000	32.97	13.54	46.51	54.00	7.49	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	19764.600	50.06	7.61	57.67	74.00	16.33	Peak
2	19764.600	37.64	7.61	45.25	54.00	8.75	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	19819.000	49.66	7.95	57.61	74.00	16.39	Peak
2	19819.000	37.63	7.95	45.58	54.00	8.42	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ax20 High Channel 7115MHz Band 8 Chain 1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	39303.400	52.60	8.00	60.60	74.00	13.40	Peak
2	39303.400	39.85	8.00	47.85	54.00	6.15	Average


Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	39865.000	52.71	7.26	59.97	74.00	14.03	Peak
2	39865.000	40.28	7.26	47.54	54.00	6.46	Average


Band edge test plots

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax20 Low Channel 5955MHz band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	56.34	-4.14	52.20	88.20	36.00	Peak
2	5925.000	44.71	-4.14	40.57	68.20	27.63	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax20 Low Channel 5955MHz band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	57.66	-4.14	53.52	88.20	34.68	Peak
2	5925.000	45.75	-4.14	41.61	68.20	26.59	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax40 Low Channel 5965MHz band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	56.70	-4.14	52.56	88.20	35.64	Peak
2	5925.000	44.70	-4.14	40.56	68.20	27.64	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax40 Low Channel 5965MHz band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	57.49	-4.14	53.35	88.20	34.85	Peak
2	5925.000	45.63	-4.14	41.49	68.20	26.71	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax80 Low Channel 5985MHz band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	56.57	-4.14	52.43	88.20	35.77	Peak
2	5925.000	44.51	-4.14	40.37	68.20	27.83	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax80 Low Channel 5985MHz band 5 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	57.07	-4.14	52.93	88.20	35.27	Peak
2	5925.000	44.88	-4.14	40.74	68.20	27.46	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: ax20 High Channel 7115MHz band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	80.39	-2.39	78.00	88.20	10.20	Peak
2	7125.000	62.39	-2.39	60.00	68.20	8.20	Average
3	7250.000	57.09	-1.51	55.58	74.00	18.42	Peak
4	7250.000	44.83	-1.51	43.32	54.00	10.68	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Vertical
 Note: ax20 High Channel 7115MHz band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.015	79.72	-2.37	77.35	88.20	10.85	Peak
2	7125.015	63.62	-2.37	61.25	68.20	6.95	Average
3	7249.990	57.34	-1.51	55.83	88.20	32.37	Peak
4	7249.990	45.61	-1.51	44.10	68.20	24.10	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: ax40 High Channel 7085MHz band 8 Chain 0




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	7125.000	56.11	-2.39	53.72	88.20	34.48	Peak
2	7125.000	45.03	-2.39	42.64	68.20	25.56	Average
3	7250.000	57.78	-1.51	56.27	74.00	17.73	Peak
4	7250.000	45.28	-1.51	43.77	54.00	10.23	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: ax40 High Channel 7085MHz band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	57.11	-2.39	54.72	88.20	33.48	Peak
2	7125.000	45.17	-2.39	42.78	68.20	25.42	Average
3	7250.000	57.02	-1.51	55.51	74.00	18.49	Peak
4	7250.000	44.90	-1.51	43.39	54.00	10.61	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: ax80 High Channel 7025MHz band 8 Chain 0




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	55.47	-2.39	53.08	88.20	35.12	Peak
2	7125.000	43.75	-2.39	41.36	68.20	26.84	Average
3	7250.000	58.65	-1.51	57.14	74.00	16.86	Peak
4	7250.000	44.87	-1.51	43.36	54.00	10.64	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Vertical
 Note: ax80 High Channel 7025MHz band 8 Chain 0




No.	Frequency (MHz)	Reading (dB μ V)	Factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Remark
1	7125.000	56.02	-2.39	53.63	88.20	34.57	Peak
2	7125.000	44.67	-2.39	42.28	68.20	25.92	Average
3	7250.000	57.08	-1.51	55.57	74.00	18.43	Peak
4	7250.000	45.38	-1.51	43.87	54.00	10.13	Average

Project No.: 2403S73093E-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax20 Low Channel 5955MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	57.14	-4.14	53.00	88.20	35.20	Peak
2	5925.000	45.41	-4.14	41.27	68.20	26.93	Average

Project No.: 2403S73093E-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax20 Low Channel 5955MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	58.71	-4.14	54.57	88.20	33.63	Peak
2	5925.000	46.22	-4.14	42.08	68.20	26.12	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax40 Low Channel 5965MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	56.29	-4.14	52.15	88.20	36.05	Peak
2	5925.000	44.61	-4.14	40.47	68.20	27.73	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax40 Low Channel 5965MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	58.67	-4.14	54.53	88.20	33.67	Peak
2	5925.000	46.51	-4.14	42.37	68.20	25.83	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Horizontal
Note: ax80 Low Channel 5985MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	56.03	-4.14	51.89	88.20	36.31	Peak
2	5925.000	43.77	-4.14	39.63	68.20	28.57	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec
Polarization: Vertical
Note: ax80 Low Channel 5985MHz Band 5 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5925.000	57.75	-4.14	53.61	88.20	34.59	Peak
2	5925.000	45.88	-4.14	41.74	68.20	26.46	Average

Project No.: 2403S73093E-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	79.90	-2.39	77.51	88.20	10.69	Peak
2	7125.000	63.59	-2.39	61.20	68.20	7.00	Average
3	7250.000	57.43	-1.51	55.92	74.00	18.08	Peak
4	7250.000	44.73	-1.51	43.22	54.00	10.78	Average

Project No.: 2403S73093E-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: ax20 High Channel 7115MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	78.05	-2.39	75.66	88.20	12.54	Peak
2	7125.000	62.27	-2.39	59.88	68.20	8.32	Average
3	7250.000	57.50	-1.51	55.99	74.00	18.01	Peak
4	7250.000	44.09	-1.51	42.58	54.00	11.42	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: ax40 High Channel 7085MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	56.69	-2.39	54.30	88.20	33.90	Peak
2	7125.000	45.28	-2.39	42.89	68.20	25.31	Average
3	7250.000	58.28	-1.51	56.77	74.00	17.23	Peak
4	7250.000	45.10	-1.51	43.59	54.00	10.41	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: ax40 High Channel 7085MHz Band 8 Chain 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	57.98	-2.39	55.59	88.20	32.61	Peak
2	7125.000	46.04	-2.39	43.65	68.20	24.55	Average
3	7250.000	57.93	-1.51	56.42	74.00	17.58	Peak
4	7250.000	45.71	-1.51	44.20	54.00	9.80	Average

Project No.: 2403S73093E-RF-A1
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: ax80 High Channel 7025MHz Band 8 Chain 1



No.	Frequency (MHz)	Reading (dBUV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Remark
1	7125.000	57.17	-2.39	54.78	88.20	33.42	Peak
2	7125.000	44.41	-2.39	42.02	68.20	26.18	Average
3	7250.000	58.04	-1.51	56.53	74.00	17.47	Peak
4	7250.000	45.72	-1.51	44.21	54.00	9.79	Average

Project No.: 2403S73093E-RF-A1
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: ax80 High Channel 7025MHz Band 8 Chain 1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	7125.000	56.87	-2.39	54.48	88.20	33.72	Peak
2	7125.000	45.70	-2.39	43.31	68.20	24.89	Average
3	7250.000	57.86	-1.51	56.35	74.00	17.65	Peak
4	7250.000	45.09	-1.51	43.58	54.00	10.42	Average

*****END*****