




<Carrier 0+2>


Plot on Channel 6545 MHz + 6585 MHz



Date: 28 MAY 2025 02:28:22

<Carrier 1+3>


Plot on Channel 6625 MHz + 6665 MHz



Date: 28 MAY 2025 02:24:44

<Carrier 0+2>


Plot on Channel 6645 MHz + 6685 MHz



Date: 28 MAY 2025 02:27:58

<Carrier 1+3>

Plot on Channel 6725 MHz + 6765 MHz




Date: 28 MAY 2025 02:28:57



<Carrier 0+2>


Plot on Channel 6735 MHz + 6775 MHz



Date: 28 MAY 2025 02:31:55

<Carrier 1+3>

Plot on Channel 6815 MHz + 6855 MHz



Date: 28 MAY 2025 02:30:54




<Multiple Carrier, X1 mode>

EUT Mode

Non-Contiguous 40MHz + 40MHz


<5965 MHz + 6405 MHz>

Plot on Channel 5965 MHz



Date: 9 MAY 2025 19:34:37


Plot on Channel 6405 MHz



Date: 9 MAY 2025 19:46:06


<6545MHz + 6855MHz>

Plot on Channel 6545 MHz



Date: 9 MAY 2025 21:17:52

Plot on Channel 6855 MHz



Date: 9 MAY 2025 21:19:35




<Multiple Carrier, X2 mode>

EUT Mode Non-Contiguous 40MHz + 40MHz

<5965 MHz + 6405 MHz>

<Carrier 2>


Plot on Channel 5965 MHz



Date: 9 MAY 2025 23:25:01

<Carrier 3>

Plot on Channel 6405 MHz




Date: 9 MAY 2025 23:26:29

<6545MHz + 6855MHz>

<Carrier 2>


Plot on Channel 6545 MHz



Date: 13 MAY 2025 20:59:56

<Carrier 3>

Plot on Channel 6855 MHz



Date: 13 MAY 2025 20:56:38




<Multiple Carrier, X2 mode>

EUT Mode

Non-Contiguous 40MHz + 40MHz + 40MHz


<5965MHz + 6165 MHz + 6405MHz>

Plot on Channel 5965 MHz




Date: 10 MAY 2025 01:15:32

Plot on Channel 6165 MHz



Date: 10 MAY 2025 01:18:36

Plot on Channel 6405 MHz




Date: 10 MAY 2025 01:22:30




<6545MHz + 6685MHz + 6855MHz>

Plot on Channel 6545 MHz




Date: 13.MAY.2025 19:54:40

Plot on Channel 6685 MHz



Date: 13.MAY.2025 19:57:16

Plot on Channel 6855 MHz



Date: 13.MAY.2025 20:02:38




<Multiple Carrier, X2 mode>

EUT Mode

Non-Contiguous 40MHz + 40MHz + 40MHz + 40MHz


<5965 MHz + 6085 MHz + 6205 MHz + 6405 MHz>

Plot on Channel 5965 MHz




Date: 10 MAY 2025 02:49:18

Plot on Channel 6085 MHz




Date: 10 MAY 2025 02:53:24

Plot on Channel 6205 MHz



Date: 10 MAY 2025 03:01:46

Plot on Channel 6405 MHz




Date: 10 MAY 2025 03:07:50




<6545 MHz + 6645 MHz + 6745 MHz + 6855 MHz>

Plot on Channel 6545 MHz




Date: 13.MAY.2025 03:41:36

Plot on Channel 6645 MHz




Date: 13.MAY.2025 03:43:45

Plot on Channel 6745 MHz



Date: 13.MAY.2025 03:46:50

Plot on Channel 6855 MHz



Date: 13.MAY.2025 03:45:24




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Leo Liu	Temperature :	19.5~23.5℃
		Relative Humidity :	39.2~45.1%

EUT Information

Test Site Location : CO01-CA
 Project 250408001
 Power: 120Vac/60Hz
 Mode 1
 Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150270	---	26.79	55.99	29.20	L1	OFF	20.3
0.150270	51.03	---	65.99	14.96	L1	OFF	20.3
0.163779	---	25.18	55.27	30.09	L1	OFF	20.3
0.163779	48.20	---	65.27	17.07	L1	OFF	20.3
0.435363	---	39.41	47.15	7.74	L1	OFF	20.2
0.435363	46.09	---	57.15	11.06	L1	OFF	20.2
4.977024	---	38.40	46.00	7.60	L1	OFF	20.3
4.977024	46.15	---	56.00	9.85	L1	OFF	20.3
6.905760	---	41.19	50.00	8.81	L1	OFF	20.4
6.905760	47.87	---	60.00	12.13	L1	OFF	20.4
7.701846	---	41.69	50.00	8.31	L1	OFF	20.4
7.701846	48.06	---	60.00	11.94	L1	OFF	20.4

EUT Information

Test Site Location : CO01-CA
 Project 250408001
 Power: 120Vac/60Hz
 Mode 1
 Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.175668	---	31.55	54.69	23.14	N	OFF	20.3
0.175668	47.71	---	64.69	16.98	N	OFF	20.3
0.378276	---	44.75	48.32	3.57	N	OFF	20.3
0.378276	50.52	---	58.32	7.80	N	OFF	20.3
0.500775	---	44.05	46.00	1.95	N	OFF	20.2
0.500775	50.50	---	56.00	5.50	N	OFF	20.2
0.770280	---	36.70	46.00	9.30	N	OFF	20.2
0.770280	45.37	---	56.00	10.63	N	OFF	20.2
0.967074	---	36.36	46.00	9.64	N	OFF	20.2
0.967074	45.22	---	56.00	10.78	N	OFF	20.2
2.017662	---	36.67	46.00	9.33	N	OFF	20.3
2.017662	44.13	---	56.00	11.87	N	OFF	20.3
3.592536	---	39.05	46.00	6.95	N	OFF	20.3
3.592536	46.09	---	56.00	9.91	N	OFF	20.3
4.787637	---	39.37	46.00	6.63	N	OFF	20.3
4.787637	46.73	---	56.00	9.27	N	OFF	20.3
6.931680	---	41.90	50.00	8.10	N	OFF	20.4
6.931680	48.42	---	60.00	11.58	N	OFF	20.4
10.843611	---	40.99	50.00	9.01	N	OFF	20.5
10.843611	47.07	---	60.00	12.93	N	OFF	20.5



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Leo Liu, Jesse Fan	Temperature :	20.3 ~ 23.3°C
		Relative Humidity :	35.1 ~ 47%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Remark
Mode 15	U-NII-5	5.925-6.425	MIMO	Proprietary	3	5965	X1 mode
Mode 16	U-NII-5	5.925-6.425	MIMO	Proprietary	43	6165	X1 mode
Mode 17	U-NII-5	5.925-6.425	MIMO	Proprietary	91	6405	X1 mode
Mode 18	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11	5965+6005	X1 mode
Mode 19	U-NII-5	5.925-6.425	MIMO	Proprietary	43+51	6165+6205	X1 mode
Mode 20	U-NII-5	5.925-6.425	MIMO	Proprietary	83+91	6365+6405	X1 mode
Mode 21	U-NII-5	5.925-6.425	MIMO	Proprietary	3+91	5965+6405	X1 mode
Mode 22	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11	5965+6005	X2 mode
Mode 23	U-NII-5	5.925-6.425	MIMO	Proprietary	43+51	6165+6205	X2 mode
Mode 24	U-NII-5	5.925-6.425	MIMO	Proprietary	83+91	6365+6405	X2 mode
Mode 25	U-NII-5	5.925-6.425	MIMO	Proprietary	3+91	5965+6405	X2 mode
Mode 26	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11+19	5965+6005+6045	X2 mode
Mode 27	U-NII-5	5.925-6.425	MIMO	Proprietary	43+51+59	6165+6205+6245	X2 mode
Mode 28	U-NII-5	5.925-6.425	MIMO	Proprietary	75+83+91	6325+6365+6405	X2 mode
Mode 29	U-NII-5	5.925-6.425	MIMO	Proprietary	3+43+91	5965+6165+6405	X2 mode
Mode 30	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11+19+27	5965+6005+6045+6085	X2 mode
Mode 31	U-NII-5	5.925-6.425	MIMO	Proprietary	35+43+51+59	6125+6165+6205+6245	X2 mode
Mode 32	U-NII-5	5.925-6.425	MIMO	Proprietary	67+75+83+91	6285+6325+6365+6405	X2 mode
Mode 33	U-NII-5	5.925-6.425	MIMO	Proprietary	3+27+51+91	5965+6085+6205+6405	X2 mode

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Remark
Mode 45	U-NII-7	6.525-6.875	MIMO	Proprietary	119	6545	X1 mode
Mode 46	U-NII-7	6.525-6.875	MIMO	Proprietary	147	6685	X1 mode
Mode 47	U-NII-7	6.525-6.875	MIMO	Proprietary	181	6855	X1 mode
Mode 48	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127	6545+6585	X1 mode
Mode 49	U-NII-7	6.525-6.875	MIMO	Proprietary	147+155	6685+6725	X1 mode
Mode 50	U-NII-7	6.525-6.875	MIMO	Proprietary	173+181	6815+6855	X1 mode
Mode 51	U-NII-7	6.525-6.875	MIMO	Proprietary	119+181	6545+6855	X1 mode
Mode 52	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127	6545+6585	X2 mode
Mode 53	U-NII-7	6.525-6.875	MIMO	Proprietary	147+155	6685+6725	X2 mode
Mode 54	U-NII-7	6.525-6.875	MIMO	Proprietary	173+181	6815+6855	X2 mode
Mode 55	U-NII-7	6.525-6.875	MIMO	Proprietary	119+181	6545+6855	X2 mode
Mode 56	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127+135	6545+6585+6625	X2 mode
Mode 57	U-NII-7	6.525-6.875	MIMO	Proprietary	139+147+155	6645+6685+6725	X2 mode
Mode 58	U-NII-7	6.525-6.875	MIMO	Proprietary	165+173+181	6775+6815+6855	X2 mode
Mode 59	U-NII-7	6.525-6.875	MIMO	Proprietary	119+147+181	6545+6685+6855	X2 mode
Mode 60	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127+135+143	6545+6585+6625+6665	X2 mode
Mode 61	U-NII-7	6.525-6.875	MIMO	Proprietary	139+147+155+163	6645+6685+6725+6765	X2 mode
Mode 62	U-NII-7	6.525-6.875	MIMO	Proprietary	157+165+173+181	6735+6775+6815+6855	X2 mode
Mode 63	U-NII-7	6.525-6.875	MIMO	Proprietary	119+139+159+181	6545+6645+6745+6855	X2 mode
Mode 64	U-NII-7	6.525-6.875	MIMO	Proprietary	119+147+181	6545+6685+6855	LF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
15	Proprietary	3	5924.68	66.61	68.20	-1.59	V	Avg.	Pass	Band Edge
15	Proprietary	3	11930.00	40.86	54.00	-13.14	H	Avg.	Pass	Harmonic
16	Proprietary	43	5913.56	56.64	68.20	-11.56	V	Avg.	Pass	Band Edge
16	Proprietary	43	12330.00	40.52	54.00	-13.48	H	Avg.	Pass	Harmonic
17	Proprietary	91	5913.74	56.70	68.20	-11.50	V	Avg.	Pass	Band Edge
17	Proprietary	91	12810.00	42.38	68.20	-25.82	V	Avg.	Pass	Harmonic
18	Proprietary	3+11	5924.68	63.39	68.20	-4.81	H	Avg.	Pass	Band Edge
18	Proprietary	3+11	11930.00	39.96	54.00	-14.04	H	Avg.	Pass	Harmonic
19	Proprietary	43+51	5913.56	51.92	68.20	-16.28	H	Avg.	Pass	Band Edge
19	Proprietary	43+51	12330.00	40.78	54.00	-13.22	V	Avg.	Pass	Harmonic
20	Proprietary	83+91	5917.22	52.52	68.20	-15.68	H	Avg.	Pass	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	Proprietary	83+91	12810.00	41.46	68.20	-26.74	H	Avg.	Pass	Harmonic
21	Proprietary	3+91	5924.96	59.20	68.20	-9.00	H	Avg.	Pass	Band Edge
21	Proprietary	3+91	11930.00	40.92	54.00	-13.08	V	Avg.	Pass	Harmonic
22	Proprietary	3+11	5922.44	67.45	68.20	-0.75	H	Avg.	Pass	Band Edge
22	Proprietary	3+11	11930.00	38.96	54.00	-15.04	H	Avg.	Pass	Harmonic
23	Proprietary	43+51	7111.00	63.06	68.20	-5.14	H	Avg.	Pass	Band Edge
23	Proprietary	43+51	12330.00	41.12	54.00	-12.88	H	Avg.	Pass	Harmonic
24	Proprietary	83+91	-	-	-	-	-	-	-	Band Edge
24	Proprietary	83+91	12810.00	41.55	68.20	-26.65	H	Avg.	Pass	Harmonic
25	Proprietary	3+91	6845.00	67.21	68.20	-0.99	H	Avg.	Pass	Band Edge
25	Proprietary	3+91	11930.00	40.56	54.00	-13.44	H	Avg.	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
26	Proprietary	3+11+19	5922.72	67.68	68.20	-0.52	H	Avg.	Pass	Band Edge
26	Proprietary	3+11+19	11930.00	41.66	54.00	-12.34	H	Avg.	Pass	Harmonic
27	Proprietary	43+51+59	6082.00	67.35	68.20	-0.85	V	Avg.	Pass	Band Edge
27	Proprietary	43+51+59	12330.00	39.58	54.00	-14.42	V	Avg.	Pass	Harmonic
28	Proprietary	75+83+91	-	-	-	-	-	-	-	Band Edge
28	Proprietary	75+83+91	12650.00	40.20	54.00	-13.80	V	Avg.	Pass	Harmonic
29	Proprietary	3+43+91	5924.96	62.14	68.20	-6.06	H	Avg.	Pass	Band Edge
29	Proprietary	3+43+91	11930.00	39.82	54.00	-14.18	V	Avg.	Pass	Harmonic
30	Proprietary	3+11+19+27	5924.68	67.84	68.20	-0.36	H	Avg.	Pass	Band Edge
30	Proprietary	3+11+19+27	12090.00	39.98	54.00	-14.02	H	Avg.	Pass	Harmonic
31	Proprietary	35+43+51+59	-	-	-	-	-	-	-	Band Edge





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
31	Proprietary	35+43+51+59	12250.00	40.47	54.00	-13.53	H	Avg.	Pass	Harmonic
32	Proprietary	67+75+83+91	-	-	-	-	-	-	-	Band Edge
32	Proprietary	67+75+83+91	12570.00	39.96	54.00	-14.04	H	Avg.	Pass	Harmonic
33	Proprietary	3+27+51+91	5844.00	67.85	68.20	-0.35	H	Avg.	Pass	Band Edge
33	Proprietary	3+27+51+91	11930.00	39.46	54.00	-14.54	H	Avg.	Pass	Harmonic
45	Proprietary	119	-	-	-	-	-	-	-	Band Edge
45	Proprietary	119	19635.00	38.92	74.00	-35.08	V	Peak	Pass	Harmonic
46	Proprietary	147	-	-	-	-	-	-	-	Band Edge
46	Proprietary	147	13370.00	41.53	54.00	-12.47	H	Avg.	Pass	Harmonic
47	Proprietary	181	7125.06	51.25	68.20	-16.95	H	Avg.	Pass	Band Edge
47	Proprietary	181	20565.00	38.81	74.00	-35.19	V	Peak	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
48	Proprietary	119+127	-	-	-	-	-	-	-	Band Edge
48	Proprietary	119+127	19635.00	38.82	74.00	-35.18	H	Peak	Pass	Harmonic
49	Proprietary	147+155	6765.00	67.60	68.20	-0.60	H	Avg.	Pass	Band Edge
49	Proprietary	147+155	13370.00	40.44	54.00	-13.56	V	Avg.	Pass	Harmonic
50	Proprietary	173+181	7125.06	50.92	68.20	-17.28	H	Avg.	Pass	Band Edge
50	Proprietary	173+181	20565.00	39.05	74.00	-34.95	H	Peak	Pass	Harmonic
51	Proprietary	119+181	7165.29	52.59	68.20	-15.61	H	Avg.	Pass	Band Edge
51	Proprietary	119+181	20565.00	38.71	74.00	-35.29	H	Peak	Pass	Harmonic
52	Proprietary	119+127	-	-	-	-	-	-	-	Band Edge
52	Proprietary	119+127	19635.00	38.88	74.00	-35.12	V	Peak	Pass	Harmonic
53	Proprietary	147+155	-	-	-	-	-	-	-	Band Edge





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
53	Proprietary	147+155	13370.00	41.14	54.00	-12.86	H	Avg.	Pass	Harmonic
54	Proprietary	173+181	7125.06	51.94	68.20	-16.26	H	Avg.	Pass	Band Edge
54	Proprietary	173+181	20565.00	39.14	74.00	-34.86	H	Peak	Pass	Harmonic
55	Proprietary	119+181	7174.00	67.49	68.20	-0.71	H	Avg.	Pass	Band Edge
55	Proprietary	119+181	20565.00	39.40	74.00	-34.60	H	Peak	Pass	Harmonic
56	Proprietary	119+127+135	-	-	-	-	-	-	-	Band Edge
56	Proprietary	119+127+135	13250.00	39.81	54.00	-14.19	H	Avg.	Pass	Harmonic
57	Proprietary	139+147+155	-	-	-	-	-	-	-	Band Edge
57	Proprietary	139+147+155	13370.00	41.56	54.00	-12.44	V	Avg.	Pass	Harmonic
58	Proprietary	165+173+181	7125.06	51.82	68.20	-16.38	H	Avg.	Pass	Band Edge
58	Proprietary	165+173+181	20565.00	39.68	74.00	-34.32	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
59	Proprietary	119+147+181	6404.00	67.91	68.20	-0.29	H	Avg.	Pass	Band Edge
59	Proprietary	119+147+181	13370.00	40.52	54.00	-13.48	V	Avg.	Pass	Harmonic
60	Proprietary	119+127+135+143	-	-	-	-	-	-	-	Band Edge
60	Proprietary	119+127+135+143	13330.00	40.36	54.00	-13.64	V	Avg.	Pass	Harmonic
61	Proprietary	139+147+155+163	-	-	-	-	-	-	-	Band Edge
61	Proprietary	139+147+155+163	13370.00	40.65	54.00	-13.35	V	Avg.	Pass	Harmonic
62	Proprietary	157+165+173+181	7125.06	52.49	68.20	-15.71	H	Avg.	Pass	Band Edge
62	Proprietary	157+165+173+181	20565.00	39.66	74.00	-34.34	H	Peak	Pass	Harmonic
63	Proprietary	119+139+159+181	7160.07	52.00	68.20	-16.20	H	Avg.	Pass	Band Edge
63	Proprietary	119+139+159+181	13290.00	39.79	54.00	-14.21	V	Avg.	Pass	Harmonic
64	LF	119+147+181	470.38	45.57	46.00	-0.43	H	QP	Pass	LF





		15																																							
Mode	Band Edge																																								
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz																																								
ANT	MIMO																																								
Pol.	Horizontal	Fundamental																																							
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5921.88</td><td>74.82</td><td>88.20</td><td>-13.38</td><td>57.27</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>156 169 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.88	74.82	88.20	-13.38	57.27	34.15	12.59	29.19	0.00	156 169 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>124.89</td><td>-----</td><td>107.33</td><td>34.17</td><td>12.60</td><td>29.21</td><td>0.00</td><td>156 169 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	124.89	-----	107.33	34.17	12.60	29.21	0.00	156 169 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5921.88	74.82	88.20	-13.38	57.27	34.15	12.59	29.19	0.00	156 169 PEAK																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5965.00	124.89	-----	107.33	34.17	12.60	29.21	0.00	156 169 PEAK																																	
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>65.93</td><td>68.20</td><td>-2.27</td><td>48.38</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>156 169 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.68	65.93	68.20	-2.27	48.38	34.15	12.59	29.19	0.00	156 169 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>115.96</td><td>-----</td><td>98.37</td><td>34.18</td><td>12.60</td><td>29.19</td><td>0.00</td><td>156 169 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	115.96	-----	98.37	34.18	12.60	29.19	0.00	156 169 AVERAGE
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5924.68	65.93	68.20	-2.27	48.38	34.15	12.59	29.19	0.00	156 169 AVERAGE																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5965.00	115.96	-----	98.37	34.18	12.60	29.19	0.00	156 169 AVERAGE																																	



Mode	15	
	Band Edge	
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz	
ANT	MIMO	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV/m dB dB dB dB cm deg 1 5924.68 74.57 88.20 -13.63 57.00 34.17 12.59 29.19 0.00 155 177 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV/m dB dB dB dB cm deg 1 5965.00 124.90 ----- 107.38 34.20 12.60 29.20 0.00 155 177 PEAK
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV/m dB dB dB dB cm deg 1 5924.68 66.61 68.20 -1.59 49.04 34.17 12.59 29.19 0.00 155 177 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV/m dB dB dB dB cm deg 1 5965.00 116.52 ----- 98.91 34.20 12.60 29.19 0.00 155 177 AVERAGE







Mode	15																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz																																																																																																																																	
ANT	MIMO																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>59.27</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>PEAK</td></tr><tr><td>2 11930.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>51.33</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>Average</td></tr><tr><td>3 17895.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>58.00</td><td>43.17</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	48.80	74.00	-25.20	59.27	39.02	17.84	67.44	0.11	--	PEAK	2 11930.00	40.86	54.00	-13.14	51.33	39.02	17.84	67.44	0.11	--	Average	3 17895.00	53.05	74.00	-20.95	58.00	43.17	21.87	70.19	0.20	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>59.42</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>PEAK</td></tr><tr><td>2 11930.00</td><td>39.62</td><td>54.00</td><td>-14.38</td><td>50.17</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>Average</td></tr><tr><td>3 17895.00</td><td>53.15</td><td>74.00</td><td>-20.85</td><td>59.12</td><td>42.15</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	48.87	74.00	-25.13	59.42	38.94	17.84	67.44	0.11	--	PEAK	2 11930.00	39.62	54.00	-14.38	50.17	38.94	17.84	67.44	0.11	--	Average	3 17895.00	53.15	74.00	-20.85	59.12	42.15	21.87	70.19	0.20	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 11930.00	48.80	74.00	-25.20	59.27	39.02	17.84	67.44	0.11	--	PEAK																																																																																																																								
2 11930.00	40.86	54.00	-13.14	51.33	39.02	17.84	67.44	0.11	--	Average																																																																																																																								
3 17895.00	53.05	74.00	-20.95	58.00	43.17	21.87	70.19	0.20	--	Peak																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 11930.00	48.87	74.00	-25.13	59.42	38.94	17.84	67.44	0.11	--	PEAK																																																																																																																								
2 11930.00	39.62	54.00	-14.38	50.17	38.94	17.84	67.44	0.11	--	Average																																																																																																																								
3 17895.00	53.15	74.00	-20.85	59.12	42.15	21.87	70.19	0.20	--	Peak																																																																																																																								

Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	16	
	Band Edge	
	U-NII-5_5.925-6.425_Proprietary_CH43_6165MHz	
ANT	MIMO	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.36 66.70 88.20 -21.50 49.15 34.15 12.59 29.19 0.00 150 166 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6165.00 125.50 ----- 107.95 34.15 12.78 29.38 0.00 150 166 PEAK
Avg	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5913.92 56.24 68.20 -11.96 38.70 34.14 12.59 29.19 0.00 150 166 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6165.00 118.56 ----- 100.98 34.17 12.80 29.39 0.00 150 166 AVERAGE



Mode	16	
	Band Edge	
	U-NII-5_5.925-6.425_Proprietary_CH43_6165MHz	
ANT	MIMO	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5878.64 65.69 88.20 -22.51 48.20 34.11 12.58 29.20 0.00 157 188 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6165.00 125.64 ----- 108.07 34.17 12.78 29.38 0.00 157 188 PEAK
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5913.56 56.64 68.20 -11.56 39.08 34.16 12.59 29.19 0.00 157 188 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6165.00 119.00 ----- 101.40 34.19 12.80 29.39 0.00 157 188 AVERAGE



Mode	16																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_Proprietary_CH43_6165MHz																																																																																																																																	
ANT	MIMO																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12330.00</td><td>48.62</td><td>74.00 -25.38</td><td>58.78</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 12330.00</td><td>40.52</td><td>54.00 -13.48</td><td>50.68</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18495.00</td><td>38.35</td><td>74.00 -35.65</td><td>40.88</td><td>38.15</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12330.00	48.62	74.00 -25.38	58.78	39.19	18.15	67.60	0.10	--	--	PEAK	2 12330.00	40.52	54.00 -13.48	50.68	39.19	18.15	67.60	0.10	--	--	Average	3 18495.00	38.35	74.00 -35.65	40.88	38.15	22.31	53.45	-9.54	--	--	PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12330.00</td><td>48.61</td><td>74.00 -25.39</td><td>58.82</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 12330.00</td><td>39.88</td><td>54.00 -14.12</td><td>50.09</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 18495.00</td><td>38.47</td><td>74.00 -35.53</td><td>40.81</td><td>38.34</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12330.00	48.61	74.00 -25.39	58.82	39.14	18.15	67.60	0.10	--	--	PEAK	2 12330.00	39.88	54.00 -14.12	50.09	39.14	18.15	67.60	0.10	--	--	Average	3 18495.00	38.47	74.00 -35.53	40.81	38.34	22.31	53.45	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12330.00	48.62	74.00 -25.38	58.78	39.19	18.15	67.60	0.10	--	--	PEAK																																																																																																																								
2 12330.00	40.52	54.00 -13.48	50.68	39.19	18.15	67.60	0.10	--	--	Average																																																																																																																								
3 18495.00	38.35	74.00 -35.65	40.88	38.15	22.31	53.45	-9.54	--	--	PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12330.00	48.61	74.00 -25.39	58.82	39.14	18.15	67.60	0.10	--	--	PEAK																																																																																																																								
2 12330.00	39.88	54.00 -14.12	50.09	39.14	18.15	67.60	0.10	--	--	Average																																																																																																																								
3 18495.00	38.47	74.00 -35.53	40.81	38.34	22.31	53.45	-9.54	--	--	PEAK																																																																																																																								

Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH43_6165MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	17	
	Band Edge	
	U-NII-5_5.925-6.425_Proprietary_CH91_6405MHz	
ANT	MIMO	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.80 67.07 88.20 -21.13 49.52 34.15 12.59 29.19 0.00 158 164 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6405.00 125.05 ----- 106.77 34.76 13.13 29.61 0.00 158 164 PEAK
Avg	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5913.74 56.67 68.20 -11.53 39.13 34.14 12.59 29.19 0.00 158 164 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6405.00 119.79 ----- 101.56 34.71 13.12 29.60 0.00 158 164 AVERAGE

17

Mode

Band Edge

U-NII-5_5.925-6.425_Proprietary_CH91_6405MHz

ANT


MIMO

Pol.

Vertical


Fundamental

Peak



Site : 03CH01-CA
Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto


MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5873.72	66.66	88.20	-21.54	49.18	34.10	12.58	29.20	0.00	156 185 PEAK



Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto


	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1	6405.00	124.04	-----	-----	105.76	34.76	13.11	29.59	0.00 156 185 PEAK

Avg



Site : 03CH01-CA
Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5913.74	56.70	68.20	-11.50	39.14	34.16	12.59	29.19	0.00	156 185 AVERAGE







Site : 03CH01-CA
Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1	6405.00	118.30	-----	-----	99.97	34.81	13.12	29.60	0.00 156 185 AVERAGE



Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH91_6405MHz																																																																																																																									
ANT	MIMO																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>49.56</td><td>88.20</td><td>-38.64</td><td>59.17</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 12810.00</td><td>40.75</td><td>68.20</td><td>-27.45</td><td>50.36</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 19215.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>41.21</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	49.56	88.20	-38.64	59.17	39.55	18.54	67.80	0.10	-- PEAK	2 12810.00	40.75	68.20	-27.45	50.36	39.55	18.54	67.80	0.10	-- Average	3 19215.00	38.80	74.00	-35.20	41.21	37.91	22.81	53.59	-9.54	-- PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>59.53</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 12810.00</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>51.98</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 19215.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>41.85</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	49.93	88.20	-38.27	59.53	39.56	18.54	67.80	0.10	-- PEAK	2 12810.00	42.38	68.20	-25.82	51.98	39.56	18.54	67.80	0.10	-- Average	3 19215.00	39.44	74.00	-34.56	41.85	37.91	22.81	53.59	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12810.00	49.56	88.20	-38.64	59.17	39.55	18.54	67.80	0.10	-- PEAK																																																																																																																	
2 12810.00	40.75	68.20	-27.45	50.36	39.55	18.54	67.80	0.10	-- Average																																																																																																																	
3 19215.00	38.80	74.00	-35.20	41.21	37.91	22.81	53.59	-9.54	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 12810.00	49.93	88.20	-38.27	59.53	39.56	18.54	67.80	0.10	-- PEAK																																																																																																																	
2 12810.00	42.38	68.20	-25.82	51.98	39.56	18.54	67.80	0.10	-- Average																																																																																																																	
3 19215.00	39.44	74.00	-34.56	41.85	37.91	22.81	53.59	-9.54	-- PEAK																																																																																																																	

Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH91_6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL





Mode	18																																																																															
	Band Edge - L																																																																															
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz																																																																															
ANT	MIMO																																																																															
Pol.	Horizontal					Fundamental																																																																										
Peak																																																																																
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>71.85</td><td>88.20</td><td>-16.35</td><td>54.30</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00 160 160 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	71.85	88.20	-16.35	54.30	34.15	12.59	29.19	0.00 160 160 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>121.63</td><td>-----</td><td>104.05</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>160 160 PEAK</td></tr><tr><td>2</td><td>6005.00</td><td>117.09</td><td>-----</td><td>99.55</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>160 160 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	121.63	-----	104.05	34.18	12.60	29.20	0.00	160 160 PEAK	2	6005.00	117.09	-----	99.55	34.17	12.62	29.25	0.00	160 160 PEAK																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5924.96	71.85	88.20	-16.35	54.30	34.15	12.59	29.19	0.00 160 160 PEAK																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5965.00	121.63	-----	104.05	34.18	12.60	29.20	0.00	160 160 PEAK																																																																							
2	6005.00	117.09	-----	99.55	34.17	12.62	29.25	0.00	160 160 PEAK																																																																							
Avg																																																																																
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>45.84</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00 160 160 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	63.39	68.20	-4.81	45.84	34.15	12.59	29.19	0.00 160 160 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.84</td><td>-----</td><td>95.26</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>160</td><td>160 AVERAGE</td></tr><tr><td>2</td><td>6005.00</td><td>111.40</td><td>-----</td><td>93.86</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>160</td><td>160 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	112.84	-----	95.26	34.18	12.60	29.20	0.00	160	160 AVERAGE	2	6005.00	111.40	-----	93.86	34.17	12.62	29.25	0.00	160
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5924.68	63.39	68.20	-4.81	45.84	34.15	12.59	29.19	0.00 160 160 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5965.00	112.84	-----	95.26	34.18	12.60	29.20	0.00	160	160 AVERAGE																																																																						
2	6005.00	111.40	-----	93.86	34.17	12.62	29.25	0.00	160	160 AVERAGE																																																																						



Mode	18																																																			
	Band Edge - L																																																			
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz																																																			
ANT	MIMO																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>67.36</td><td>88.20</td><td>-20.84</td><td>49.79</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00 159 185 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	67.36	88.20	-20.84	49.79	34.17	12.59	29.19	0.00 159 185 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>120.87</td><td>-----</td><td>103.33</td><td>34.18</td><td>12.62</td><td>29.26</td><td>0.00</td><td>159 185 PEAK</td></tr><tr><td>2</td><td>6005.00</td><td>120.62</td><td>-----</td><td>103.06</td><td>34.19</td><td>12.62</td><td>29.25</td><td>0.00</td><td>159 185 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	120.87	-----	103.33	34.18	12.62	29.26	0.00	159 185 PEAK	2	6005.00	120.62	-----	103.06	34.19	12.62	29.25	0.00	159 185 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5924.96	67.36	88.20	-20.84	49.79	34.17	12.59	29.19	0.00 159 185 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5965.00	120.87	-----	103.33	34.18	12.62	29.26	0.00	159 185 PEAK																																											
2	6005.00	120.62	-----	103.06	34.19	12.62	29.25	0.00	159 185 PEAK																																											
Avg	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>58.24</td><td>68.20</td><td>-9.96</td><td>40.67</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00 159 185 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	58.24	68.20	-9.96	40.67	34.17	12.59	29.19	0.00 159 185 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.86</td><td>-----</td><td>90.26</td><td>34.20</td><td>12.60</td><td>29.20</td><td>0.00</td><td>159 185 AVERAGE</td></tr><tr><td>2</td><td>6005.00</td><td>112.91</td><td>-----</td><td>95.35</td><td>34.19</td><td>12.62</td><td>29.25</td><td>0.00</td><td>159 185 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.86	-----	90.26	34.20	12.60	29.20	0.00	159 185 AVERAGE	2	6005.00	112.91	-----	95.35	34.19	12.62	29.25	0.00	159 185 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5924.96	58.24	68.20	-9.96	40.67	34.17	12.59	29.19	0.00 159 185 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5965.00	107.86	-----	90.26	34.20	12.60	29.20	0.00	159 185 AVERAGE																																											
2	6005.00	112.91	-----	95.35	34.19	12.62	29.25	0.00	159 185 AVERAGE																																											







Mode	18																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz																																																																																																																																																																	
ANT	MIMO																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>58.85</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- PEAK</td></tr><tr><td>2 11930.00</td><td>39.96</td><td>54.00</td><td>-14.04</td><td>50.43</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Average</td></tr><tr><td>3 12010.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>58.90</td><td>39.09</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>56.96</td><td>43.17</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 18015.00</td><td>37.73</td><td>74.00</td><td>-36.27</td><td>40.53</td><td>37.82</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	48.38	74.00	-25.62	58.85	39.02	17.84	67.44	0.11	-- PEAK	2 11930.00	39.96	54.00	-14.04	50.43	39.02	17.84	67.44	0.11	-- Average	3 12010.00	48.79	74.00	-25.21	58.90	39.09	17.90	67.28	0.10	-- Peak	4 17895.00	52.01	74.00	-21.99	56.96	43.17	21.87	70.19	0.20	-- Peak	5 18015.00	37.73	74.00	-36.27	40.53	37.82	21.95	53.03	-9.54	-- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>59.40</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- PEAK</td></tr><tr><td>2 11930.00</td><td>39.92</td><td>54.00</td><td>-14.08</td><td>50.47</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Average</td></tr><tr><td>3 12010.00</td><td>48.50</td><td>74.00</td><td>-25.50</td><td>58.73</td><td>39.05</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>58.81</td><td>42.15</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 18015.00</td><td>36.99</td><td>74.00</td><td>-37.01</td><td>39.60</td><td>38.01</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	48.85	74.00	-25.15	59.40	38.94	17.84	67.44	0.11	-- PEAK	2 11930.00	39.92	54.00	-14.08	50.47	38.94	17.84	67.44	0.11	-- Average	3 12010.00	48.50	74.00	-25.50	58.73	39.05	17.90	67.28	0.10	-- Peak	4 17895.00	52.84	74.00	-21.16	58.81	42.15	21.87	70.19	0.20	-- Peak	5 18015.00	36.99	74.00	-37.01	39.60	38.01	21.95	53.03	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1 11930.00	48.38	74.00	-25.62	58.85	39.02	17.84	67.44	0.11	-- PEAK																																																																																																																																																									
2 11930.00	39.96	54.00	-14.04	50.43	39.02	17.84	67.44	0.11	-- Average																																																																																																																																																									
3 12010.00	48.79	74.00	-25.21	58.90	39.09	17.90	67.28	0.10	-- Peak																																																																																																																																																									
4 17895.00	52.01	74.00	-21.99	56.96	43.17	21.87	70.19	0.20	-- Peak																																																																																																																																																									
5 18015.00	37.73	74.00	-36.27	40.53	37.82	21.95	53.03	-9.54	-- Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1 11930.00	48.85	74.00	-25.15	59.40	38.94	17.84	67.44	0.11	-- PEAK																																																																																																																																																									
2 11930.00	39.92	54.00	-14.08	50.47	38.94	17.84	67.44	0.11	-- Average																																																																																																																																																									
3 12010.00	48.50	74.00	-25.50	58.73	39.05	17.90	67.28	0.10	-- Peak																																																																																																																																																									
4 17895.00	52.84	74.00	-21.16	58.81	42.15	21.87	70.19	0.20	-- Peak																																																																																																																																																									
5 18015.00	36.99	74.00	-37.01	39.60	38.01	21.95	53.03	-9.54	-- Peak																																																																																																																																																									



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	19																																																	
	Band Edge - L																																																	
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz																																																	
ANT	MIMO																																																	
Pol.	Horizontal	Fundamental																																																
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5879.00</td><td>62.36</td><td>88.20</td><td>-25.84</td><td>44.89</td><td>34.09</td><td>12.58</td><td>29.20</td><td>0.00 158 156 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5879.00	62.36	88.20	-25.84	44.89	34.09	12.58	29.20	0.00 158 156 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6165.00</td><td>117.97</td><td>-----</td><td>100.42</td><td>34.15</td><td>12.78</td><td>29.38</td><td>0.00 158 156 PEAK</td></tr><tr><td>2</td><td>6205.00</td><td>107.09</td><td>-----</td><td>89.42</td><td>34.23</td><td>12.85</td><td>29.41</td><td>0.00 158 156 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	117.97	-----	100.42	34.15	12.78	29.38	0.00 158 156 PEAK	2	6205.00	107.09	-----	89.42	34.23	12.85	29.41	0.00 158 156 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5879.00	62.36	88.20	-25.84	44.89	34.09	12.58	29.20	0.00 158 156 PEAK																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	6165.00	117.97	-----	100.42	34.15	12.78	29.38	0.00 158 156 PEAK																																										
2	6205.00	107.09	-----	89.42	34.23	12.85	29.41	0.00 158 156 PEAK																																										
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.56</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>34.38</td><td>34.14</td><td>12.59</td><td>29.19</td><td>0.00 158 156 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.56	51.92	68.20	-16.28	34.38	34.14	12.59	29.19	0.00 158 156 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6165.00</td><td>109.40</td><td>-----</td><td>91.85</td><td>34.15</td><td>12.78</td><td>29.38</td><td>0.00 158 156 AVERAGE</td></tr><tr><td>2</td><td>6205.00</td><td>100.51</td><td>-----</td><td>82.84</td><td>34.23</td><td>12.85</td><td>29.41</td><td>0.00 158 156 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	109.40	-----	91.85	34.15	12.78	29.38	0.00 158 156 AVERAGE	2	6205.00	100.51	-----	82.84	34.23	12.85	29.41	0.00 158 156 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5913.56	51.92	68.20	-16.28	34.38	34.14	12.59	29.19	0.00 158 156 AVERAGE																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	6165.00	109.40	-----	91.85	34.15	12.78	29.38	0.00 158 156 AVERAGE																																										
2	6205.00	100.51	-----	82.84	34.23	12.85	29.41	0.00 158 156 AVERAGE																																										



Mode	19																																																			
	Band Edge - L																																																			
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz																																																			
ANT	MIMO																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5897.00</td><td>60.69</td><td>88.20</td><td>-27.51</td><td>43.16</td><td>34.14</td><td>12.58</td><td>29.19</td><td>0.00 158 201 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.00	60.69	88.20	-27.51	43.16	34.14	12.58	29.19	0.00 158 201 PEAK	Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6165.00</td><td>117.98</td><td>-----</td><td>100.34</td><td>34.21</td><td>12.82</td><td>29.39</td><td>0.00</td><td>158 201 PEAK</td></tr><tr><td>2</td><td>6205.00</td><td>112.38</td><td>-----</td><td>94.68</td><td>34.26</td><td>12.85</td><td>29.41</td><td>0.00</td><td>158 201 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	117.98	-----	100.34	34.21	12.82	29.39	0.00	158 201 PEAK	2	6205.00	112.38	-----	94.68	34.26	12.85	29.41	0.00	158 201 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5897.00	60.69	88.20	-27.51	43.16	34.14	12.58	29.19	0.00 158 201 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6165.00	117.98	-----	100.34	34.21	12.82	29.39	0.00	158 201 PEAK																																											
2	6205.00	112.38	-----	94.68	34.26	12.85	29.41	0.00	158 201 PEAK																																											
Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.56</td><td>51.08</td><td>68.20</td><td>-17.12</td><td>33.52</td><td>34.16</td><td>12.59</td><td>29.19</td><td>0.00 158 201 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.56	51.08	68.20	-17.12	33.52	34.16	12.59	29.19	0.00 158 201 AVERAGE	Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6165.00</td><td>110.56</td><td>-----</td><td>92.96</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>158 201 AVERAGE</td></tr><tr><td>2</td><td>6205.00</td><td>105.16</td><td>-----</td><td>87.46</td><td>34.26</td><td>12.85</td><td>29.41</td><td>0.00</td><td>158 201 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	110.56	-----	92.96	34.19	12.80	29.39	0.00	158 201 AVERAGE	2	6205.00	105.16	-----	87.46	34.26	12.85	29.41	0.00	158 201 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5913.56	51.08	68.20	-17.12	33.52	34.16	12.59	29.19	0.00 158 201 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6165.00	110.56	-----	92.96	34.19	12.80	29.39	0.00	158 201 AVERAGE																																											
2	6205.00	105.16	-----	87.46	34.26	12.85	29.41	0.00	158 201 AVERAGE																																											

19

Mode

Harmonic

U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz

ANT

MIMO


Pol.

Horizontal

Vertical


Peak

Avg







Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 12330.00	49.15	74.00 -24.85	59.31	39.19	18.15	67.60	0.10	--	-- PEAK
2 12330.00	40.22	54.00 -13.78	50.38	39.19	18.15	67.60	0.10	--	-- Average
3 12410.00	48.37	74.00 -25.63	58.48	39.15	18.22	67.58	0.10	--	-- Peak
4 12410.00	39.45	54.00 -14.55	49.56	39.15	18.22	67.58	0.10	--	-- Average
5 18495.00	38.41	74.00 -35.59	40.94	38.15	22.31	53.45	-9.54	--	-- PEAK
6 18615.00	38.12	74.00 -35.88	40.64	38.11	22.40	53.49	-9.54	--	-- Peak







Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor			
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 12330.00	49.08	74.00 -24.92	59.29	39.14	18.15	67.60	0.10	--	-- PEAK
2 12330.00	40.78	54.00 -13.22	50.99	39.14	18.15	67.60	0.10	--	-- Average
3 12410.00	47.50	74.00 -26.50	57.67	39.09	18.22	67.58	0.10	--	-- Peak
4 18495.00	39.24	74.00 -34.76	41.58	38.34	22.31	53.45	-9.54	--	-- PEAK
5 18615.00	38.52	74.00 -35.48	40.97	38.18	22.40	53.49	-9.54	--	-- Peak



Mode	19	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	20																																																			
	Band Edge																																																			
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz																																																			
ANT	MIMO																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5859.80</td><td>62.14</td><td>88.20</td><td>-26.06</td><td>44.73</td><td>34.05</td><td>12.57</td><td>29.21</td><td>0.00 157 173 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5859.80	62.14	88.20	-26.06	44.73	34.05	12.57	29.21	0.00 157 173 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6365.00</td><td>114.79</td><td>-----</td><td>96.69</td><td>34.60</td><td>13.07</td><td>29.57</td><td>0.00</td><td>157 173 PEAK</td></tr><tr><td>2</td><td>6405.00</td><td>118.30</td><td>-----</td><td>100.02</td><td>34.76</td><td>13.13</td><td>29.61</td><td>0.00</td><td>157 173 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6365.00	114.79	-----	96.69	34.60	13.07	29.57	0.00	157 173 PEAK	2	6405.00	118.30	-----	100.02	34.76	13.13	29.61	0.00	157 173 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5859.80	62.14	88.20	-26.06	44.73	34.05	12.57	29.21	0.00 157 173 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6365.00	114.79	-----	96.69	34.60	13.07	29.57	0.00	157 173 PEAK																																											
2	6405.00	118.30	-----	100.02	34.76	13.13	29.61	0.00	157 173 PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.22</td><td>52.52</td><td>68.20</td><td>-15.68</td><td>34.97</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00 157 173 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.22	52.52	68.20	-15.68	34.97	34.15	12.59	29.19	0.00 157 173 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6365.00</td><td>106.32</td><td>-----</td><td>88.22</td><td>34.60</td><td>13.07</td><td>29.57</td><td>0.00</td><td>157 173 AVERAGE</td></tr><tr><td>2</td><td>6405.00</td><td>109.64</td><td>-----</td><td>91.38</td><td>34.74</td><td>13.13</td><td>29.61</td><td>0.00</td><td>157 173 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6365.00	106.32	-----	88.22	34.60	13.07	29.57	0.00	157 173 AVERAGE	2	6405.00	109.64	-----	91.38	34.74	13.13	29.61	0.00	157 173 AVERAGE
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5917.22	52.52	68.20	-15.68	34.97	34.15	12.59	29.19	0.00 157 173 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6365.00	106.32	-----	88.22	34.60	13.07	29.57	0.00	157 173 AVERAGE																																											
2	6405.00	109.64	-----	91.38	34.74	13.13	29.61	0.00	157 173 AVERAGE																																											



Mode	20	
	Band Edge	
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz	
ANT	MIMO	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 5893.44 60.21 88.20 -27.99 42.68 34.14 12.58 29.19 0.00 171 196 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 6365.00 113.34 ----- 95.18 34.66 13.07 29.57 0.00 171 196 PEAK 2 6405.00 114.59 ----- 96.19 34.89 13.13 29.62 0.00 171 196 PEAK
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 5913.74 50.03 68.20 -18.17 32.47 34.16 12.59 29.19 0.00 171 196 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 6365.00 104.58 ----- 86.42 34.66 13.07 29.57 0.00 171 196 AVERAGE 2 6405.00 106.84 ----- 88.51 34.81 13.12 29.60 0.00 171 196 AVERAGE

Mode	20																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz																																																																																																																																																																																					
ANT	MIMO																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12730.00</td><td>49.80</td><td>88.20 -38.40</td><td>59.40</td><td>39.43</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12730.00</td><td>41.04</td><td>68.20 -27.16</td><td>50.64</td><td>39.43</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>50.05</td><td>88.20 -38.15</td><td>59.66</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>4 12810.00</td><td>41.46</td><td>68.20 -26.74</td><td>51.07</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>-- Average</td></tr><tr><td>5 19095.00</td><td>38.40</td><td>74.00 -35.60</td><td>40.65</td><td>38.07</td><td>22.74</td><td>53.52</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>6 19215.00</td><td>39.95</td><td>74.00 -34.05</td><td>42.36</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12730.00	49.80	88.20 -38.40	59.40	39.43	18.47	67.60	0.10	--	-- Peak	2 12730.00	41.04	68.20 -27.16	50.64	39.43	18.47	67.60	0.10	--	-- Average	3 12810.00	50.05	88.20 -38.15	59.66	39.55	18.54	67.80	0.10	--	-- PEAK	4 12810.00	41.46	68.20 -26.74	51.07	39.55	18.54	67.80	0.10	--	-- Average	5 19095.00	38.40	74.00 -35.60	40.65	38.07	22.74	53.52	-9.54	--	-- Peak	6 19215.00	39.95	74.00 -34.05	42.36	37.91	22.81	53.59	-9.54	--	-- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12730.00</td><td>49.26</td><td>88.20 -38.94</td><td>58.84</td><td>39.45</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>-- Peak</td></tr><tr><td>2 12730.00</td><td>40.14</td><td>68.20 -28.06</td><td>49.72</td><td>39.45</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>49.79</td><td>88.20 -38.41</td><td>59.39</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>4 12810.00</td><td>40.28</td><td>68.20 -27.92</td><td>49.88</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>-- Average</td></tr><tr><td>5 19095.00</td><td>37.78</td><td>74.00 -36.22</td><td>40.00</td><td>38.10</td><td>22.74</td><td>53.52</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>6 19215.00</td><td>38.99</td><td>74.00 -35.01</td><td>41.40</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12730.00	49.26	88.20 -38.94	58.84	39.45	18.47	67.60	0.10	--	-- Peak	2 12730.00	40.14	68.20 -28.06	49.72	39.45	18.47	67.60	0.10	--	-- Average	3 12810.00	49.79	88.20 -38.41	59.39	39.56	18.54	67.80	0.10	--	-- PEAK	4 12810.00	40.28	68.20 -27.92	49.88	39.56	18.54	67.80	0.10	--	-- Average	5 19095.00	37.78	74.00 -36.22	40.00	38.10	22.74	53.52	-9.54	--	-- Peak	6 19215.00	38.99	74.00 -35.01	41.40	37.91	22.81	53.59	-9.54	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																													
1 12730.00	49.80	88.20 -38.40	59.40	39.43	18.47	67.60	0.10	--	-- Peak																																																																																																																																																																													
2 12730.00	41.04	68.20 -27.16	50.64	39.43	18.47	67.60	0.10	--	-- Average																																																																																																																																																																													
3 12810.00	50.05	88.20 -38.15	59.66	39.55	18.54	67.80	0.10	--	-- PEAK																																																																																																																																																																													
4 12810.00	41.46	68.20 -26.74	51.07	39.55	18.54	67.80	0.10	--	-- Average																																																																																																																																																																													
5 19095.00	38.40	74.00 -35.60	40.65	38.07	22.74	53.52	-9.54	--	-- Peak																																																																																																																																																																													
6 19215.00	39.95	74.00 -34.05	42.36	37.91	22.81	53.59	-9.54	--	-- PEAK																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																													
1 12730.00	49.26	88.20 -38.94	58.84	39.45	18.47	67.60	0.10	--	-- Peak																																																																																																																																																																													
2 12730.00	40.14	68.20 -28.06	49.72	39.45	18.47	67.60	0.10	--	-- Average																																																																																																																																																																													
3 12810.00	49.79	88.20 -38.41	59.39	39.56	18.54	67.80	0.10	--	-- PEAK																																																																																																																																																																													
4 12810.00	40.28	68.20 -27.92	49.88	39.56	18.54	67.80	0.10	--	-- Average																																																																																																																																																																													
5 19095.00	37.78	74.00 -36.22	40.00	38.10	22.74	53.52	-9.54	--	-- Peak																																																																																																																																																																													
6 19215.00	38.99	74.00 -35.01	41.40	37.91	22.81	53.59	-9.54	--	-- PEAK																																																																																																																																																																													