











Mode	20	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	21																																																						
	Band Edge - L																																																						
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz																																																						
ANT	MIMO																																																						
Pol.	Horizontal	Fundamental																																																					
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.00</td><td>68.19</td><td>88.20</td><td>-20.01</td><td>50.64</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>163</td><td>158 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.00	68.19	88.20	-20.01	50.64	34.15	12.59	29.19	0.00	163	158 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>121.68</td><td>-----</td><td>104.12</td><td>34.17</td><td>12.60</td><td>29.21</td><td>0.00</td><td>163</td><td>158 PEAK</td></tr><tr><td>2 6405.00</td><td>98.64</td><td>-----</td><td>80.41</td><td>34.71</td><td>13.12</td><td>29.60</td><td>0.00</td><td>163</td><td>158 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	121.68	-----	104.12	34.17	12.60	29.21	0.00	163	158 PEAK	2 6405.00	98.64	-----	80.41	34.71	13.12	29.60	0.00	163	158 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5923.00	68.19	88.20	-20.01	50.64	34.15	12.59	29.19	0.00	163	158 PEAK																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5965.00	121.68	-----	104.12	34.17	12.60	29.21	0.00	163	158 PEAK																																														
2 6405.00	98.64	-----	80.41	34.71	13.12	29.60	0.00	163	158 PEAK																																														
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>41.65</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>163</td><td>158 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.96	59.20	68.20	-9.00	41.65	34.15	12.59	29.19	0.00	163	158 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>112.58</td><td>-----</td><td>95.00</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>163</td><td>158 AVERAGE</td></tr><tr><td>2 6405.00</td><td>93.54</td><td>-----</td><td>75.31</td><td>34.71</td><td>13.12</td><td>29.60</td><td>0.00</td><td>163</td><td>158 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	112.58	-----	95.00	34.18	12.60	29.20	0.00	163	158 AVERAGE	2 6405.00	93.54	-----	75.31	34.71	13.12	29.60	0.00	163	158 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5924.96	59.20	68.20	-9.00	41.65	34.15	12.59	29.19	0.00	163	158 AVERAGE																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5965.00	112.58	-----	95.00	34.18	12.60	29.20	0.00	163	158 AVERAGE																																														
2 6405.00	93.54	-----	75.31	34.71	13.12	29.60	0.00	163	158 AVERAGE																																														







Mode	21	
	Band Edge - L	
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz	
ANT	MIMO	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5923.28 66.20 88.20 -22.00 48.63 34.17 12.59 29.19 0.00 158 191 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 119.09 ----- 101.51 34.19 12.60 29.21 0.00 158 191 PEAK 2 6405.00 114.18 ----- 95.85 34.81 13.12 29.60 0.00 158 191 PEAK
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.96 57.51 68.20 -10.69 39.94 34.17 12.59 29.19 0.00 158 191 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 110.19 ----- 92.61 34.19 12.60 29.21 0.00 158 191 AVERAGE 2 6405.00 107.42 ----- 89.09 34.81 13.12 29.60 0.00 158 191 AVERAGE







Mode	21																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz																																																																																																																																																																																					
ANT	MIMO																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>59.48</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- PEAK</td></tr><tr><td>2 11930.00</td><td>40.26</td><td>54.00</td><td>-13.74</td><td>50.73</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Average</td></tr><tr><td>3 12810.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>58.12</td><td>39.55</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12810.00</td><td>39.35</td><td>68.20</td><td>-28.85</td><td>48.96</td><td>39.55</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>5 17895.00</td><td>52.07</td><td>74.00</td><td>-21.93</td><td>57.02</td><td>43.17</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>6 19215.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>42.28</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	49.01	74.00	-24.99	59.48	39.02	17.84	67.44	0.11	-- -- PEAK	2 11930.00	40.26	54.00	-13.74	50.73	39.02	17.84	67.44	0.11	-- -- Average	3 12810.00	48.51	88.20	-39.69	58.12	39.55	18.54	67.00	0.10	-- -- Peak	4 12810.00	39.35	68.20	-28.85	48.96	39.55	18.54	67.00	0.10	-- -- Average	5 17895.00	52.07	74.00	-21.93	57.02	43.17	21.87	70.19	0.20	-- -- Peak	6 19215.00	39.87	74.00	-34.13	42.28	37.91	22.81	53.59	-9.54	-- -- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>58.96</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- PEAK</td></tr><tr><td>2 11930.00</td><td>40.92</td><td>54.00</td><td>-13.08</td><td>51.47</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Average</td></tr><tr><td>3 12810.00</td><td>48.73</td><td>88.20</td><td>-39.47</td><td>58.33</td><td>39.56</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12810.00</td><td>39.28</td><td>68.20</td><td>-28.92</td><td>48.88</td><td>39.56</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>5 17895.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>58.70</td><td>42.15</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>6 19215.00</td><td>38.89</td><td>74.00</td><td>-35.11</td><td>41.30</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.41	74.00	-25.59	58.96	38.94	17.84	67.44	0.11	-- -- PEAK	2 11930.00	40.92	54.00	-13.08	51.47	38.94	17.84	67.44	0.11	-- -- Average	3 12810.00	48.73	88.20	-39.47	58.33	39.56	18.54	67.00	0.10	-- -- Peak	4 12810.00	39.28	68.20	-28.92	48.88	39.56	18.54	67.00	0.10	-- -- Average	5 17895.00	52.73	74.00	-21.27	58.70	42.15	21.87	70.19	0.20	-- -- Peak	6 19215.00	38.89	74.00	-35.11	41.30	37.91	22.81	53.59	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																													
1 11930.00	49.01	74.00	-24.99	59.48	39.02	17.84	67.44	0.11	-- -- PEAK																																																																																																																																																																													
2 11930.00	40.26	54.00	-13.74	50.73	39.02	17.84	67.44	0.11	-- -- Average																																																																																																																																																																													
3 12810.00	48.51	88.20	-39.69	58.12	39.55	18.54	67.00	0.10	-- -- Peak																																																																																																																																																																													
4 12810.00	39.35	68.20	-28.85	48.96	39.55	18.54	67.00	0.10	-- -- Average																																																																																																																																																																													
5 17895.00	52.07	74.00	-21.93	57.02	43.17	21.87	70.19	0.20	-- -- Peak																																																																																																																																																																													
6 19215.00	39.87	74.00	-34.13	42.28	37.91	22.81	53.59	-9.54	-- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																													
1 11930.00	48.41	74.00	-25.59	58.96	38.94	17.84	67.44	0.11	-- -- PEAK																																																																																																																																																																													
2 11930.00	40.92	54.00	-13.08	51.47	38.94	17.84	67.44	0.11	-- -- Average																																																																																																																																																																													
3 12810.00	48.73	88.20	-39.47	58.33	39.56	18.54	67.00	0.10	-- -- Peak																																																																																																																																																																													
4 12810.00	39.28	68.20	-28.92	48.88	39.56	18.54	67.00	0.10	-- -- Average																																																																																																																																																																													
5 17895.00	52.73	74.00	-21.27	58.70	42.15	21.87	70.19	0.20	-- -- Peak																																																																																																																																																																													
6 19215.00	38.89	74.00	-35.11	41.30	37.91	22.81	53.59	-9.54	-- -- Peak																																																																																																																																																																													

Mode	21	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	22																																																								
	Band Edge - L																																																								
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz																																																								
ANT	MIMO																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.86</td><td>77.03</td><td>88.20</td><td>-11.17</td><td>59.48</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>154 170 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5921.86	77.03	88.20	-11.17	59.48	34.15	12.59	29.19	0.00	154 170 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>121.66</td><td>-----</td><td>104.06</td><td>34.18</td><td>12.60</td><td>29.18</td><td>0.00</td><td>154</td><td>170 PEAK</td></tr><tr><td>2</td><td>6005.00</td><td>119.02</td><td>-----</td><td>101.48</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>154</td><td>170 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	121.66	-----	104.06	34.18	12.60	29.18	0.00	154	170 PEAK	2	6005.00	119.02	-----	101.48	34.17	12.62	29.25	0.00	154	170 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5921.86	77.03	88.20	-11.17	59.48	34.15	12.59	29.19	0.00	154 170 PEAK																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5965.00	121.66	-----	104.06	34.18	12.60	29.18	0.00	154	170 PEAK																																															
2	6005.00	119.02	-----	101.48	34.17	12.62	29.25	0.00	154	170 PEAK																																															
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>67.45</td><td>68.20</td><td>-0.75</td><td>49.90</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>154 170 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.44	67.45	68.20	-0.75	49.90	34.15	12.59	29.19	0.00	154 170 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.00</td><td>-----</td><td>95.44</td><td>34.17</td><td>12.60</td><td>29.21</td><td>0.00</td><td>154</td><td>170 AVERAGE</td></tr><tr><td>2</td><td>6005.00</td><td>111.02</td><td>-----</td><td>93.48</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>154</td><td>170 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	113.00	-----	95.44	34.17	12.60	29.21	0.00	154	170 AVERAGE	2	6005.00	111.02	-----	93.48	34.17	12.62	29.25	0.00	154	170 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5922.44	67.45	68.20	-0.75	49.90	34.15	12.59	29.19	0.00	154 170 AVERAGE																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5965.00	113.00	-----	95.44	34.17	12.60	29.21	0.00	154	170 AVERAGE																																															
2	6005.00	111.02	-----	93.48	34.17	12.62	29.25	0.00	154	170 AVERAGE																																															



Mode	22	
	Band Edge - L	
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz	
ANT	MIMO	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5918.80 74.66 88.20 -13.54 57.09 34.17 12.59 29.19 0.00 152 184 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 120.79 ----- 103.26 34.17 12.63 29.27 0.00 152 184 PEAK 2 6005.00 119.97 ----- 102.41 34.19 12.62 29.25 0.00 152 184 PEAK
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.72 64.58 68.20 -3.62 47.01 34.17 12.59 29.19 0.00 152 184 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 111.76 ----- 94.20 34.19 12.62 29.25 0.00 152 184 AVERAGE 2 6005.00 111.76 ----- 94.20 34.19 12.62 29.25 0.00 152 184 AVERAGE



22

Mode

Harmonic

U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz

ANT

MIMO

Pol.

Horizontal

Vertical

Peak

Avg

Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1 11930.00	48.49	74.00	-25.51	58.96	39.02	17.84	67.44	0.11	-- -- PEAK
2 11930.00	38.96	54.00	-15.04	49.43	39.02	17.84	67.44	0.11	-- -- Average
3 12010.00	48.59	74.00	-25.41	58.78	39.09	17.90	67.28	0.10	-- -- Peak
4 12010.00	37.78	54.00	-16.22	47.97	39.09	17.90	67.28	0.10	-- -- Average
5 17895.00	52.63	74.00	-21.37	57.58	43.17	21.87	70.19	0.20	-- -- Peak
6 18015.00	37.10	74.00	-36.90	39.90	37.82	21.95	53.03	-9.54	-- -- Peak
7 18015.00	37.10	54.00	-16.90	39.91	37.81	21.96	53.04	-9.54	-- -- Peak



Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1 11930.00	49.09	74.00	-24.91	59.64	38.94	17.84	67.44	0.11	-- -- PEAK
2 11930.00	38.22	54.00	-15.78	48.77	38.94	17.84	67.44	0.11	-- -- Average
3 12010.00	47.92	74.00	-26.08	58.15	39.05	17.90	67.28	0.10	-- -- Peak
4 17895.00	52.22	74.00	-21.78	58.19	42.15	21.87	70.19	0.20	-- -- Peak
5 18015.00	36.79	74.00	-37.21	39.40	38.01	21.95	53.03	-9.54	-- -- Peak
6 18015.00	36.79	54.00	-17.21	39.42	37.99	21.96	53.04	-9.54	-- -- Peak







Mode	22	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL







Mode	23																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz																																																	
ANT	MIMO																																																	
Pol.	Horizontal	Fundamental																																																
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>126.92</td><td>-----</td><td>109.30</td><td>34.19</td><td>12.82</td><td>29.39</td><td>0.00</td><td>155</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>6205.00</td><td>122.30</td><td>-----</td><td>104.63</td><td>34.23</td><td>12.85</td><td>29.41</td><td>0.00</td><td>155</td><td>169</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	126.92	-----	109.30	34.19	12.82	29.39	0.00	155	169	PEAK	2	6205.00	122.30	-----	104.63	34.23	12.85	29.41	0.00	155	169	PEAK												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6165.00	126.92	-----	109.30	34.19	12.82	29.39	0.00	155	169	PEAK																																							
2	6205.00	122.30	-----	104.63	34.23	12.85	29.41	0.00	155	169	PEAK																																							
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>117.91</td><td>-----</td><td>100.36</td><td>34.15</td><td>12.78</td><td>29.38</td><td>0.00</td><td>155</td><td>169</td><td>AVERAGE</td></tr><tr><td>2</td><td>6205.00</td><td>115.35</td><td>-----</td><td>97.68</td><td>34.23</td><td>12.85</td><td>29.41</td><td>0.00</td><td>155</td><td>169</td><td>AVERAGE</td></tr><tr><td>3</td><td>7111.00</td><td>63.06</td><td>68.20</td><td>-5.14</td><td>43.07</td><td>36.42</td><td>13.80</td><td>30.23</td><td>0.00</td><td>160</td><td>165 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	117.91	-----	100.36	34.15	12.78	29.38	0.00	155	169	AVERAGE	2	6205.00	115.35	-----	97.68	34.23	12.85	29.41	0.00	155	169	AVERAGE	3	7111.00	63.06	68.20	-5.14	43.07	36.42	13.80	30.23	0.00	160	165 Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6165.00	117.91	-----	100.36	34.15	12.78	29.38	0.00	155	169	AVERAGE																																							
2	6205.00	115.35	-----	97.68	34.23	12.85	29.41	0.00	155	169	AVERAGE																																							
3	7111.00	63.06	68.20	-5.14	43.07	36.42	13.80	30.23	0.00	160	165 Average																																							





Mode	23																																		
	Band Edge																																		
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz																																		
ANT	MIMO																																		
Pol.	Vertical	Fundamental																																	
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>125.06</td><td>-----</td><td>100.13</td><td>34.28</td><td>12.87</td><td>29.42</td><td>0.00</td><td>156</td><td>186 PEAK</td></tr><tr><td>2</td><td>6205.00</td><td>123.69</td><td>-----</td><td>105.99</td><td>34.26</td><td>12.85</td><td>29.41</td><td>0.00</td><td>156</td><td>186 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	125.06	-----	100.13	34.28	12.87	29.42	0.00	156	186 PEAK	2	6205.00	123.69	-----	105.99	34.26	12.85	29.41	0.00	156	186 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6165.00	125.06	-----	100.13	34.28	12.87	29.42	0.00	156	186 PEAK																									
2	6205.00	123.69	-----	105.99	34.26	12.85	29.41	0.00	156	186 PEAK																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>117.18</td><td>-----</td><td>99.52</td><td>34.22</td><td>12.83</td><td>29.39</td><td>0.00</td><td>156</td><td>186 AVERAGE</td></tr><tr><td>2</td><td>6205.00</td><td>116.96</td><td>-----</td><td>99.26</td><td>34.26</td><td>12.85</td><td>29.41</td><td>0.00</td><td>156</td><td>186 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	117.18	-----	99.52	34.22	12.83	29.39	0.00	156	186 AVERAGE	2	6205.00	116.96	-----	99.26	34.26	12.85	29.41	0.00	156	186 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6165.00	117.18	-----	99.52	34.22	12.83	29.39	0.00	156	186 AVERAGE																									
2	6205.00	116.96	-----	99.26	34.26	12.85	29.41	0.00	156	186 AVERAGE																									



Mode	23																																																																																																																																																																											
	Harmonic																																																																																																																																																																											
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz																																																																																																																																																																											
ANT	MIMO																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																										
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12330.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>59.12</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 12330.00</td><td>41.12</td><td>54.00</td><td>-12.88</td><td>51.28</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12410.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>58.84</td><td>39.15</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 12410.00</td><td>39.66</td><td>54.00</td><td>-14.34</td><td>49.77</td><td>39.15</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 18495.00</td><td>38.92</td><td>74.00</td><td>-35.08</td><td>41.45</td><td>38.15</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>6 18615.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>40.71</td><td>38.11</td><td>22.40</td><td>53.49</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12330.00	48.96	74.00	-25.04	59.12	39.19	18.15	67.60	0.10	-- PEAK	2 12330.00	41.12	54.00	-12.88	51.28	39.19	18.15	67.60	0.10	-- Average	3 12410.00	48.73	74.00	-25.27	58.84	39.15	18.22	67.58	0.10	-- Peak	4 12410.00	39.66	54.00	-14.34	49.77	39.15	18.22	67.58	0.10	-- Average	5 18495.00	38.92	74.00	-35.08	41.45	38.15	22.31	53.45	-9.54	-- PEAK	6 18615.00	38.19	74.00	-35.81	40.71	38.11	22.40	53.49	-9.54	-- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12330.00</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>59.06</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 12330.00</td><td>38.48</td><td>54.00</td><td>-15.52</td><td>48.69</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12410.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>58.12</td><td>39.09</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 18495.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>41.00</td><td>38.34</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>5 18615.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>40.40</td><td>38.18</td><td>22.40</td><td>53.49</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12330.00	48.85	74.00	-25.15	59.06	39.14	18.15	67.60	0.10	-- PEAK	2 12330.00	38.48	54.00	-15.52	48.69	39.14	18.15	67.60	0.10	-- Average	3 12410.00	47.95	74.00	-26.05	58.12	39.09	18.22	67.58	0.10	-- Peak	4 18495.00	38.66	74.00	-35.34	41.00	38.34	22.31	53.45	-9.54	-- PEAK	5 18615.00	37.95	74.00	-36.05	40.40	38.18	22.40	53.49	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																			
1 12330.00	48.96	74.00	-25.04	59.12	39.19	18.15	67.60	0.10	-- PEAK																																																																																																																																																																			
2 12330.00	41.12	54.00	-12.88	51.28	39.19	18.15	67.60	0.10	-- Average																																																																																																																																																																			
3 12410.00	48.73	74.00	-25.27	58.84	39.15	18.22	67.58	0.10	-- Peak																																																																																																																																																																			
4 12410.00	39.66	54.00	-14.34	49.77	39.15	18.22	67.58	0.10	-- Average																																																																																																																																																																			
5 18495.00	38.92	74.00	-35.08	41.45	38.15	22.31	53.45	-9.54	-- PEAK																																																																																																																																																																			
6 18615.00	38.19	74.00	-35.81	40.71	38.11	22.40	53.49	-9.54	-- Peak																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																			
1 12330.00	48.85	74.00	-25.15	59.06	39.14	18.15	67.60	0.10	-- PEAK																																																																																																																																																																			
2 12330.00	38.48	54.00	-15.52	48.69	39.14	18.15	67.60	0.10	-- Average																																																																																																																																																																			
3 12410.00	47.95	74.00	-26.05	58.12	39.09	18.22	67.58	0.10	-- Peak																																																																																																																																																																			
4 18495.00	38.66	74.00	-35.34	41.00	38.34	22.31	53.45	-9.54	-- PEAK																																																																																																																																																																			
5 18615.00	37.95	74.00	-36.05	40.40	38.18	22.40	53.49	-9.54	-- Peak																																																																																																																																																																			



Mode	23	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH43+51_6165+6205MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL











Mode	24																																		
	Band Edge																																		
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz																																		
ANT	MIMO																																		
Pol.	Horizontal	Fundamental																																	
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6365.00</td><td>126.34</td><td>-----</td><td>100.24</td><td>34.60</td><td>13.07</td><td>29.57</td><td>0.00</td><td>156</td><td>172 PEAK</td></tr><tr><td>2</td><td>6405.00</td><td>127.27</td><td>-----</td><td>109.10</td><td>34.66</td><td>13.10</td><td>29.59</td><td>0.00</td><td>156</td><td>172 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6365.00	126.34	-----	100.24	34.60	13.07	29.57	0.00	156	172 PEAK	2	6405.00	127.27	-----	109.10	34.66	13.10	29.59	0.00	156	172 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6365.00	126.34	-----	100.24	34.60	13.07	29.57	0.00	156	172 PEAK																									
2	6405.00	127.27	-----	109.10	34.66	13.10	29.59	0.00	156	172 PEAK																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6365.00</td><td>118.32</td><td>-----</td><td>100.22</td><td>34.60</td><td>13.07</td><td>29.57</td><td>0.00</td><td>156</td><td>172 AVERAGE</td></tr><tr><td>2</td><td>6405.00</td><td>118.53</td><td>-----</td><td>100.48</td><td>34.56</td><td>13.05</td><td>29.56</td><td>0.00</td><td>156</td><td>172 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6365.00	118.32	-----	100.22	34.60	13.07	29.57	0.00	156	172 AVERAGE	2	6405.00	118.53	-----	100.48	34.56	13.05	29.56	0.00	156	172 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6365.00	118.32	-----	100.22	34.60	13.07	29.57	0.00	156	172 AVERAGE																									
2	6405.00	118.53	-----	100.48	34.56	13.05	29.56	0.00	156	172 AVERAGE																									







Mode	24																															
	Band Edge																															
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz																															
ANT	MIMO																															
Pol.	Vertical	Fundamental																														
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6365.00</td><td>125.21</td><td>-----</td><td>106.97</td><td>34.73</td><td>13.10</td><td>29.59</td><td>0.00</td><td>155 185 PEAK</td></tr><tr><td>2</td><td>6405.00</td><td>125.45</td><td>-----</td><td>107.10</td><td>34.83</td><td>13.13</td><td>29.61</td><td>0.00</td><td>155 185 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6365.00	125.21	-----	106.97	34.73	13.10	29.59	0.00	155 185 PEAK	2	6405.00	125.45	-----	107.10	34.83	13.13	29.61	0.00	155 185 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1	6365.00	125.21	-----	106.97	34.73	13.10	29.59	0.00	155 185 PEAK																							
2	6405.00	125.45	-----	107.10	34.83	13.13	29.61	0.00	155 185 PEAK																							
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6365.00</td><td>116.39</td><td>-----</td><td>90.23</td><td>34.66</td><td>13.07</td><td>29.57</td><td>0.00</td><td>155 185 AVERAGE</td></tr><tr><td>2</td><td>6405.00</td><td>117.37</td><td>-----</td><td>99.02</td><td>34.83</td><td>13.13</td><td>29.61</td><td>0.00</td><td>155 185 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6365.00	116.39	-----	90.23	34.66	13.07	29.57	0.00	155 185 AVERAGE	2	6405.00	117.37	-----	99.02	34.83	13.13	29.61	0.00	155 185 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1	6365.00	116.39	-----	90.23	34.66	13.07	29.57	0.00	155 185 AVERAGE																							
2	6405.00	117.37	-----	99.02	34.83	13.13	29.61	0.00	155 185 AVERAGE																							



Mode	24																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz																																																																																																																																																																																					
ANT	MIMO																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12730.00</td><td>49.27</td><td>88.20</td><td>-38.93</td><td>58.87</td><td>39.43</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 12730.00</td><td>40.21</td><td>68.20</td><td>-27.99</td><td>49.81</td><td>39.43</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>59.19</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>4 12810.00</td><td>41.55</td><td>68.20</td><td>-26.65</td><td>51.16</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 19095.00</td><td>38.28</td><td>74.00</td><td>-35.72</td><td>40.53</td><td>38.07</td><td>22.74</td><td>53.52</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 19215.00</td><td>38.98</td><td>74.00</td><td>-35.02</td><td>41.39</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12730.00	49.27	88.20	-38.93	58.87	39.43	18.47	67.60	0.10	-- Peak	2 12730.00	40.21	68.20	-27.99	49.81	39.43	18.47	67.60	0.10	-- Average	3 12810.00	49.58	88.20	-38.62	59.19	39.55	18.54	67.80	0.10	-- PEAK	4 12810.00	41.55	68.20	-26.65	51.16	39.55	18.54	67.80	0.10	-- Average	5 19095.00	38.28	74.00	-35.72	40.53	38.07	22.74	53.52	-9.54	-- Peak	6 19215.00	38.98	74.00	-35.02	41.39	37.91	22.81	53.59	-9.54	-- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12730.00</td><td>49.30</td><td>88.20</td><td>-38.90</td><td>58.88</td><td>39.45</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 12730.00</td><td>40.54</td><td>68.20</td><td>-27.66</td><td>50.12</td><td>39.45</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>59.53</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>4 12810.00</td><td>40.38</td><td>68.20</td><td>-27.82</td><td>49.98</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 19095.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>40.91</td><td>38.10</td><td>22.74</td><td>53.52</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 19215.00</td><td>38.67</td><td>74.00</td><td>-35.33</td><td>41.08</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12730.00	49.30	88.20	-38.90	58.88	39.45	18.47	67.60	0.10	-- Peak	2 12730.00	40.54	68.20	-27.66	50.12	39.45	18.47	67.60	0.10	-- Average	3 12810.00	49.93	88.20	-38.27	59.53	39.56	18.54	67.80	0.10	-- PEAK	4 12810.00	40.38	68.20	-27.82	49.98	39.56	18.54	67.80	0.10	-- Average	5 19095.00	38.69	74.00	-35.31	40.91	38.10	22.74	53.52	-9.54	-- Peak	6 19215.00	38.67	74.00	-35.33	41.08	37.91	22.81	53.59	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																													
1 12730.00	49.27	88.20	-38.93	58.87	39.43	18.47	67.60	0.10	-- Peak																																																																																																																																																																													
2 12730.00	40.21	68.20	-27.99	49.81	39.43	18.47	67.60	0.10	-- Average																																																																																																																																																																													
3 12810.00	49.58	88.20	-38.62	59.19	39.55	18.54	67.80	0.10	-- PEAK																																																																																																																																																																													
4 12810.00	41.55	68.20	-26.65	51.16	39.55	18.54	67.80	0.10	-- Average																																																																																																																																																																													
5 19095.00	38.28	74.00	-35.72	40.53	38.07	22.74	53.52	-9.54	-- Peak																																																																																																																																																																													
6 19215.00	38.98	74.00	-35.02	41.39	37.91	22.81	53.59	-9.54	-- PEAK																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																													
1 12730.00	49.30	88.20	-38.90	58.88	39.45	18.47	67.60	0.10	-- Peak																																																																																																																																																																													
2 12730.00	40.54	68.20	-27.66	50.12	39.45	18.47	67.60	0.10	-- Average																																																																																																																																																																													
3 12810.00	49.93	88.20	-38.27	59.53	39.56	18.54	67.80	0.10	-- PEAK																																																																																																																																																																													
4 12810.00	40.38	68.20	-27.82	49.98	39.56	18.54	67.80	0.10	-- Average																																																																																																																																																																													
5 19095.00	38.69	74.00	-35.31	40.91	38.10	22.74	53.52	-9.54	-- Peak																																																																																																																																																																													
6 19215.00	38.67	74.00	-35.33	41.08	37.91	22.81	53.59	-9.54	-- PEAK																																																																																																																																																																													

Mode	24	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH83+91_6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL





Mode	25																																																																												
	Band Edge - L																																																																												
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz																																																																												
ANT	MIMO																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5921.32</td><td>72.47</td><td>88.20</td><td>-15.73</td><td>54.92</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>159</td><td>174 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5921.32	72.47	88.20	-15.73	54.92	34.15	12.59	29.19	0.00	159	174 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>124.13</td><td>-----</td><td>106.57</td><td>34.17</td><td>12.60</td><td>29.21</td><td>0.00</td><td>159</td><td>174 PEAK</td></tr><tr><td>2 6405.00</td><td>120.37</td><td>-----</td><td>102.09</td><td>34.76</td><td>13.13</td><td>29.61</td><td>0.00</td><td>159</td><td>174 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	124.13	-----	106.57	34.17	12.60	29.21	0.00	159	174 PEAK	2 6405.00	120.37	-----	102.09	34.76	13.13	29.61	0.00	159	174 PEAK																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5921.32	72.47	88.20	-15.73	54.92	34.15	12.59	29.19	0.00	159	174 PEAK																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5965.00	124.13	-----	106.57	34.17	12.60	29.21	0.00	159	174 PEAK																																																																				
2 6405.00	120.37	-----	102.09	34.76	13.13	29.61	0.00	159	174 PEAK																																																																				
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>64.67</td><td>68.20</td><td>-3.53</td><td>47.12</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>159</td><td>174 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.68	64.67	68.20	-3.53	47.12	34.15	12.59	29.19	0.00	159	174 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5529.00</td><td>64.53</td><td>68.20</td><td>-3.67</td><td>48.42</td><td>33.09</td><td>12.12</td><td>29.10</td><td>0.00</td><td>161</td><td>174 AVERAGE</td></tr><tr><td>2 5965.00</td><td>114.75</td><td>-----</td><td>97.17</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>159</td><td>174 AVERAGE</td></tr><tr><td>3 6405.00</td><td>111.99</td><td>-----</td><td>93.75</td><td>34.72</td><td>13.12</td><td>29.60</td><td>0.00</td><td>159</td><td>174 AVERAGE</td></tr><tr><td>4 6845.00</td><td>67.21</td><td>68.20</td><td>-0.99</td><td>47.90</td><td>35.83</td><td>13.49</td><td>30.01</td><td>0.00</td><td>161</td><td>170 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5529.00	64.53	68.20	-3.67	48.42	33.09	12.12	29.10	0.00	161	174 AVERAGE	2 5965.00	114.75	-----	97.17	34.18	12.60	29.20	0.00	159	174 AVERAGE	3 6405.00	111.99	-----	93.75	34.72	13.12	29.60	0.00	159	174 AVERAGE	4 6845.00	67.21	68.20	-0.99	47.90	35.83	13.49	30.01	0.00	161	170 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5924.68	64.67	68.20	-3.53	47.12	34.15	12.59	29.19	0.00	159	174 AVERAGE																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 5529.00	64.53	68.20	-3.67	48.42	33.09	12.12	29.10	0.00	161	174 AVERAGE																																																																			
2 5965.00	114.75	-----	97.17	34.18	12.60	29.20	0.00	159	174 AVERAGE																																																																				
3 6405.00	111.99	-----	93.75	34.72	13.12	29.60	0.00	159	174 AVERAGE																																																																				
4 6845.00	67.21	68.20	-0.99	47.90	35.83	13.49	30.01	0.00	161	170 AVERAGE																																																																			

	25																																																																											
Mode	Band Edge - L																																																																											
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz																																																																											
ANT	MIMO																																																																											
Pol.	Vertical						Fundamental																																																																					
Peak																																																																												
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5920.48</td><td>66.68</td><td>88.20</td><td>-21.52</td><td>49.11</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00</td><td>159</td><td>174 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.48	66.68	88.20	-21.52	49.11	34.17	12.59	29.19	0.00	159	174 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>115.68</td><td>-----</td><td>98.08</td><td>34.20</td><td>12.60</td><td>29.20</td><td>0.00</td><td>159</td><td>174</td><td>PEAK</td></tr><tr><td>2 6405.00</td><td>110.06</td><td>-----</td><td>91.66</td><td>34.89</td><td>13.13</td><td>29.62</td><td>0.00</td><td>159</td><td>174</td><td>PEAK</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	115.68	-----	98.08	34.20	12.60	29.20	0.00	159	174	PEAK	2 6405.00	110.06	-----	91.66	34.89	13.13	29.62	0.00	159	174	PEAK										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5920.48	66.68	88.20	-21.52	49.11	34.17	12.59	29.19	0.00	159	174 PEAK																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5965.00	115.68	-----	98.08	34.20	12.60	29.20	0.00	159	174	PEAK																																																																		
2 6405.00	110.06	-----	91.66	34.89	13.13	29.62	0.00	159	174	PEAK																																																																		
Avg																																																																												
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>57.60</td><td>68.20</td><td>-10.60</td><td>40.03</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00</td><td>159</td><td>174 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.68	57.60	68.20	-10.60	40.03	34.17	12.59	29.19	0.00	159	174 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>106.80</td><td>-----</td><td>89.20</td><td>34.20</td><td>12.60</td><td>29.20</td><td>0.00</td><td>159</td><td>174</td><td>AVERAGE</td></tr><tr><td>2 6405.00</td><td>102.09</td><td>-----</td><td>83.76</td><td>34.81</td><td>13.12</td><td>29.60</td><td>0.00</td><td>159</td><td>174</td><td>AVERAGE</td></tr><tr><td>3 7111.00</td><td>66.50</td><td>68.20</td><td>-1.70</td><td>46.36</td><td>36.57</td><td>13.80</td><td>30.23</td><td>0.00</td><td>163</td><td>174 AVERAGE</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	106.80	-----	89.20	34.20	12.60	29.20	0.00	159	174	AVERAGE	2 6405.00	102.09	-----	83.76	34.81	13.12	29.60	0.00	159	174	AVERAGE	3 7111.00	66.50	68.20	-1.70	46.36	36.57	13.80	30.23	0.00	163
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5924.68	57.60	68.20	-10.60	40.03	34.17	12.59	29.19	0.00	159	174 AVERAGE																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 5965.00	106.80	-----	89.20	34.20	12.60	29.20	0.00	159	174	AVERAGE																																																																		
2 6405.00	102.09	-----	83.76	34.81	13.12	29.60	0.00	159	174	AVERAGE																																																																		
3 7111.00	66.50	68.20	-1.70	46.36	36.57	13.80	30.23	0.00	163	174 AVERAGE																																																																		







Mode	25																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz																																																																																																																																																																	
ANT	MIMO																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.66</td><td>74.00</td><td>-25.34</td><td>59.13</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- PEAK</td></tr><tr><td>2 11930.00</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>51.03</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>50.12</td><td>39.55</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>57.14</td><td>43.17</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 19215.00</td><td>39.29</td><td>74.00</td><td>-34.71</td><td>41.70</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.66	74.00	-25.34	59.13	39.02	17.84	67.44	0.11	-- PEAK	2 11930.00	40.56	54.00	-13.44	51.03	39.02	17.84	67.44	0.11	-- Average	3 12810.00	48.51	88.20	-39.69	50.12	39.55	18.54	67.00	0.10	-- Peak	4 17895.00	52.19	74.00	-21.81	57.14	43.17	21.87	70.19	0.20	-- Peak	5 19215.00	39.29	74.00	-34.71	41.70	37.91	22.81	53.59	-9.54	-- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>59.08</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- PEAK</td></tr><tr><td>2 11930.00</td><td>39.22</td><td>54.00</td><td>-14.78</td><td>49.77</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>58.28</td><td>39.56</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>58.57</td><td>42.15</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 19215.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>41.15</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.53	74.00	-25.47	59.08	38.94	17.84	67.44	0.11	-- PEAK	2 11930.00	39.22	54.00	-14.78	49.77	38.94	17.84	67.44	0.11	-- Average	3 12810.00	48.68	88.20	-39.52	58.28	39.56	18.54	67.00	0.10	-- Peak	4 17895.00	52.60	74.00	-21.40	58.57	42.15	21.87	70.19	0.20	-- Peak	5 19215.00	38.74	74.00	-35.26	41.15	37.91	22.81	53.59	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1 11930.00	48.66	74.00	-25.34	59.13	39.02	17.84	67.44	0.11	-- PEAK																																																																																																																																																									
2 11930.00	40.56	54.00	-13.44	51.03	39.02	17.84	67.44	0.11	-- Average																																																																																																																																																									
3 12810.00	48.51	88.20	-39.69	50.12	39.55	18.54	67.00	0.10	-- Peak																																																																																																																																																									
4 17895.00	52.19	74.00	-21.81	57.14	43.17	21.87	70.19	0.20	-- Peak																																																																																																																																																									
5 19215.00	39.29	74.00	-34.71	41.70	37.91	22.81	53.59	-9.54	-- Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1 11930.00	48.53	74.00	-25.47	59.08	38.94	17.84	67.44	0.11	-- PEAK																																																																																																																																																									
2 11930.00	39.22	54.00	-14.78	49.77	38.94	17.84	67.44	0.11	-- Average																																																																																																																																																									
3 12810.00	48.68	88.20	-39.52	58.28	39.56	18.54	67.00	0.10	-- Peak																																																																																																																																																									
4 17895.00	52.60	74.00	-21.40	58.57	42.15	21.87	70.19	0.20	-- Peak																																																																																																																																																									
5 19215.00	38.74	74.00	-35.26	41.15	37.91	22.81	53.59	-9.54	-- Peak																																																																																																																																																									



Mode	25	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+91_5965+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	26																																																													
	Band Edge - L																																																													
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19_5965+6005+6045MHz																																																													
ANT	MIMO																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.08</td><td>77.33</td><td>88.20</td><td>-10.87</td><td>59.78</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>155 170 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5919.08	77.33	88.20	-10.87	59.78	34.15	12.59	29.19	0.00	155 170 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>121.99</td><td>-----</td><td>104.44</td><td>34.17</td><td>12.61</td><td>29.23</td><td>0.00</td><td>155</td><td>170 PEAK</td></tr><tr><td>2 6005.00</td><td>120.43</td><td>-----</td><td>102.89</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>155</td><td>170 PEAK</td></tr><tr><td>3 6045.00</td><td>118.99</td><td>-----</td><td>101.50</td><td>34.14</td><td>12.66</td><td>29.31</td><td>0.00</td><td>155</td><td>170 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	121.99	-----	104.44	34.17	12.61	29.23	0.00	155	170 PEAK	2 6005.00	120.43	-----	102.89	34.17	12.62	29.25	0.00	155	170 PEAK	3 6045.00	118.99	-----	101.50	34.14	12.66	29.31	0.00	155	170 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5919.08	77.33	88.20	-10.87	59.78	34.15	12.59	29.19	0.00	155 170 PEAK																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5965.00	121.99	-----	104.44	34.17	12.61	29.23	0.00	155	170 PEAK																																																					
2 6005.00	120.43	-----	102.89	34.17	12.62	29.25	0.00	155	170 PEAK																																																					
3 6045.00	118.99	-----	101.50	34.14	12.66	29.31	0.00	155	170 PEAK																																																					
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.72</td><td>67.68</td><td>68.20</td><td>-0.52</td><td>50.13</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00</td><td>155 170 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5922.72	67.68	68.20	-0.52	50.13	34.15	12.59	29.19	0.00	155 170 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>113.30</td><td>-----</td><td>95.80</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>155</td><td>170 AVERAGE</td></tr><tr><td>2 6005.00</td><td>113.26</td><td>-----</td><td>95.72</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>155</td><td>170 AVERAGE</td></tr><tr><td>3 6045.00</td><td>112.81</td><td>-----</td><td>95.32</td><td>34.14</td><td>12.66</td><td>29.31</td><td>0.00</td><td>155</td><td>170 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	113.30	-----	95.80	34.18	12.60	29.20	0.00	155	170 AVERAGE	2 6005.00	113.26	-----	95.72	34.17	12.62	29.25	0.00	155	170 AVERAGE	3 6045.00	112.81	-----	95.32	34.14	12.66	29.31	0.00	155	170 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5922.72	67.68	68.20	-0.52	50.13	34.15	12.59	29.19	0.00	155 170 AVERAGE																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5965.00	113.30	-----	95.80	34.18	12.60	29.20	0.00	155	170 AVERAGE																																																					
2 6005.00	113.26	-----	95.72	34.17	12.62	29.25	0.00	155	170 AVERAGE																																																					
3 6045.00	112.81	-----	95.32	34.14	12.66	29.31	0.00	155	170 AVERAGE																																																					

Mode

ANT

Pol.

26

Band Edge - L


U-NII-5_5.925-6.425_Proprietary_CH3+11+19_5965+6005+6045MHz

MIMO

Vertical


Fundamental

Peak



Site : 03CH01-CA
Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto


	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5906.48	71.02	88.20	-17.18	53.46	34.16	12.59	29.19	0.00	155	187 PEAK



Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto


	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5965.00	119.90	-----	102.33	34.19	12.61	29.23	0.00	155	187 PEAK	
2	6005.00	119.65	-----	102.09	34.19	12.62	29.25	0.00	155	187 PEAK	
3	6047.00	116.95	-----	99.45	34.15	12.66	29.31	0.00	155	187 PEAK	

Avg





Site : 03CH01-CA
Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto





	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5924.96	64.90	68.20	-3.30	47.33	34.17	12.59	29.19	0.00	155	187 AVERAGE





Site : 03CH01-CA
Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5965.00	114.01	-----	96.45	34.19	12.62	29.25	0.00	155	187 AVERAGE	
2	6005.00	114.01	-----	96.45	34.19	12.62	29.25	0.00	155	187 AVERAGE	
3	6045.00	108.69	-----	91.19	34.15	12.66	29.31	0.00	155	187 AVERAGE	



Mode	26																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																							
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19_5965+6005+6045MHz																																																																																																																																																																																																																																							
ANT	MIMO																																																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																						
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>61.03</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>160 161 PEAK</td></tr><tr><td>2 11930.00</td><td>41.66</td><td>54.00</td><td>-12.34</td><td>52.13</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>160 161 Average</td></tr><tr><td>3 12010.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>59.43</td><td>39.09</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12010.00</td><td>39.78</td><td>54.00</td><td>-14.22</td><td>49.97</td><td>39.09</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>5 12090.00</td><td>49.05</td><td>74.00</td><td>-24.95</td><td>59.03</td><td>39.18</td><td>17.96</td><td>67.22</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>6 12090.00</td><td>39.78</td><td>54.00</td><td>-14.22</td><td>49.76</td><td>39.18</td><td>17.96</td><td>67.22</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>7 17895.00</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>58.23</td><td>43.17</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>8 18015.00</td><td>37.67</td><td>74.00</td><td>-36.33</td><td>40.47</td><td>37.82</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>9 19215.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>41.19</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	50.56	74.00	-23.44	61.03	39.02	17.84	67.44	0.11	160 161 PEAK	2 11930.00	41.66	54.00	-12.34	52.13	39.02	17.84	67.44	0.11	160 161 Average	3 12010.00	49.24	74.00	-24.76	59.43	39.09	17.90	67.28	0.10	-- -- Peak	4 12010.00	39.78	54.00	-14.22	49.97	39.09	17.90	67.28	0.10	-- -- Average	5 12090.00	49.05	74.00	-24.95	59.03	39.18	17.96	67.22	0.10	-- -- Peak	6 12090.00	39.78	54.00	-14.22	49.76	39.18	17.96	67.22	0.10	-- -- Average	7 17895.00	53.28	74.00	-20.72	58.23	43.17	21.87	70.19	0.20	-- -- Peak	8 18015.00	37.67	74.00	-36.33	40.47	37.82	21.95	53.03	-9.54	-- -- Peak	9 19215.00	38.78	74.00	-35.22	41.19	37.91	22.81	53.59	-9.54	-- -- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>59.35</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- PEAK</td></tr><tr><td>2 11930.00</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>50.37</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Average</td></tr><tr><td>3 12010.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>57.93</td><td>39.05</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12090.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>58.41</td><td>39.17</td><td>17.96</td><td>67.22</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>5 12090.00</td><td>38.46</td><td>54.00</td><td>-15.54</td><td>48.45</td><td>39.17</td><td>17.96</td><td>67.22</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>6 17895.00</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>58.08</td><td>42.15</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>7 18015.00</td><td>37.84</td><td>74.00</td><td>-36.16</td><td>40.45</td><td>38.01</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>8 19215.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>41.07</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.80	74.00	-25.20	59.35	38.94	17.84	67.44	0.11	-- -- PEAK	2 11930.00	39.82	54.00	-14.18	50.37	38.94	17.84	67.44	0.11	-- -- Average	3 12010.00	47.70	74.00	-26.30	57.93	39.05	17.90	67.28	0.10	-- -- Peak	4 12090.00	48.42	74.00	-25.58	58.41	39.17	17.96	67.22	0.10	-- -- Peak	5 12090.00	38.46	54.00	-15.54	48.45	39.17	17.96	67.22	0.10	-- -- Average	6 17895.00	52.11	74.00	-21.89	58.08	42.15	21.87	70.19	0.20	-- -- Peak	7 18015.00	37.84	74.00	-36.16	40.45	38.01	21.95	53.03	-9.54	-- -- Peak	8 19215.00	38.66	74.00	-35.34	41.07	37.91	22.81	53.59	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																															
1 11930.00	50.56	74.00	-23.44	61.03	39.02	17.84	67.44	0.11	160 161 PEAK																																																																																																																																																																																																																															
2 11930.00	41.66	54.00	-12.34	52.13	39.02	17.84	67.44	0.11	160 161 Average																																																																																																																																																																																																																															
3 12010.00	49.24	74.00	-24.76	59.43	39.09	17.90	67.28	0.10	-- -- Peak																																																																																																																																																																																																																															
4 12010.00	39.78	54.00	-14.22	49.97	39.09	17.90	67.28	0.10	-- -- Average																																																																																																																																																																																																																															
5 12090.00	49.05	74.00	-24.95	59.03	39.18	17.96	67.22	0.10	-- -- Peak																																																																																																																																																																																																																															
6 12090.00	39.78	54.00	-14.22	49.76	39.18	17.96	67.22	0.10	-- -- Average																																																																																																																																																																																																																															
7 17895.00	53.28	74.00	-20.72	58.23	43.17	21.87	70.19	0.20	-- -- Peak																																																																																																																																																																																																																															
8 18015.00	37.67	74.00	-36.33	40.47	37.82	21.95	53.03	-9.54	-- -- Peak																																																																																																																																																																																																																															
9 19215.00	38.78	74.00	-35.22	41.19	37.91	22.81	53.59	-9.54	-- -- Peak																																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																															
1 11930.00	48.80	74.00	-25.20	59.35	38.94	17.84	67.44	0.11	-- -- PEAK																																																																																																																																																																																																																															
2 11930.00	39.82	54.00	-14.18	50.37	38.94	17.84	67.44	0.11	-- -- Average																																																																																																																																																																																																																															
3 12010.00	47.70	74.00	-26.30	57.93	39.05	17.90	67.28	0.10	-- -- Peak																																																																																																																																																																																																																															
4 12090.00	48.42	74.00	-25.58	58.41	39.17	17.96	67.22	0.10	-- -- Peak																																																																																																																																																																																																																															
5 12090.00	38.46	54.00	-15.54	48.45	39.17	17.96	67.22	0.10	-- -- Average																																																																																																																																																																																																																															
6 17895.00	52.11	74.00	-21.89	58.08	42.15	21.87	70.19	0.20	-- -- Peak																																																																																																																																																																																																																															
7 18015.00	37.84	74.00	-36.16	40.45	38.01	21.95	53.03	-9.54	-- -- Peak																																																																																																																																																																																																																															
8 19215.00	38.66	74.00	-35.34	41.07	37.91	22.81	53.59	-9.54	-- -- Peak																																																																																																																																																																																																																															



Mode	26	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19_5965+6005+6045MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	27																																													
	Band Edge - L																																													
	U-NII-5_5.925-6.425_Proprietary_CH43+51+59_6165+6205+6245MHz																																													
ANT	MIMO																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>121.76</td><td>-----</td><td>104.18</td><td>34.17</td><td>12.80</td><td>29.39</td><td>0.00</td><td>159</td><td>166 PEAK</td></tr><tr><td>2</td><td>6205.00</td><td>122.22</td><td>-----</td><td>104.56</td><td>34.22</td><td>12.85</td><td>29.41</td><td>0.00</td><td>159</td><td>166 PEAK</td></tr><tr><td>3</td><td>6245.00</td><td>120.96</td><td>-----</td><td>103.19</td><td>34.31</td><td>12.90</td><td>29.44</td><td>0.00</td><td>159</td><td>166 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	121.76	-----	104.18	34.17	12.80	29.39	0.00	159	166 PEAK	2	6205.00	122.22	-----	104.56	34.22	12.85	29.41	0.00	159	166 PEAK	3	6245.00	120.96	-----	103.19	34.31	12.90	29.44	0.00	159	166 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	6165.00	121.76	-----	104.18	34.17	12.80	29.39	0.00	159	166 PEAK																																				
2	6205.00	122.22	-----	104.56	34.22	12.85	29.41	0.00	159	166 PEAK																																				
3	6245.00	120.96	-----	103.19	34.31	12.90	29.44	0.00	159	166 PEAK																																				
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>117.30</td><td>-----</td><td>99.72</td><td>34.17</td><td>12.80</td><td>29.39</td><td>0.00</td><td>159</td><td>166 AVERAGE</td></tr><tr><td>2</td><td>6205.00</td><td>114.03</td><td>-----</td><td>96.37</td><td>34.22</td><td>12.85</td><td>29.41</td><td>0.00</td><td>159</td><td>166 AVERAGE</td></tr><tr><td>3</td><td>6245.00</td><td>115.38</td><td>-----</td><td>97.61</td><td>34.31</td><td>12.90</td><td>29.44</td><td>0.00</td><td>159</td><td>166 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	117.30	-----	99.72	34.17	12.80	29.39	0.00	159	166 AVERAGE	2	6205.00	114.03	-----	96.37	34.22	12.85	29.41	0.00	159	166 AVERAGE	3	6245.00	115.38	-----	97.61	34.31	12.90	29.44	0.00	159	166 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	6165.00	117.30	-----	99.72	34.17	12.80	29.39	0.00	159	166 AVERAGE																																				
2	6205.00	114.03	-----	96.37	34.22	12.85	29.41	0.00	159	166 AVERAGE																																				
3	6245.00	115.38	-----	97.61	34.31	12.90	29.44	0.00	159	166 AVERAGE																																				





Mode	27																																																																					
	Band Edge - L																																																																					
	U-NII-5_5.925-6.425_Proprietary_CH43+51+59_6165+6205+6245MHz																																																																					
ANT	MIMO																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>120.36</td><td>-----</td><td>102.76</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>159</td><td>162 PEAK</td></tr><tr><td>2</td><td>6205.00</td><td>111.47</td><td>-----</td><td>93.78</td><td>34.25</td><td>12.85</td><td>29.41</td><td>0.00</td><td>159</td><td>162 PEAK</td></tr><tr><td>3</td><td>6245.00</td><td>117.28</td><td>-----</td><td>99.49</td><td>34.33</td><td>12.90</td><td>29.44</td><td>0.00</td><td>159</td><td>162 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	120.36	-----	102.76	34.19	12.80	29.39	0.00	159	162 PEAK	2	6205.00	111.47	-----	93.78	34.25	12.85	29.41	0.00	159	162 PEAK	3	6245.00	117.28	-----	99.49	34.33	12.90	29.44	0.00	159	162 PEAK																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	6165.00	120.36	-----	102.76	34.19	12.80	29.39	0.00	159	162 PEAK																																																												
2	6205.00	111.47	-----	93.78	34.25	12.85	29.41	0.00	159	162 PEAK																																																												
3	6245.00	117.28	-----	99.49	34.33	12.90	29.44	0.00	159	162 PEAK																																																												
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6082.00</td><td>67.35</td><td>68.20</td><td>-0.85</td><td>49.85</td><td>34.14</td><td>12.70</td><td>29.34</td><td>0.00</td><td>160</td><td>161 AVERAGE</td></tr><tr><td>2</td><td>6165.00</td><td>114.28</td><td>-----</td><td>96.68</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>159</td><td>162 AVERAGE</td></tr><tr><td>3</td><td>6205.00</td><td>108.89</td><td>-----</td><td>91.20</td><td>34.25</td><td>12.85</td><td>29.41</td><td>0.00</td><td>159</td><td>162 AVERAGE</td></tr><tr><td>4</td><td>6245.00</td><td>110.32</td><td>-----</td><td>92.53</td><td>34.33</td><td>12.90</td><td>29.44</td><td>0.00</td><td>159</td><td>162 AVERAGE</td></tr><tr><td>5</td><td>6327.00</td><td>65.23</td><td>68.20</td><td>-2.97</td><td>47.19</td><td>34.56</td><td>13.02</td><td>29.54</td><td>0.00</td><td>159</td><td>162 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6082.00	67.35	68.20	-0.85	49.85	34.14	12.70	29.34	0.00	160	161 AVERAGE	2	6165.00	114.28	-----	96.68	34.19	12.80	29.39	0.00	159	162 AVERAGE	3	6205.00	108.89	-----	91.20	34.25	12.85	29.41	0.00	159	162 AVERAGE	4	6245.00	110.32	-----	92.53	34.33	12.90	29.44	0.00	159	162 AVERAGE	5	6327.00	65.23	68.20	-2.97	47.19	34.56	13.02	29.54	0.00	159	162 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	6082.00	67.35	68.20	-0.85	49.85	34.14	12.70	29.34	0.00	160	161 AVERAGE																																																											
2	6165.00	114.28	-----	96.68	34.19	12.80	29.39	0.00	159	162 AVERAGE																																																												
3	6205.00	108.89	-----	91.20	34.25	12.85	29.41	0.00	159	162 AVERAGE																																																												
4	6245.00	110.32	-----	92.53	34.33	12.90	29.44	0.00	159	162 AVERAGE																																																												
5	6327.00	65.23	68.20	-2.97	47.19	34.56	13.02	29.54	0.00	159	162 AVERAGE																																																											

Mode	27																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																							
	U-NII-5_5.925-6.425_Proprietary_CH43+51+59_6165+6205+6245MHz																																																																																																																																																																																																																																							
ANT	MIMO																																																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																						
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12330.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>58.70</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 12330.00</td><td>37.52</td><td>54.00</td><td>-16.48</td><td>47.68</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12410.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>57.82</td><td>39.15</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 12490.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>58.35</td><td>39.17</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- Peak</td></tr><tr><td>5 12490.00</td><td>36.76</td><td>54.00</td><td>-17.24</td><td>46.67</td><td>39.17</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- Average</td></tr><tr><td>6 18495.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>41.31</td><td>38.15</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>7 18615.00</td><td>38.41</td><td>74.00</td><td>-35.59</td><td>40.93</td><td>38.11</td><td>22.40</td><td>53.49</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>8 18735.00</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>40.58</td><td>38.13</td><td>22.48</td><td>53.46</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12330.00	48.54	74.00	-25.46	58.70	39.19	18.15	67.60	0.10	-- PEAK	2 12330.00	37.52	54.00	-16.48	47.68	39.19	18.15	67.60	0.10	-- Average	3 12410.00	47.71	74.00	-26.29	57.82	39.15	18.22	67.58	0.10	-- Peak	4 12490.00	48.44	74.00	-25.56	58.35	39.17	18.28	67.46	0.10	-- Peak	5 12490.00	36.76	54.00	-17.24	46.67	39.17	18.28	67.46	0.10	-- Average	6 18495.00	38.78	74.00	-35.22	41.31	38.15	22.31	53.45	-9.54	-- PEAK	7 18615.00	38.41	74.00	-35.59	40.93	38.11	22.40	53.49	-9.54	-- Peak	8 18735.00	38.19	74.00	-35.81	40.58	38.13	22.48	53.46	-9.54	-- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 12330.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>59.50</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 12330.00</td><td>39.58</td><td>54.00</td><td>-14.42</td><td>49.79</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12410.00</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>58.31</td><td>39.09</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 12410.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>46.55</td><td>39.09</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 12490.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>58.55</td><td>39.13</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- Peak</td></tr><tr><td>6 12490.00</td><td>38.68</td><td>54.00</td><td>-15.32</td><td>48.63</td><td>39.13</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- Average</td></tr><tr><td>7 18495.00</td><td>38.82</td><td>74.00</td><td>-35.18</td><td>41.16</td><td>38.34</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>8 18615.00</td><td>37.71</td><td>74.00</td><td>-36.29</td><td>40.16</td><td>38.18</td><td>22.40</td><td>53.49</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>9 18735.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>40.82</td><td>38.26</td><td>22.48</td><td>53.46</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12330.00	49.29	74.00	-24.71	59.50	39.14	18.15	67.60	0.10	-- PEAK	2 12330.00	39.58	54.00	-14.42	49.79	39.14	18.15	67.60	0.10	-- Average	3 12410.00	48.14	74.00	-25.86	58.31	39.09	18.22	67.58	0.10	-- Peak	4 12410.00	36.38	54.00	-17.62	46.55	39.09	18.22	67.58	0.10	-- Average	5 12490.00	48.60	74.00	-25.40	58.55	39.13	18.28	67.46	0.10	-- Peak	6 12490.00	38.68	54.00	-15.32	48.63	39.13	18.28	67.46	0.10	-- Average	7 18495.00	38.82	74.00	-35.18	41.16	38.34	22.31	53.45	-9.54	-- PEAK	8 18615.00	37.71	74.00	-36.29	40.16	38.18	22.40	53.49	-9.54	-- Peak	9 18735.00	38.56	74.00	-35.44	40.82	38.26	22.48	53.46	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																															
1 12330.00	48.54	74.00	-25.46	58.70	39.19	18.15	67.60	0.10	-- PEAK																																																																																																																																																																																																																															
2 12330.00	37.52	54.00	-16.48	47.68	39.19	18.15	67.60	0.10	-- Average																																																																																																																																																																																																																															
3 12410.00	47.71	74.00	-26.29	57.82	39.15	18.22	67.58	0.10	-- Peak																																																																																																																																																																																																																															
4 12490.00	48.44	74.00	-25.56	58.35	39.17	18.28	67.46	0.10	-- Peak																																																																																																																																																																																																																															
5 12490.00	36.76	54.00	-17.24	46.67	39.17	18.28	67.46	0.10	-- Average																																																																																																																																																																																																																															
6 18495.00	38.78	74.00	-35.22	41.31	38.15	22.31	53.45	-9.54	-- PEAK																																																																																																																																																																																																																															
7 18615.00	38.41	74.00	-35.59	40.93	38.11	22.40	53.49	-9.54	-- Peak																																																																																																																																																																																																																															
8 18735.00	38.19	74.00	-35.81	40.58	38.13	22.48	53.46	-9.54	-- Peak																																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																															
1 12330.00	49.29	74.00	-24.71	59.50	39.14	18.15	67.60	0.10	-- PEAK																																																																																																																																																																																																																															
2 12330.00	39.58	54.00	-14.42	49.79	39.14	18.15	67.60	0.10	-- Average																																																																																																																																																																																																																															
3 12410.00	48.14	74.00	-25.86	58.31	39.09	18.22	67.58	0.10	-- Peak																																																																																																																																																																																																																															
4 12410.00	36.38	54.00	-17.62	46.55	39.09	18.22	67.58	0.10	-- Average																																																																																																																																																																																																																															
5 12490.00	48.60	74.00	-25.40	58.55	39.13	18.28	67.46	0.10	-- Peak																																																																																																																																																																																																																															
6 12490.00	38.68	54.00	-15.32	48.63	39.13	18.28	67.46	0.10	-- Average																																																																																																																																																																																																																															
7 18495.00	38.82	74.00	-35.18	41.16	38.34	22.31	53.45	-9.54	-- PEAK																																																																																																																																																																																																																															
8 18615.00	37.71	74.00	-36.29	40.16	38.18	22.40	53.49	-9.54	-- Peak																																																																																																																																																																																																																															
9 18735.00	38.56	74.00	-35.44	40.82	38.26	22.48	53.46	-9.54	-- Peak																																																																																																																																																																																																																															





Mode	27	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH43+51+59_6165+6205+6245MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL





Mode	28																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_Proprietary_CH75+83+91_6325+6365+6405MHz																																													
ANT	MIMO																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6325.00</td><td>121.45</td><td>-----</td><td>103.46</td><td>34.51</td><td>13.02</td><td>29.54</td><td>0.00</td><td>153</td><td>166 PEAK</td></tr><tr><td>2</td><td>6365.00</td><td>120.66</td><td>-----</td><td>102.56</td><td>34.60</td><td>13.07</td><td>29.57</td><td>0.00</td><td>153</td><td>166 PEAK</td></tr><tr><td>3</td><td>6405.00</td><td>118.66</td><td>-----</td><td>100.43</td><td>34.71</td><td>13.12</td><td>29.60</td><td>0.00</td><td>153</td><td>166 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6325.00	121.45	-----	103.46	34.51	13.02	29.54	0.00	153	166 PEAK	2	6365.00	120.66	-----	102.56	34.60	13.07	29.57	0.00	153	166 PEAK	3	6405.00	118.66	-----	100.43	34.71	13.12	29.60	0.00	153	166 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	6325.00	121.45	-----	103.46	34.51	13.02	29.54	0.00	153	166 PEAK																																				
2	6365.00	120.66	-----	102.56	34.60	13.07	29.57	0.00	153	166 PEAK																																				
3	6405.00	118.66	-----	100.43	34.71	13.12	29.60	0.00	153	166 PEAK																																				
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6325.00</td><td>118.80</td><td>-----</td><td>100.81</td><td>34.51</td><td>13.02</td><td>29.54</td><td>0.00</td><td>153</td><td>166 AVERAGE</td></tr><tr><td>2</td><td>6365.00</td><td>113.45</td><td>-----</td><td>95.35</td><td>34.60</td><td>13.07</td><td>29.57</td><td>0.00</td><td>153</td><td>166 AVERAGE</td></tr><tr><td>3</td><td>6405.00</td><td>114.13</td><td>-----</td><td>95.90</td><td>34.71</td><td>13.12</td><td>29.60</td><td>0.00</td><td>153</td><td>166 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6325.00	118.80	-----	100.81	34.51	13.02	29.54	0.00	153	166 AVERAGE	2	6365.00	113.45	-----	95.35	34.60	13.07	29.57	0.00	153	166 AVERAGE	3	6405.00	114.13	-----	95.90	34.71	13.12	29.60	0.00	153	166 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	6325.00	118.80	-----	100.81	34.51	13.02	29.54	0.00	153	166 AVERAGE																																				
2	6365.00	113.45	-----	95.35	34.60	13.07	29.57	0.00	153	166 AVERAGE																																				
3	6405.00	114.13	-----	95.90	34.71	13.12	29.60	0.00	153	166 AVERAGE																																				



Mode	28																																									
	Band Edge																																									
	U-NII-5_5.925-6.425_Proprietary_CH75+83+91_6325+6365+6405MHz																																									
ANT	MIMO																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6325.00</td><td>118.52</td><td>-----</td><td>100.48</td><td>34.56</td><td>13.02</td><td>29.54</td><td>0.00</td><td>154</td><td>165 PEAK</td></tr><tr><td>2 6365.00</td><td>109.99</td><td>-----</td><td>91.83</td><td>34.66</td><td>13.07</td><td>29.57</td><td>0.00</td><td>154</td><td>165 PEAK</td></tr><tr><td>3 6405.00</td><td>116.83</td><td>-----</td><td>98.50</td><td>34.81</td><td>13.12</td><td>29.60</td><td>0.00</td><td>154</td><td>165 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6325.00	118.52	-----	100.48	34.56	13.02	29.54	0.00	154	165 PEAK	2 6365.00	109.99	-----	91.83	34.66	13.07	29.57	0.00	154	165 PEAK	3 6405.00	116.83	-----	98.50	34.81	13.12	29.60	0.00	154	165 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 6325.00	118.52	-----	100.48	34.56	13.02	29.54	0.00	154	165 PEAK																																	
2 6365.00	109.99	-----	91.83	34.66	13.07	29.57	0.00	154	165 PEAK																																	
3 6405.00	116.83	-----	98.50	34.81	13.12	29.60	0.00	154	165 PEAK																																	
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6325.00</td><td>116.14</td><td>-----</td><td>90.11</td><td>34.55</td><td>13.02</td><td>29.54</td><td>0.00</td><td>154</td><td>165 AVERAGE</td></tr><tr><td>2 6365.00</td><td>108.25</td><td>-----</td><td>90.08</td><td>34.67</td><td>13.07</td><td>29.57</td><td>0.00</td><td>154</td><td>165 AVERAGE</td></tr><tr><td>3 6405.00</td><td>111.52</td><td>-----</td><td>93.19</td><td>34.81</td><td>13.12</td><td>29.60</td><td>0.00</td><td>154</td><td>165 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6325.00	116.14	-----	90.11	34.55	13.02	29.54	0.00	154	165 AVERAGE	2 6365.00	108.25	-----	90.08	34.67	13.07	29.57	0.00	154	165 AVERAGE	3 6405.00	111.52	-----	93.19	34.81	13.12	29.60	0.00	154	165 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 6325.00	116.14	-----	90.11	34.55	13.02	29.54	0.00	154	165 AVERAGE																																	
2 6365.00	108.25	-----	90.08	34.67	13.07	29.57	0.00	154	165 AVERAGE																																	
3 6405.00	111.52	-----	93.19	34.81	13.12	29.60	0.00	154	165 AVERAGE																																	



Mode	28																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH75+83+91_6325+6365+6405MHz																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
Peak																																																																																																																																																																																																										
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12650.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>58.37</td><td>39.32</td><td>18.41</td><td>67.47</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 12650.00</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>48.50</td><td>39.32</td><td>18.41</td><td>67.47</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12730.00</td><td>48.80</td><td>88.20</td><td>-39.40</td><td>58.40</td><td>39.43</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 12810.00</td><td>49.73</td><td>88.20</td><td>-38.47</td><td>59.34</td><td>39.55</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- Peak</td></tr><tr><td>5 18975.00</td><td>37.87</td><td>74.00</td><td>-36.13</td><td>48.14</td><td>38.04</td><td>22.66</td><td>53.43</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 19095.00</td><td>38.89</td><td>74.00</td><td>-35.11</td><td>41.14</td><td>38.07</td><td>22.74</td><td>53.52</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>7 19215.00</td><td>39.22</td><td>74.00</td><td>-34.78</td><td>41.63</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 12650.00	48.73	74.00	-25.27	58.37	39.32	18.41	67.47	0.10	-- Peak	2 12650.00	38.86	54.00	-15.14	48.50	39.32	18.41	67.47	0.10	-- Average	3 12730.00	48.80	88.20	-39.40	58.40	39.43	18.47	67.60	0.10	-- Peak	4 12810.00	49.73	88.20	-38.47	59.34	39.55	18.54	67.00	0.10	-- Peak	5 18975.00	37.87	74.00	-36.13	48.14	38.04	22.66	53.43	-9.54	-- Peak	6 19095.00	38.89	74.00	-35.11	41.14	38.07	22.74	53.52	-9.54	-- Peak	7 19215.00	39.22	74.00	-34.78	41.63	37.91	22.81	53.59	-9.54	-- PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12650.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>58.56</td><td>39.32</td><td>18.41</td><td>67.47</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 12650.00</td><td>48.20</td><td>54.00</td><td>-13.80</td><td>49.84</td><td>39.32</td><td>18.41</td><td>67.47</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 12730.00</td><td>48.70</td><td>88.20</td><td>-39.50</td><td>58.28</td><td>39.45</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 12810.00</td><td>49.51</td><td>88.20</td><td>-38.69</td><td>59.11</td><td>39.56</td><td>18.54</td><td>67.00</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>5 18975.00</td><td>38.15</td><td>74.00</td><td>-35.85</td><td>48.40</td><td>38.06</td><td>22.66</td><td>53.43</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 19095.00</td><td>38.67</td><td>74.00</td><td>-35.33</td><td>48.89</td><td>38.10</td><td>22.74</td><td>53.52</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>7 19215.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>41.19</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 12650.00	48.92	74.00	-25.08	58.56	39.32	18.41	67.47	0.10	-- Peak	2 12650.00	48.20	54.00	-13.80	49.84	39.32	18.41	67.47	0.10	-- Average	3 12730.00	48.70	88.20	-39.50	58.28	39.45	18.47	67.60	0.10	-- Peak	4 12810.00	49.51	88.20	-38.69	59.11	39.56	18.54	67.00	0.10	-- PEAK	5 18975.00	38.15	74.00	-35.85	48.40	38.06	22.66	53.43	-9.54	-- Peak	6 19095.00	38.67	74.00	-35.33	48.89	38.10	22.74	53.52	-9.54	-- Peak	7 19215.00	38.78	74.00	-35.22	41.19	37.91	22.81	53.59	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																		
1 12650.00	48.73	74.00	-25.27	58.37	39.32	18.41	67.47	0.10	-- Peak																																																																																																																																																																																																	
2 12650.00	38.86	54.00	-15.14	48.50	39.32	18.41	67.47	0.10	-- Average																																																																																																																																																																																																	
3 12730.00	48.80	88.20	-39.40	58.40	39.43	18.47	67.60	0.10	-- Peak																																																																																																																																																																																																	
4 12810.00	49.73	88.20	-38.47	59.34	39.55	18.54	67.00	0.10	-- Peak																																																																																																																																																																																																	
5 18975.00	37.87	74.00	-36.13	48.14	38.04	22.66	53.43	-9.54	-- Peak																																																																																																																																																																																																	
6 19095.00	38.89	74.00	-35.11	41.14	38.07	22.74	53.52	-9.54	-- Peak																																																																																																																																																																																																	
7 19215.00	39.22	74.00	-34.78	41.63	37.91	22.81	53.59	-9.54	-- PEAK																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																		
1 12650.00	48.92	74.00	-25.08	58.56	39.32	18.41	67.47	0.10	-- Peak																																																																																																																																																																																																	
2 12650.00	48.20	54.00	-13.80	49.84	39.32	18.41	67.47	0.10	-- Average																																																																																																																																																																																																	
3 12730.00	48.70	88.20	-39.50	58.28	39.45	18.47	67.60	0.10	-- Peak																																																																																																																																																																																																	
4 12810.00	49.51	88.20	-38.69	59.11	39.56	18.54	67.00	0.10	-- PEAK																																																																																																																																																																																																	
5 18975.00	38.15	74.00	-35.85	48.40	38.06	22.66	53.43	-9.54	-- Peak																																																																																																																																																																																																	
6 19095.00	38.67	74.00	-35.33	48.89	38.10	22.74	53.52	-9.54	-- Peak																																																																																																																																																																																																	
7 19215.00	38.78	74.00	-35.22	41.19	37.91	22.81	53.59	-9.54	-- PEAK																																																																																																																																																																																																	



Mode	28	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH75+83+91_6325+6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL

Mode

ANT

Pol.

Peak

Avg

29

Band Edge - L

U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz

MIMO

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5825

5881.

5937.

5993.

6049.

6105

Frequency (MHz)

Site : 03CH01-CA

Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg

1 5924.96 68.73 88.20 -19.47 51.18 34.15 12.59 29.19 0.00 162 156 PEAK

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400.

3800.

5200.

6600.

8000

Frequency (MHz)

Site : 03CH01-CA

Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL

: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto

MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg

1 5965.00 119.13 ----- 101.57 34.17 12.60 29.21 0.00 162 156 PEAK

2 6165.00 116.38 ----- 98.81 34.16 12.79 29.38 0.00 162 156 PEAK

3 6405.00 117.56 ----- 99.33 34.71 13.12 29.60 0.00 162 156 PEAK

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5825

5881.

5937.

5993.

6049.

6105

Frequency (MHz)

Site : 03CH01-CA

Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg

1 5924.96 62.14 68.20 -6.06 44.59 34.15 12.59 29.19 0.00 162 156 AVERAGE

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2400.

3800.

5200.

6600.

8000

Frequency (MHz)

Site : 03CH01-CA

Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL

: RBW:1000.000kHz VBW:0.010kHz SMT:Auto





MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg



1 5965.00 110.38 ----- 92.80 34.18 12.60 29.20 0.00 162 156 AVERAGE





2 6165.00 107.58 ----- 90.01 34.16 12.79 29.38 0.00 162 156 AVERAGE

3 6405.00 108.89 ----- 90.63 34.74 13.13 29.61 0.00 162 156 AVERAGE







Mode	29																																																																			
	Band Edge - L																																																																			
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz																																																																			
ANT	MIMO																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>64.86</td><td>88.20</td><td>-23.34</td><td>47.29</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00</td><td>155 154 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.96	64.86	88.20	-23.34	47.29	34.17	12.59	29.19	0.00	155 154 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>115.37</td><td>-----</td><td>96.99</td><td>34.86</td><td>13.13</td><td>29.61</td><td>0.00</td><td>155</td><td>154 PEAK</td></tr><tr><td>2</td><td>6165.00</td><td>113.05</td><td>-----</td><td>95.45</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>155</td><td>154 PEAK</td></tr><tr><td>3</td><td>6405.00</td><td>115.37</td><td>-----</td><td>96.99</td><td>34.86</td><td>13.13</td><td>29.61</td><td>0.00</td><td>155</td><td>154 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	115.37	-----	96.99	34.86	13.13	29.61	0.00	155	154 PEAK	2	6165.00	113.05	-----	95.45	34.19	12.80	29.39	0.00	155	154 PEAK	3	6405.00	115.37	-----	96.99	34.86	13.13	29.61	0.00	155	154 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5924.96	64.86	88.20	-23.34	47.29	34.17	12.59	29.19	0.00	155 154 PEAK																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5965.00	115.37	-----	96.99	34.86	13.13	29.61	0.00	155	154 PEAK																																																										
2	6165.00	113.05	-----	95.45	34.19	12.80	29.39	0.00	155	154 PEAK																																																										
3	6405.00	115.37	-----	96.99	34.86	13.13	29.61	0.00	155	154 PEAK																																																										
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>57.88</td><td>68.20</td><td>-10.32</td><td>40.31</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00</td><td>155 154 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.96	57.88	68.20	-10.32	40.31	34.17	12.59	29.19	0.00	155 154 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>108.58</td><td>-----</td><td>90.98</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>155</td><td>154 AVERAGE</td></tr><tr><td>2</td><td>6165.00</td><td>108.58</td><td>-----</td><td>90.98</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>155</td><td>154 AVERAGE</td></tr><tr><td>3</td><td>6405.00</td><td>106.40</td><td>-----</td><td>88.05</td><td>34.83</td><td>13.13</td><td>29.61</td><td>0.00</td><td>155</td><td>154 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	108.58	-----	90.98	34.19	12.80	29.39	0.00	155	154 AVERAGE	2	6165.00	108.58	-----	90.98	34.19	12.80	29.39	0.00	155	154 AVERAGE	3	6405.00	106.40	-----	88.05	34.83	13.13	29.61	0.00	155	154 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5924.96	57.88	68.20	-10.32	40.31	34.17	12.59	29.19	0.00	155 154 AVERAGE																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5965.00	108.58	-----	90.98	34.19	12.80	29.39	0.00	155	154 AVERAGE																																																										
2	6165.00	108.58	-----	90.98	34.19	12.80	29.39	0.00	155	154 AVERAGE																																																										
3	6405.00	106.40	-----	88.05	34.83	13.13	29.61	0.00	155	154 AVERAGE																																																										





Mode	29																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz																																																																																																																																																																																																																																																																											
ANT	MIMO																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak																																																																																																																																																																																																																																																																												
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>59.15</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>39.36</td><td>54.00</td><td>-14.64</td><td>49.83</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12330.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>58.13</td><td>39.19</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12330.00</td><td>49.01</td><td>88.20</td><td>-39.19</td><td>58.62</td><td>39.55</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>17900.00</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>57.36</td><td>43.20</td><td>21.88</td><td>70.21</td><td>0.20</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>18495.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>39.80</td><td>38.15</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19215.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>42.94</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	48.68	74.00	-25.32	59.15	39.02	17.84	67.44	0.11	--	--	--	PEAK	2	11930.00	39.36	54.00	-14.64	49.83	39.02	17.84	67.44	0.11	--	--	--	Average	3	12330.00	47.97	74.00	-26.03	58.13	39.19	18.15	67.60	0.10	--	--	--	Peak	4	12330.00	49.01	88.20	-39.19	58.62	39.55	18.54	67.80	0.10	--	--	--	Peak	5	17900.00	52.43	74.00	-21.57	57.36	43.20	21.88	70.21	0.20	--	--	--	Peak	6	18495.00	37.27	74.00	-36.73	39.80	38.15	22.31	53.45	-9.54	--	--	--	Peak	7	19215.00	40.53	74.00	-33.47	42.94	37.91	22.81	53.59	-9.54	--	--	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>59.71</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>50.37</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12330.00</td><td>49.08</td><td>74.00</td><td>-24.92</td><td>59.29</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12330.00</td><td>38.48</td><td>54.00</td><td>-15.52</td><td>48.69</td><td>39.14</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>12810.00</td><td>48.93</td><td>88.20</td><td>-39.27</td><td>58.53</td><td>39.56</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>17900.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>58.30</td><td>42.19</td><td>21.88</td><td>70.21</td><td>0.20</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>18495.00</td><td>38.24</td><td>74.00</td><td>-35.76</td><td>40.58</td><td>38.34</td><td>22.31</td><td>53.45</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>19215.00</td><td>37.78</td><td>74.00</td><td>-36.22</td><td>40.19</td><td>37.91</td><td>22.81</td><td>53.59</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	49.16	74.00	-24.84	59.71	38.94	17.84	67.44	0.11	--	--	--	PEAK	2	11930.00	39.82	54.00	-14.18	50.37	38.94	17.84	67.44	0.11	--	--	--	Average	3	12330.00	49.08	74.00	-24.92	59.29	39.14	18.15	67.60	0.10	--	--	--	Peak	4	12330.00	38.48	54.00	-15.52	48.69	39.14	18.15	67.60	0.10	--	--	--	Average	5	12810.00	48.93	88.20	-39.27	58.53	39.56	18.54	67.80	0.10	--	--	--	Peak	6	17900.00	52.36	74.00	-21.64	58.30	42.19	21.88	70.21	0.20	--	--	--	Peak	7	18495.00	38.24	74.00	-35.76	40.58	38.34	22.31	53.45	-9.54	--	--	--	Peak	8	19215.00	37.78	74.00	-36.22	40.19	37.91	22.81	53.59	-9.54	--	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																
1	11930.00	48.68	74.00	-25.32	59.15	39.02	17.84	67.44	0.11	--	--	--	PEAK																																																																																																																																																																																																																																																															
2	11930.00	39.36	54.00	-14.64	49.83	39.02	17.84	67.44	0.11	--	--	--	Average																																																																																																																																																																																																																																																															
3	12330.00	47.97	74.00	-26.03	58.13	39.19	18.15	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																															
4	12330.00	49.01	88.20	-39.19	58.62	39.55	18.54	67.80	0.10	--	--	--	Peak																																																																																																																																																																																																																																																															
5	17900.00	52.43	74.00	-21.57	57.36	43.20	21.88	70.21	0.20	--	--	--	Peak																																																																																																																																																																																																																																																															
6	18495.00	37.27	74.00	-36.73	39.80	38.15	22.31	53.45	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																															
7	19215.00	40.53	74.00	-33.47	42.94	37.91	22.81	53.59	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																
1	11930.00	49.16	74.00	-24.84	59.71	38.94	17.84	67.44	0.11	--	--	--	PEAK																																																																																																																																																																																																																																																															
2	11930.00	39.82	54.00	-14.18	50.37	38.94	17.84	67.44	0.11	--	--	--	Average																																																																																																																																																																																																																																																															
3	12330.00	49.08	74.00	-24.92	59.29	39.14	18.15	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																															
4	12330.00	38.48	54.00	-15.52	48.69	39.14	18.15	67.60	0.10	--	--	--	Average																																																																																																																																																																																																																																																															
5	12810.00	48.93	88.20	-39.27	58.53	39.56	18.54	67.80	0.10	--	--	--	Peak																																																																																																																																																																																																																																																															
6	17900.00	52.36	74.00	-21.64	58.30	42.19	21.88	70.21	0.20	--	--	--	Peak																																																																																																																																																																																																																																																															
7	18495.00	38.24	74.00	-35.76	40.58	38.34	22.31	53.45	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																															
8	19215.00	37.78	74.00	-36.22	40.19	37.91	22.81	53.59	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																															

Mode	29	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	30																																																																							
	Band Edge - L																																																																							
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz																																																																							
ANT	MIMO																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.60</td><td>78.33</td><td>88.20</td><td>-9.87</td><td>60.78</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00 157 166 PEAK</td></tr></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5921.60	78.33	88.20	-9.87	60.78	34.15	12.59	29.19	0.00 157 166 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>118.49</td><td>-----</td><td>100.91</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>157 166 PEAK</td></tr><tr><td>2</td><td>6005.00</td><td>118.74</td><td>-----</td><td>101.20</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>157 166 PEAK</td></tr><tr><td>3</td><td>6045.00</td><td>118.48</td><td>-----</td><td>100.98</td><td>34.14</td><td>12.66</td><td>29.30</td><td>0.00</td><td>157 166 PEAK</td></tr><tr><td>4</td><td>6085.00</td><td>115.77</td><td>-----</td><td>98.26</td><td>34.14</td><td>12.71</td><td>29.34</td><td>0.00</td><td>157 166 PEAK</td></tr></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	118.49	-----	100.91	34.18	12.60	29.20	0.00	157 166 PEAK	2	6005.00	118.74	-----	101.20	34.17	12.62	29.25	0.00	157 166 PEAK	3	6045.00	118.48	-----	100.98	34.14	12.66	29.30	0.00	157 166 PEAK	4	6085.00	115.77	-----	98.26	34.14	12.71	29.34	0.00	157 166 PEAK
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	5921.60	78.33	88.20	-9.87	60.78	34.15	12.59	29.19	0.00 157 166 PEAK																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	5965.00	118.49	-----	100.91	34.18	12.60	29.20	0.00	157 166 PEAK																																																															
2	6005.00	118.74	-----	101.20	34.17	12.62	29.25	0.00	157 166 PEAK																																																															
3	6045.00	118.48	-----	100.98	34.14	12.66	29.30	0.00	157 166 PEAK																																																															
4	6085.00	115.77	-----	98.26	34.14	12.71	29.34	0.00	157 166 PEAK																																																															
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>67.84</td><td>68.20</td><td>-0.36</td><td>50.29</td><td>34.15</td><td>12.59</td><td>29.19</td><td>0.00 157 166 AVERAGE</td></tr></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.68	67.84	68.20	-0.36	50.29	34.15	12.59	29.19	0.00 157 166 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>111.71</td><td>-----</td><td>94.13</td><td>34.18</td><td>12.60</td><td>29.20</td><td>0.00</td><td>157 166 AVERAGE</td></tr><tr><td>2</td><td>6005.00</td><td>110.22</td><td>-----</td><td>92.68</td><td>34.17</td><td>12.62</td><td>29.25</td><td>0.00</td><td>157 166 AVERAGE</td></tr><tr><td>3</td><td>6045.00</td><td>110.52</td><td>-----</td><td>93.03</td><td>34.14</td><td>12.66</td><td>29.31</td><td>0.00</td><td>157 166 AVERAGE</td></tr><tr><td>4</td><td>6085.00</td><td>111.47</td><td>-----</td><td>93.97</td><td>34.14</td><td>12.70</td><td>29.34</td><td>0.00</td><td>157 166 AVERAGE</td></tr></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	111.71	-----	94.13	34.18	12.60	29.20	0.00	157 166 AVERAGE	2	6005.00	110.22	-----	92.68	34.17	12.62	29.25	0.00	157 166 AVERAGE	3	6045.00	110.52	-----	93.03	34.14	12.66	29.31	0.00	157 166 AVERAGE	4	6085.00	111.47	-----	93.97	34.14	12.70	29.34	0.00	157 166 AVERAGE
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	5924.68	67.84	68.20	-0.36	50.29	34.15	12.59	29.19	0.00 157 166 AVERAGE																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	5965.00	111.71	-----	94.13	34.18	12.60	29.20	0.00	157 166 AVERAGE																																																															
2	6005.00	110.22	-----	92.68	34.17	12.62	29.25	0.00	157 166 AVERAGE																																																															
3	6045.00	110.52	-----	93.03	34.14	12.66	29.31	0.00	157 166 AVERAGE																																																															
4	6085.00	111.47	-----	93.97	34.14	12.70	29.34	0.00	157 166 AVERAGE																																																															



Mode	30																																																																														
	Band Edge - L																																																																														
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz																																																																														
ANT	MIMO																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>70.47</td><td>88.20</td><td>-17.73</td><td>52.90</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00</td><td>153 195 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.96	70.47	88.20	-17.73	52.90	34.17	12.59	29.19	0.00	153 195 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>115.05</td><td>-----</td><td>97.45</td><td>34.20</td><td>12.60</td><td>29.20</td><td>0.00</td><td>153</td><td>195 PEAK</td></tr><tr><td>2</td><td>6005.00</td><td>116.10</td><td>-----</td><td>98.54</td><td>34.19</td><td>12.62</td><td>29.25</td><td>0.00</td><td>153</td><td>195 PEAK</td></tr><tr><td>3</td><td>6045.00</td><td>115.37</td><td>-----</td><td>97.86</td><td>34.15</td><td>12.66</td><td>29.30</td><td>0.00</td><td>153</td><td>195 PEAK</td></tr><tr><td>4</td><td>6085.00</td><td>117.66</td><td>-----</td><td>100.16</td><td>34.14</td><td>12.70</td><td>29.34</td><td>0.00</td><td>153</td><td>195 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	115.05	-----	97.45	34.20	12.60	29.20	0.00	153	195 PEAK	2	6005.00	116.10	-----	98.54	34.19	12.62	29.25	0.00	153	195 PEAK	3	6045.00	115.37	-----	97.86	34.15	12.66	29.30	0.00	153	195 PEAK	4	6085.00	117.66	-----	100.16	34.14	12.70	29.34	0.00	153	195 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5924.96	70.47	88.20	-17.73	52.90	34.17	12.59	29.19	0.00	153 195 PEAK																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5965.00	115.05	-----	97.45	34.20	12.60	29.20	0.00	153	195 PEAK																																																																					
2	6005.00	116.10	-----	98.54	34.19	12.62	29.25	0.00	153	195 PEAK																																																																					
3	6045.00	115.37	-----	97.86	34.15	12.66	29.30	0.00	153	195 PEAK																																																																					
4	6085.00	117.66	-----	100.16	34.14	12.70	29.34	0.00	153	195 PEAK																																																																					
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>64.57</td><td>68.20</td><td>-3.63</td><td>47.00</td><td>34.17</td><td>12.59</td><td>29.19</td><td>0.00</td><td>153 195 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.96	64.57	68.20	-3.63	47.00	34.17	12.59	29.19	0.00	153 195 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>106.74</td><td>-----</td><td>89.14</td><td>34.20</td><td>12.60</td><td>29.20</td><td>0.00</td><td>153</td><td>195 AVERAGE</td></tr><tr><td>2</td><td>6005.00</td><td>109.88</td><td>-----</td><td>92.32</td><td>34.19</td><td>12.62</td><td>29.25</td><td>0.00</td><td>153</td><td>195 AVERAGE</td></tr><tr><td>3</td><td>6045.00</td><td>107.75</td><td>-----</td><td>90.25</td><td>34.15</td><td>12.66</td><td>29.31</td><td>0.00</td><td>153</td><td>195 AVERAGE</td></tr><tr><td>4</td><td>6085.00</td><td>110.62</td><td>-----</td><td>93.12</td><td>34.14</td><td>12.70</td><td>29.34</td><td>0.00</td><td>153</td><td>195 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	106.74	-----	89.14	34.20	12.60	29.20	0.00	153	195 AVERAGE	2	6005.00	109.88	-----	92.32	34.19	12.62	29.25	0.00	153	195 AVERAGE	3	6045.00	107.75	-----	90.25	34.15	12.66	29.31	0.00	153	195 AVERAGE	4	6085.00	110.62	-----	93.12	34.14	12.70	29.34	0.00	153	195 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5924.96	64.57	68.20	-3.63	47.00	34.17	12.59	29.19	0.00	153 195 AVERAGE																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5965.00	106.74	-----	89.14	34.20	12.60	29.20	0.00	153	195 AVERAGE																																																																					
2	6005.00	109.88	-----	92.32	34.19	12.62	29.25	0.00	153	195 AVERAGE																																																																					
3	6045.00	107.75	-----	90.25	34.15	12.66	29.31	0.00	153	195 AVERAGE																																																																					
4	6085.00	110.62	-----	93.12	34.14	12.70	29.34	0.00	153	195 AVERAGE																																																																					



Mode	30																																																																																																																																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz																																																																																																																																																																																																																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																								
Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>58.82</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>38.26</td><td>54.00</td><td>-15.74</td><td>48.73</td><td>39.02</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12010.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>57.83</td><td>39.09</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12010.00</td><td>37.58</td><td>54.00</td><td>-16.42</td><td>47.77</td><td>39.09</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>12090.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>58.60</td><td>39.18</td><td>17.96</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12090.00</td><td>39.98</td><td>54.00</td><td>-14.02</td><td>49.96</td><td>39.18</td><td>17.96</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>12170.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>58.02</td><td>39.22</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>12170.00</td><td>38.10</td><td>54.00</td><td>-15.90</td><td>47.97</td><td>39.22</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>9</td><td>17895.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>57.62</td><td>43.17</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>18015.00</td><td>37.91</td><td>74.00</td><td>-36.09</td><td>40.71</td><td>37.82</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>18135.00</td><td>37.43</td><td>74.00</td><td>-36.57</td><td>40.31</td><td>37.88</td><td>22.04</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>12</td><td>18255.00</td><td>36.75</td><td>74.00</td><td>-37.25</td><td>39.61</td><td>37.96</td><td>22.13</td><td>53.41</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	48.35	74.00	-25.65	58.82	39.02	17.84	67.44	0.11	--	--	--	PEAK	2	11930.00	38.26	54.00	-15.74	48.73	39.02	17.84	67.44	0.11	--	--	--	Average	3	12010.00	47.64	74.00	-26.36	57.83	39.09	17.90	67.28	0.10	--	--	--	Peak	4	12010.00	37.58	54.00	-16.42	47.77	39.09	17.90	67.28	0.10	--	--	--	Average	5	12090.00	48.62	74.00	-25.38	58.60	39.18	17.96	67.22	0.10	--	--	--	Peak	6	12090.00	39.98	54.00	-14.02	49.96	39.18	17.96	67.22	0.10	--	--	--	Average	7	12170.00	48.15	74.00	-25.85	58.02	39.22	18.03	67.22	0.10	--	--	--	Peak	8	12170.00	38.10	54.00	-15.90	47.97	39.22	18.03	67.22	0.10	--	--	--	Average	9	17895.00	52.67	74.00	-21.33	57.62	43.17	21.87	70.19	0.20	--	--	--	Peak	10	18015.00	37.91	74.00	-36.09	40.71	37.82	21.95	53.03	-9.54	--	--	--	Peak	11	18135.00	37.43	74.00	-36.57	40.31	37.88	22.04	53.26	-9.54	--	--	--	Peak	12	18255.00	36.75	74.00	-37.25	39.61	37.96	22.13	53.41	-9.54	--	--	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>59.57</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>49.97</td><td>38.94</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12010.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>58.29</td><td>39.05</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12010.00</td><td>38.35</td><td>54.00</td><td>-15.65</td><td>48.58</td><td>39.05</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>12090.00</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>58.39</td><td>39.17</td><td>17.96</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12090.00</td><td>38.76</td><td>54.00</td><td>-15.24</td><td>48.75</td><td>39.17</td><td>17.96</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>12170.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>58.30</td><td>39.21</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>12170.00</td><td>37.78</td><td>54.00</td><td>-16.22</td><td>47.66</td><td>39.21</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>9</td><td>17895.00</td><td>52.62</td><td>74.00</td><td>-21.38</td><td>58.59</td><td>42.15</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>18015.00</td><td>37.70</td><td>74.00</td><td>-36.30</td><td>40.31</td><td>38.01</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>18135.00</td><td>37.42</td><td>74.00</td><td>-36.58</td><td>40.20</td><td>37.98</td><td>22.04</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>12</td><td>18255.00</td><td>37.84</td><td>74.00</td><td>-36.16</td><td>40.54</td><td>38.12</td><td>22.13</td><td>53.41</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	49.02	74.00	-24.98	59.57	38.94	17.84	67.44	0.11	--	--	--	PEAK	2	11930.00	39.42	54.00	-14.58	49.97	38.94	17.84	67.44	0.11	--	--	--	Average	3	12010.00	48.06	74.00	-25.94	58.29	39.05	17.90	67.28	0.10	--	--	--	Peak	4	12010.00	38.35	54.00	-15.65	48.58	39.05	17.90	67.28	0.10	--	--	--	Average	5	12090.00	48.40	74.00	-25.60	58.39	39.17	17.96	67.22	0.10	--	--	--	Peak	6	12090.00	38.76	54.00	-15.24	48.75	39.17	17.96	67.22	0.10	--	--	--	Average	7	12170.00	48.42	74.00	-25.58	58.30	39.21	18.03	67.22	0.10	--	--	--	Peak	8	12170.00	37.78	54.00	-16.22	47.66	39.21	18.03	67.22	0.10	--	--	--	Average	9	17895.00	52.62	74.00	-21.38	58.59	42.15	21.87	70.19	0.20	--	--	--	Peak	10	18015.00	37.70	74.00	-36.30	40.31	38.01	21.95	53.03	-9.54	--	--	--	Peak	11	18135.00	37.42	74.00	-36.58	40.20	37.98	22.04	53.26	-9.54	--	--	--	Peak	12	18255.00	37.84	74.00	-36.16	40.54	38.12	22.13	53.41	-9.54	--	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																														
1	11930.00	48.35	74.00	-25.65	58.82	39.02	17.84	67.44	0.11	--	--	--	PEAK																																																																																																																																																																																																																																																																																																																																																																																													
2	11930.00	38.26	54.00	-15.74	48.73	39.02	17.84	67.44	0.11	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
3	12010.00	47.64	74.00	-26.36	57.83	39.09	17.90	67.28	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
4	12010.00	37.58	54.00	-16.42	47.77	39.09	17.90	67.28	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
5	12090.00	48.62	74.00	-25.38	58.60	39.18	17.96	67.22	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
6	12090.00	39.98	54.00	-14.02	49.96	39.18	17.96	67.22	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
7	12170.00	48.15	74.00	-25.85	58.02	39.22	18.03	67.22	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
8	12170.00	38.10	54.00	-15.90	47.97	39.22	18.03	67.22	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
9	17895.00	52.67	74.00	-21.33	57.62	43.17	21.87	70.19	0.20	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
10	18015.00	37.91	74.00	-36.09	40.71	37.82	21.95	53.03	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
11	18135.00	37.43	74.00	-36.57	40.31	37.88	22.04	53.26	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
12	18255.00	36.75	74.00	-37.25	39.61	37.96	22.13	53.41	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																														
1	11930.00	49.02	74.00	-24.98	59.57	38.94	17.84	67.44	0.11	--	--	--	PEAK																																																																																																																																																																																																																																																																																																																																																																																													
2	11930.00	39.42	54.00	-14.58	49.97	38.94	17.84	67.44	0.11	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
3	12010.00	48.06	74.00	-25.94	58.29	39.05	17.90	67.28	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
4	12010.00	38.35	54.00	-15.65	48.58	39.05	17.90	67.28	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
5	12090.00	48.40	74.00	-25.60	58.39	39.17	17.96	67.22	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
6	12090.00	38.76	54.00	-15.24	48.75	39.17	17.96	67.22	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
7	12170.00	48.42	74.00	-25.58	58.30	39.21	18.03	67.22	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
8	12170.00	37.78	54.00	-16.22	47.66	39.21	18.03	67.22	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																													
9	17895.00	52.62	74.00	-21.38	58.59	42.15	21.87	70.19	0.20	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
10	18015.00	37.70	74.00	-36.30	40.31	38.01	21.95	53.03	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
11	18135.00	37.42	74.00	-36.58	40.20	37.98	22.04	53.26	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													
12	18255.00	37.84	74.00	-36.16	40.54	38.12	22.13	53.41	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																													