











Mode	52																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-7_6.525-6.875_Proprietary_CH119+127_6545+6585MHz																																																																																																																																																				
ANT	MIMO																																																																																																																																																				
Pol.	Horizontal					Vertical																																																																																																																																															
Peak Avg																																																																																																																																																					
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL					Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL																																																																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13090.00</td><td>49.68</td><td>88.20</td><td>-38.52</td><td>59.22</td><td>39.55</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13170.00</td><td>48.78</td><td>88.20</td><td>-39.42</td><td>50.45</td><td>39.58</td><td>18.78</td><td>68.13</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 19635.00</td><td>38.68</td><td>74.00</td><td>-35.32</td><td>41.15</td><td>37.89</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>4 19755.00</td><td>38.79</td><td>74.00</td><td>-35.21</td><td>41.24</td><td>37.87</td><td>23.15</td><td>53.93</td><td>-9.54</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13090.00	49.68	88.20	-38.52	59.22	39.55	18.74	67.93	0.10	-- PEAK	2 13170.00	48.78	88.20	-39.42	50.45	39.58	18.78	68.13	0.10	-- Peak	3 19635.00	38.68	74.00	-35.32	41.15	37.89	23.07	53.89	-9.54	-- PEAK	4 19755.00	38.79	74.00	-35.21	41.24	37.87	23.15	53.93	-9.54	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13090.00</td><td>49.31</td><td>88.20</td><td>-38.89</td><td>58.77</td><td>39.63</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13170.00</td><td>49.99</td><td>88.20</td><td>-38.21</td><td>59.61</td><td>39.63</td><td>18.78</td><td>68.13</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 19635.00</td><td>38.88</td><td>74.00</td><td>-35.12</td><td>41.46</td><td>37.78</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>4 19755.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>40.44</td><td>37.74</td><td>23.15</td><td>53.93</td><td>-9.54</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 13090.00	49.31	88.20	-38.89	58.77	39.63	18.74	67.93	0.10	-- PEAK	2 13170.00	49.99	88.20	-38.21	59.61	39.63	18.78	68.13	0.10	-- Peak	3 19635.00	38.88	74.00	-35.12	41.46	37.78	23.07	53.89	-9.54	-- PEAK	4 19755.00	37.86	74.00	-36.14	40.44	37.74	23.15	53.93	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																												
1 13090.00	49.68	88.20	-38.52	59.22	39.55	18.74	67.93	0.10	-- PEAK																																																																																																																																												
2 13170.00	48.78	88.20	-39.42	50.45	39.58	18.78	68.13	0.10	-- Peak																																																																																																																																												
3 19635.00	38.68	74.00	-35.32	41.15	37.89	23.07	53.89	-9.54	-- PEAK																																																																																																																																												
4 19755.00	38.79	74.00	-35.21	41.24	37.87	23.15	53.93	-9.54	-- Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																												
1 13090.00	49.31	88.20	-38.89	58.77	39.63	18.74	67.93	0.10	-- PEAK																																																																																																																																												
2 13170.00	49.99	88.20	-38.21	59.61	39.63	18.78	68.13	0.10	-- Peak																																																																																																																																												
3 19635.00	38.88	74.00	-35.12	41.46	37.78	23.07	53.89	-9.54	-- PEAK																																																																																																																																												
4 19755.00	37.86	74.00	-36.14	40.44	37.74	23.15	53.93	-9.54	-- Peak																																																																																																																																												

Mode	52	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127_6545+6585MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	53																																		
	Band Edge																																		
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz																																		
ANT	MIMO																																		
Pol.	Horizontal	Fundamental																																	
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>126.97</td><td>-----</td><td>107.76</td><td>35.81</td><td>13.34</td><td>29.94</td><td>0.00</td><td>157</td><td>164 PEAK</td></tr><tr><td>2</td><td>6725.00</td><td>126.88</td><td>-----</td><td>107.63</td><td>35.83</td><td>13.38</td><td>29.96</td><td>0.00</td><td>157</td><td>164 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	126.97	-----	107.76	35.81	13.34	29.94	0.00	157	164 PEAK	2	6725.00	126.88	-----	107.63	35.83	13.38	29.96	0.00	157	164 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6685.00	126.97	-----	107.76	35.81	13.34	29.94	0.00	157	164 PEAK																									
2	6725.00	126.88	-----	107.63	35.83	13.38	29.96	0.00	157	164 PEAK																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>117.88</td><td>-----</td><td>98.70</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>157</td><td>164 AVERAGE</td></tr><tr><td>2</td><td>6725.00</td><td>117.79</td><td>-----</td><td>98.54</td><td>35.83</td><td>13.38</td><td>29.96</td><td>0.00</td><td>157</td><td>164 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	117.88	-----	98.70	35.78	13.32	29.92	0.00	157	164 AVERAGE	2	6725.00	117.79	-----	98.54	35.83	13.38	29.96	0.00	157	164 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6685.00	117.88	-----	98.70	35.78	13.32	29.92	0.00	157	164 AVERAGE																									
2	6725.00	117.79	-----	98.54	35.83	13.38	29.96	0.00	157	164 AVERAGE																									







Mode	53																																		
	Band Edge																																		
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz																																		
ANT	MIMO																																		
Pol.	Vertical	Fundamental																																	
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>126.05</td><td>-----</td><td>106.78</td><td>35.87</td><td>13.32</td><td>29.92</td><td>0.00</td><td>161</td><td>186 PEAK</td></tr><tr><td>2</td><td>6725.00</td><td>125.45</td><td>-----</td><td>106.11</td><td>35.92</td><td>13.37</td><td>29.95</td><td>0.00</td><td>161</td><td>186 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	126.05	-----	106.78	35.87	13.32	29.92	0.00	161	186 PEAK	2	6725.00	125.45	-----	106.11	35.92	13.37	29.95	0.00	161	186 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6685.00	126.05	-----	106.78	35.87	13.32	29.92	0.00	161	186 PEAK																									
2	6725.00	125.45	-----	106.11	35.92	13.37	29.95	0.00	161	186 PEAK																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>116.17</td><td>-----</td><td>96.90</td><td>35.87</td><td>13.32</td><td>29.92</td><td>0.00</td><td>161</td><td>186 AVERAGE</td></tr><tr><td>2</td><td>6725.00</td><td>116.55</td><td>-----</td><td>97.21</td><td>35.92</td><td>13.37</td><td>29.95</td><td>0.00</td><td>161</td><td>186 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6685.00	116.17	-----	96.90	35.87	13.32	29.92	0.00	161	186 AVERAGE	2	6725.00	116.55	-----	97.21	35.92	13.37	29.95	0.00	161	186 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																									
1	6685.00	116.17	-----	96.90	35.87	13.32	29.92	0.00	161	186 AVERAGE																									
2	6725.00	116.55	-----	97.21	35.92	13.37	29.95	0.00	161	186 AVERAGE																									



Mode	53																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz																																																																																																																																																																	
ANT	MIMO																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>50.88</td><td>74.00</td><td>-23.12</td><td>59.68</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13370.00</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>49.94</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 13450.00</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>50.59</td><td>40.00</td><td>18.93</td><td>67.34</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 20055.00</td><td>38.16</td><td>74.00</td><td>-35.84</td><td>40.24</td><td>37.98</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>5 20175.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>40.49</td><td>37.99</td><td>23.44</td><td>53.68</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13370.00	50.88	74.00	-23.12	59.68	39.87	18.89	67.66	0.10	-- PEAK	2 13370.00	41.14	54.00	-12.86	49.94	39.87	18.89	67.66	0.10	-- Average	3 13450.00	50.28	88.20	-37.92	50.59	40.00	18.93	67.34	0.10	-- Peak	4 20055.00	38.16	74.00	-35.84	40.24	37.98	23.34	53.86	-9.54	-- PEAK	5 20175.00	38.70	74.00	-35.30	40.49	37.99	23.44	53.68	-9.54	-- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>59.35</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13370.00</td><td>40.98</td><td>54.00</td><td>-13.02</td><td>49.71</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 13450.00</td><td>49.39</td><td>88.20</td><td>-38.81</td><td>57.56</td><td>40.14</td><td>18.93</td><td>67.34</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 20055.00</td><td>37.94</td><td>74.00</td><td>-36.06</td><td>40.32</td><td>37.68</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>5 20175.00</td><td>37.51</td><td>74.00</td><td>-36.49</td><td>39.60</td><td>37.69</td><td>23.44</td><td>53.68</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13370.00	50.62	74.00	-23.38	59.35	39.94	18.89	67.66	0.10	-- PEAK	2 13370.00	40.98	54.00	-13.02	49.71	39.94	18.89	67.66	0.10	-- Average	3 13450.00	49.39	88.20	-38.81	57.56	40.14	18.93	67.34	0.10	-- Peak	4 20055.00	37.94	74.00	-36.06	40.32	37.68	23.34	53.86	-9.54	-- PEAK	5 20175.00	37.51	74.00	-36.49	39.60	37.69	23.44	53.68	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1 13370.00	50.88	74.00	-23.12	59.68	39.87	18.89	67.66	0.10	-- PEAK																																																																																																																																																									
2 13370.00	41.14	54.00	-12.86	49.94	39.87	18.89	67.66	0.10	-- Average																																																																																																																																																									
3 13450.00	50.28	88.20	-37.92	50.59	40.00	18.93	67.34	0.10	-- Peak																																																																																																																																																									
4 20055.00	38.16	74.00	-35.84	40.24	37.98	23.34	53.86	-9.54	-- PEAK																																																																																																																																																									
5 20175.00	38.70	74.00	-35.30	40.49	37.99	23.44	53.68	-9.54	-- Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1 13370.00	50.62	74.00	-23.38	59.35	39.94	18.89	67.66	0.10	-- PEAK																																																																																																																																																									
2 13370.00	40.98	54.00	-13.02	49.71	39.94	18.89	67.66	0.10	-- Average																																																																																																																																																									
3 13450.00	49.39	88.20	-38.81	57.56	40.14	18.93	67.34	0.10	-- Peak																																																																																																																																																									
4 20055.00	37.94	74.00	-36.06	40.32	37.68	23.34	53.86	-9.54	-- PEAK																																																																																																																																																									
5 20175.00	37.51	74.00	-36.49	39.60	37.69	23.44	53.68	-9.54	-- Peak																																																																																																																																																									



Mode	53	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL







Mode	54																																																								
	Band Edge - L																																																								
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																								
ANT	MIMO																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7157.09</td><td>61.02</td><td>88.20</td><td>-27.18</td><td>40.82</td><td>36.60</td><td>13.86</td><td>30.26</td><td>0.00</td><td>157 167 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7157.09	61.02	88.20	-27.18	40.82	36.60	13.86	30.26	0.00	157 167 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6815.00</td><td>124.66</td><td>-----</td><td>105.36</td><td>35.82</td><td>13.47</td><td>29.99</td><td>0.00</td><td>157</td><td>167 PEAK</td></tr><tr><td>2</td><td>6855.00</td><td>125.10</td><td>-----</td><td>105.80</td><td>35.82</td><td>13.46</td><td>29.98</td><td>0.00</td><td>157</td><td>167 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6815.00	124.66	-----	105.36	35.82	13.47	29.99	0.00	157	167 PEAK	2	6855.00	125.10	-----	105.80	35.82	13.46	29.98	0.00	157	167 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	7157.09	61.02	88.20	-27.18	40.82	36.60	13.86	30.26	0.00	157 167 PEAK																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6815.00	124.66	-----	105.36	35.82	13.47	29.99	0.00	157	167 PEAK																																															
2	6855.00	125.10	-----	105.80	35.82	13.46	29.98	0.00	157	167 PEAK																																															
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.06</td><td>51.94</td><td>68.20</td><td>-16.26</td><td>31.88</td><td>36.48</td><td>13.82</td><td>30.24</td><td>0.00</td><td>157 167 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.06	51.94	68.20	-16.26	31.88	36.48	13.82	30.24	0.00	157 167 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6815.00</td><td>116.88</td><td>-----</td><td>97.58</td><td>35.82</td><td>13.47</td><td>29.99</td><td>0.00</td><td>157</td><td>167 AVERAGE</td></tr><tr><td>2</td><td>6855.00</td><td>116.33</td><td>-----</td><td>97.02</td><td>35.83</td><td>13.50</td><td>30.02</td><td>0.00</td><td>157</td><td>167 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6815.00	116.88	-----	97.58	35.82	13.47	29.99	0.00	157	167 AVERAGE	2	6855.00	116.33	-----	97.02	35.83	13.50	30.02	0.00	157	167 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	7125.06	51.94	68.20	-16.26	31.88	36.48	13.82	30.24	0.00	157 167 AVERAGE																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6815.00	116.88	-----	97.58	35.82	13.47	29.99	0.00	157	167 AVERAGE																																															
2	6855.00	116.33	-----	97.02	35.83	13.50	30.02	0.00	157	167 AVERAGE																																															







Mode	54																																																			
	Band Edge - L																																																			
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																			
ANT	MIMO																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7151.88</td><td>60.80</td><td>88.20</td><td>-27.40</td><td>40.48</td><td>36.72</td><td>13.86</td><td>30.26</td><td>0.00 154 188 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7151.88	60.80	88.20	-27.40	40.48	36.72	13.86	30.26	0.00 154 188 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6815.00</td><td>122.29</td><td>-----</td><td>102.88</td><td>35.93</td><td>13.47</td><td>29.99</td><td>0.00</td><td>154 188 PEAK</td></tr><tr><td>2</td><td>6855.00</td><td>123.25</td><td>-----</td><td>103.83</td><td>35.95</td><td>13.52</td><td>30.05</td><td>0.00</td><td>154 188 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6815.00	122.29	-----	102.88	35.93	13.47	29.99	0.00	154 188 PEAK	2	6855.00	123.25	-----	103.83	35.95	13.52	30.05	0.00	154 188 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	7151.88	60.80	88.20	-27.40	40.48	36.72	13.86	30.26	0.00 154 188 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6815.00	122.29	-----	102.88	35.93	13.47	29.99	0.00	154 188 PEAK																																											
2	6855.00	123.25	-----	103.83	35.95	13.52	30.05	0.00	154 188 PEAK																																											
Avg	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.06</td><td>51.25</td><td>68.20</td><td>-16.95</td><td>31.05</td><td>36.62</td><td>13.82</td><td>30.24</td><td>0.00 154 188 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.06	51.25	68.20	-16.95	31.05	36.62	13.82	30.24	0.00 154 188 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6815.00</td><td>113.74</td><td>-----</td><td>94.33</td><td>35.93</td><td>13.47</td><td>29.99</td><td>0.00</td><td>154 188 AVERAGE</td></tr><tr><td>2</td><td>6855.00</td><td>114.40</td><td>-----</td><td>94.98</td><td>35.94</td><td>13.50</td><td>30.02</td><td>0.00</td><td>154 188 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6815.00	113.74	-----	94.33	35.93	13.47	29.99	0.00	154 188 AVERAGE	2	6855.00	114.40	-----	94.98	35.94	13.50	30.02	0.00	154 188 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	7125.06	51.25	68.20	-16.95	31.05	36.62	13.82	30.24	0.00 154 188 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6815.00	113.74	-----	94.33	35.93	13.47	29.99	0.00	154 188 AVERAGE																																											
2	6855.00	114.40	-----	94.98	35.94	13.50	30.02	0.00	154 188 AVERAGE																																											

Mode	54																																																																																				
	Harmonic																																																																																				
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																				
ANT	MIMO																																																																																				
Pol.	Horizontal					Vertical																																																																															
Peak Avg																																																																																					
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL					Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13630.00</td><td>50.12</td><td>88.20</td><td>-38.08</td><td>58.76</td><td>40.07</td><td>19.03</td><td>67.84</td><td>0.10</td><td>--</td><td>-- Peak</td></tr><tr><td>2 13710.00</td><td>50.34</td><td>88.20</td><td>-37.86</td><td>59.53</td><td>40.04</td><td>19.07</td><td>68.40</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 20445.00</td><td>37.96</td><td>74.00</td><td>-36.04</td><td>39.28</td><td>38.00</td><td>23.66</td><td>53.44</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>4 20565.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>40.10</td><td>38.09</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13630.00	50.12	88.20	-38.08	58.76	40.07	19.03	67.84	0.10	--	-- Peak	2 13710.00	50.34	88.20	-37.86	59.53	40.04	19.07	68.40	0.10	--	-- PEAK	3 20445.00	37.96	74.00	-36.04	39.28	38.00	23.66	53.44	-9.54	--	-- Peak	4 20565.00	39.14	74.00	-34.86	40.10	38.09	23.75	53.26	-9.54	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 13630.00	50.12	88.20	-38.08	58.76	40.07	19.03	67.84	0.10	--	-- Peak																																																																											
2 13710.00	50.34	88.20	-37.86	59.53	40.04	19.07	68.40	0.10	--	-- PEAK																																																																											
3 20445.00	37.96	74.00	-36.04	39.28	38.00	23.66	53.44	-9.54	--	-- Peak																																																																											
4 20565.00	39.14	74.00	-34.86	40.10	38.09	23.75	53.26	-9.54	--	-- PEAK																																																																											



Mode	54	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL







Mode	55																																																																																						
	Band Edge - L																																																																																						
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																						
ANT	MIMO																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7172.74</td><td>75.80</td><td>88.20</td><td>-12.40</td><td>55.53</td><td>36.66</td><td>13.88</td><td>30.27</td><td>0.00</td><td>157</td><td>169</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7172.74	75.80	88.20	-12.40	55.53	36.66	13.88	30.27	0.00	157	169	PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>122.25</td><td>-----</td><td>103.47</td><td>35.33</td><td>13.20</td><td>29.75</td><td>0.00</td><td>157</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>6855.00</td><td>121.12</td><td>-----</td><td>101.81</td><td>35.83</td><td>13.51</td><td>30.03</td><td>0.00</td><td>157</td><td>169</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	122.25	-----	103.47	35.33	13.20	29.75	0.00	157	169	PEAK	2	6855.00	121.12	-----	101.81	35.83	13.51	30.03	0.00	157	169	PEAK																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7172.74	75.80	88.20	-12.40	55.53	36.66	13.88	30.27	0.00	157	169	PEAK																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	6545.00	122.25	-----	103.47	35.33	13.20	29.75	0.00	157	169	PEAK																																																																												
2	6855.00	121.12	-----	101.81	35.83	13.51	30.03	0.00	157	169	PEAK																																																																												
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7171.99</td><td>65.65</td><td>68.20</td><td>-2.55</td><td>45.39</td><td>36.65</td><td>13.88</td><td>30.27</td><td>0.00</td><td>157</td><td>169</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7171.99	65.65	68.20	-2.55	45.39	36.65	13.88	30.27	0.00	157	169	AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6236.00</td><td>66.14</td><td>68.20</td><td>-2.06</td><td>48.40</td><td>34.29</td><td>12.89</td><td>29.44</td><td>0.00</td><td>159</td><td>170</td><td>AVERAGE</td></tr><tr><td>2</td><td>6545.00</td><td>113.44</td><td>-----</td><td>94.66</td><td>35.33</td><td>13.20</td><td>29.75</td><td>0.00</td><td>157</td><td>169</td><td>AVERAGE</td></tr><tr><td>3</td><td>6855.00</td><td>113.44</td><td>-----</td><td>94.13</td><td>35.83</td><td>13.51</td><td>30.03</td><td>0.00</td><td>157</td><td>169</td><td>AVERAGE</td></tr><tr><td>4</td><td>7174.00</td><td>67.49</td><td>68.20</td><td>-0.71</td><td>47.22</td><td>36.66</td><td>13.88</td><td>30.27</td><td>0.00</td><td>160</td><td>167</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6236.00	66.14	68.20	-2.06	48.40	34.29	12.89	29.44	0.00	159	170	AVERAGE	2	6545.00	113.44	-----	94.66	35.33	13.20	29.75	0.00	157	169	AVERAGE	3	6855.00	113.44	-----	94.13	35.83	13.51	30.03	0.00	157	169	AVERAGE	4	7174.00	67.49	68.20	-0.71	47.22	36.66	13.88	30.27	0.00	160	167	AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7171.99	65.65	68.20	-2.55	45.39	36.65	13.88	30.27	0.00	157	169	AVERAGE																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	6236.00	66.14	68.20	-2.06	48.40	34.29	12.89	29.44	0.00	159	170	AVERAGE																																																																											
2	6545.00	113.44	-----	94.66	35.33	13.20	29.75	0.00	157	169	AVERAGE																																																																												
3	6855.00	113.44	-----	94.13	35.83	13.51	30.03	0.00	157	169	AVERAGE																																																																												
4	7174.00	67.49	68.20	-0.71	47.22	36.66	13.88	30.27	0.00	160	167	AVERAGE																																																																											





Mode	55																																																																																													
	Band Edge - L																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																													
ANT	MIMO																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7172.74</td><td>69.47</td><td>88.20</td><td>-18.73</td><td>49.08</td><td>36.78</td><td>13.88</td><td>30.27</td><td>0.00</td><td>154 188 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7172.74	69.47	88.20	-18.73	49.08	36.78	13.88	30.27	0.00	154 188 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>120.33</td><td>-----</td><td>101.48</td><td>35.40</td><td>13.20</td><td>29.75</td><td>0.00</td><td>154</td><td>188</td><td>PEAK</td></tr><tr><td>2</td><td>6855.00</td><td>120.33</td><td>-----</td><td>100.91</td><td>35.94</td><td>13.51</td><td>30.03</td><td>0.00</td><td>154</td><td>188</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6545.00	120.33	-----	101.48	35.40	13.20	29.75	0.00	154	188	PEAK	2	6855.00	120.33	-----	100.91	35.94	13.51	30.03	0.00	154	188	PEAK																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7172.74	69.47	88.20	-18.73	49.08	36.78	13.88	30.27	0.00	154 188 PEAK																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																			
1	6545.00	120.33	-----	101.48	35.40	13.20	29.75	0.00	154	188	PEAK																																																																																			
2	6855.00	120.33	-----	100.91	35.94	13.51	30.03	0.00	154	188	PEAK																																																																																			
Avg	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7171.99</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>38.81</td><td>36.78</td><td>13.88</td><td>30.27</td><td>0.00</td><td>154 188 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7171.99	59.20	68.20	-9.00	38.81	36.78	13.88	30.27	0.00	154 188 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6166.00</td><td>65.34</td><td>68.20</td><td>-2.86</td><td>47.74</td><td>34.19</td><td>12.80</td><td>29.39</td><td>0.00</td><td>159</td><td>187 AVERAGE</td></tr><tr><td>2</td><td>6222.00</td><td>61.36</td><td>68.20</td><td>-6.84</td><td>43.63</td><td>34.28</td><td>12.87</td><td>29.42</td><td>0.00</td><td>152</td><td>188 AVERAGE</td></tr><tr><td>3</td><td>6545.00</td><td>111.65</td><td>-----</td><td>92.00</td><td>35.40</td><td>13.20</td><td>29.75</td><td>0.00</td><td>154</td><td>188 AVERAGE</td></tr><tr><td>4</td><td>6855.00</td><td>111.65</td><td>-----</td><td>92.23</td><td>35.94</td><td>13.51</td><td>30.03</td><td>0.00</td><td>154</td><td>188 AVERAGE</td></tr><tr><td>5</td><td>7160.00</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>40.67</td><td>36.74</td><td>13.87</td><td>30.26</td><td>0.00</td><td>155</td><td>187 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6166.00	65.34	68.20	-2.86	47.74	34.19	12.80	29.39	0.00	159	187 AVERAGE	2	6222.00	61.36	68.20	-6.84	43.63	34.28	12.87	29.42	0.00	152	188 AVERAGE	3	6545.00	111.65	-----	92.00	35.40	13.20	29.75	0.00	154	188 AVERAGE	4	6855.00	111.65	-----	92.23	35.94	13.51	30.03	0.00	154	188 AVERAGE	5	7160.00	61.02	68.20	-7.18	40.67	36.74	13.87	30.26	0.00	155	187 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7171.99	59.20	68.20	-9.00	38.81	36.78	13.88	30.27	0.00	154 188 AVERAGE																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																			
1	6166.00	65.34	68.20	-2.86	47.74	34.19	12.80	29.39	0.00	159	187 AVERAGE																																																																																			
2	6222.00	61.36	68.20	-6.84	43.63	34.28	12.87	29.42	0.00	152	188 AVERAGE																																																																																			
3	6545.00	111.65	-----	92.00	35.40	13.20	29.75	0.00	154	188 AVERAGE																																																																																				
4	6855.00	111.65	-----	92.23	35.94	13.51	30.03	0.00	154	188 AVERAGE																																																																																				
5	7160.00	61.02	68.20	-7.18	40.67	36.74	13.87	30.26	0.00	155	187 AVERAGE																																																																																			



Mode	55																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																																																																													
ANT	MIMO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>48.43</td><td>88.20</td><td>-39.77</td><td>57.97</td><td>39.55</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13710.00</td><td>49.70</td><td>88.20</td><td>-38.50</td><td>58.09</td><td>40.04</td><td>19.07</td><td>68.40</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>3 19635.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>41.65</td><td>37.09</td><td>23.07</td><td>53.09</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>4 20565.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>40.36</td><td>38.09</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	48.43	88.20	-39.77	57.97	39.55	18.74	67.93	0.10	-- Peak	2 13710.00	49.70	88.20	-38.50	58.09	40.04	19.07	68.40	0.10	-- PEAK	3 19635.00	39.18	74.00	-34.82	41.65	37.09	23.07	53.09	-9.54	-- Peak	4 20565.00	39.40	74.00	-34.60	40.36	38.09	23.75	53.26	-9.54	-- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>48.78</td><td>88.20</td><td>-39.42</td><td>58.24</td><td>39.63</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13710.00</td><td>49.64</td><td>88.20</td><td>-38.56</td><td>58.65</td><td>40.22</td><td>19.07</td><td>68.40</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>3 19635.00</td><td>38.26</td><td>74.00</td><td>-35.74</td><td>40.84</td><td>37.78</td><td>23.07</td><td>53.09</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>4 20565.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>39.55</td><td>37.82</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	48.78	88.20	-39.42	58.24	39.63	18.74	67.93	0.10	-- Peak	2 13710.00	49.64	88.20	-38.56	58.65	40.22	19.07	68.40	0.10	-- PEAK	3 19635.00	38.26	74.00	-35.74	40.84	37.78	23.07	53.09	-9.54	-- Peak	4 20565.00	38.32	74.00	-35.68	39.55	37.82	23.75	53.26	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 13090.00	48.43	88.20	-39.77	57.97	39.55	18.74	67.93	0.10	-- Peak																																																																																																																																					
2 13710.00	49.70	88.20	-38.50	58.09	40.04	19.07	68.40	0.10	-- PEAK																																																																																																																																					
3 19635.00	39.18	74.00	-34.82	41.65	37.09	23.07	53.09	-9.54	-- Peak																																																																																																																																					
4 20565.00	39.40	74.00	-34.60	40.36	38.09	23.75	53.26	-9.54	-- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1 13090.00	48.78	88.20	-39.42	58.24	39.63	18.74	67.93	0.10	-- Peak																																																																																																																																					
2 13710.00	49.64	88.20	-38.56	58.65	40.22	19.07	68.40	0.10	-- PEAK																																																																																																																																					
3 19635.00	38.26	74.00	-35.74	40.84	37.78	23.07	53.09	-9.54	-- Peak																																																																																																																																					
4 20565.00	38.32	74.00	-35.68	39.55	37.82	23.75	53.26	-9.54	-- PEAK																																																																																																																																					

Mode	55	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	56																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135_6545+6585+6625MHz																																													
ANT	MIMO																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>117.91</td><td>-----</td><td>99.14</td><td>35.32</td><td>13.20</td><td>29.75</td><td>0.00</td><td>159</td><td>159 PEAK</td></tr><tr><td>2</td><td>6585.00</td><td>117.64</td><td>-----</td><td>98.73</td><td>35.49</td><td>13.22</td><td>29.80</td><td>0.00</td><td>159</td><td>159 PEAK</td></tr><tr><td>3</td><td>6625.00</td><td>119.78</td><td>-----</td><td>100.73</td><td>35.65</td><td>13.26</td><td>29.86</td><td>0.00</td><td>159</td><td>159 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	117.91	-----	99.14	35.32	13.20	29.75	0.00	159	159 PEAK	2	6585.00	117.64	-----	98.73	35.49	13.22	29.80	0.00	159	159 PEAK	3	6625.00	119.78	-----	100.73	35.65	13.26	29.86	0.00	159	159 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	6545.00	117.91	-----	99.14	35.32	13.20	29.75	0.00	159	159 PEAK																																				
2	6585.00	117.64	-----	98.73	35.49	13.22	29.80	0.00	159	159 PEAK																																				
3	6625.00	119.78	-----	100.73	35.65	13.26	29.86	0.00	159	159 PEAK																																				
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>109.29</td><td>-----</td><td>90.52</td><td>35.32</td><td>13.20</td><td>29.75</td><td>0.00</td><td>159</td><td>159 AVERAGE</td></tr><tr><td>2</td><td>6585.00</td><td>110.01</td><td>-----</td><td>91.10</td><td>35.49</td><td>13.22</td><td>29.80</td><td>0.00</td><td>159</td><td>159 AVERAGE</td></tr><tr><td>3</td><td>6625.00</td><td>111.15</td><td>-----</td><td>92.10</td><td>35.65</td><td>13.26</td><td>29.86</td><td>0.00</td><td>159</td><td>159 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	109.29	-----	90.52	35.32	13.20	29.75	0.00	159	159 AVERAGE	2	6585.00	110.01	-----	91.10	35.49	13.22	29.80	0.00	159	159 AVERAGE	3	6625.00	111.15	-----	92.10	35.65	13.26	29.86	0.00	159	159 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	6545.00	109.29	-----	90.52	35.32	13.20	29.75	0.00	159	159 AVERAGE																																				
2	6585.00	110.01	-----	91.10	35.49	13.22	29.80	0.00	159	159 AVERAGE																																				
3	6625.00	111.15	-----	92.10	35.65	13.26	29.86	0.00	159	159 AVERAGE																																				





Mode	56																																																	
	Band Edge																																																	
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135_6545+6585+6625MHz																																																	
ANT	MIMO																																																	
Pol.	Vertical	Fundamental																																																
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>117.07</td><td>-----</td><td>90.23</td><td>35.39</td><td>13.20</td><td>29.75</td><td>0.00</td><td>153</td><td>166</td><td>PEAK</td></tr><tr><td>2</td><td>6585.00</td><td>108.71</td><td>-----</td><td>89.72</td><td>35.57</td><td>13.22</td><td>29.80</td><td>0.00</td><td>153</td><td>166</td><td>PEAK</td></tr><tr><td>3</td><td>6625.00</td><td>117.88</td><td>-----</td><td>90.76</td><td>35.72</td><td>13.26</td><td>29.86</td><td>0.00</td><td>153</td><td>166</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	117.07	-----	90.23	35.39	13.20	29.75	0.00	153	166	PEAK	2	6585.00	108.71	-----	89.72	35.57	13.22	29.80	0.00	153	166	PEAK	3	6625.00	117.88	-----	90.76	35.72	13.26	29.86	0.00	153	166	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6545.00	117.07	-----	90.23	35.39	13.20	29.75	0.00	153	166	PEAK																																							
2	6585.00	108.71	-----	89.72	35.57	13.22	29.80	0.00	153	166	PEAK																																							
3	6625.00	117.88	-----	90.76	35.72	13.26	29.86	0.00	153	166	PEAK																																							
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>108.67</td><td>-----</td><td>89.83</td><td>35.39</td><td>13.20</td><td>29.75</td><td>0.00</td><td>153</td><td>166</td><td>AVERAGE</td></tr><tr><td>2</td><td>6585.00</td><td>108.57</td><td>-----</td><td>81.58</td><td>35.57</td><td>13.22</td><td>29.80</td><td>0.00</td><td>153</td><td>166</td><td>AVERAGE</td></tr><tr><td>3</td><td>6625.00</td><td>110.25</td><td>-----</td><td>91.13</td><td>35.72</td><td>13.26</td><td>29.86</td><td>0.00</td><td>153</td><td>166</td><td>AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	108.67	-----	89.83	35.39	13.20	29.75	0.00	153	166	AVERAGE	2	6585.00	108.57	-----	81.58	35.57	13.22	29.80	0.00	153	166	AVERAGE	3	6625.00	110.25	-----	91.13	35.72	13.26	29.86	0.00	153	166	AVERAGE
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	6545.00	108.67	-----	89.83	35.39	13.20	29.75	0.00	153	166	AVERAGE																																							
2	6585.00	108.57	-----	81.58	35.57	13.22	29.80	0.00	153	166	AVERAGE																																							
3	6625.00	110.25	-----	91.13	35.72	13.26	29.86	0.00	153	166	AVERAGE																																							





Mode	56																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135_6545+6585+6625MHz																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																												
Peak																																																																																																																																																																																																																																																														
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>50.34</td><td>88.20</td><td>-37.86</td><td>59.88</td><td>39.55</td><td>18.74</td><td>67.93</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13170.00</td><td>49.09</td><td>88.20</td><td>-39.11</td><td>50.76</td><td>39.58</td><td>18.78</td><td>68.13</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>13250.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>50.65</td><td>39.70</td><td>18.83</td><td>68.01</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>13250.00</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>49.19</td><td>39.70</td><td>18.83</td><td>68.01</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19635.00</td><td>39.04</td><td>74.00</td><td>-34.96</td><td>41.51</td><td>37.89</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>19755.00</td><td>38.08</td><td>74.00</td><td>-35.92</td><td>40.53</td><td>37.87</td><td>23.15</td><td>53.93</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19875.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>40.86</td><td>37.93</td><td>23.22</td><td>53.91</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13090.00	50.34	88.20	-37.86	59.88	39.55	18.74	67.93	0.10	--	--	--	PEAK	2	13170.00	49.09	88.20	-39.11	50.76	39.58	18.78	68.13	0.10	--	--	--	Peak	3	13250.00	49.27	74.00	-24.73	50.65	39.70	18.83	68.01	0.10	--	--	--	Peak	4	13250.00	39.81	54.00	-14.19	49.19	39.70	18.83	68.01	0.10	--	--	--	Average	5	19635.00	39.04	74.00	-34.96	41.51	37.89	23.07	53.89	-9.54	--	--	--	PEAK	6	19755.00	38.08	74.00	-35.92	40.53	37.87	23.15	53.93	-9.54	--	--	--	Peak	7	19875.00	38.56	74.00	-35.44	40.86	37.93	23.22	53.91	-9.54	--	--	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>50.04</td><td>88.20</td><td>-38.16</td><td>59.50</td><td>39.63</td><td>18.74</td><td>67.93</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13170.00</td><td>48.79</td><td>88.20</td><td>-39.41</td><td>50.41</td><td>39.63</td><td>18.78</td><td>68.13</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>13250.00</td><td>48.93</td><td>74.00</td><td>-24.07</td><td>59.28</td><td>39.73</td><td>18.83</td><td>68.01</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>13250.00</td><td>38.92</td><td>54.00</td><td>-15.08</td><td>48.27</td><td>39.73</td><td>18.83</td><td>68.01</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>19635.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>41.99</td><td>37.78</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>19755.00</td><td>37.77</td><td>74.00</td><td>-36.23</td><td>40.35</td><td>37.74</td><td>23.15</td><td>53.93</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19875.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>40.64</td><td>37.76</td><td>23.22</td><td>53.91</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13090.00	50.04	88.20	-38.16	59.50	39.63	18.74	67.93	0.10	--	--	--	PEAK	2	13170.00	48.79	88.20	-39.41	50.41	39.63	18.78	68.13	0.10	--	--	--	Peak	3	13250.00	48.93	74.00	-24.07	59.28	39.73	18.83	68.01	0.10	--	--	--	Peak	4	13250.00	38.92	54.00	-15.08	48.27	39.73	18.83	68.01	0.10	--	--	--	Average	5	19635.00	39.41	74.00	-34.59	41.99	37.78	23.07	53.89	-9.54	--	--	--	PEAK	6	19755.00	37.77	74.00	-36.23	40.35	37.74	23.15	53.93	-9.54	--	--	--	Peak	7	19875.00	38.17	74.00	-35.83	40.64	37.76	23.22	53.91	-9.54	--	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	13090.00	50.34	88.20	-37.86	59.88	39.55	18.74	67.93	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																	
2	13170.00	49.09	88.20	-39.11	50.76	39.58	18.78	68.13	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
3	13250.00	49.27	74.00	-24.73	50.65	39.70	18.83	68.01	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
4	13250.00	39.81	54.00	-14.19	49.19	39.70	18.83	68.01	0.10	--	--	--	Average																																																																																																																																																																																																																																																	
5	19635.00	39.04	74.00	-34.96	41.51	37.89	23.07	53.89	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																	
6	19755.00	38.08	74.00	-35.92	40.53	37.87	23.15	53.93	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
7	19875.00	38.56	74.00	-35.44	40.86	37.93	23.22	53.91	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	13090.00	50.04	88.20	-38.16	59.50	39.63	18.74	67.93	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																	
2	13170.00	48.79	88.20	-39.41	50.41	39.63	18.78	68.13	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
3	13250.00	48.93	74.00	-24.07	59.28	39.73	18.83	68.01	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
4	13250.00	38.92	54.00	-15.08	48.27	39.73	18.83	68.01	0.10	--	--	--	Average																																																																																																																																																																																																																																																	
5	19635.00	39.41	74.00	-34.59	41.99	37.78	23.07	53.89	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																	
6	19755.00	37.77	74.00	-36.23	40.35	37.74	23.15	53.93	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
7	19875.00	38.17	74.00	-35.83	40.64	37.76	23.22	53.91	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	

Mode	56	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135_6545+6585+6625MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	57																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155_6645+6685+6725MHz																																													
ANT	MIMO																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6645.00</td><td>118.94</td><td>-----</td><td>99.84</td><td>35.70</td><td>13.28</td><td>29.88</td><td>0.00</td><td>157</td><td>167</td><td>PEAK</td></tr><tr><td>2 6685.00</td><td>121.55</td><td>-----</td><td>102.37</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>157</td><td>167</td><td>PEAK</td></tr><tr><td>3 6725.00</td><td>120.06</td><td>-----</td><td>100.82</td><td>35.83</td><td>13.37</td><td>29.96</td><td>0.00</td><td>157</td><td>167</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6645.00	118.94	-----	99.84	35.70	13.28	29.88	0.00	157	167	PEAK	2 6685.00	121.55	-----	102.37	35.78	13.32	29.92	0.00	157	167	PEAK	3 6725.00	120.06	-----	100.82	35.83	13.37	29.96	0.00	157	167	PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 6645.00	118.94	-----	99.84	35.70	13.28	29.88	0.00	157	167	PEAK																																				
2 6685.00	121.55	-----	102.37	35.78	13.32	29.92	0.00	157	167	PEAK																																				
3 6725.00	120.06	-----	100.82	35.83	13.37	29.96	0.00	157	167	PEAK																																				
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6645.00</td><td>111.31</td><td>-----</td><td>92.21</td><td>35.70</td><td>13.28</td><td>29.88</td><td>0.00</td><td>157</td><td>167</td><td>AVERAGE</td></tr><tr><td>2 6685.00</td><td>112.84</td><td>-----</td><td>93.68</td><td>35.77</td><td>13.31</td><td>29.92</td><td>0.00</td><td>157</td><td>167</td><td>AVERAGE</td></tr><tr><td>3 6725.00</td><td>111.48</td><td>-----</td><td>92.24</td><td>35.83</td><td>13.37</td><td>29.96</td><td>0.00</td><td>157</td><td>167</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6645.00	111.31	-----	92.21	35.70	13.28	29.88	0.00	157	167	AVERAGE	2 6685.00	112.84	-----	93.68	35.77	13.31	29.92	0.00	157	167	AVERAGE	3 6725.00	111.48	-----	92.24	35.83	13.37	29.96	0.00	157	167	AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 6645.00	111.31	-----	92.21	35.70	13.28	29.88	0.00	157	167	AVERAGE																																				
2 6685.00	112.84	-----	93.68	35.77	13.31	29.92	0.00	157	167	AVERAGE																																				
3 6725.00	111.48	-----	92.24	35.83	13.37	29.96	0.00	157	167	AVERAGE																																				



Mode	57																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155_6645+6685+6725MHz																																													
ANT	MIMO																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6645.00</td><td>107.70</td><td>-----</td><td>88.54</td><td>35.76</td><td>13.28</td><td>29.88</td><td>0.00</td><td>159</td><td>185</td><td>PEAK</td></tr><tr><td>2 6685.00</td><td>118.74</td><td>-----</td><td>99.44</td><td>35.90</td><td>13.34</td><td>29.94</td><td>0.00</td><td>159</td><td>185</td><td>PEAK</td></tr><tr><td>3 6725.00</td><td>107.57</td><td>-----</td><td>88.24</td><td>35.92</td><td>13.37</td><td>29.96</td><td>0.00</td><td>159</td><td>185</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6645.00	107.70	-----	88.54	35.76	13.28	29.88	0.00	159	185	PEAK	2 6685.00	118.74	-----	99.44	35.90	13.34	29.94	0.00	159	185	PEAK	3 6725.00	107.57	-----	88.24	35.92	13.37	29.96	0.00	159	185	PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 6645.00	107.70	-----	88.54	35.76	13.28	29.88	0.00	159	185	PEAK																																				
2 6685.00	118.74	-----	99.44	35.90	13.34	29.94	0.00	159	185	PEAK																																				
3 6725.00	107.57	-----	88.24	35.92	13.37	29.96	0.00	159	185	PEAK																																				
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6645.00</td><td>99.07</td><td>-----</td><td>79.90</td><td>35.77</td><td>13.28</td><td>29.88</td><td>0.00</td><td>159</td><td>185</td><td>AVERAGE</td></tr><tr><td>2 6685.00</td><td>109.90</td><td>-----</td><td>90.63</td><td>35.87</td><td>13.32</td><td>29.92</td><td>0.00</td><td>159</td><td>185</td><td>AVERAGE</td></tr><tr><td>3 6725.00</td><td>100.20</td><td>-----</td><td>80.86</td><td>35.92</td><td>13.37</td><td>29.95</td><td>0.00</td><td>159</td><td>185</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6645.00	99.07	-----	79.90	35.77	13.28	29.88	0.00	159	185	AVERAGE	2 6685.00	109.90	-----	90.63	35.87	13.32	29.92	0.00	159	185	AVERAGE	3 6725.00	100.20	-----	80.86	35.92	13.37	29.95	0.00	159	185	AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 6645.00	99.07	-----	79.90	35.77	13.28	29.88	0.00	159	185	AVERAGE																																				
2 6685.00	109.90	-----	90.63	35.87	13.32	29.92	0.00	159	185	AVERAGE																																				
3 6725.00	100.20	-----	80.86	35.92	13.37	29.95	0.00	159	185	AVERAGE																																				



Mode	57																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155_6645+6685+6725MHz																																																																																																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																								
Peak																																																																																																																																																																																																																																																																																										
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13290.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>59.82</td><td>39.75</td><td>18.85</td><td>67.90</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13290.00</td><td>40.04</td><td>54.00</td><td>-13.96</td><td>49.24</td><td>39.75</td><td>18.85</td><td>67.90</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>13370.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>60.00</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>13370.00</td><td>40.63</td><td>54.00</td><td>-13.37</td><td>49.43</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>13450.00</td><td>50.52</td><td>88.20</td><td>-37.68</td><td>58.83</td><td>40.00</td><td>18.93</td><td>67.34</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>19935.00</td><td>38.63</td><td>74.00</td><td>-35.37</td><td>40.82</td><td>37.99</td><td>23.26</td><td>53.90</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20055.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>40.44</td><td>37.98</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>8</td><td>20175.00</td><td>39.01</td><td>74.00</td><td>-34.99</td><td>40.80</td><td>37.99</td><td>23.44</td><td>53.68</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	13290.00	49.82	74.00	-24.18	59.82	39.75	18.85	67.90	0.10	--	--	--	Peak	2	13290.00	40.04	54.00	-13.96	49.24	39.75	18.85	67.90	0.10	--	--	--	Average	3	13370.00	51.20	74.00	-22.80	60.00	39.87	18.89	67.66	0.10	--	--	--	PEAK	4	13370.00	40.63	54.00	-13.37	49.43	39.87	18.89	67.66	0.10	--	--	--	Average	5	13450.00	50.52	88.20	-37.68	58.83	40.00	18.93	67.34	0.10	--	--	--	Peak	6	19935.00	38.63	74.00	-35.37	40.82	37.99	23.26	53.90	-9.54	--	--	--	Peak	7	20055.00	38.36	74.00	-35.64	40.44	37.98	23.34	53.86	-9.54	--	--	--	PEAK	8	20175.00	39.01	74.00	-34.99	40.80	37.99	23.44	53.68	-9.54	--	--	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13290.00</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>60.13</td><td>39.78</td><td>18.85</td><td>67.90</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13290.00</td><td>40.96</td><td>54.00</td><td>-13.04</td><td>50.13</td><td>39.78</td><td>18.85</td><td>67.90</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>13370.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>60.29</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>13370.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>50.29</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>13450.00</td><td>51.03</td><td>88.20</td><td>-37.17</td><td>59.20</td><td>40.14</td><td>18.93</td><td>67.34</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>19935.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>42.10</td><td>37.79</td><td>23.26</td><td>53.90</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20055.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>40.82</td><td>37.68</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>8</td><td>20175.00</td><td>37.38</td><td>74.00</td><td>-36.62</td><td>39.47</td><td>37.69</td><td>23.44</td><td>53.68</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	13290.00	50.96	74.00	-23.04	60.13	39.78	18.85	67.90	0.10	--	--	--	Peak	2	13290.00	40.96	54.00	-13.04	50.13	39.78	18.85	67.90	0.10	--	--	--	Average	3	13370.00	51.56	74.00	-22.44	60.29	39.94	18.89	67.66	0.10	--	--	--	PEAK	4	13370.00	41.56	54.00	-12.44	50.29	39.94	18.89	67.66	0.10	--	--	--	Average	5	13450.00	51.03	88.20	-37.17	59.20	40.14	18.93	67.34	0.10	--	--	--	Peak	6	19935.00	39.71	74.00	-34.29	42.10	37.79	23.26	53.90	-9.54	--	--	--	Peak	7	20055.00	38.44	74.00	-35.56	40.82	37.68	23.34	53.86	-9.54	--	--	--	PEAK	8	20175.00	37.38	74.00	-36.62	39.47	37.69	23.44	53.68	-9.54	--	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																													
1	13290.00	49.82	74.00	-24.18	59.82	39.75	18.85	67.90	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
2	13290.00	40.04	54.00	-13.96	49.24	39.75	18.85	67.90	0.10	--	--	--	Average																																																																																																																																																																																																																																																																													
3	13370.00	51.20	74.00	-22.80	60.00	39.87	18.89	67.66	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																																													
4	13370.00	40.63	54.00	-13.37	49.43	39.87	18.89	67.66	0.10	--	--	--	Average																																																																																																																																																																																																																																																																													
5	13450.00	50.52	88.20	-37.68	58.83	40.00	18.93	67.34	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
6	19935.00	38.63	74.00	-35.37	40.82	37.99	23.26	53.90	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
7	20055.00	38.36	74.00	-35.64	40.44	37.98	23.34	53.86	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																																													
8	20175.00	39.01	74.00	-34.99	40.80	37.99	23.44	53.68	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																													
1	13290.00	50.96	74.00	-23.04	60.13	39.78	18.85	67.90	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
2	13290.00	40.96	54.00	-13.04	50.13	39.78	18.85	67.90	0.10	--	--	--	Average																																																																																																																																																																																																																																																																													
3	13370.00	51.56	74.00	-22.44	60.29	39.94	18.89	67.66	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																																													
4	13370.00	41.56	54.00	-12.44	50.29	39.94	18.89	67.66	0.10	--	--	--	Average																																																																																																																																																																																																																																																																													
5	13450.00	51.03	88.20	-37.17	59.20	40.14	18.93	67.34	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
6	19935.00	39.71	74.00	-34.29	42.10	37.79	23.26	53.90	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
7	20055.00	38.44	74.00	-35.56	40.82	37.68	23.34	53.86	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																																													
8	20175.00	37.38	74.00	-36.62	39.47	37.69	23.44	53.68	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													

Mode	57	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155_6645+6685+6725MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL

Mode

58

Band Edge - L

U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz

ANT


MIMO

Pol.

Horizontal


Fundamental

Peak



Site : 03CH01-CA
Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto


MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	7128.04	61.41	88.20	-26.79	41.34	36.49	13.82	30.24	0.00 155 165 PEAK



Site : 03CH01-CA
Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL
: RBW:1000.000kHz VBW:3000.000kHz SMT:Auto


MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	6775.00	119.74	-----	100.46	35.83	13.42	29.97	0.00 155 165 PEAK	
2	6815.00	120.70	-----	101.40	35.82	13.47	29.99	0.00 155 165 PEAK	
3	6855.00	120.72	-----	101.42	35.82	13.47	29.99	0.00 155 165 PEAK	

Avg



Site : 03CH01-CA
Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto

MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	7125.06	51.82	68.20	-16.38	31.76	36.48	13.82	30.24	0.00 155 165 AVERAGE





Site : 03CH01-CA
Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL
: RBW:1000.000kHz VBW:0.010kHz SMT:Auto





MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	6775.00	111.45	-----	92.17	35.83	13.42	29.97	0.00 155 165 AVERAGE	
2	6815.00	112.13	-----	92.83	35.82	13.47	29.99	0.00 155 165 AVERAGE	
3	6855.00	112.13	-----	92.83	35.82	13.47	29.99	0.00 155 165 AVERAGE	







Mode	58																																																																			
	Band Edge - L																																																																			
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz																																																																			
ANT	MIMO																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E 1 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7189.87</td><td>61.20</td><td>88.20</td><td>-27.00</td><td>40.73</td><td>36.84</td><td>13.91</td><td>30.28</td><td>0.00</td><td>150 165 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7189.87	61.20	88.20	-27.00	40.73	36.84	13.91	30.28	0.00	150 165 PEAK	Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E 13 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6775.00</td><td>116.14</td><td>-----</td><td>96.75</td><td>35.94</td><td>13.42</td><td>29.97</td><td>0.00</td><td>150</td><td>165 PEAK</td></tr><tr><td>2</td><td>6815.00</td><td>103.61</td><td>-----</td><td>84.20</td><td>35.93</td><td>13.47</td><td>29.99</td><td>0.00</td><td>150</td><td>165 PEAK</td></tr><tr><td>3</td><td>6855.00</td><td>118.43</td><td>-----</td><td>99.01</td><td>35.94</td><td>13.49</td><td>30.01</td><td>0.00</td><td>150</td><td>165 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6775.00	116.14	-----	96.75	35.94	13.42	29.97	0.00	150	165 PEAK	2	6815.00	103.61	-----	84.20	35.93	13.47	29.99	0.00	150	165 PEAK	3	6855.00	118.43	-----	99.01	35.94	13.49	30.01	0.00	150	165 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	7189.87	61.20	88.20	-27.00	40.73	36.84	13.91	30.28	0.00	150 165 PEAK																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	6775.00	116.14	-----	96.75	35.94	13.42	29.97	0.00	150	165 PEAK																																																										
2	6815.00	103.61	-----	84.20	35.93	13.47	29.99	0.00	150	165 PEAK																																																										
3	6855.00	118.43	-----	99.01	35.94	13.49	30.01	0.00	150	165 PEAK																																																										
Avg	Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E 1 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.06</td><td>50.77</td><td>68.20</td><td>-17.43</td><td>30.57</td><td>36.62</td><td>13.82</td><td>30.24</td><td>0.00</td><td>150 165 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.06	50.77	68.20	-17.43	30.57	36.62	13.82	30.24	0.00	150 165 AVERAGE	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E 13 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6775.00</td><td>108.56</td><td>-----</td><td>89.17</td><td>35.94</td><td>13.42</td><td>29.97</td><td>0.00</td><td>150</td><td>165 AVERAGE</td></tr><tr><td>2</td><td>6815.00</td><td>99.26</td><td>-----</td><td>79.85</td><td>35.93</td><td>13.47</td><td>29.99</td><td>0.00</td><td>150</td><td>165 AVERAGE</td></tr><tr><td>3</td><td>6855.00</td><td>109.65</td><td>-----</td><td>90.23</td><td>35.94</td><td>13.49</td><td>30.01</td><td>0.00</td><td>150</td><td>165 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6775.00	108.56	-----	89.17	35.94	13.42	29.97	0.00	150	165 AVERAGE	2	6815.00	99.26	-----	79.85	35.93	13.47	29.99	0.00	150	165 AVERAGE	3	6855.00	109.65	-----	90.23	35.94	13.49	30.01	0.00	150	165 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	7125.06	50.77	68.20	-17.43	30.57	36.62	13.82	30.24	0.00	150 165 AVERAGE																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	6775.00	108.56	-----	89.17	35.94	13.42	29.97	0.00	150	165 AVERAGE																																																										
2	6815.00	99.26	-----	79.85	35.93	13.47	29.99	0.00	150	165 AVERAGE																																																										
3	6855.00	109.65	-----	90.23	35.94	13.49	30.01	0.00	150	165 AVERAGE																																																										



Mode	58																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																			
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz																																																																																																																																																																																																																																			
ANT	MIMO																																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																																													
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13550.00</td><td>50.58</td><td>88.20</td><td>-37.62</td><td>58.59</td><td>40.11</td><td>18.99</td><td>67.21</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 13630.00</td><td>50.83</td><td>88.20</td><td>-37.37</td><td>59.47</td><td>40.07</td><td>19.03</td><td>67.84</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3 13710.00</td><td>50.47</td><td>88.20</td><td>-37.73</td><td>59.66</td><td>40.04</td><td>19.07</td><td>68.40</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 20325.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>40.28</td><td>38.02</td><td>23.56</td><td>53.54</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5 20445.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>39.98</td><td>38.00</td><td>23.66</td><td>53.44</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6 20565.00</td><td>39.68</td><td>74.00</td><td>-34.32</td><td>40.64</td><td>38.09</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13550.00	50.58	88.20	-37.62	58.59	40.11	18.99	67.21	0.10	--	--	Peak	2 13630.00	50.83	88.20	-37.37	59.47	40.07	19.03	67.84	0.10	--	--	Peak	3 13710.00	50.47	88.20	-37.73	59.66	40.04	19.07	68.40	0.10	--	--	PEAK	4 20325.00	38.78	74.00	-35.22	40.28	38.02	23.56	53.54	-9.54	--	--	Peak	5 20445.00	38.66	74.00	-35.34	39.98	38.00	23.66	53.44	-9.54	--	--	Peak	6 20565.00	39.68	74.00	-34.32	40.64	38.09	23.75	53.26	-9.54	--	--	PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13550.00</td><td>49.83</td><td>88.20</td><td>-38.37</td><td>57.67</td><td>40.28</td><td>18.99</td><td>67.21</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 13630.00</td><td>50.12</td><td>88.20</td><td>-38.08</td><td>58.57</td><td>40.26</td><td>19.03</td><td>67.84</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3 13710.00</td><td>50.94</td><td>88.20</td><td>-37.26</td><td>59.95</td><td>40.22</td><td>19.07</td><td>68.40</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 20325.00</td><td>37.91</td><td>74.00</td><td>-36.09</td><td>39.64</td><td>37.79</td><td>23.56</td><td>53.54</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5 20445.00</td><td>38.45</td><td>74.00</td><td>-35.55</td><td>40.07</td><td>37.70</td><td>23.66</td><td>53.44</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6 20565.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>40.41</td><td>37.82</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13550.00	49.83	88.20	-38.37	57.67	40.28	18.99	67.21	0.10	--	--	Peak	2 13630.00	50.12	88.20	-38.08	58.57	40.26	19.03	67.84	0.10	--	--	Peak	3 13710.00	50.94	88.20	-37.26	59.95	40.22	19.07	68.40	0.10	--	--	PEAK	4 20325.00	37.91	74.00	-36.09	39.64	37.79	23.56	53.54	-9.54	--	--	Peak	5 20445.00	38.45	74.00	-35.55	40.07	37.70	23.66	53.44	-9.54	--	--	Peak	6 20565.00	39.18	74.00	-34.82	40.41	37.82	23.75	53.26	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																										
1 13550.00	50.58	88.20	-37.62	58.59	40.11	18.99	67.21	0.10	--	--	Peak																																																																																																																																																																																																																									
2 13630.00	50.83	88.20	-37.37	59.47	40.07	19.03	67.84	0.10	--	--	Peak																																																																																																																																																																																																																									
3 13710.00	50.47	88.20	-37.73	59.66	40.04	19.07	68.40	0.10	--	--	PEAK																																																																																																																																																																																																																									
4 20325.00	38.78	74.00	-35.22	40.28	38.02	23.56	53.54	-9.54	--	--	Peak																																																																																																																																																																																																																									
5 20445.00	38.66	74.00	-35.34	39.98	38.00	23.66	53.44	-9.54	--	--	Peak																																																																																																																																																																																																																									
6 20565.00	39.68	74.00	-34.32	40.64	38.09	23.75	53.26	-9.54	--	--	PEAK																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																										
1 13550.00	49.83	88.20	-38.37	57.67	40.28	18.99	67.21	0.10	--	--	Peak																																																																																																																																																																																																																									
2 13630.00	50.12	88.20	-38.08	58.57	40.26	19.03	67.84	0.10	--	--	Peak																																																																																																																																																																																																																									
3 13710.00	50.94	88.20	-37.26	59.95	40.22	19.07	68.40	0.10	--	--	PEAK																																																																																																																																																																																																																									
4 20325.00	37.91	74.00	-36.09	39.64	37.79	23.56	53.54	-9.54	--	--	Peak																																																																																																																																																																																																																									
5 20445.00	38.45	74.00	-35.55	40.07	37.70	23.66	53.44	-9.54	--	--	Peak																																																																																																																																																																																																																									
6 20565.00	39.18	74.00	-34.82	40.41	37.82	23.75	53.26	-9.54	--	--	PEAK																																																																																																																																																																																																																									



Mode	58	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL







Mode	59																																																																																					
	Band Edge - L																																																																																					
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																																					
ANT	MIMO																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7174.97</td><td>63.34</td><td>88.20</td><td>-24.86</td><td>43.06</td><td>36.66</td><td>13.89</td><td>30.27</td><td>0.00</td><td>155</td><td>165</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7174.97	63.34	88.20	-24.86	43.06	36.66	13.89	30.27	0.00	155	165	PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>113.79</td><td>-----</td><td>95.02</td><td>35.32</td><td>13.20</td><td>29.75</td><td>0.00</td><td>155</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>6685.00</td><td>116.48</td><td>-----</td><td>97.30</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>155</td><td>165</td><td>PEAK</td></tr><tr><td>3</td><td>6855.00</td><td>116.48</td><td>-----</td><td>97.30</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>155</td><td>165</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	113.79	-----	95.02	35.32	13.20	29.75	0.00	155	165	PEAK	2	6685.00	116.48	-----	97.30	35.78	13.32	29.92	0.00	155	165	PEAK	3	6855.00	116.48	-----	97.30	35.78	13.32	29.92	0.00	155	165	PEAK													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	7174.97	63.34	88.20	-24.86	43.06	36.66	13.89	30.27	0.00	155	165	PEAK																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	6545.00	113.79	-----	95.02	35.32	13.20	29.75	0.00	155	165	PEAK																																																																											
2	6685.00	116.48	-----	97.30	35.78	13.32	29.92	0.00	155	165	PEAK																																																																											
3	6855.00	116.48	-----	97.30	35.78	13.32	29.92	0.00	155	165	PEAK																																																																											
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7158.58</td><td>51.96</td><td>68.20</td><td>-16.24</td><td>31.75</td><td>36.61</td><td>13.86</td><td>30.26</td><td>0.00</td><td>155</td><td>165</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7158.58	51.96	68.20	-16.24	31.75	36.61	13.86	30.26	0.00	155	165	AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6494.00</td><td>67.91</td><td>68.20</td><td>-0.29</td><td>49.68</td><td>34.71</td><td>13.12</td><td>29.60</td><td>0.00</td><td>164</td><td>168</td><td>AVERAGE</td></tr><tr><td>2</td><td>6545.00</td><td>105.10</td><td>-----</td><td>86.33</td><td>35.32</td><td>13.20</td><td>29.75</td><td>0.00</td><td>155</td><td>165</td><td>AVERAGE</td></tr><tr><td>3</td><td>6685.00</td><td>107.69</td><td>-----</td><td>88.51</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>155</td><td>165</td><td>AVERAGE</td></tr><tr><td>4</td><td>6855.00</td><td>107.69</td><td>-----</td><td>88.53</td><td>35.77</td><td>13.31</td><td>29.92</td><td>0.00</td><td>155</td><td>165</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6494.00	67.91	68.20	-0.29	49.68	34.71	13.12	29.60	0.00	164	168	AVERAGE	2	6545.00	105.10	-----	86.33	35.32	13.20	29.75	0.00	155	165	AVERAGE	3	6685.00	107.69	-----	88.51	35.78	13.32	29.92	0.00	155	165	AVERAGE	4	6855.00	107.69	-----	88.53	35.77	13.31	29.92	0.00	155	165	AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	7158.58	51.96	68.20	-16.24	31.75	36.61	13.86	30.26	0.00	155	165	AVERAGE																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	6494.00	67.91	68.20	-0.29	49.68	34.71	13.12	29.60	0.00	164	168	AVERAGE																																																																										
2	6545.00	105.10	-----	86.33	35.32	13.20	29.75	0.00	155	165	AVERAGE																																																																											
3	6685.00	107.69	-----	88.51	35.78	13.32	29.92	0.00	155	165	AVERAGE																																																																											
4	6855.00	107.69	-----	88.53	35.77	13.31	29.92	0.00	155	165	AVERAGE																																																																											





Mode	59																																																																			
	Band Edge - L																																																																			
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																			
ANT	MIMO																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7154.86</td><td>62.14</td><td>88.20</td><td>-26.06</td><td>41.81</td><td>36.73</td><td>13.86</td><td>30.26</td><td>0.00</td><td>157 162 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7154.86	62.14	88.20	-26.06	41.81	36.73	13.86	30.26	0.00	157 162 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>111.31</td><td>-----</td><td>92.47</td><td>35.39</td><td>13.20</td><td>29.75</td><td>0.00</td><td>157</td><td>162 PEAK</td></tr><tr><td>2</td><td>6685.00</td><td>103.89</td><td>-----</td><td>84.63</td><td>35.86</td><td>13.32</td><td>29.92</td><td>0.00</td><td>157</td><td>162 PEAK</td></tr><tr><td>3</td><td>6855.00</td><td>113.95</td><td>-----</td><td>94.52</td><td>35.95</td><td>13.52</td><td>30.04</td><td>0.00</td><td>157</td><td>162 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	111.31	-----	92.47	35.39	13.20	29.75	0.00	157	162 PEAK	2	6685.00	103.89	-----	84.63	35.86	13.32	29.92	0.00	157	162 PEAK	3	6855.00	113.95	-----	94.52	35.95	13.52	30.04	0.00	157	162 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	7154.86	62.14	88.20	-26.06	41.81	36.73	13.86	30.26	0.00	157 162 PEAK																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	6545.00	111.31	-----	92.47	35.39	13.20	29.75	0.00	157	162 PEAK																																																										
2	6685.00	103.89	-----	84.63	35.86	13.32	29.92	0.00	157	162 PEAK																																																										
3	6855.00	113.95	-----	94.52	35.95	13.52	30.04	0.00	157	162 PEAK																																																										
Avg	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7176.46</td><td>50.84</td><td>68.20</td><td>-17.36</td><td>30.43</td><td>36.79</td><td>13.89</td><td>30.27</td><td>0.00</td><td>157 162 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7176.46	50.84	68.20	-17.36	30.43	36.79	13.89	30.27	0.00	157 162 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>103.10</td><td>-----</td><td>84.26</td><td>35.39</td><td>13.20</td><td>29.75</td><td>0.00</td><td>157</td><td>162 AVERAGE</td></tr><tr><td>2</td><td>6685.00</td><td>96.34</td><td>-----</td><td>77.08</td><td>35.86</td><td>13.32</td><td>29.92</td><td>0.00</td><td>157</td><td>162 AVERAGE</td></tr><tr><td>3</td><td>6855.00</td><td>105.33</td><td>-----</td><td>85.90</td><td>35.95</td><td>13.52</td><td>30.04</td><td>0.00</td><td>157</td><td>162 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	103.10	-----	84.26	35.39	13.20	29.75	0.00	157	162 AVERAGE	2	6685.00	96.34	-----	77.08	35.86	13.32	29.92	0.00	157	162 AVERAGE	3	6855.00	105.33	-----	85.90	35.95	13.52	30.04	0.00	157	162 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	7176.46	50.84	68.20	-17.36	30.43	36.79	13.89	30.27	0.00	157 162 AVERAGE																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	6545.00	103.10	-----	84.26	35.39	13.20	29.75	0.00	157	162 AVERAGE																																																										
2	6685.00	96.34	-----	77.08	35.86	13.32	29.92	0.00	157	162 AVERAGE																																																										
3	6855.00	105.33	-----	85.90	35.95	13.52	30.04	0.00	157	162 AVERAGE																																																										

Mode	59																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
Peak																																																																																																																																																																																																										
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 13090.00</td><td>49.72</td><td>88.20</td><td>-38.48</td><td>59.26</td><td>39.55</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13370.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>58.88</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 13370.00</td><td>40.11</td><td>54.00</td><td>-13.89</td><td>48.91</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Average</td></tr><tr><td>4 13710.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>59.88</td><td>40.04</td><td>19.07</td><td>68.40</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>5 19635.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>41.56</td><td>37.89</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 20055.00</td><td>37.60</td><td>74.00</td><td>-36.40</td><td>39.68</td><td>37.98</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>7 20565.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td>40.76</td><td>38.09</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 13090.00	49.72	88.20	-38.48	59.26	39.55	18.74	67.93	0.10	-- Peak	2 13370.00	50.08	74.00	-23.92	58.88	39.87	18.89	67.66	0.10	-- Peak	3 13370.00	40.11	54.00	-13.89	48.91	39.87	18.89	67.66	0.10	-- Average	4 13710.00	50.69	88.20	-37.51	59.88	40.04	19.07	68.40	0.10	-- PEAK	5 19635.00	39.09	74.00	-34.91	41.56	37.89	23.07	53.89	-9.54	-- Peak	6 20055.00	37.60	74.00	-36.40	39.68	37.98	23.34	53.86	-9.54	-- Peak	7 20565.00	39.80	74.00	-34.20	40.76	38.09	23.75	53.26	-9.54	-- PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 13090.00</td><td>48.70</td><td>88.20</td><td>-39.50</td><td>58.16</td><td>39.63</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13370.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>59.15</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 13370.00</td><td>48.52</td><td>54.00</td><td>-13.48</td><td>49.25</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Average</td></tr><tr><td>4 13710.00</td><td>50.79</td><td>88.20</td><td>-37.41</td><td>59.88</td><td>40.22</td><td>19.07</td><td>68.40</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>5 19635.00</td><td>38.05</td><td>74.00</td><td>-35.95</td><td>40.63</td><td>37.78</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 20055.00</td><td>37.65</td><td>74.00</td><td>-36.35</td><td>40.83</td><td>37.68</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>7 20565.00</td><td>37.78</td><td>74.00</td><td>-36.22</td><td>39.01</td><td>37.82</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 13090.00	48.70	88.20	-39.50	58.16	39.63	18.74	67.93	0.10	-- Peak	2 13370.00	50.42	74.00	-23.58	59.15	39.94	18.89	67.66	0.10	-- Peak	3 13370.00	48.52	54.00	-13.48	49.25	39.94	18.89	67.66	0.10	-- Average	4 13710.00	50.79	88.20	-37.41	59.88	40.22	19.07	68.40	0.10	-- PEAK	5 19635.00	38.05	74.00	-35.95	40.63	37.78	23.07	53.89	-9.54	-- Peak	6 20055.00	37.65	74.00	-36.35	40.83	37.68	23.34	53.86	-9.54	-- Peak	7 20565.00	37.78	74.00	-36.22	39.01	37.82	23.75	53.26	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																		
1 13090.00	49.72	88.20	-38.48	59.26	39.55	18.74	67.93	0.10	-- Peak																																																																																																																																																																																																	
2 13370.00	50.08	74.00	-23.92	58.88	39.87	18.89	67.66	0.10	-- Peak																																																																																																																																																																																																	
3 13370.00	40.11	54.00	-13.89	48.91	39.87	18.89	67.66	0.10	-- Average																																																																																																																																																																																																	
4 13710.00	50.69	88.20	-37.51	59.88	40.04	19.07	68.40	0.10	-- PEAK																																																																																																																																																																																																	
5 19635.00	39.09	74.00	-34.91	41.56	37.89	23.07	53.89	-9.54	-- Peak																																																																																																																																																																																																	
6 20055.00	37.60	74.00	-36.40	39.68	37.98	23.34	53.86	-9.54	-- Peak																																																																																																																																																																																																	
7 20565.00	39.80	74.00	-34.20	40.76	38.09	23.75	53.26	-9.54	-- PEAK																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																		
1 13090.00	48.70	88.20	-39.50	58.16	39.63	18.74	67.93	0.10	-- Peak																																																																																																																																																																																																	
2 13370.00	50.42	74.00	-23.58	59.15	39.94	18.89	67.66	0.10	-- Peak																																																																																																																																																																																																	
3 13370.00	48.52	54.00	-13.48	49.25	39.94	18.89	67.66	0.10	-- Average																																																																																																																																																																																																	
4 13710.00	50.79	88.20	-37.41	59.88	40.22	19.07	68.40	0.10	-- PEAK																																																																																																																																																																																																	
5 19635.00	38.05	74.00	-35.95	40.63	37.78	23.07	53.89	-9.54	-- Peak																																																																																																																																																																																																	
6 20055.00	37.65	74.00	-36.35	40.83	37.68	23.34	53.86	-9.54	-- Peak																																																																																																																																																																																																	
7 20565.00	37.78	74.00	-36.22	39.01	37.82	23.75	53.26	-9.54	-- PEAK																																																																																																																																																																																																	





Mode	59	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	60																																																								
	Band Edge																																																								
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135+143_6545+6585+6625+6665MHz																																																								
ANT	MIMO																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>119.41</td><td>-----</td><td>100.63</td><td>35.33</td><td>13.20</td><td>29.75</td><td>0.00</td><td>158</td><td>164 PEAK</td></tr><tr><td>2</td><td>6585.00</td><td>121.08</td><td>-----</td><td>102.17</td><td>35.49</td><td>13.22</td><td>29.80</td><td>0.00</td><td>158</td><td>164 PEAK</td></tr><tr><td>3</td><td>6625.00</td><td>120.23</td><td>-----</td><td>101.18</td><td>35.64</td><td>13.26</td><td>29.85</td><td>0.00</td><td>158</td><td>164 PEAK</td></tr><tr><td>4</td><td>6665.00</td><td>120.56</td><td>-----</td><td>101.42</td><td>35.75</td><td>13.30</td><td>29.91</td><td>0.00</td><td>158</td><td>164 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	119.41	-----	100.63	35.33	13.20	29.75	0.00	158	164 PEAK	2	6585.00	121.08	-----	102.17	35.49	13.22	29.80	0.00	158	164 PEAK	3	6625.00	120.23	-----	101.18	35.64	13.26	29.85	0.00	158	164 PEAK	4	6665.00	120.56	-----	101.42	35.75	13.30	29.91	0.00	158	164 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6545.00	119.41	-----	100.63	35.33	13.20	29.75	0.00	158	164 PEAK																																															
2	6585.00	121.08	-----	102.17	35.49	13.22	29.80	0.00	158	164 PEAK																																															
3	6625.00	120.23	-----	101.18	35.64	13.26	29.85	0.00	158	164 PEAK																																															
4	6665.00	120.56	-----	101.42	35.75	13.30	29.91	0.00	158	164 PEAK																																															
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>110.75</td><td>-----</td><td>91.98</td><td>35.32</td><td>13.20</td><td>29.75</td><td>0.00</td><td>158</td><td>164 AVERAGE</td></tr><tr><td>2</td><td>6585.00</td><td>112.57</td><td>-----</td><td>93.66</td><td>35.49</td><td>13.22</td><td>29.80</td><td>0.00</td><td>158</td><td>164 AVERAGE</td></tr><tr><td>3</td><td>6625.00</td><td>111.65</td><td>-----</td><td>92.60</td><td>35.64</td><td>13.26</td><td>29.85</td><td>0.00</td><td>158</td><td>164 AVERAGE</td></tr><tr><td>4</td><td>6665.00</td><td>111.68</td><td>-----</td><td>92.53</td><td>35.75</td><td>13.30</td><td>29.90</td><td>0.00</td><td>158</td><td>164 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	110.75	-----	91.98	35.32	13.20	29.75	0.00	158	164 AVERAGE	2	6585.00	112.57	-----	93.66	35.49	13.22	29.80	0.00	158	164 AVERAGE	3	6625.00	111.65	-----	92.60	35.64	13.26	29.85	0.00	158	164 AVERAGE	4	6665.00	111.68	-----	92.53	35.75	13.30	29.90	0.00	158	164 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6545.00	110.75	-----	91.98	35.32	13.20	29.75	0.00	158	164 AVERAGE																																															
2	6585.00	112.57	-----	93.66	35.49	13.22	29.80	0.00	158	164 AVERAGE																																															
3	6625.00	111.65	-----	92.60	35.64	13.26	29.85	0.00	158	164 AVERAGE																																															
4	6665.00	111.68	-----	92.53	35.75	13.30	29.90	0.00	158	164 AVERAGE																																															





Mode	60																																																								
	Band Edge																																																								
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135+143_6545+6585+6625+6665MHz																																																								
ANT	MIMO																																																								
Pol.	Vertical	Fundamental																																																							
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6545.00</td><td>118.06</td><td>-----</td><td>99.17</td><td>35.45</td><td>13.21</td><td>29.77</td><td>0.00</td><td>155</td><td>167 PEAK</td></tr><tr><td>2</td><td>6585.00</td><td>101.23</td><td>-----</td><td>82.24</td><td>35.57</td><td>13.22</td><td>29.80</td><td>0.00</td><td>155</td><td>167 PEAK</td></tr><tr><td>3</td><td>6625.00</td><td>116.39</td><td>-----</td><td>97.27</td><td>35.72</td><td>13.26</td><td>29.86</td><td>0.00</td><td>155</td><td>167 PEAK</td></tr><tr><td>4</td><td>6665.00</td><td>105.03</td><td>-----</td><td>85.81</td><td>35.82</td><td>13.30</td><td>29.90</td><td>0.00</td><td>155</td><td>167 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	118.06	-----	99.17	35.45	13.21	29.77	0.00	155	167 PEAK	2	6585.00	101.23	-----	82.24	35.57	13.22	29.80	0.00	155	167 PEAK	3	6625.00	116.39	-----	97.27	35.72	13.26	29.86	0.00	155	167 PEAK	4	6665.00	105.03	-----	85.81	35.82	13.30	29.90	0.00	155	167 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6545.00	118.06	-----	99.17	35.45	13.21	29.77	0.00	155	167 PEAK																																															
2	6585.00	101.23	-----	82.24	35.57	13.22	29.80	0.00	155	167 PEAK																																															
3	6625.00	116.39	-----	97.27	35.72	13.26	29.86	0.00	155	167 PEAK																																															
4	6665.00	105.03	-----	85.81	35.82	13.30	29.90	0.00	155	167 PEAK																																															
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6545.00</td><td>109.50</td><td>-----</td><td>90.64</td><td>35.42</td><td>13.20</td><td>29.76</td><td>0.00</td><td>155</td><td>167 AVERAGE</td></tr><tr><td>2</td><td>6585.00</td><td>92.69</td><td>-----</td><td>73.70</td><td>35.57</td><td>13.22</td><td>29.80</td><td>0.00</td><td>155</td><td>167 AVERAGE</td></tr><tr><td>3</td><td>6625.00</td><td>100.82</td><td>-----</td><td>89.70</td><td>35.72</td><td>13.26</td><td>29.86</td><td>0.00</td><td>155</td><td>167 AVERAGE</td></tr><tr><td>4</td><td>6665.00</td><td>97.19</td><td>-----</td><td>77.97</td><td>35.82</td><td>13.30</td><td>29.90</td><td>0.00</td><td>155</td><td>167 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	109.50	-----	90.64	35.42	13.20	29.76	0.00	155	167 AVERAGE	2	6585.00	92.69	-----	73.70	35.57	13.22	29.80	0.00	155	167 AVERAGE	3	6625.00	100.82	-----	89.70	35.72	13.26	29.86	0.00	155	167 AVERAGE	4	6665.00	97.19	-----	77.97	35.82	13.30	29.90	0.00	155	167 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6545.00	109.50	-----	90.64	35.42	13.20	29.76	0.00	155	167 AVERAGE																																															
2	6585.00	92.69	-----	73.70	35.57	13.22	29.80	0.00	155	167 AVERAGE																																															
3	6625.00	100.82	-----	89.70	35.72	13.26	29.86	0.00	155	167 AVERAGE																																															
4	6665.00	97.19	-----	77.97	35.82	13.30	29.90	0.00	155	167 AVERAGE																																															





Mode	60																																																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																																																				
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135+143_6545+6585+6625+6665MHz																																																																																																																																																																																																																																																																				
ANT	MIMO																																																																																																																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																			
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>50.17</td><td>88.20</td><td>-38.03</td><td>59.71</td><td>39.55</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13170.00</td><td>49.36</td><td>88.20</td><td>-38.84</td><td>59.03</td><td>39.58</td><td>18.78</td><td>68.13</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 13250.00</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>59.26</td><td>39.70</td><td>18.83</td><td>68.01</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 13250.00</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>49.19</td><td>39.70</td><td>18.83</td><td>68.01</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 13330.00</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>59.15</td><td>39.80</td><td>18.87</td><td>67.79</td><td>0.10</td><td>-- Peak</td></tr><tr><td>6 13330.00</td><td>39.72</td><td>54.00</td><td>-14.28</td><td>48.74</td><td>39.80</td><td>18.87</td><td>67.79</td><td>0.10</td><td>-- Average</td></tr><tr><td>7 19635.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>42.18</td><td>37.89</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>8 19755.00</td><td>37.46</td><td>74.00</td><td>-36.54</td><td>39.91</td><td>37.87</td><td>23.15</td><td>53.93</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>9 19875.00</td><td>36.96</td><td>74.00</td><td>-37.04</td><td>39.26</td><td>37.93</td><td>23.22</td><td>53.91</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>10 19995.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>41.15</td><td>38.02</td><td>23.30</td><td>53.88</td><td>-9.54</td><td>-- Peak</td></tr></table>  Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>50.19</td><td>88.20</td><td>-38.01</td><td>59.65</td><td>39.63</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13170.00</td><td>49.45</td><td>88.20</td><td>-38.75</td><td>59.07</td><td>39.63</td><td>18.78</td><td>68.13</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 13250.00</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>59.94</td><td>39.73</td><td>18.83</td><td>68.01</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 13250.00</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>48.88</td><td>39.73</td><td>18.83</td><td>68.01</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 13330.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>59.33</td><td>39.85</td><td>18.87</td><td>67.79</td><td>0.10</td><td>-- Peak</td></tr><tr><td>6 13330.00</td><td>40.36</td><td>54.00</td><td>-13.64</td><td>49.33</td><td>39.85</td><td>18.87</td><td>67.79</td><td>0.10</td><td>-- Average</td></tr><tr><td>7 19635.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>41.35</td><td>37.78</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>8 19755.00</td><td>37.82</td><td>74.00</td><td>-36.18</td><td>40.40</td><td>37.74</td><td>23.15</td><td>53.93</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>9 19875.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>40.30</td><td>37.76</td><td>23.22</td><td>53.91</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>10 19995.00</td><td>37.15</td><td>74.00</td><td>-36.85</td><td>39.49</td><td>37.78</td><td>23.30</td><td>53.88</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	50.17	88.20	-38.03	59.71	39.55	18.74	67.93	0.10	-- PEAK	2 13170.00	49.36	88.20	-38.84	59.03	39.58	18.78	68.13	0.10	-- Peak	3 13250.00	49.88	74.00	-24.12	59.26	39.70	18.83	68.01	0.10	-- Peak	4 13250.00	39.81	54.00	-14.19	49.19	39.70	18.83	68.01	0.10	-- Average	5 13330.00	50.13	74.00	-23.87	59.15	39.80	18.87	67.79	0.10	-- Peak	6 13330.00	39.72	54.00	-14.28	48.74	39.80	18.87	67.79	0.10	-- Average	7 19635.00	39.71	74.00	-34.29	42.18	37.89	23.07	53.89	-9.54	-- PEAK	8 19755.00	37.46	74.00	-36.54	39.91	37.87	23.15	53.93	-9.54	-- Peak	9 19875.00	36.96	74.00	-37.04	39.26	37.93	23.22	53.91	-9.54	-- Peak	10 19995.00	39.05	74.00	-34.95	41.15	38.02	23.30	53.88	-9.54	-- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	50.19	88.20	-38.01	59.65	39.63	18.74	67.93	0.10	-- PEAK	2 13170.00	49.45	88.20	-38.75	59.07	39.63	18.78	68.13	0.10	-- Peak	3 13250.00	50.59	74.00	-23.41	59.94	39.73	18.83	68.01	0.10	-- Peak	4 13250.00	39.53	54.00	-14.47	48.88	39.73	18.83	68.01	0.10	-- Average	5 13330.00	50.36	74.00	-23.64	59.33	39.85	18.87	67.79	0.10	-- Peak	6 13330.00	40.36	54.00	-13.64	49.33	39.85	18.87	67.79	0.10	-- Average	7 19635.00	38.77	74.00	-35.23	41.35	37.78	23.07	53.89	-9.54	-- PEAK	8 19755.00	37.82	74.00	-36.18	40.40	37.74	23.15	53.93	-9.54	-- Peak	9 19875.00	37.83	74.00	-36.17	40.30	37.76	23.22	53.91	-9.54	-- Peak	10 19995.00	37.15	74.00	-36.85	39.49	37.78	23.30	53.88	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																												
1 13090.00	50.17	88.20	-38.03	59.71	39.55	18.74	67.93	0.10	-- PEAK																																																																																																																																																																																																																																																												
2 13170.00	49.36	88.20	-38.84	59.03	39.58	18.78	68.13	0.10	-- Peak																																																																																																																																																																																																																																																												
3 13250.00	49.88	74.00	-24.12	59.26	39.70	18.83	68.01	0.10	-- Peak																																																																																																																																																																																																																																																												
4 13250.00	39.81	54.00	-14.19	49.19	39.70	18.83	68.01	0.10	-- Average																																																																																																																																																																																																																																																												
5 13330.00	50.13	74.00	-23.87	59.15	39.80	18.87	67.79	0.10	-- Peak																																																																																																																																																																																																																																																												
6 13330.00	39.72	54.00	-14.28	48.74	39.80	18.87	67.79	0.10	-- Average																																																																																																																																																																																																																																																												
7 19635.00	39.71	74.00	-34.29	42.18	37.89	23.07	53.89	-9.54	-- PEAK																																																																																																																																																																																																																																																												
8 19755.00	37.46	74.00	-36.54	39.91	37.87	23.15	53.93	-9.54	-- Peak																																																																																																																																																																																																																																																												
9 19875.00	36.96	74.00	-37.04	39.26	37.93	23.22	53.91	-9.54	-- Peak																																																																																																																																																																																																																																																												
10 19995.00	39.05	74.00	-34.95	41.15	38.02	23.30	53.88	-9.54	-- Peak																																																																																																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																												
1 13090.00	50.19	88.20	-38.01	59.65	39.63	18.74	67.93	0.10	-- PEAK																																																																																																																																																																																																																																																												
2 13170.00	49.45	88.20	-38.75	59.07	39.63	18.78	68.13	0.10	-- Peak																																																																																																																																																																																																																																																												
3 13250.00	50.59	74.00	-23.41	59.94	39.73	18.83	68.01	0.10	-- Peak																																																																																																																																																																																																																																																												
4 13250.00	39.53	54.00	-14.47	48.88	39.73	18.83	68.01	0.10	-- Average																																																																																																																																																																																																																																																												
5 13330.00	50.36	74.00	-23.64	59.33	39.85	18.87	67.79	0.10	-- Peak																																																																																																																																																																																																																																																												
6 13330.00	40.36	54.00	-13.64	49.33	39.85	18.87	67.79	0.10	-- Average																																																																																																																																																																																																																																																												
7 19635.00	38.77	74.00	-35.23	41.35	37.78	23.07	53.89	-9.54	-- PEAK																																																																																																																																																																																																																																																												
8 19755.00	37.82	74.00	-36.18	40.40	37.74	23.15	53.93	-9.54	-- Peak																																																																																																																																																																																																																																																												
9 19875.00	37.83	74.00	-36.17	40.30	37.76	23.22	53.91	-9.54	-- Peak																																																																																																																																																																																																																																																												
10 19995.00	37.15	74.00	-36.85	39.49	37.78	23.30	53.88	-9.54	-- Peak																																																																																																																																																																																																																																																												

Mode	60	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135+143_6545+6585+6625+6665MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL









Mode	61																																																			
	Band Edge																																																			
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155+163_6645+6685+6725+6765MHz																																																			
ANT	MIMO																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6645.00</td><td>120.56</td><td>-----</td><td>101.46</td><td>35.70</td><td>13.28</td><td>29.88</td><td>0.00</td><td>153 164 PEAK</td></tr><tr><td>2</td><td>6685.00</td><td>121.69</td><td>-----</td><td>102.51</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>153 164 PEAK</td></tr><tr><td>3</td><td>6725.00</td><td>121.14</td><td>-----</td><td>101.89</td><td>35.83</td><td>13.37</td><td>29.95</td><td>0.00</td><td>153 164 PEAK</td></tr><tr><td>4</td><td>6765.00</td><td>119.91</td><td>-----</td><td>100.64</td><td>35.83</td><td>13.41</td><td>29.97</td><td>0.00</td><td>153 164 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6645.00	120.56	-----	101.46	35.70	13.28	29.88	0.00	153 164 PEAK	2	6685.00	121.69	-----	102.51	35.78	13.32	29.92	0.00	153 164 PEAK	3	6725.00	121.14	-----	101.89	35.83	13.37	29.95	0.00	153 164 PEAK	4	6765.00	119.91	-----	100.64	35.83	13.41	29.97	0.00	153 164 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6645.00	120.56	-----	101.46	35.70	13.28	29.88	0.00	153 164 PEAK																																											
2	6685.00	121.69	-----	102.51	35.78	13.32	29.92	0.00	153 164 PEAK																																											
3	6725.00	121.14	-----	101.89	35.83	13.37	29.95	0.00	153 164 PEAK																																											
4	6765.00	119.91	-----	100.64	35.83	13.41	29.97	0.00	153 164 PEAK																																											
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6645.00</td><td>112.46</td><td>-----</td><td>93.35</td><td>35.71</td><td>13.28</td><td>29.88</td><td>0.00</td><td>153 164 AVERAGE</td></tr><tr><td>2</td><td>6685.00</td><td>112.91</td><td>-----</td><td>93.73</td><td>35.78</td><td>13.32</td><td>29.92</td><td>0.00</td><td>153 164 AVERAGE</td></tr><tr><td>3</td><td>6725.00</td><td>112.63</td><td>-----</td><td>93.30</td><td>35.83</td><td>13.37</td><td>29.95</td><td>0.00</td><td>153 164 AVERAGE</td></tr><tr><td>4</td><td>6765.00</td><td>112.08</td><td>-----</td><td>92.81</td><td>35.83</td><td>13.41</td><td>29.97</td><td>0.00</td><td>153 164 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6645.00	112.46	-----	93.35	35.71	13.28	29.88	0.00	153 164 AVERAGE	2	6685.00	112.91	-----	93.73	35.78	13.32	29.92	0.00	153 164 AVERAGE	3	6725.00	112.63	-----	93.30	35.83	13.37	29.95	0.00	153 164 AVERAGE	4	6765.00	112.08	-----	92.81	35.83	13.41	29.97	0.00	153 164 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6645.00	112.46	-----	93.35	35.71	13.28	29.88	0.00	153 164 AVERAGE																																											
2	6685.00	112.91	-----	93.73	35.78	13.32	29.92	0.00	153 164 AVERAGE																																											
3	6725.00	112.63	-----	93.30	35.83	13.37	29.95	0.00	153 164 AVERAGE																																											
4	6765.00	112.08	-----	92.81	35.83	13.41	29.97	0.00	153 164 AVERAGE																																											







Mode	61																																																								
	Band Edge																																																								
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155+163_6645+6685+6725+6765MHz																																																								
ANT	MIMO																																																								
Pol.	Vertical	Fundamental																																																							
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6645.00</td><td>100.34</td><td>-----</td><td>89.18</td><td>35.76</td><td>13.28</td><td>29.88</td><td>0.00</td><td>161</td><td>184 PEAK</td></tr><tr><td>2</td><td>6685.00</td><td>118.35</td><td>-----</td><td>99.09</td><td>35.86</td><td>13.32</td><td>29.92</td><td>0.00</td><td>161</td><td>184 PEAK</td></tr><tr><td>3</td><td>6725.00</td><td>107.97</td><td>-----</td><td>88.64</td><td>35.92</td><td>13.37</td><td>29.96</td><td>0.00</td><td>161</td><td>184 PEAK</td></tr><tr><td>4</td><td>6765.00</td><td>118.76</td><td>-----</td><td>99.38</td><td>35.94</td><td>13.41</td><td>29.97</td><td>0.00</td><td>161</td><td>184 PEAK</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6645.00	100.34	-----	89.18	35.76	13.28	29.88	0.00	161	184 PEAK	2	6685.00	118.35	-----	99.09	35.86	13.32	29.92	0.00	161	184 PEAK	3	6725.00	107.97	-----	88.64	35.92	13.37	29.96	0.00	161	184 PEAK	4	6765.00	118.76	-----	99.38	35.94	13.41	29.97	0.00	161	184 PEAK
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6645.00	100.34	-----	89.18	35.76	13.28	29.88	0.00	161	184 PEAK																																															
2	6685.00	118.35	-----	99.09	35.86	13.32	29.92	0.00	161	184 PEAK																																															
3	6725.00	107.97	-----	88.64	35.92	13.37	29.96	0.00	161	184 PEAK																																															
4	6765.00	118.76	-----	99.38	35.94	13.41	29.97	0.00	161	184 PEAK																																															
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6645.00</td><td>100.59</td><td>-----</td><td>81.43</td><td>35.76</td><td>13.28</td><td>29.88</td><td>0.00</td><td>161</td><td>184 AVERAGE</td></tr><tr><td>2</td><td>6685.00</td><td>110.54</td><td>-----</td><td>91.28</td><td>35.86</td><td>13.32</td><td>29.92</td><td>0.00</td><td>161</td><td>184 AVERAGE</td></tr><tr><td>3</td><td>6725.00</td><td>100.97</td><td>-----</td><td>81.64</td><td>35.92</td><td>13.37</td><td>29.96</td><td>0.00</td><td>161</td><td>184 AVERAGE</td></tr><tr><td>4</td><td>6765.00</td><td>111.44</td><td>-----</td><td>92.06</td><td>35.94</td><td>13.41</td><td>29.97</td><td>0.00</td><td>161</td><td>184 AVERAGE</td></tr></table>		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6645.00	100.59	-----	81.43	35.76	13.28	29.88	0.00	161	184 AVERAGE	2	6685.00	110.54	-----	91.28	35.86	13.32	29.92	0.00	161	184 AVERAGE	3	6725.00	100.97	-----	81.64	35.92	13.37	29.96	0.00	161	184 AVERAGE	4	6765.00	111.44	-----	92.06	35.94	13.41	29.97	0.00	161	184 AVERAGE
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6645.00	100.59	-----	81.43	35.76	13.28	29.88	0.00	161	184 AVERAGE																																															
2	6685.00	110.54	-----	91.28	35.86	13.32	29.92	0.00	161	184 AVERAGE																																															
3	6725.00	100.97	-----	81.64	35.92	13.37	29.96	0.00	161	184 AVERAGE																																															
4	6765.00	111.44	-----	92.06	35.94	13.41	29.97	0.00	161	184 AVERAGE																																															







Mode	61																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155+163_6645+6685+6725+6765MHz																																																																																																																																																																																																																																																																					
ANT	MIMO																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13290.00</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>59.60</td><td>39.75</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13290.00</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>48.59</td><td>39.75</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 13370.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>59.75</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>4 13370.00</td><td>39.93</td><td>54.00</td><td>-14.07</td><td>48.73</td><td>39.87</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 13410.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>58.14</td><td>39.94</td><td>18.91</td><td>67.50</td><td>0.10</td><td>-- Peak</td></tr><tr><td>6 13530.00</td><td>49.80</td><td>88.20</td><td>-38.40</td><td>57.82</td><td>40.09</td><td>18.98</td><td>67.19</td><td>0.10</td><td>-- Peak</td></tr><tr><td>7 19935.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>39.53</td><td>37.99</td><td>23.26</td><td>53.90</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>8 20055.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>41.39</td><td>37.98</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>9 20175.00</td><td>37.94</td><td>74.00</td><td>-36.06</td><td>39.73</td><td>37.99</td><td>23.44</td><td>53.68</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>10 20295.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>40.28</td><td>38.05</td><td>23.54</td><td>53.55</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13290.00	50.40	74.00	-23.60	59.60	39.75	18.85	67.90	0.10	-- Peak	2 13290.00	39.39	54.00	-14.61	48.59	39.75	18.85	67.90	0.10	-- Average	3 13370.00	50.95	74.00	-23.05	59.75	39.87	18.89	67.66	0.10	-- PEAK	4 13370.00	39.93	54.00	-14.07	48.73	39.87	18.89	67.66	0.10	-- Average	5 13410.00	49.59	88.20	-38.61	58.14	39.94	18.91	67.50	0.10	-- Peak	6 13530.00	49.80	88.20	-38.40	57.82	40.09	18.98	67.19	0.10	-- Peak	7 19935.00	37.34	74.00	-36.66	39.53	37.99	23.26	53.90	-9.54	-- Peak	8 20055.00	39.31	74.00	-34.69	41.39	37.98	23.34	53.86	-9.54	-- PEAK	9 20175.00	37.94	74.00	-36.06	39.73	37.99	23.44	53.68	-9.54	-- Peak	10 20295.00	38.78	74.00	-35.22	40.28	38.05	23.54	53.55	-9.54	-- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13290.00</td><td>49.54</td><td>74.00</td><td>-24.46</td><td>58.71</td><td>39.78</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13290.00</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>48.70</td><td>39.78</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 13370.00</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>59.47</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>4 13370.00</td><td>40.65</td><td>54.00</td><td>-13.35</td><td>49.38</td><td>39.94</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- Average</td></tr><tr><td>5 13410.00</td><td>50.51</td><td>88.20</td><td>-37.69</td><td>58.96</td><td>40.04</td><td>18.91</td><td>67.50</td><td>0.10</td><td>-- Peak</td></tr><tr><td>6 13530.00</td><td>49.84</td><td>88.20</td><td>-38.36</td><td>57.70</td><td>40.25</td><td>18.98</td><td>67.19</td><td>0.10</td><td>-- Peak</td></tr><tr><td>7 19935.00</td><td>38.13</td><td>74.00</td><td>-35.87</td><td>40.52</td><td>37.79</td><td>23.26</td><td>53.90</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>8 20055.00</td><td>38.50</td><td>74.00</td><td>-35.50</td><td>40.88</td><td>37.68</td><td>23.34</td><td>53.86</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>9 20175.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>41.17</td><td>37.69</td><td>23.44</td><td>53.68</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>10 20295.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>40.52</td><td>37.83</td><td>23.54</td><td>53.55</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13290.00	49.54	74.00	-24.46	58.71	39.78	18.85	67.90	0.10	-- Peak	2 13290.00	39.53	54.00	-14.47	48.70	39.78	18.85	67.90	0.10	-- Average	3 13370.00	50.74	74.00	-23.26	59.47	39.94	18.89	67.66	0.10	-- PEAK	4 13370.00	40.65	54.00	-13.35	49.38	39.94	18.89	67.66	0.10	-- Average	5 13410.00	50.51	88.20	-37.69	58.96	40.04	18.91	67.50	0.10	-- Peak	6 13530.00	49.84	88.20	-38.36	57.70	40.25	18.98	67.19	0.10	-- Peak	7 19935.00	38.13	74.00	-35.87	40.52	37.79	23.26	53.90	-9.54	-- Peak	8 20055.00	38.50	74.00	-35.50	40.88	37.68	23.34	53.86	-9.54	-- PEAK	9 20175.00	39.08	74.00	-34.92	41.17	37.69	23.44	53.68	-9.54	-- Peak	10 20295.00	38.80	74.00	-35.20	40.52	37.83	23.54	53.55	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																													
1 13290.00	50.40	74.00	-23.60	59.60	39.75	18.85	67.90	0.10	-- Peak																																																																																																																																																																																																																																																													
2 13290.00	39.39	54.00	-14.61	48.59	39.75	18.85	67.90	0.10	-- Average																																																																																																																																																																																																																																																													
3 13370.00	50.95	74.00	-23.05	59.75	39.87	18.89	67.66	0.10	-- PEAK																																																																																																																																																																																																																																																													
4 13370.00	39.93	54.00	-14.07	48.73	39.87	18.89	67.66	0.10	-- Average																																																																																																																																																																																																																																																													
5 13410.00	49.59	88.20	-38.61	58.14	39.94	18.91	67.50	0.10	-- Peak																																																																																																																																																																																																																																																													
6 13530.00	49.80	88.20	-38.40	57.82	40.09	18.98	67.19	0.10	-- Peak																																																																																																																																																																																																																																																													
7 19935.00	37.34	74.00	-36.66	39.53	37.99	23.26	53.90	-9.54	-- Peak																																																																																																																																																																																																																																																													
8 20055.00	39.31	74.00	-34.69	41.39	37.98	23.34	53.86	-9.54	-- PEAK																																																																																																																																																																																																																																																													
9 20175.00	37.94	74.00	-36.06	39.73	37.99	23.44	53.68	-9.54	-- Peak																																																																																																																																																																																																																																																													
10 20295.00	38.78	74.00	-35.22	40.28	38.05	23.54	53.55	-9.54	-- Peak																																																																																																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																													
1 13290.00	49.54	74.00	-24.46	58.71	39.78	18.85	67.90	0.10	-- Peak																																																																																																																																																																																																																																																													
2 13290.00	39.53	54.00	-14.47	48.70	39.78	18.85	67.90	0.10	-- Average																																																																																																																																																																																																																																																													
3 13370.00	50.74	74.00	-23.26	59.47	39.94	18.89	67.66	0.10	-- PEAK																																																																																																																																																																																																																																																													
4 13370.00	40.65	54.00	-13.35	49.38	39.94	18.89	67.66	0.10	-- Average																																																																																																																																																																																																																																																													
5 13410.00	50.51	88.20	-37.69	58.96	40.04	18.91	67.50	0.10	-- Peak																																																																																																																																																																																																																																																													
6 13530.00	49.84	88.20	-38.36	57.70	40.25	18.98	67.19	0.10	-- Peak																																																																																																																																																																																																																																																													
7 19935.00	38.13	74.00	-35.87	40.52	37.79	23.26	53.90	-9.54	-- Peak																																																																																																																																																																																																																																																													
8 20055.00	38.50	74.00	-35.50	40.88	37.68	23.34	53.86	-9.54	-- PEAK																																																																																																																																																																																																																																																													
9 20175.00	39.08	74.00	-34.92	41.17	37.69	23.44	53.68	-9.54	-- Peak																																																																																																																																																																																																																																																													
10 20295.00	38.80	74.00	-35.20	40.52	37.83	23.54	53.55	-9.54	-- Peak																																																																																																																																																																																																																																																													

Mode	61	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155+163_6645+6685+6725+6765MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	62																																																																							
	Band Edge - L																																																																							
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz																																																																							
ANT	MIMO																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.29</td><td>62.02</td><td>88.20</td><td>-26.18</td><td>41.95</td><td>36.49</td><td>13.82</td><td>30.24</td><td>0.00 158 171 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.29	62.02	88.20	-26.18	41.95	36.49	13.82	30.24	0.00 158 171 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6735.00</td><td>117.31</td><td>-----</td><td>90.06</td><td>35.83</td><td>13.38</td><td>29.96</td><td>0.00</td><td>158 171 PEAK</td></tr><tr><td>2</td><td>6775.00</td><td>118.62</td><td>-----</td><td>99.34</td><td>35.83</td><td>13.42</td><td>29.97</td><td>0.00</td><td>158 171 PEAK</td></tr><tr><td>3</td><td>6815.00</td><td>117.19</td><td>-----</td><td>97.09</td><td>35.82</td><td>13.47</td><td>29.99</td><td>0.00</td><td>158 171 PEAK</td></tr><tr><td>4</td><td>6855.00</td><td>121.00</td><td>-----</td><td>101.69</td><td>35.84</td><td>13.52</td><td>30.05</td><td>0.00</td><td>158 171 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6735.00	117.31	-----	90.06	35.83	13.38	29.96	0.00	158 171 PEAK	2	6775.00	118.62	-----	99.34	35.83	13.42	29.97	0.00	158 171 PEAK	3	6815.00	117.19	-----	97.09	35.82	13.47	29.99	0.00	158 171 PEAK	4	6855.00	121.00	-----	101.69	35.84	13.52	30.05	0.00	158 171 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1	7127.29	62.02	88.20	-26.18	41.95	36.49	13.82	30.24	0.00 158 171 PEAK																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1	6735.00	117.31	-----	90.06	35.83	13.38	29.96	0.00	158 171 PEAK																																																															
2	6775.00	118.62	-----	99.34	35.83	13.42	29.97	0.00	158 171 PEAK																																																															
3	6815.00	117.19	-----	97.09	35.82	13.47	29.99	0.00	158 171 PEAK																																																															
4	6855.00	121.00	-----	101.69	35.84	13.52	30.05	0.00	158 171 PEAK																																																															
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.06</td><td>52.49</td><td>68.20</td><td>-15.71</td><td>32.43</td><td>36.48</td><td>13.82</td><td>30.24</td><td>0.00 158 171 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.06	52.49	68.20	-15.71	32.43	36.48	13.82	30.24	0.00 158 171 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6735.00</td><td>109.65</td><td>-----</td><td>90.40</td><td>35.83</td><td>13.38</td><td>29.96</td><td>0.00</td><td>158 171 AVERAGE</td></tr><tr><td>2</td><td>6775.00</td><td>110.63</td><td>-----</td><td>91.35</td><td>35.83</td><td>13.42</td><td>29.97</td><td>0.00</td><td>158 171 AVERAGE</td></tr><tr><td>3</td><td>6815.00</td><td>109.58</td><td>-----</td><td>90.28</td><td>35.82</td><td>13.47</td><td>29.99</td><td>0.00</td><td>158 171 AVERAGE</td></tr><tr><td>4</td><td>6855.00</td><td>112.06</td><td>-----</td><td>92.74</td><td>35.84</td><td>13.52</td><td>30.04</td><td>0.00</td><td>158 171 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6735.00	109.65	-----	90.40	35.83	13.38	29.96	0.00	158 171 AVERAGE	2	6775.00	110.63	-----	91.35	35.83	13.42	29.97	0.00	158 171 AVERAGE	3	6815.00	109.58	-----	90.28	35.82	13.47	29.99	0.00	158 171 AVERAGE	4	6855.00	112.06	-----	92.74	35.84	13.52	30.04	0.00	158 171 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1	7125.06	52.49	68.20	-15.71	32.43	36.48	13.82	30.24	0.00 158 171 AVERAGE																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1	6735.00	109.65	-----	90.40	35.83	13.38	29.96	0.00	158 171 AVERAGE																																																															
2	6775.00	110.63	-----	91.35	35.83	13.42	29.97	0.00	158 171 AVERAGE																																																															
3	6815.00	109.58	-----	90.28	35.82	13.47	29.99	0.00	158 171 AVERAGE																																																															
4	6855.00	112.06	-----	92.74	35.84	13.52	30.04	0.00	158 171 AVERAGE																																																															



Mode	62																																																																														
	Band Edge - L																																																																														
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz																																																																														
ANT	MIMO																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7174.97</td><td>60.93</td><td>88.20</td><td>-27.27</td><td>40.52</td><td>36.79</td><td>13.89</td><td>30.27</td><td>0.00</td><td>155 173 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7174.97	60.93	88.20	-27.27	40.52	36.79	13.89	30.27	0.00	155 173 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6735.00</td><td>115.02</td><td>-----</td><td>95.67</td><td>35.93</td><td>13.38</td><td>29.96</td><td>0.00</td><td>155</td><td>173 PEAK</td></tr><tr><td>2</td><td>6775.00</td><td>110.26</td><td>-----</td><td>90.87</td><td>35.94</td><td>13.42</td><td>29.97</td><td>0.00</td><td>155</td><td>173 PEAK</td></tr><tr><td>3</td><td>6815.00</td><td>113.74</td><td>-----</td><td>94.33</td><td>35.93</td><td>13.47</td><td>29.99</td><td>0.00</td><td>155</td><td>173 PEAK</td></tr><tr><td>4</td><td>6855.00</td><td>112.49</td><td>-----</td><td>93.07</td><td>35.94</td><td>13.51</td><td>30.03</td><td>0.00</td><td>155</td><td>173 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6735.00	115.02	-----	95.67	35.93	13.38	29.96	0.00	155	173 PEAK	2	6775.00	110.26	-----	90.87	35.94	13.42	29.97	0.00	155	173 PEAK	3	6815.00	113.74	-----	94.33	35.93	13.47	29.99	0.00	155	173 PEAK	4	6855.00	112.49	-----	93.07	35.94	13.51	30.03	0.00	155	173 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7174.97	60.93	88.20	-27.27	40.52	36.79	13.89	30.27	0.00	155 173 PEAK																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	6735.00	115.02	-----	95.67	35.93	13.38	29.96	0.00	155	173 PEAK																																																																					
2	6775.00	110.26	-----	90.87	35.94	13.42	29.97	0.00	155	173 PEAK																																																																					
3	6815.00	113.74	-----	94.33	35.93	13.47	29.99	0.00	155	173 PEAK																																																																					
4	6855.00	112.49	-----	93.07	35.94	13.51	30.03	0.00	155	173 PEAK																																																																					
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.06</td><td>51.56</td><td>68.20</td><td>-16.64</td><td>31.36</td><td>36.62</td><td>13.82</td><td>30.24</td><td>0.00</td><td>155 173 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.06	51.56	68.20	-16.64	31.36	36.62	13.82	30.24	0.00	155 173 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6735.00</td><td>108.32</td><td>-----</td><td>88.97</td><td>35.93</td><td>13.38</td><td>29.96</td><td>0.00</td><td>155</td><td>173 AVERAGE</td></tr><tr><td>2</td><td>6775.00</td><td>102.92</td><td>-----</td><td>83.53</td><td>35.94</td><td>13.42</td><td>29.97</td><td>0.00</td><td>155</td><td>173 AVERAGE</td></tr><tr><td>3</td><td>6815.00</td><td>105.25</td><td>-----</td><td>85.84</td><td>35.93</td><td>13.47</td><td>29.99</td><td>0.00</td><td>155</td><td>173 AVERAGE</td></tr><tr><td>4</td><td>6855.00</td><td>104.41</td><td>-----</td><td>84.99</td><td>35.94</td><td>13.50</td><td>30.02</td><td>0.00</td><td>155</td><td>173 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6735.00	108.32	-----	88.97	35.93	13.38	29.96	0.00	155	173 AVERAGE	2	6775.00	102.92	-----	83.53	35.94	13.42	29.97	0.00	155	173 AVERAGE	3	6815.00	105.25	-----	85.84	35.93	13.47	29.99	0.00	155	173 AVERAGE	4	6855.00	104.41	-----	84.99	35.94	13.50	30.02	0.00	155	173 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	7125.06	51.56	68.20	-16.64	31.36	36.62	13.82	30.24	0.00	155 173 AVERAGE																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	6735.00	108.32	-----	88.97	35.93	13.38	29.96	0.00	155	173 AVERAGE																																																																					
2	6775.00	102.92	-----	83.53	35.94	13.42	29.97	0.00	155	173 AVERAGE																																																																					
3	6815.00	105.25	-----	85.84	35.93	13.47	29.99	0.00	155	173 AVERAGE																																																																					
4	6855.00	104.41	-----	84.99	35.94	13.50	30.02	0.00	155	173 AVERAGE																																																																					