













Mode	62																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz																																																																																																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																								
Peak																																																																																																																																																																																																																																																																																										
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13470.00</td><td>50.84</td><td>88.20</td><td>-37.36</td><td>59.04</td><td>40.02</td><td>18.94</td><td>67.26</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13550.00</td><td>49.93</td><td>88.20</td><td>-38.27</td><td>57.94</td><td>40.11</td><td>18.99</td><td>67.21</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>13630.00</td><td>51.52</td><td>88.20</td><td>-36.68</td><td>60.16</td><td>40.07</td><td>19.03</td><td>67.84</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>13710.00</td><td>50.01</td><td>88.20</td><td>-38.19</td><td>59.20</td><td>40.04</td><td>19.07</td><td>68.40</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>20205.00</td><td>38.33</td><td>74.00</td><td>-35.67</td><td>40.03</td><td>38.01</td><td>23.46</td><td>53.63</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>20325.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>40.53</td><td>38.02</td><td>23.56</td><td>53.54</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20445.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>40.49</td><td>38.00</td><td>23.66</td><td>53.44</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>20565.00</td><td>39.66</td><td>74.00</td><td>-34.34</td><td>40.62</td><td>38.09</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	13470.00	50.84	88.20	-37.36	59.04	40.02	18.94	67.26	0.10	--	--	--	Peak	2	13550.00	49.93	88.20	-38.27	57.94	40.11	18.99	67.21	0.10	--	--	--	Peak	3	13630.00	51.52	88.20	-36.68	60.16	40.07	19.03	67.84	0.10	--	--	--	Peak	4	13710.00	50.01	88.20	-38.19	59.20	40.04	19.07	68.40	0.10	--	--	--	PEAK	5	20205.00	38.33	74.00	-35.67	40.03	38.01	23.46	53.63	-9.54	--	--	--	Peak	6	20325.00	39.03	74.00	-34.97	40.53	38.02	23.56	53.54	-9.54	--	--	--	Peak	7	20445.00	39.17	74.00	-34.83	40.49	38.00	23.66	53.44	-9.54	--	--	--	Peak	8	20565.00	39.66	74.00	-34.34	40.62	38.09	23.75	53.26	-9.54	--	--	--	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13470.00</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>59.18</td><td>40.16</td><td>18.94</td><td>67.26</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13550.00</td><td>49.88</td><td>88.20</td><td>-38.32</td><td>57.72</td><td>40.28</td><td>18.99</td><td>67.21</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>13630.00</td><td>50.40</td><td>88.20</td><td>-37.80</td><td>58.85</td><td>40.26</td><td>19.03</td><td>67.84</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>13710.00</td><td>50.98</td><td>88.20</td><td>-37.22</td><td>59.99</td><td>40.22</td><td>19.07</td><td>68.40</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>20205.00</td><td>37.99</td><td>74.00</td><td>-36.01</td><td>39.96</td><td>37.74</td><td>23.46</td><td>53.63</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>20325.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>41.28</td><td>37.79</td><td>23.56</td><td>53.54</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20445.00</td><td>38.12</td><td>74.00</td><td>-35.88</td><td>39.74</td><td>37.70</td><td>23.66</td><td>53.44</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>20565.00</td><td>38.81</td><td>74.00</td><td>-35.19</td><td>40.04</td><td>37.82</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	13470.00	51.12	88.20	-37.08	59.18	40.16	18.94	67.26	0.10	--	--	--	Peak	2	13550.00	49.88	88.20	-38.32	57.72	40.28	18.99	67.21	0.10	--	--	--	Peak	3	13630.00	50.40	88.20	-37.80	58.85	40.26	19.03	67.84	0.10	--	--	--	Peak	4	13710.00	50.98	88.20	-37.22	59.99	40.22	19.07	68.40	0.10	--	--	--	PEAK	5	20205.00	37.99	74.00	-36.01	39.96	37.74	23.46	53.63	-9.54	--	--	--	Peak	6	20325.00	39.55	74.00	-34.45	41.28	37.79	23.56	53.54	-9.54	--	--	--	Peak	7	20445.00	38.12	74.00	-35.88	39.74	37.70	23.66	53.44	-9.54	--	--	--	Peak	8	20565.00	38.81	74.00	-35.19	40.04	37.82	23.75	53.26	-9.54	--	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																													
1	13470.00	50.84	88.20	-37.36	59.04	40.02	18.94	67.26	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
2	13550.00	49.93	88.20	-38.27	57.94	40.11	18.99	67.21	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
3	13630.00	51.52	88.20	-36.68	60.16	40.07	19.03	67.84	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
4	13710.00	50.01	88.20	-38.19	59.20	40.04	19.07	68.40	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																																													
5	20205.00	38.33	74.00	-35.67	40.03	38.01	23.46	53.63	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
6	20325.00	39.03	74.00	-34.97	40.53	38.02	23.56	53.54	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
7	20445.00	39.17	74.00	-34.83	40.49	38.00	23.66	53.44	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
8	20565.00	39.66	74.00	-34.34	40.62	38.09	23.75	53.26	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																													
1	13470.00	51.12	88.20	-37.08	59.18	40.16	18.94	67.26	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
2	13550.00	49.88	88.20	-38.32	57.72	40.28	18.99	67.21	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
3	13630.00	50.40	88.20	-37.80	58.85	40.26	19.03	67.84	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																													
4	13710.00	50.98	88.20	-37.22	59.99	40.22	19.07	68.40	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																																													
5	20205.00	37.99	74.00	-36.01	39.96	37.74	23.46	53.63	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
6	20325.00	39.55	74.00	-34.45	41.28	37.79	23.56	53.54	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
7	20445.00	38.12	74.00	-35.88	39.74	37.70	23.66	53.44	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																													
8	20565.00	38.81	74.00	-35.19	40.04	37.82	23.75	53.26	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																																													





Mode	62	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL

Mode	63																																																																							
	Band Edge - L																																																																							
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz																																																																							
ANT	MIMO																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7150.58</td><td>61.63</td><td>88.20</td><td>-26.57</td><td>41.42</td><td>36.61</td><td>13.86</td><td>30.26</td><td>0.00</td><td>154 169 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7150.58	61.63	88.20	-26.57	41.42	36.61	13.86	30.26	0.00	154 169 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6545.00</td><td>114.63</td><td>-----</td><td>95.85</td><td>35.33</td><td>13.20</td><td>29.75</td><td>0.00</td><td>154</td><td>169 PEAK</td></tr><tr><td>2 6645.00</td><td>117.96</td><td>-----</td><td>98.85</td><td>35.71</td><td>13.28</td><td>29.88</td><td>0.00</td><td>154</td><td>169 PEAK</td></tr><tr><td>3 6745.00</td><td>115.64</td><td>-----</td><td>96.38</td><td>35.84</td><td>13.39</td><td>29.97</td><td>0.00</td><td>154</td><td>169 PEAK</td></tr><tr><td>4 6855.00</td><td>117.96</td><td>-----</td><td>98.86</td><td>35.70</td><td>13.28</td><td>29.88</td><td>0.00</td><td>154</td><td>169 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6545.00	114.63	-----	95.85	35.33	13.20	29.75	0.00	154	169 PEAK	2 6645.00	117.96	-----	98.85	35.71	13.28	29.88	0.00	154	169 PEAK	3 6745.00	115.64	-----	96.38	35.84	13.39	29.97	0.00	154	169 PEAK	4 6855.00	117.96	-----	98.86	35.70	13.28	29.88	0.00	154	169 PEAK
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 7150.58	61.63	88.20	-26.57	41.42	36.61	13.86	30.26	0.00	154 169 PEAK																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 6545.00	114.63	-----	95.85	35.33	13.20	29.75	0.00	154	169 PEAK																																																															
2 6645.00	117.96	-----	98.85	35.71	13.28	29.88	0.00	154	169 PEAK																																																															
3 6745.00	115.64	-----	96.38	35.84	13.39	29.97	0.00	154	169 PEAK																																																															
4 6855.00	117.96	-----	98.86	35.70	13.28	29.88	0.00	154	169 PEAK																																																															
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7160.07</td><td>52.00</td><td>68.20</td><td>-16.20</td><td>31.78</td><td>36.61</td><td>13.87</td><td>30.26</td><td>0.00</td><td>154 169 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7160.07	52.00	68.20	-16.20	31.78	36.61	13.87	30.26	0.00	154 169 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240006 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6545.00</td><td>106.38</td><td>-----</td><td>87.61</td><td>35.32</td><td>13.20</td><td>29.75</td><td>0.00</td><td>154</td><td>169 AVERAGE</td></tr><tr><td>2 6645.00</td><td>109.09</td><td>-----</td><td>89.98</td><td>35.71</td><td>13.28</td><td>29.88</td><td>0.00</td><td>154</td><td>169 AVERAGE</td></tr><tr><td>3 6745.00</td><td>108.02</td><td>-----</td><td>88.76</td><td>35.84</td><td>13.39</td><td>29.97</td><td>0.00</td><td>154</td><td>169 AVERAGE</td></tr><tr><td>4 6855.00</td><td>111.62</td><td>-----</td><td>92.31</td><td>35.83</td><td>13.50</td><td>30.02</td><td>0.00</td><td>154</td><td>169 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6545.00	106.38	-----	87.61	35.32	13.20	29.75	0.00	154	169 AVERAGE	2 6645.00	109.09	-----	89.98	35.71	13.28	29.88	0.00	154	169 AVERAGE	3 6745.00	108.02	-----	88.76	35.84	13.39	29.97	0.00	154	169 AVERAGE	4 6855.00	111.62	-----	92.31	35.83	13.50	30.02	0.00	154	169 AVERAGE
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 7160.07	52.00	68.20	-16.20	31.78	36.61	13.87	30.26	0.00	154 169 AVERAGE																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 6545.00	106.38	-----	87.61	35.32	13.20	29.75	0.00	154	169 AVERAGE																																																															
2 6645.00	109.09	-----	89.98	35.71	13.28	29.88	0.00	154	169 AVERAGE																																																															
3 6745.00	108.02	-----	88.76	35.84	13.39	29.97	0.00	154	169 AVERAGE																																																															
4 6855.00	111.62	-----	92.31	35.83	13.50	30.02	0.00	154	169 AVERAGE																																																															



Mode	63																																																																															
	Band Edge - L																																																																															
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz																																																																															
ANT	MIMO																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7142.19</td><td>61.66</td><td>88.20</td><td>-26.54</td><td>41.39</td><td>36.68</td><td>13.84</td><td>30.25</td><td>0.00</td><td>154</td><td>173 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7142.19	61.66	88.20	-26.54	41.39	36.68	13.84	30.25	0.00	154	173 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>112.78</td><td>-----</td><td>93.94</td><td>35.39</td><td>13.20</td><td>29.75</td><td>0.00</td><td>154</td><td>173 PEAK</td></tr><tr><td>2</td><td>6645.00</td><td>107.51</td><td>-----</td><td>88.34</td><td>35.77</td><td>13.28</td><td>29.88</td><td>0.00</td><td>154</td><td>173 PEAK</td></tr><tr><td>3</td><td>6745.00</td><td>111.21</td><td>-----</td><td>91.85</td><td>35.94</td><td>13.39</td><td>29.97</td><td>0.00</td><td>154</td><td>173 PEAK</td></tr><tr><td>4</td><td>6855.00</td><td>108.59</td><td>-----</td><td>89.17</td><td>35.94</td><td>13.51</td><td>30.03</td><td>0.00</td><td>154</td><td>173 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	112.78	-----	93.94	35.39	13.20	29.75	0.00	154	173 PEAK	2	6645.00	107.51	-----	88.34	35.77	13.28	29.88	0.00	154	173 PEAK	3	6745.00	111.21	-----	91.85	35.94	13.39	29.97	0.00	154	173 PEAK	4	6855.00	108.59	-----	89.17	35.94	13.51	30.03	0.00	154	173 PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7142.19	61.66	88.20	-26.54	41.39	36.68	13.84	30.25	0.00	154	173 PEAK																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	6545.00	112.78	-----	93.94	35.39	13.20	29.75	0.00	154	173 PEAK																																																																						
2	6645.00	107.51	-----	88.34	35.77	13.28	29.88	0.00	154	173 PEAK																																																																						
3	6745.00	111.21	-----	91.85	35.94	13.39	29.97	0.00	154	173 PEAK																																																																						
4	6855.00	108.59	-----	89.17	35.94	13.51	30.03	0.00	154	173 PEAK																																																																						
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7239.79</td><td>50.76</td><td>68.20</td><td>-17.44</td><td>30.15</td><td>36.96</td><td>13.95</td><td>30.30</td><td>0.00</td><td>154</td><td>173 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7239.79	50.76	68.20	-17.44	30.15	36.96	13.95	30.30	0.00	154	173 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240006 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>104.53</td><td>-----</td><td>85.68</td><td>35.40</td><td>13.20</td><td>29.75</td><td>0.00</td><td>154</td><td>173 AVERAGE</td></tr><tr><td>2</td><td>6645.00</td><td>98.71</td><td>-----</td><td>79.54</td><td>35.77</td><td>13.28</td><td>29.88</td><td>0.00</td><td>154</td><td>173 AVERAGE</td></tr><tr><td>3</td><td>6745.00</td><td>102.63</td><td>-----</td><td>83.27</td><td>35.94</td><td>13.39</td><td>29.97</td><td>0.00</td><td>154</td><td>173 AVERAGE</td></tr><tr><td>4</td><td>6855.00</td><td>103.59</td><td>-----</td><td>84.17</td><td>35.94</td><td>13.50</td><td>30.02</td><td>0.00</td><td>154</td><td>173 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6545.00	104.53	-----	85.68	35.40	13.20	29.75	0.00	154	173 AVERAGE	2	6645.00	98.71	-----	79.54	35.77	13.28	29.88	0.00	154	173 AVERAGE	3	6745.00	102.63	-----	83.27	35.94	13.39	29.97	0.00	154	173 AVERAGE	4	6855.00	103.59	-----	84.17	35.94	13.50	30.02	0.00	154	173 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7239.79	50.76	68.20	-17.44	30.15	36.96	13.95	30.30	0.00	154	173 AVERAGE																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	6545.00	104.53	-----	85.68	35.40	13.20	29.75	0.00	154	173 AVERAGE																																																																						
2	6645.00	98.71	-----	79.54	35.77	13.28	29.88	0.00	154	173 AVERAGE																																																																						
3	6745.00	102.63	-----	83.27	35.94	13.39	29.97	0.00	154	173 AVERAGE																																																																						
4	6855.00	103.59	-----	84.17	35.94	13.50	30.02	0.00	154	173 AVERAGE																																																																						





Mode	63																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																	
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz																																																																																																																																																																																																																																																	
ANT	MIMO																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>49.27</td><td>88.20</td><td>-38.93</td><td>58.81</td><td>39.55</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13290.00</td><td>49.55</td><td>74.00</td><td>-24.45</td><td>58.75</td><td>39.75</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 13290.00</td><td>39.10</td><td>54.00</td><td>-14.90</td><td>48.30</td><td>39.75</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Average</td></tr><tr><td>4 13490.00</td><td>50.37</td><td>88.20</td><td>-37.83</td><td>58.47</td><td>40.04</td><td>18.95</td><td>67.19</td><td>0.10</td><td>-- Peak</td></tr><tr><td>5 13710.00</td><td>51.02</td><td>88.20</td><td>-37.18</td><td>60.21</td><td>40.04</td><td>19.07</td><td>68.40</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>6 19635.00</td><td>37.91</td><td>74.00</td><td>-36.09</td><td>40.38</td><td>37.89</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>7 19935.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>40.05</td><td>37.99</td><td>23.26</td><td>53.90</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>8 20235.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>39.81</td><td>38.02</td><td>23.49</td><td>53.60</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>9 20565.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>39.42</td><td>38.09</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg	1 13090.00	49.27	88.20	-38.93	58.81	39.55	18.74	67.93	0.10	-- Peak	2 13290.00	49.55	74.00	-24.45	58.75	39.75	18.85	67.90	0.10	-- Peak	3 13290.00	39.10	54.00	-14.90	48.30	39.75	18.85	67.90	0.10	-- Average	4 13490.00	50.37	88.20	-37.83	58.47	40.04	18.95	67.19	0.10	-- Peak	5 13710.00	51.02	88.20	-37.18	60.21	40.04	19.07	68.40	0.10	-- PEAK	6 19635.00	37.91	74.00	-36.09	40.38	37.89	23.07	53.89	-9.54	-- Peak	7 19935.00	37.86	74.00	-36.14	40.05	37.99	23.26	53.90	-9.54	-- Peak	8 20235.00	38.18	74.00	-35.82	39.81	38.02	23.49	53.60	-9.54	-- Peak	9 20565.00	38.46	74.00	-35.54	39.42	38.09	23.75	53.26	-9.54	-- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>48.86</td><td>88.20</td><td>-39.34</td><td>58.32</td><td>39.63</td><td>18.74</td><td>67.93</td><td>0.10</td><td>-- Peak</td></tr><tr><td>2 13290.00</td><td>48.88</td><td>74.00</td><td>-24.12</td><td>59.05</td><td>39.78</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 13290.00</td><td>39.79</td><td>54.00</td><td>-14.21</td><td>48.96</td><td>39.78</td><td>18.85</td><td>67.90</td><td>0.10</td><td>-- Average</td></tr><tr><td>4 13490.00</td><td>49.62</td><td>88.20</td><td>-38.58</td><td>57.57</td><td>40.19</td><td>18.95</td><td>67.19</td><td>0.10</td><td>-- Peak</td></tr><tr><td>5 13710.00</td><td>50.33</td><td>88.20</td><td>-37.87</td><td>59.34</td><td>40.22</td><td>19.07</td><td>68.40</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>6 19635.00</td><td>38.60</td><td>74.00</td><td>-35.40</td><td>41.18</td><td>37.78</td><td>23.07</td><td>53.89</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>7 19935.00</td><td>38.84</td><td>74.00</td><td>-35.16</td><td>41.23</td><td>37.79</td><td>23.26</td><td>53.90</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>8 20235.00</td><td>39.68</td><td>74.00</td><td>-34.32</td><td>41.57</td><td>37.76</td><td>23.49</td><td>53.60</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>9 20565.00</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>41.31</td><td>37.82</td><td>23.75</td><td>53.26</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg	1 13090.00	48.86	88.20	-39.34	58.32	39.63	18.74	67.93	0.10	-- Peak	2 13290.00	48.88	74.00	-24.12	59.05	39.78	18.85	67.90	0.10	-- Peak	3 13290.00	39.79	54.00	-14.21	48.96	39.78	18.85	67.90	0.10	-- Average	4 13490.00	49.62	88.20	-38.58	57.57	40.19	18.95	67.19	0.10	-- Peak	5 13710.00	50.33	88.20	-37.87	59.34	40.22	19.07	68.40	0.10	-- PEAK	6 19635.00	38.60	74.00	-35.40	41.18	37.78	23.07	53.89	-9.54	-- Peak	7 19935.00	38.84	74.00	-35.16	41.23	37.79	23.26	53.90	-9.54	-- Peak	8 20235.00	39.68	74.00	-34.32	41.57	37.76	23.49	53.60	-9.54	-- Peak	9 20565.00	40.08	74.00	-33.92	41.31	37.82	23.75	53.26	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																																																																																													
MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																									
1 13090.00	49.27	88.20	-38.93	58.81	39.55	18.74	67.93	0.10	-- Peak																																																																																																																																																																																																																																									
2 13290.00	49.55	74.00	-24.45	58.75	39.75	18.85	67.90	0.10	-- Peak																																																																																																																																																																																																																																									
3 13290.00	39.10	54.00	-14.90	48.30	39.75	18.85	67.90	0.10	-- Average																																																																																																																																																																																																																																									
4 13490.00	50.37	88.20	-37.83	58.47	40.04	18.95	67.19	0.10	-- Peak																																																																																																																																																																																																																																									
5 13710.00	51.02	88.20	-37.18	60.21	40.04	19.07	68.40	0.10	-- PEAK																																																																																																																																																																																																																																									
6 19635.00	37.91	74.00	-36.09	40.38	37.89	23.07	53.89	-9.54	-- Peak																																																																																																																																																																																																																																									
7 19935.00	37.86	74.00	-36.14	40.05	37.99	23.26	53.90	-9.54	-- Peak																																																																																																																																																																																																																																									
8 20235.00	38.18	74.00	-35.82	39.81	38.02	23.49	53.60	-9.54	-- Peak																																																																																																																																																																																																																																									
9 20565.00	38.46	74.00	-35.54	39.42	38.09	23.75	53.26	-9.54	-- PEAK																																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																																																																																													
MHz	dBuV/m	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																									
1 13090.00	48.86	88.20	-39.34	58.32	39.63	18.74	67.93	0.10	-- Peak																																																																																																																																																																																																																																									
2 13290.00	48.88	74.00	-24.12	59.05	39.78	18.85	67.90	0.10	-- Peak																																																																																																																																																																																																																																									
3 13290.00	39.79	54.00	-14.21	48.96	39.78	18.85	67.90	0.10	-- Average																																																																																																																																																																																																																																									
4 13490.00	49.62	88.20	-38.58	57.57	40.19	18.95	67.19	0.10	-- Peak																																																																																																																																																																																																																																									
5 13710.00	50.33	88.20	-37.87	59.34	40.22	19.07	68.40	0.10	-- PEAK																																																																																																																																																																																																																																									
6 19635.00	38.60	74.00	-35.40	41.18	37.78	23.07	53.89	-9.54	-- Peak																																																																																																																																																																																																																																									
7 19935.00	38.84	74.00	-35.16	41.23	37.79	23.26	53.90	-9.54	-- Peak																																																																																																																																																																																																																																									
8 20235.00	39.68	74.00	-34.32	41.57	37.76	23.49	53.60	-9.54	-- Peak																																																																																																																																																																																																																																									
9 20565.00	40.08	74.00	-33.92	41.31	37.82	23.75	53.26	-9.54	-- PEAK																																																																																																																																																																																																																																									



Mode	63	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL



Mode	64																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																																																																																																											
ANT	MIMO																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
QP/ Peak	 Site : 03CH01-CA Condition: QP 3m B1LOG_54683_241115 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>33.04</td><td>40.00</td><td>-6.96</td><td>40.74</td><td>23.63</td><td>0.99</td><td>32.41</td><td>0.09</td><td>-- -- Peak</td></tr><tr><td>2</td><td>143.49</td><td>29.31</td><td>43.50</td><td>-14.19</td><td>42.07</td><td>17.47</td><td>2.07</td><td>32.39</td><td>0.09</td><td>-- -- Peak</td></tr><tr><td>3</td><td>227.88</td><td>26.21</td><td>46.00</td><td>-19.79</td><td>39.65</td><td>16.31</td><td>2.54</td><td>32.41</td><td>0.12</td><td>-- -- Peak</td></tr><tr><td>4</td><td>470.38</td><td>45.57</td><td>46.00</td><td>-0.43</td><td>50.59</td><td>23.61</td><td>3.68</td><td>32.54</td><td>0.23</td><td>140 3 QP</td></tr><tr><td>5</td><td>625.58</td><td>37.95</td><td>46.00</td><td>-8.05</td><td>40.00</td><td>26.09</td><td>4.29</td><td>32.61</td><td>0.18</td><td>182 160 QP</td></tr><tr><td>6</td><td>925.31</td><td>38.17</td><td>46.00</td><td>-7.83</td><td>34.33</td><td>29.71</td><td>5.20</td><td>31.43</td><td>0.36</td><td>-- -- Peak</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	32.91	33.04	40.00	-6.96	40.74	23.63	0.99	32.41	0.09	-- -- Peak	2	143.49	29.31	43.50	-14.19	42.07	17.47	2.07	32.39	0.09	-- -- Peak	3	227.88	26.21	46.00	-19.79	39.65	16.31	2.54	32.41	0.12	-- -- Peak	4	470.38	45.57	46.00	-0.43	50.59	23.61	3.68	32.54	0.23	140 3 QP	5	625.58	37.95	46.00	-8.05	40.00	26.09	4.29	32.61	0.18	182 160 QP	6	925.31	38.17	46.00	-7.83	34.33	29.71	5.20	31.43	0.36	-- -- Peak	 Site : 03CH01-CA Condition: QP 3m B1LOG_54683_241115 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>39.21</td><td>40.00</td><td>-0.79</td><td>46.00</td><td>24.57</td><td>0.97</td><td>32.41</td><td>0.08</td><td>100 164 QP</td></tr><tr><td>2</td><td>92.08</td><td>30.42</td><td>43.50</td><td>-13.08</td><td>45.97</td><td>15.05</td><td>1.60</td><td>32.40</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>3</td><td>222.06</td><td>28.64</td><td>46.00</td><td>-17.36</td><td>42.68</td><td>15.74</td><td>2.51</td><td>32.40</td><td>0.11</td><td>-- -- Peak</td></tr><tr><td>4</td><td>471.35</td><td>44.98</td><td>46.00</td><td>-1.02</td><td>49.99</td><td>23.62</td><td>3.68</td><td>32.54</td><td>0.23</td><td>123 281 QP</td></tr><tr><td>5</td><td>625.58</td><td>42.15</td><td>46.00</td><td>-3.85</td><td>44.20</td><td>26.09</td><td>4.29</td><td>32.61</td><td>0.18</td><td>111 271 QP</td></tr><tr><td>6</td><td>875.04</td><td>37.07</td><td>46.00</td><td>-8.93</td><td>34.48</td><td>28.09</td><td>5.08</td><td>31.79</td><td>0.41</td><td>-- -- Peak</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	39.21	40.00	-0.79	46.00	24.57	0.97	32.41	0.08	100 164 QP	2	92.08	30.42	43.50	-13.08	45.97	15.05	1.60	32.40	0.20	-- -- Peak	3	222.06	28.64	46.00	-17.36	42.68	15.74	2.51	32.40	0.11	-- -- Peak	4	471.35	44.98	46.00	-1.02	49.99	23.62	3.68	32.54	0.23	123 281 QP	5	625.58	42.15	46.00	-3.85	44.20	26.09	4.29	32.61	0.18	111 271 QP	6	875.04	37.07	46.00	-8.93	34.48	28.09	5.08	31.79	0.41	-- -- Peak
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	32.91	33.04	40.00	-6.96	40.74	23.63	0.99	32.41	0.09	-- -- Peak																																																																																																																																																		
2	143.49	29.31	43.50	-14.19	42.07	17.47	2.07	32.39	0.09	-- -- Peak																																																																																																																																																		
3	227.88	26.21	46.00	-19.79	39.65	16.31	2.54	32.41	0.12	-- -- Peak																																																																																																																																																		
4	470.38	45.57	46.00	-0.43	50.59	23.61	3.68	32.54	0.23	140 3 QP																																																																																																																																																		
5	625.58	37.95	46.00	-8.05	40.00	26.09	4.29	32.61	0.18	182 160 QP																																																																																																																																																		
6	925.31	38.17	46.00	-7.83	34.33	29.71	5.20	31.43	0.36	-- -- Peak																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	30.97	39.21	40.00	-0.79	46.00	24.57	0.97	32.41	0.08	100 164 QP																																																																																																																																																		
2	92.08	30.42	43.50	-13.08	45.97	15.05	1.60	32.40	0.20	-- -- Peak																																																																																																																																																		
3	222.06	28.64	46.00	-17.36	42.68	15.74	2.51	32.40	0.11	-- -- Peak																																																																																																																																																		
4	471.35	44.98	46.00	-1.02	49.99	23.62	3.68	32.54	0.23	123 281 QP																																																																																																																																																		
5	625.58	42.15	46.00	-3.85	44.20	26.09	4.29	32.61	0.18	111 271 QP																																																																																																																																																		
6	875.04	37.07	46.00	-8.93	34.48	28.09	5.08	31.79	0.41	-- -- Peak																																																																																																																																																		



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
Multi Carrier	40+40+40+40M	100.00	-	-	10Hz

