






Band12-10MHz-QPSK-23095-1RB#0-Range1:30~1

000MHz




Band12-10MHz-QPSK-23095-1RB#0-Range2:1000~10

000MHz




Band12-10MHz-QPSK-23130-1RB#0-Range1:30~1

000MHz




Band12-10MHz-QPSK-23130-1RB#0-Range2:1000~10

000MHz




Band12-10MHz-16QAM-23060-1RB#0-Range1:30~

1000MHz




Band12-10MHz-16QAM-23060-1RB#0-Range2:1000~1


0000MHz




Band12-10MHz-16QAM-23095-1RB#0-Range1:30~1000MHz




Band12-10MHz-16QAM-23095-1RB#0-Range2:1000~10000MHz




Band12-10MHz-16QAM-23130-1RB#0-Range1:30~1000MHz




Band12-10MHz-16QAM-23130-1RB#0-Range2:1000~10000MHz



Band17-5MHz-QPSK-23755-1RB#0-Range1:30~1000MHz




Band17-5MHz-QPSK-23755-1RB#0-Range2:1000~10000MHz




Band17-5MHz-QPSK-23790-1RB#0-Range1:30~10

00MHz




Band17-5MHz-QPSK-23790-1RB#0-Range2:1000~100

00MHz




Band17-5MHz-QPSK-23825-1RB#0-Range1:30~10

00MHz




Band17-5MHz-QPSK-23825-1RB#0-Range2:1000~100

00MHz




Band17-5MHz-16QAM-23755-1RB#0-Range1:30~1

000MHz




Band17-5MHz-16QAM-23755-1RB#0-Range2:1000~10

000MHz




Band17-5MHz-16QAM-23790-1RB#0-Range1:30~1

000MHz




Band17-5MHz-16QAM-23790-1RB#0-Range2:1000~10

000MHz




Band17-5MHz-16QAM-23825-1RB#0-Range1:30~1

000MHz




Band17-5MHz-16QAM-23825-1RB#0-Range2:1000~10

000MHz




Band17-10MHz-QPSK-23780-1RB#0-Range1:30~1

000MHz




Band17-10MHz-QPSK-23780-1RB#0-Range2:1000~10

000MHz




Band17-10MHz-QPSK-23790-1RB#0-Range1:30~1

000MHz




Band17-10MHz-QPSK-23790-1RB#0-Range2:1000~10

000MHz




Band17-10MHz-QPSK-23800-1RB#0-Range1:30~1

000MHz




Band17-10MHz-QPSK-23800-1RB#0-Range2:1000~10

000MHz




Band17-10MHz-16QAM-23780-1RB#0-Range1:30~

1000MHz




Band17-10MHz-16QAM-23780-1RB#0-Range2:1000~1


0000MHz




Band17-10MHz-16QAM-23790-1RB#0-Range1:30~1000MHz




Band17-10MHz-16QAM-23790-1RB#0-Range2:1000~10000MHz




Band17-10MHz-16QAM-23800-1RB#0-Range1:30~1000MHz




Band17-10MHz-16QAM-23800-1RB#0-Range2:1000~10000MHz




Band66-1.4MHz-QPSK-131979-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-QPSK-131979-1RB#0-Range2:1000~20000MHz




Band66-1.4MHz-QPSK-132322-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-QPSK-132322-1RB#0-Range2:1000~20000MHz




Band66-1.4MHz-QPSK-132665-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-QPSK-132665-1RB#0-Range2:1000~20000MHz




Band66-1.4MHz-16QAM-131979-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-16QAM-131979-1RB#0-Range2:1000~20000MHz







Band66-20MHz-QPSK-132322-1RB#0-Range1:30~  
1000MHz




Band66-20MHz-QPSK-132322-1RB#0-Range2:1000~2  
0000MHz




Band66-20MHz-QPSK-132572-1RB#0-Range1:30~  
1000MHz









Band66-20MHz-QPSK-132572-1RB#0-Range2:1000~2  
0000MHz



Band66-20MHz-16QAM-132072-1RB#0-Range1:30  
~1000MHz



Band66-20MHz-16QAM-132072-1RB#0-Range2:1000~  
20000MHz



## Appendix F: Frequency Stability

### Test Result (Worst case):

LTE Band 2 part:

| Reference Frequency: LTE Band 2 (10MHz) Middle channel=18900 Frequency=1880.0MHz |                      |                 |           |                                   |        |
|----------------------------------------------------------------------------------|----------------------|-----------------|-----------|-----------------------------------|--------|
| Temperature                                                                      |                      |                 |           |                                   |        |
| Power supplied (Vdc)                                                             | Temperature (°C)     | Frequency error |           | Limit (ppm)                       | Result |
|                                                                                  |                      | Hz              | ppm       |                                   |        |
| QPSK                                                                             |                      |                 |           |                                   |        |
| 3.85                                                                             | -30                  | -38.22          | -0.020330 | Within authorized band for Band 2 | Pass   |
|                                                                                  | -20                  | -38.22          | -0.020330 |                                   |        |
|                                                                                  | -10                  | -21.96          | -0.011681 |                                   |        |
|                                                                                  | 0                    | -48.34          | -0.025713 |                                   |        |
|                                                                                  | 10                   | -10.04          | -0.005340 |                                   |        |
|                                                                                  | 20                   | -31.73          | -0.016878 |                                   |        |
|                                                                                  | 30                   | -44.25          | -0.023537 |                                   |        |
|                                                                                  | 40                   | -11.69          | -0.006218 |                                   |        |
|                                                                                  | 50                   | -9.58           | -0.005096 |                                   |        |
| 16QAM                                                                            |                      |                 |           |                                   |        |
| 3.85                                                                             | -30                  | 19.58           | 0.010415  | Within authorized band for Band 2 | Pass   |
|                                                                                  | -20                  | 21.11           | 0.011229  |                                   |        |
|                                                                                  | -10                  | 29.20           | 0.015532  |                                   |        |
|                                                                                  | 0                    | 42.06           | 0.022372  |                                   |        |
|                                                                                  | 10                   | 47.39           | 0.025207  |                                   |        |
|                                                                                  | 20                   | 43.67           | 0.023229  |                                   |        |
|                                                                                  | 30                   | -3.05           | -0.001622 |                                   |        |
|                                                                                  | 40                   | 8.74            | 0.004649  |                                   |        |
|                                                                                  | 50                   | 13.63           | 0.007250  |                                   |        |
| Voltage                                                                          |                      |                 |           |                                   |        |
| Temperature (°C)                                                                 | Power supplied (Vdc) | Frequency error |           | Limit (ppm)                       | Result |
|                                                                                  |                      | Hz              | ppm       |                                   |        |
| QPSK                                                                             |                      |                 |           |                                   |        |
| 25                                                                               | 4.42                 | -6.19           | -0.003293 | Within authorized band for Band 2 | Pass   |
|                                                                                  | 3.85                 | -42.90          | -0.022819 |                                   |        |
|                                                                                  | 3.50                 | -16.69          | -0.008878 |                                   |        |
| 16QAM                                                                            |                      |                 |           |                                   |        |
| 25                                                                               | 4.42                 | -9.43           | -0.005016 | Within authorized band for Band 2 | Pass   |
|                                                                                  | 3.85                 | -17.52          | -0.009319 |                                   |        |
|                                                                                  | 3.50                 | 11.83           | 0.006293  |                                   |        |
| Note: Only the worst case shown in the report.                                   |                      |                 |           |                                   |        |

**LTE Band 4 part:**

| Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 Frequency=1732.5MHz |                         |                 |           |                                      |        |
|---------------------------------------------------------------------------------|-------------------------|-----------------|-----------|--------------------------------------|--------|
| Temperature                                                                     |                         |                 |           |                                      |        |
| Power supplied<br>(Vdc)                                                         | Temperature<br>(℃)      | Frequency error |           | Limit (ppm)                          | Result |
|                                                                                 |                         | Hz              | ppm       |                                      |        |
| QPSK                                                                            |                         |                 |           |                                      |        |
| 3.85                                                                            | -30                     | -46.32          | -0.026736 | Within authorized<br>band for Band 4 | Pass   |
|                                                                                 | -20                     | -28.38          | -0.016381 |                                      |        |
|                                                                                 | -10                     | -53.33          | -0.030782 |                                      |        |
|                                                                                 | 0                       | -15.21          | -0.008779 |                                      |        |
|                                                                                 | 10                      | -35.55          | -0.020519 |                                      |        |
|                                                                                 | 20                      | -11.32          | -0.006534 |                                      |        |
|                                                                                 | 30                      | -27.88          | -0.016092 |                                      |        |
|                                                                                 | 40                      | -41.73          | -0.024087 |                                      |        |
|                                                                                 | 50                      | 3.86            | 0.002228  |                                      |        |
| 16QAM                                                                           |                         |                 |           |                                      |        |
| 3.85                                                                            | -30                     | 16.08           | 0.009281  | Within authorized<br>band for Band 4 | Pass   |
|                                                                                 | -20                     | 20.94           | 0.012087  |                                      |        |
|                                                                                 | -10                     | 22.14           | 0.012779  |                                      |        |
|                                                                                 | 0                       | 33.35           | 0.019250  |                                      |        |
|                                                                                 | 10                      | 38.14           | 0.022014  |                                      |        |
|                                                                                 | 20                      | -16.99          | -0.009807 |                                      |        |
|                                                                                 | 30                      | -9.28           | -0.005356 |                                      |        |
|                                                                                 | 40                      | -6.39           | -0.003688 |                                      |        |
|                                                                                 | 50                      | -13.09          | -0.007556 |                                      |        |
| Voltage                                                                         |                         |                 |           |                                      |        |
| Temperature<br>(℃)                                                              | Power supplied<br>(Vdc) | Frequency error |           | Limit (ppm)                          | Result |
|                                                                                 |                         | Hz              | ppm       |                                      |        |
| QPSK                                                                            |                         |                 |           |                                      |        |
| 25                                                                              | 4.42                    | -40.24          | -0.023227 | Within authorized<br>band for Band 4 | Pass   |
|                                                                                 | 3.85                    | -8.63           | -0.004981 |                                      |        |
|                                                                                 | 3.50                    | -38.12          | -0.022003 |                                      |        |
| 16QAM                                                                           |                         |                 |           |                                      |        |
| 25                                                                              | 4.42                    | -7.02           | -0.004052 | Within authorized<br>band for Band 4 | Pass   |
|                                                                                 | 3.85                    | -13.66          | -0.007885 |                                      |        |
|                                                                                 | 3.50                    | 10.57           | 0.006101  |                                      |        |
| Note: Only the worst case shown in the report.                                  |                         |                 |           |                                      |        |

**LTE Band 5 part:**

| Reference Frequency: LTE Band 5(10MHz) Middle channel=20525 Frequency=836.5MHz |                         |                 |           |             |        |
|--------------------------------------------------------------------------------|-------------------------|-----------------|-----------|-------------|--------|
| Temperature                                                                    |                         |                 |           |             |        |
| Power supplied<br>(Vdc)                                                        | Temperature<br>(℃)      | Frequency error |           | Limit (ppm) | Result |
|                                                                                |                         | Hz              | ppm       |             |        |
| QPSK                                                                           |                         |                 |           |             |        |
| 3.85                                                                           | -30                     | -21.44          | -0.025631 | ±2.5        | Pass   |
|                                                                                | -20                     | -29.51          | -0.035278 |             |        |
|                                                                                | -10                     | -31.10          | -0.037179 |             |        |
|                                                                                | 0                       | -33.36          | -0.039880 |             |        |
|                                                                                | 10                      | -33.69          | -0.040275 |             |        |
|                                                                                | 20                      | -34.83          | -0.041638 |             |        |
|                                                                                | 30                      | -33.56          | -0.040120 |             |        |
|                                                                                | 40                      | -39.05          | -0.046683 |             |        |
|                                                                                | 50                      | -37.67          | -0.045033 |             |        |
| 16QAM                                                                          |                         |                 |           |             |        |
| 3.85                                                                           | -30                     | -39.88          | -0.047675 | ±2.5        | Pass   |
|                                                                                | -20                     | -40.98          | -0.048990 |             |        |
|                                                                                | -10                     | -38.94          | -0.046551 |             |        |
|                                                                                | 0                       | -33.97          | -0.040610 |             |        |
|                                                                                | 10                      | -30.28          | -0.036198 |             |        |
|                                                                                | 20                      | -29.58          | -0.035362 |             |        |
|                                                                                | 30                      | -24.92          | -0.029791 |             |        |
|                                                                                | 40                      | -22.95          | -0.027436 |             |        |
|                                                                                | 50                      | -19.11          | -0.022845 |             |        |
| Voltage                                                                        |                         |                 |           |             |        |
| Temperature<br>(℃)                                                             | Power supplied<br>(Vdc) | Frequency error |           | Limit (ppm) | Result |
|                                                                                |                         | Hz              | ppm       |             |        |
| QPSK                                                                           |                         |                 |           |             |        |
| 25                                                                             | 4.42                    | 5.11            | 0.006109  | ±2.5        | Pass   |
|                                                                                | 3.85                    | 23.78           | 0.028428  |             |        |
|                                                                                | 3.50                    | -12.22          | -0.014608 |             |        |
| 16QAM                                                                          |                         |                 |           |             |        |
| 25                                                                             | 4.42                    | -41.10          | -0.049133 | ±2.5        | Pass   |
|                                                                                | 3.85                    | -38.17          | -0.045631 |             |        |
|                                                                                | 3.50                    | -41.46          | -0.049564 |             |        |
| Note: Only the worst case shown in the report.                                 |                         |                 |           |             |        |

**LTE Band 12 part:**

| Reference Frequency: LTE Band 12(10MHz) Middle channel=23095 Frequency=707.5MHz |                         |                 |           |                                       |        |
|---------------------------------------------------------------------------------|-------------------------|-----------------|-----------|---------------------------------------|--------|
| Temperature                                                                     |                         |                 |           |                                       |        |
| Power supplied<br>(Vdc)                                                         | Temperature<br>(°C)     | Frequency error |           | Limit (ppm)                           | Result |
|                                                                                 |                         | Hz              | ppm       |                                       |        |
| QPSK                                                                            |                         |                 |           |                                       |        |
| 3.85                                                                            | -30                     | 13.30           | 0.018799  | Within authorized<br>band for Band 12 | Pass   |
|                                                                                 | -20                     | 24.79           | 0.035039  |                                       |        |
|                                                                                 | -10                     | 27.35           | 0.038657  |                                       |        |
|                                                                                 | 0                       | 32.87           | 0.046459  |                                       |        |
|                                                                                 | 10                      | 37.06           | 0.052382  |                                       |        |
|                                                                                 | 20                      | 40.51           | 0.057258  |                                       |        |
|                                                                                 | 30                      | 46.05           | 0.065088  |                                       |        |
|                                                                                 | 40                      | -3.08           | -0.004353 |                                       |        |
|                                                                                 | 50                      | 1.96            | 0.002770  |                                       |        |
| 16QAM                                                                           |                         |                 |           |                                       |        |
| 3.85                                                                            | -30                     | 40.88           | 0.057781  | Within authorized<br>band for Band 12 | Pass   |
|                                                                                 | -20                     | -1.90           | -0.002686 |                                       |        |
|                                                                                 | -10                     | 8.77            | 0.012396  |                                       |        |
|                                                                                 | 0                       | 14.65           | 0.020707  |                                       |        |
|                                                                                 | 10                      | 17.91           | 0.025314  |                                       |        |
|                                                                                 | 20                      | 18.81           | 0.026587  |                                       |        |
|                                                                                 | 30                      | 22.56           | 0.031887  |                                       |        |
|                                                                                 | 40                      | 30.16           | 0.042629  |                                       |        |
|                                                                                 | 50                      | 29.74           | 0.042035  |                                       |        |
| Voltage                                                                         |                         |                 |           |                                       |        |
| Temperature<br>(°C)                                                             | Power supplied<br>(Vdc) | Frequency error |           | Limit (ppm)                           | Result |
|                                                                                 |                         | Hz              | ppm       |                                       |        |
| QPSK                                                                            |                         |                 |           |                                       |        |
| 25                                                                              | 4.42                    | -5.04           | -0.007124 | Within authorized<br>band for Band 12 | Pass   |
|                                                                                 | 3.85                    | -13.79          | -0.019491 |                                       |        |
|                                                                                 | 3.50                    | 11.69           | 0.016523  |                                       |        |
| 16QAM                                                                           |                         |                 |           |                                       |        |
| 25                                                                              | 4.42                    | 22.02           | 0.031124  | Within authorized<br>band for Band 12 | Pass   |
|                                                                                 | 3.85                    | 8.88            | 0.012551  |                                       |        |
|                                                                                 | 3.50                    | 31.73           | 0.044848  |                                       |        |
| Note: Only the worst case shown in the report.                                  |                         |                 |           |                                       |        |

**LTE Band 17 part:**

| Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 Frequency=710.0MHz |                         |                 |           |                                       |        |
|---------------------------------------------------------------------------------|-------------------------|-----------------|-----------|---------------------------------------|--------|
| Temperature                                                                     |                         |                 |           |                                       |        |
| Power supplied<br>(Vdc)                                                         | Temperature<br>(°C)     | Frequency error |           | Limit (ppm)                           | Result |
|                                                                                 |                         | Hz              | ppm       |                                       |        |
| QPSK                                                                            |                         |                 |           |                                       |        |
| 3.85                                                                            | -30                     | 13.40           | 0.018967  | Within authorized<br>band for Band 17 | Pass   |
|                                                                                 | -20                     | 18.61           | 0.026341  |                                       |        |
|                                                                                 | -10                     | 24.85           | 0.035173  |                                       |        |
|                                                                                 | 0                       | 29.78           | 0.042151  |                                       |        |
|                                                                                 | 10                      | 32.29           | 0.045704  |                                       |        |
|                                                                                 | 20                      | 38.92           | 0.055088  |                                       |        |
|                                                                                 | 30                      | 40.58           | 0.057438  |                                       |        |
|                                                                                 | 40                      | 44.78           | 0.063383  |                                       |        |
|                                                                                 | 50                      | 45.56           | 0.064487  |                                       |        |
| 16QAM                                                                           |                         |                 |           |                                       |        |
| 3.85                                                                            | -30                     | -5.29           | -0.007488 | Within authorized<br>band for Band 17 | Pass   |
|                                                                                 | -20                     | -4.62           | -0.006539 |                                       |        |
|                                                                                 | -10                     | -7.71           | -0.010913 |                                       |        |
|                                                                                 | 0                       | -7.65           | -0.010828 |                                       |        |
|                                                                                 | 10                      | -5.32           | -0.007530 |                                       |        |
|                                                                                 | 20                      | -6.45           | -0.009130 |                                       |        |
|                                                                                 | 30                      | -6.39           | -0.009045 |                                       |        |
|                                                                                 | 40                      | -5.91           | -0.008365 |                                       |        |
|                                                                                 | 50                      | -7.41           | -0.010488 |                                       |        |
| Voltage                                                                         |                         |                 |           |                                       |        |
| Temperature<br>(°C)                                                             | Power supplied<br>(Vdc) | Frequency error |           | Limit (ppm)                           | Result |
|                                                                                 |                         | Hz              | ppm       |                                       |        |
| QPSK                                                                            |                         |                 |           |                                       |        |
| 25                                                                              | 4.42                    | -7.88           | -0.011154 | Within authorized<br>band for Band 17 | Pass   |
|                                                                                 | 3.85                    | -5.51           | -0.007799 |                                       |        |
|                                                                                 | 3.50                    | 3.71            | 0.005251  |                                       |        |
| 16QAM                                                                           |                         |                 |           |                                       |        |
| 25                                                                              | 4.42                    | -2.83           | -0.004006 | Within authorized<br>band for Band 17 | Pass   |
|                                                                                 | 3.85                    | 47.59           | 0.067360  |                                       |        |
|                                                                                 | 3.50                    | -3.95           | -0.005591 |                                       |        |
| Note: Only the worst case shown in the report.                                  |                         |                 |           |                                       |        |

**LTE Band 66 part:**

| Reference Frequency: LTE Band 66 (10MHz) Middle channel=132322 Frequency=1745.0MHz |                         |                 |           |                                       |        |
|------------------------------------------------------------------------------------|-------------------------|-----------------|-----------|---------------------------------------|--------|
| Temperature                                                                        |                         |                 |           |                                       |        |
| Power supplied<br>(Vdc)                                                            | Temperature<br>(°C)     | Frequency error |           | Limit (ppm)                           | Result |
|                                                                                    |                         | Hz              | ppm       |                                       |        |
| QPSK                                                                               |                         |                 |           |                                       |        |
| 3.85                                                                               | -30                     | -28.54          | -0.016355 | Within authorized<br>band for Band 66 | Pass   |
|                                                                                    | -20                     | -28.10          | -0.016103 |                                       |        |
|                                                                                    | -10                     | -26.72          | -0.015312 |                                       |        |
|                                                                                    | 0                       | -35.22          | -0.020183 |                                       |        |
|                                                                                    | 10                      | -24.02          | -0.013765 |                                       |        |
|                                                                                    | 20                      | -20.37          | -0.011673 |                                       |        |
|                                                                                    | 30                      | -12.86          | -0.007370 |                                       |        |
|                                                                                    | 40                      | -37.87          | -0.021702 |                                       |        |
|                                                                                    | 50                      | -23.13          | -0.013255 |                                       |        |
| 16QAM                                                                              |                         |                 |           |                                       |        |
| 3.85                                                                               | -30                     | 24.00           | 0.013754  | Within authorized<br>band for Band 66 | Pass   |
|                                                                                    | -20                     | 25.61           | 0.014676  |                                       |        |
|                                                                                    | -10                     | 29.61           | 0.016968  |                                       |        |
|                                                                                    | 0                       | 28.80           | 0.016504  |                                       |        |
|                                                                                    | 10                      | 21.33           | 0.012223  |                                       |        |
|                                                                                    | 20                      | 20.04           | 0.011484  |                                       |        |
|                                                                                    | 30                      | 15.88           | 0.009100  |                                       |        |
|                                                                                    | 40                      | 14.81           | 0.008487  |                                       |        |
|                                                                                    | 50                      | 15.61           | 0.008946  |                                       |        |
| Voltage                                                                            |                         |                 |           |                                       |        |
| Temperature<br>(°C)                                                                | Power supplied<br>(Vdc) | Frequency error |           | Limit (ppm)                           | Result |
|                                                                                    |                         | Hz              | ppm       |                                       |        |
| QPSK                                                                               |                         |                 |           |                                       |        |
| 25                                                                                 | 4.42                    | -4.65           | -0.002665 | Within authorized<br>band for Band 66 | Pass   |
|                                                                                    | 3.85                    | -24.06          | -0.013788 |                                       |        |
|                                                                                    | 3.50                    | -22.92          | -0.013135 |                                       |        |
| 16QAM                                                                              |                         |                 |           |                                       |        |
| 25                                                                                 | 4.42                    | 14.28           | 0.008183  | Within authorized<br>band for Band 66 | Pass   |
|                                                                                    | 3.85                    | -55.38          | -0.031736 |                                       |        |
|                                                                                    | 3.50                    | 11.36           | 0.006510  |                                       |        |
| Note: Only the worst case shown in the report.                                     |                         |                 |           |                                       |        |