



802.11ax HE20 CH233



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.250000	40.74	---	68.20	27.46	500.0	200.0	V	2.0	-8.2
1371.875000	---	29.83	54.00	24.17	500.0	100.0	V	186.0	-7.6
1586.250000	---	30.87	54.00	23.13	500.0	200.0	V	63.0	-6.4
1976.500000	43.02	---	68.20	25.18	500.0	100.0	V	271.0	-4.6
2672.125000	44.92	---	68.20	23.28	500.0	100.0	H	208.0	-1.9
2818.250000	---	34.33	54.00	19.67	500.0	200.0	V	57.0	-1.3
3439.500000	49.18	---	68.20	19.02	500.0	200.0	V	179.0	1.1
3988.125000	---	38.54	54.00	15.46	500.0	100.0	H	134.0	2.9
4422.125000	50.26	---	68.20	17.94	500.0	200.0	H	152.0	3.9
5431.000000	---	38.68	54.00	15.32	500.0	200.0	H	108.0	5.8
7548.500000	---	41.06	54.00	12.94	500.0	200.0	V	87.0	7.4
7965.000000	52.76	---	68.20	15.44	500.0	100.0	H	34.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8030.000000	---	32.01	54.00	21.99	500.0	100.0	H	317.0	-1.5
8511.250000	44.04	---	68.20	24.17	500.0	100.0	H	210.0	-1.6
9486.250000	---	36.38	54.00	17.62	500.0	100.0	V	102.0	-0.3
10360.000000	44.56	---	68.20	23.64	500.0	100.0	V	217.0	-0.9
10526.250000	44.07	---	68.20	24.13	500.0	100.0	V	230.0	-0.9
10677.500000	---	32.91	54.00	21.09	500.0	100.0	H	305.0	-0.7
13293.750000	---	34.46	54.00	19.54	500.0	200.0	H	286.0	3.3
13537.500000	46.70	---	68.20	21.50	500.0	200.0	H	202.0	3.6
15280.000000	48.47	---	68.20	19.73	500.0	100.0	V	18.0	5.9
15591.250000	---	37.92	54.00	16.08	500.0	100.0	H	46.0	6.7
17695.000000	51.67	---	68.20	16.53	500.0	100.0	H	286.0	10.2
17717.500000	---	40.03	54.00	13.97	500.0	200.0	V	277.0	10.3

802.11ax HE40 CH3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	40.89	---	68.20	27.31	500.0	100.0	V	50.0	-8.1
1413.000000	---	29.93	54.00	24.07	500.0	200.0	V	275.0	-7.3
1720.125000	---	30.84	54.00	23.16	500.0	200.0	V	89.0	-5.8
1952.000000	44.13	---	68.20	24.07	500.0	200.0	V	127.0	-4.6
2476.125000	44.81	---	68.20	23.39	500.0	200.0	H	0.0	-2.5
2801.625000	---	34.20	54.00	19.80	500.0	100.0	H	307.0	-1.4
3535.750000	49.69	---	68.20	18.51	500.0	100.0	H	39.0	1.3
3988.125000	---	38.90	54.00	15.10	500.0	100.0	H	300.0	2.9
4433.500000	49.74	---	68.20	18.46	500.0	200.0	V	0.0	3.9
5449.375000	---	38.93	54.00	15.07	500.0	200.0	H	0.0	5.9
7677.125000	---	41.19	54.00	12.81	500.0	100.0	H	149.0	7.8
7964.125000	52.40	---	68.20	15.80	500.0	100.0	H	118.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8037.500000	---	32.23	54.00	21.77	500.0	100.0	H	221.0	-1.5
8942.500000	43.69	---	68.20	24.51	500.0	100.0	V	61.0	-1.4
9468.750000	---	33.31	54.00	20.69	500.0	200.0	H	85.0	-0.3
9672.500000	45.19	---	68.20	23.01	500.0	100.0	V	294.0	-0.8
10560.000000	43.75	---	68.20	24.45	500.0	100.0	V	294.0	-0.8
11930.000000	---	35.63	54.00	18.37	500.0	100.0	V	54.0	0.4
13301.250000	---	34.39	54.00	19.61	500.0	100.0	H	162.0	3.3
13727.500000	45.83	---	68.20	22.37	500.0	200.0	H	233.0	3.8
15292.500000	48.50	---	68.20	19.70	500.0	200.0	V	333.0	5.9
15557.500000	---	37.85	54.00	16.15	500.0	200.0	H	72.0	6.6
17686.250000	51.51	---	68.20	16.69	500.0	100.0	H	155.0	10.2
17982.500000	---	40.35	54.00	13.65	500.0	100.0	H	208.0	11.0

802.11ax HE40 CH51



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	40.56	---	68.20	27.64	500.0	200.0	V	120.0	-8.1
1395.500000	---	29.67	54.00	24.33	500.0	100.0	V	0.0	-7.5
1703.500000	---	30.76	54.00	23.24	500.0	200.0	V	156.0	-5.9
1896.000000	43.37	---	68.20	24.83	500.0	200.0	V	138.0	-5.0
2658.125000	45.17	---	68.20	23.03	500.0	200.0	V	163.0	-1.9
2799.000000	---	34.24	54.00	19.76	500.0	200.0	V	84.0	-1.4
3459.625000	49.77	---	68.20	18.43	500.0	100.0	H	0.0	1.1
3856.875000	---	38.62	54.00	15.38	500.0	100.0	H	100.0	2.4
4471.125000	50.62	---	68.20	17.58	500.0	100.0	H	314.0	4.1
4551.625000	---	38.78	54.00	15.22	500.0	100.0	H	88.0	4.2
7528.375000	---	41.13	54.00	12.87	500.0	200.0	V	39.0	7.3
7961.500000	52.47	---	68.20	15.73	500.0	200.0	V	236.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8028.750000	---	31.87	54.00	22.13	500.0	100.0	V	179.0	-1.5
8508.750000	43.45	---	68.20	24.75	500.0	200.0	V	40.0	-1.6
9422.500000	---	32.94	54.00	21.06	500.0	200.0	H	80.0	-0.6
9638.750000	44.83	---	68.20	23.37	500.0	200.0	V	16.0	-0.8
10573.750000	42.51	---	68.20	25.69	500.0	100.0	V	327.0	-0.8
11936.250000	---	33.02	54.00	20.98	500.0	100.0	V	103.0	0.3
13316.250000	---	34.08	54.00	19.92	500.0	100.0	V	252.0	3.3
13732.500000	45.54	---	68.20	22.66	500.0	200.0	H	208.0	3.8
14893.750000	47.45	---	68.20	20.75	500.0	200.0	V	55.0	5.1
15606.250000	---	36.55	54.00	17.45	500.0	200.0	H	239.0	6.7
17673.750000	50.57	---	68.20	17.63	500.0	100.0	H	92.0	10.2
17720.000000	---	39.47	54.00	14.53	500.0	200.0	V	212.0	10.3

802.11ax HE40 CH91



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.750000	40.44	---	68.20	27.76	500.0	200.0	V	4.0	-8.2
1413.875000	---	29.86	54.00	24.14	500.0	200.0	H	357.0	-7.3
1707.875000	---	30.83	54.00	23.17	500.0	200.0	V	11.0	-5.9
1941.500000	43.72	---	68.20	24.48	500.0	200.0	V	0.0	-4.7
2659.000000	45.22	---	68.20	22.98	500.0	200.0	H	317.0	-1.9
2764.875000	---	34.34	54.00	19.66	500.0	200.0	V	156.0	-1.5
3520.875000	50.21	---	68.20	17.99	500.0	200.0	V	176.0	1.3
3855.125000	---	38.68	54.00	15.32	500.0	200.0	H	0.0	2.4
4400.250000	49.69	---	68.20	18.51	500.0	100.0	V	227.0	3.8
5057.375000	---	38.91	54.00	15.09	500.0	200.0	H	181.0	5.2
7525.750000	---	41.04	54.00	12.96	500.0	100.0	H	138.0	7.3
7963.250000	53.03	---	68.20	15.17	500.0	200.0	H	311.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8042.500000	---	32.12	54.00	21.88	500.0	100.0	H	315.0	-1.5
8515.000000	43.74	---	68.20	24.46	500.0	100.0	H	8.0	-1.6
9456.250000	---	32.97	54.00	21.03	500.0	200.0	H	1.0	-0.3
9597.500000	44.57	---	68.20	23.63	500.0	100.0	V	31.0	-0.8
10568.750000	43.39	---	68.20	24.81	500.0	100.0	H	8.0	-0.8
11722.500000	---	32.85	54.00	21.15	500.0	200.0	V	35.0	0.0
13303.750000	---	34.45	54.00	19.55	500.0	100.0	H	344.0	3.3
13490.000000	46.07	---	68.20	22.13	500.0	200.0	H	0.0	3.5
15205.000000	47.91	---	68.20	20.29	500.0	100.0	H	194.0	5.7
15566.250000	---	36.50	54.00	17.50	500.0	200.0	H	327.0	6.6
17680.000000	50.68	---	68.20	17.52	500.0	200.0	H	52.0	10.2
17715.000000	---	39.65	54.00	14.35	500.0	200.0	H	130.0	10.3

802.11ax HE40 CH99



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	40.85	---	68.20	27.35	500.0	200.0	V	53.0	-8.3
1370.125000	---	30.00	54.00	24.00	500.0	200.0	V	263.0	-7.6
1720.125000	---	30.90	54.00	23.10	500.0	200.0	H	358.0	-5.8
1965.125000	43.28	---	68.20	24.92	500.0	200.0	V	132.0	-4.6
2551.375000	45.19	---	68.20	23.01	500.0	200.0	V	343.0	-2.2
2819.125000	---	34.42	54.00	19.58	500.0	100.0	V	200.0	-1.3
3576.875000	49.67	---	68.20	18.53	500.0	100.0	H	0.0	1.5
3990.750000	---	38.68	54.00	15.32	500.0	200.0	H	228.0	2.9
4366.125000	---	39.00	54.00	15.00	500.0	200.0	H	328.0	3.6
4499.125000	49.90	---	68.20	18.30	500.0	200.0	V	48.0	4.3
7377.000000	---	41.14	54.00	12.86	500.0	100.0	V	295.0	7.1
7963.250000	52.35	---	68.20	15.85	500.0	100.0	H	126.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8053.750000	---	32.29	54.00	21.71	500.0	100.0	H	231.0	-1.5
8500.000000	44.28	---	68.20	23.92	500.0	100.0	H	180.0	-1.6
9223.750000	44.14	---	68.20	24.06	500.0	200.0	H	286.0	-0.9
9460.000000	---	33.04	54.00	20.96	500.0	100.0	H	155.0	-0.3
10575.000000	42.83	---	68.20	25.37	500.0	100.0	V	200.0	-0.8
11937.500000	---	32.81	54.00	21.19	500.0	100.0	H	353.0	0.3
13305.000000	---	34.46	54.00	19.54	500.0	100.0	H	29.0	3.3
13853.750000	45.84	---	68.20	22.36	500.0	100.0	H	29.0	3.7
15170.000000	47.75	---	68.20	20.45	500.0	200.0	V	161.0	5.6
15565.000000	---	36.69	54.00	17.31	500.0	200.0	H	0.0	6.6
17340.000000	50.82	---	68.20	17.38	500.0	200.0	V	86.0	9.4
17986.250000	---	39.66	54.00	14.34	500.0	200.0	H	0.0	11.0

802.11ax HE40 CH107



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.875000	40.84	---	68.20	27.36	500.0	200.0	V	0.0	-8.3
1404.250000	---	29.46	54.00	24.54	500.0	200.0	H	70.0	-7.4
1699.125000	---	30.83	54.00	23.17	500.0	200.0	H	230.0	-5.9
1959.000000	43.57	---	68.20	24.63	500.0	100.0	V	107.0	-4.6
2680.000000	46.36	---	68.20	21.84	500.0	100.0	H	335.0	-1.9
2769.250000	---	35.08	54.00	18.92	500.0	200.0	V	119.0	-1.5
3408.875000	49.24	---	68.20	18.96	500.0	100.0	H	45.0	1.0
3986.375000	---	38.84	54.00	15.16	500.0	100.0	H	0.0	2.9
4497.375000	50.49	---	68.20	17.71	500.0	100.0	H	51.0	4.3
5395.125000	---	39.44	54.00	14.56	500.0	100.0	V	302.0	5.7
7494.250000	---	40.57	54.00	13.43	500.0	200.0	H	0.0	7.2
7965.875000	52.67	---	68.20	15.53	500.0	100.0	V	225.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8055.000000	---	32.02	54.00	21.98	500.0	200.0	V	50.0	-1.5
8518.750000	43.64	---	68.20	24.56	500.0	100.0	H	147.0	-1.6
9470.000000	---	33.47	54.00	20.53	500.0	100.0	V	186.0	-0.2
9641.250000	44.25	---	68.20	23.95	500.0	100.0	H	123.0	-0.8
10487.500000	42.58	---	68.20	25.62	500.0	100.0	V	142.0	-0.9
11912.500000	---	32.82	54.00	21.18	500.0	200.0	V	0.0	0.4
13312.500000	---	34.53	54.00	19.47	500.0	200.0	H	343.0	3.3
13466.250000	45.55	---	68.20	22.65	500.0	200.0	V	136.0	3.4
15245.000000	47.81	---	68.20	20.39	500.0	100.0	H	123.0	5.8
15597.500000	---	36.77	54.00	17.23	500.0	100.0	H	313.0	6.7
17678.750000	51.85	---	68.20	16.35	500.0	100.0	V	328.0	10.2
17715.000000	---	39.91	54.00	14.09	500.0	200.0	V	100.0	10.3

802.11ax HE40 CH115



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	39.87	---	68.20	28.33	500.0	100.0	V	108.0	-8.0
1411.250000	---	29.44	54.00	24.56	500.0	200.0	V	94.0	-7.4
1704.375000	---	30.74	54.00	23.26	500.0	200.0	H	277.0	-5.9
1977.375000	43.02	---	68.20	25.18	500.0	100.0	H	28.0	-4.6
2644.125000	45.84	---	68.20	22.36	500.0	200.0	V	84.0	-2.0
2821.750000	---	34.82	54.00	19.18	500.0	100.0	H	17.0	-1.3
3394.000000	49.63	---	68.20	18.57	500.0	200.0	H	290.0	0.9
3989.000000	---	38.63	54.00	15.37	500.0	100.0	V	189.0	2.9
4417.750000	49.75	---	68.20	18.45	500.0	200.0	V	3.0	3.8
5394.250000	---	39.32	54.00	14.68	500.0	200.0	V	27.0	5.7
7669.250000	---	40.51	54.00	13.49	500.0	200.0	H	3.0	7.8
7877.500000	52.13	---	68.20	16.07	500.0	100.0	V	289.0	8.1



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8053.750000	---	32.23	54.00	21.77	500.0	100.0	H	268.0	-1.5
8527.500000	44.24	---	68.20	23.96	500.0	100.0	V	196.0	-1.6
9453.750000	---	33.14	54.00	20.86	500.0	100.0	V	265.0	-0.4
9576.250000	44.20	---	68.20	24.00	500.0	100.0	V	328.0	-0.8
10576.250000	43.03	---	68.20	25.17	500.0	200.0	H	281.0	-0.8
11723.750000	---	32.81	54.00	21.19	500.0	100.0	H	3.0	0.0
12947.500000	45.77	---	68.20	22.43	500.0	200.0	H	166.0	2.4
13356.250000	---	34.45	54.00	19.55	500.0	200.0	V	37.0	3.3
15346.250000	48.26	---	68.20	19.94	500.0	100.0	V	328.0	6.0
15562.500000	---	36.49	54.00	17.51	500.0	100.0	H	72.0	6.6
17373.750000	51.36	---	68.20	16.84	500.0	200.0	H	223.0	9.5
17708.750000	---	40.03	54.00	13.97	500.0	200.0	V	12.0	10.3

802.11ax HE40 CH123



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.875000	40.64	---	68.20	27.56	500.0	200.0	V	92.0	-8.2
1371.875000	---	29.66	54.00	24.34	500.0	200.0	V	195.0	-7.6
1688.625000	---	30.37	54.00	23.63	500.0	200.0	V	17.0	-5.9
1984.375000	43.43	---	68.20	24.77	500.0	100.0	H	0.0	-4.6
2650.250000	45.96	---	68.20	22.24	500.0	100.0	H	74.0	-1.9
2814.750000	---	34.68	54.00	19.32	500.0	100.0	H	85.0	-1.3
3569.875000	49.08	---	68.20	19.12	500.0	200.0	V	0.0	1.5
3876.125000	---	38.50	54.00	15.50	500.0	100.0	H	311.0	2.5
4460.625000	50.62	---	68.20	17.58	500.0	100.0	V	210.0	4.0
5395.125000	---	39.31	54.00	14.69	500.0	200.0	H	0.0	5.7
7538.000000	---	40.66	54.00	13.34	500.0	100.0	V	320.0	7.4
7957.125000	52.45	---	68.20	15.75	500.0	100.0	V	86.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8053.750000	---	32.26	54.00	21.74	500.0	100.0	V	210.0	-1.5
8516.250000	43.60	---	68.20	24.60	500.0	100.0	H	225.0	-1.6
9462.500000	---	32.95	54.00	21.05	500.0	100.0	V	72.0	-0.3
9503.750000	44.62	---	68.20	23.58	500.0	100.0	H	142.0	-0.4
10590.000000	43.13	---	68.20	25.07	500.0	200.0	H	105.0	-0.8
11937.500000	---	33.01	54.00	20.99	500.0	100.0	V	1.0	0.3
13296.250000	---	34.46	54.00	19.54	500.0	200.0	V	68.0	3.3
13492.500000	45.73	---	68.20	22.47	500.0	100.0	V	336.0	3.5
15278.750000	48.41	---	68.20	19.79	500.0	200.0	H	129.0	5.9
15556.250000	---	36.64	54.00	17.36	500.0	100.0	H	28.0	6.6
17685.000000	51.20	---	68.20	17.00	500.0	100.0	V	142.0	10.2
17716.250000	---	39.92	54.00	14.08	500.0	200.0	V	358.0	10.3

802.11ax HE40 CH155



Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.375000	40.81	---	68.20	27.39	500.0	200.0	H	201.0	-8.2
1411.250000	---	29.88	54.00	24.12	500.0	200.0	V	260.0	-7.4
1721.000000	---	30.88	54.00	23.12	500.0	200.0	V	3.0	-5.8
1972.125000	43.71	---	68.20	24.49	500.0	200.0	V	129.0	-4.6
2620.500000	45.39	---	68.20	22.81	500.0	100.0	H	111.0	-2.1
2778.875000	---	34.83	54.00	19.17	500.0	100.0	H	118.0	-1.5
3413.250000	49.61	---	68.20	18.59	500.0	100.0	H	0.0	1.0
3946.125000	---	38.69	54.00	15.31	500.0	200.0	V	37.0	2.6
4446.625000	50.11	---	68.20	18.09	500.0	200.0	V	324.0	3.9
5120.375000	---	39.21	54.00	14.79	500.0	200.0	V	44.0	5.1
7664.875000	---	40.90	54.00	13.10	500.0	100.0	H	75.0	7.7
7961.500000	52.80	---	68.20	15.40	500.0	100.0	H	56.0	8.3



Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8935.000000	43.60	---	68.20	24.60	500.0	200.0	H	269.0	-1.4
8966.250000	---	35.96	54.00	18.04	500.0	100.0	V	85.0	-1.4
9456.250000	---	33.01	54.00	20.99	500.0	100.0	V	153.0	-0.3
9598.750000	44.62	---	68.20	23.58	500.0	200.0	V	101.0	-0.8
10583.750000	43.54	---	68.20	24.66	500.0	100.0	H	130.0	-0.8
11936.250000	---	32.99	54.00	21.01	500.0	200.0	V	4.0	0.3
13320.000000	---	34.62	54.00	19.38	500.0	200.0	V	48.0	3.3
13487.500000	45.77	---	68.20	22.43	500.0	200.0	H	326.0	3.5
15250.000000	47.59	---	68.20	20.61	500.0	200.0	V	54.0	5.8
15640.000000	---	36.90	54.00	17.10	500.0	200.0	H	332.0	6.7
17373.750000	51.39	---	68.20	16.81	500.0	100.0	V	228.0	9.5
17710.000000	---	39.92	54.00	14.08	500.0	200.0	V	264.0	10.3