



## 802.11ax HE40 CH179



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	<b>40.58</b>	---	68.20	27.62	500.0	200.0	V	16.0	-8.3
1398.125000	---	29.40	54.00	24.60	500.0	200.0	V	46.0	-7.5
1703.500000	---	30.78	54.00	23.22	500.0	100.0	H	185.0	-5.9
1995.750000	43.26	---	68.20	24.94	500.0	200.0	V	265.0	-4.5
2505.875000	45.59	---	68.20	22.61	500.0	200.0	V	79.0	-2.4
2826.125000	---	34.85	54.00	19.15	500.0	100.0	V	338.0	-1.2
3470.125000	49.89	---	68.20	18.31	500.0	100.0	H	311.0	1.2
3944.375000	---	38.57	54.00	15.43	500.0	200.0	V	278.0	2.6
4495.625000	50.60	---	68.20	17.60	500.0	100.0	V	290.0	4.3
5354.875000	---	39.61	54.00	14.39	500.0	200.0	V	208.0	5.6
7545.875000	---	40.52	54.00	13.48	500.0	200.0	H	229.0	7.4
7967.625000	52.48	---	68.20	15.72	500.0	100.0	H	0.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8511.250000	43.99	---	68.20	24.21	500.0	200.0	V	0.0	-1.6
9126.250000	---	35.39	54.00	18.61	500.0	100.0	V	85.0	-1.2
9466.250000	---	33.12	54.00	20.88	500.0	100.0	H	94.0	-0.3
10108.750000	44.13	---	68.20	24.07	500.0	100.0	H	49.0	-0.8
10513.750000	43.38	---	68.20	24.82	500.0	200.0	H	346.0	-0.9
11933.750000	---	32.94	54.00	21.06	500.0	100.0	H	143.0	0.3
13310.000000	---	34.45	54.00	19.55	500.0	200.0	V	0.0	3.3
13736.250000	46.64	---	68.20	21.56	500.0	100.0	H	0.0	3.9
15322.500000	48.08	---	68.20	20.12	500.0	100.0	H	61.0	5.9
15600.000000	---	36.79	54.00	17.21	500.0	100.0	H	49.0	6.7
17306.250000	51.09	---	68.20	17.11	500.0	100.0	H	36.0	9.3
17981.250000	---	40.20	54.00	13.80	500.0	200.0	V	179.0	11.0

## 802.11ax HE40 CH187



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.875000	40.54	---	68.20	27.66	500.0	200.0	V	0.0	-8.1
1406.875000	---	29.61	54.00	24.39	500.0	100.0	V	268.0	-7.4
1703.500000	---	30.84	54.00	23.16	500.0	100.0	V	281.0	-5.9
1791.000000	43.62	---	68.20	24.58	500.0	100.0	H	112.0	-5.4
2681.750000	46.04	---	68.20	22.16	500.0	100.0	H	175.0	-1.9
2821.750000	---	35.39	54.00	18.61	500.0	200.0	V	161.0	-1.3
3418.500000	49.62	---	68.20	18.58	500.0	200.0	V	58.0	1.0
3940.875000	---	38.53	54.00	15.47	500.0	100.0	H	0.0	2.6
4435.250000	50.47	---	68.20	17.73	500.0	100.0	H	199.0	3.9
5422.250000	---	39.60	54.00	14.40	500.0	200.0	H	224.0	5.8
7500.375000	---	40.66	54.00	13.34	500.0	100.0	V	338.0	7.2
7923.000000	52.59	---	68.20	15.61	500.0	100.0	H	112.0	8.2




## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8037.500000	---	32.14	54.00	21.86	500.0	200.0	V	259.0	-1.5
8516.250000	43.49	---	68.20	24.71	500.0	100.0	V	224.0	-1.6
9180.000000	---	35.14	54.00	18.86	500.0	100.0	V	91.0	-0.9
10143.750000	44.56	---	68.20	23.64	500.0	100.0	H	136.0	-0.8
10561.250000	43.53	---	68.20	24.67	500.0	200.0	V	49.0	-0.8
11936.250000	---	33.07	54.00	20.93	500.0	100.0	H	156.0	0.3
13312.500000	---	34.68	54.00	19.32	500.0	200.0	H	300.0	3.3
13700.000000	46.12	---	68.20	22.08	500.0	100.0	H	72.0	3.7
15311.250000	48.07	---	68.20	20.13	500.0	200.0	V	43.0	5.9
15575.000000	---	37.07	54.00	16.93	500.0	100.0	H	143.0	6.6
17348.750000	51.58	---	68.20	16.62	500.0	200.0	V	141.0	9.4
17716.250000	---	39.89	54.00	14.11	500.0	100.0	V	282.0	10.3


---

802.11ax HE40 CH195



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	40.44	---	68.20	27.76	500.0	100.0	V	269.0	-8.2
1399.875000	---	29.65	54.00	24.35	500.0	200.0	V	211.0	-7.5
1715.750000	43.50	---	68.20	24.70	500.0	200.0	V	46.0	-5.8
1721.875000	---	30.92	54.00	23.08	500.0	100.0	H	340.0	-5.8
2674.750000	45.81	---	68.20	22.39	500.0	100.0	H	34.0	-1.9
2812.125000	---	35.25	54.00	18.75	500.0	200.0	V	0.0	-1.3
3435.125000	49.79	---	68.20	18.41	500.0	100.0	H	218.0	1.0
3989.875000	---	38.82	54.00	15.18	500.0	200.0	V	89.0	2.9
4439.625000	50.02	---	68.20	18.18	500.0	100.0	V	51.0	3.9
5392.500000	---	39.37	54.00	14.63	500.0	200.0	V	58.0	5.7
7531.875000	---	40.75	54.00	13.25	500.0	100.0	H	224.0	7.4
7906.375000	52.35	---	68.20	15.85	500.0	100.0	V	194.0	8.2



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8467.500000	---	32.19	54.00	21.81	500.0	100.0	V	247.0	-1.7
8942.500000	44.01	---	68.20	24.19	500.0	100.0	V	286.0	-1.4
9232.500000	44.66	---	68.20	23.54	500.0	100.0	V	93.0	-0.9
9468.750000	---	32.96	54.00	21.04	500.0	200.0	H	241.0	-0.3
10580.000000	42.74	---	68.20	25.46	500.0	200.0	V	66.0	-0.8
11928.750000	---	33.03	54.00	20.97	500.0	200.0	V	176.0	0.4
13286.250000	---	34.60	54.00	19.40	500.0	100.0	H	77.0	3.3
13493.750000	46.06	---	68.20	22.14	500.0	200.0	V	0.0	3.5
15303.750000	47.96	---	68.20	20.24	500.0	100.0	V	140.0	5.9
15593.750000	---	36.83	54.00	17.17	500.0	100.0	V	342.0	6.7
17352.500000	51.08	---	68.20	17.12	500.0	100.0	V	253.0	9.5
17720.000000	---	39.89	54.00	14.12	500.0	200.0	H	309.0	10.3

## 802.11ax HE40 CH211



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	41.02	---	68.20	27.18	500.0	100.0	V	223.0	-8.1
1385.875000	---	29.72	54.00	24.28	500.0	100.0	H	51.0	-7.5
1702.625000	---	30.85	54.00	23.15	500.0	200.0	H	226.0	-5.9
1900.375000	43.31	---	68.20	24.89	500.0	100.0	H	161.0	-4.9
2673.875000	45.88	---	68.20	22.32	500.0	100.0	V	217.0	-1.9
2789.375000	---	35.31	54.00	18.69	500.0	200.0	V	162.0	-1.4
3415.000000	49.62	---	68.20	18.58	500.0	200.0	V	0.0	1.0
3946.125000	---	38.73	54.00	15.27	500.0	200.0	V	78.0	2.6
4451.875000	50.19	---	68.20	18.01	500.0	200.0	H	0.0	3.9
5123.875000	---	39.58	54.00	14.42	500.0	200.0	V	102.0	5.2
7524.875000	---	40.76	54.00	13.24	500.0	100.0	H	204.0	7.3
7879.250000	52.50	---	68.20	15.70	500.0	200.0	V	97.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8481.250000	---	32.17	54.00	21.83	500.0	100.0	H	257.0	-1.6
8630.000000	41.84	---	68.20	26.36	500.0	100.0	H	176.0	-1.7
9340.000000	---	36.22	54.00	17.78	500.0	100.0	V	91.0	-0.9
9676.250000	44.36	---	68.20	23.84	500.0	100.0	V	91.0	-0.8
10565.000000	43.22	---	68.20	24.98	500.0	200.0	V	47.0	-0.8
11928.750000	---	33.20	54.00	20.80	500.0	100.0	H	62.0	0.4
13313.750000	---	34.83	54.00	19.17	500.0	200.0	V	336.0	3.3
13496.250000	46.06	---	68.20	22.14	500.0	200.0	V	157.0	3.5
15281.250000	48.90	---	68.20	19.30	500.0	100.0	V	197.0	5.9
15600.000000	---	36.75	54.00	17.25	500.0	200.0	V	59.0	6.7
17298.750000	51.90	---	68.20	16.30	500.0	200.0	V	151.0	9.3
17983.750000	---	39.80	54.00	14.20	500.0	200.0	V	53.0	11.0

## 802.11ax HE40 CH277



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.875000	40.61	---	68.20	27.59	500.0	100.0	V	321.0	-8.1
1407.750000	---	29.54	54.00	24.46	500.0	200.0	V	78.0	-7.4
1709.625000	---	30.97	54.00	23.03	500.0	100.0	H	200.0	-5.9
1952.875000	43.75	---	68.20	24.45	500.0	200.0	V	333.0	-4.6
2551.375000	46.37	---	68.20	21.83	500.0	100.0	H	152.0	-2.2
2823.500000	---	35.07	54.00	18.93	500.0	200.0	V	180.0	-1.3
3435.125000	49.75	---	68.20	18.45	500.0	100.0	H	107.0	1.0
3944.375000	---	38.81	54.00	15.19	500.0	100.0	V	158.0	2.6
4432.625000	50.40	---	68.20	17.80	500.0	100.0	V	327.0	3.9
4940.125000	---	39.73	54.00	14.27	500.0	200.0	V	251.0	5.1
7656.125000	---	40.98	54.00	13.02	500.0	200.0	H	189.0	7.7
7872.250000	52.22	---	68.20	15.98	500.0	200.0	H	3.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8482.500000	---	32.29	54.00	21.71	500.0	200.0	V	107.0	-1.6
8533.750000	43.99	---	68.20	24.21	500.0	200.0	V	71.0	-1.6
9451.250000	---	33.11	54.00	20.89	500.0	200.0	V	257.0	-0.4
10106.250000	44.42	---	68.20	23.78	500.0	100.0	H	223.0	-0.8
10516.250000	44.50	---	68.20	23.70	500.0	200.0	V	101.0	-0.9
11720.000000	---	32.99	54.00	21.02	500.0	100.0	V	290.0	0.0
13305.000000	---	34.54	54.00	19.46	500.0	100.0	V	271.0	3.3
13508.750000	46.57	---	68.20	21.63	500.0	100.0	H	235.0	3.5
15260.000000	48.83	---	68.20	19.37	500.0	200.0	V	218.0	5.8
15565.000000	---	37.03	54.00	16.97	500.0	200.0	H	173.0	6.6
17297.500000	51.13	---	68.20	17.07	500.0	200.0	H	316.0	9.3
17711.250000	---	40.02	54.00	13.98	500.0	200.0	V	288.0	10.3

## 802.11ax HE80 CH7



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	40.70	---	68.20	27.50	500.0	200.0	V	96.0	-8.1
1399.875000	---	29.78	54.00	24.22	500.0	200.0	V	198.0	-7.5
1687.750000	---	31.18	54.00	22.82	500.0	200.0	V	145.0	-5.9
1980.875000	43.63	---	68.20	24.57	500.0	100.0	H	38.0	-4.6
2617.875000	45.82	---	68.20	22.38	500.0	100.0	V	237.0	-2.1
2826.125000	---	35.22	54.00	18.78	500.0	200.0	V	204.0	-1.2
3455.250000	49.74	---	68.20	18.46	500.0	100.0	V	301.0	1.1
3992.500000	---	38.82	54.00	15.18	500.0	100.0	V	15.0	2.9
4436.125000	50.29	---	68.20	17.91	500.0	200.0	V	114.0	3.9
5121.250000	---	39.62	54.00	14.38	500.0	200.0	H	266.0	5.2
7537.125000	---	41.08	54.00	12.92	500.0	200.0	H	272.0	7.4
7962.375000	52.69	---	68.20	15.51	500.0	200.0	H	309.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8031.250000	---	32.26	54.00	21.74	500.0	200.0	H	67.0	-1.5
8525.000000	43.67	---	68.20	24.53	500.0	100.0	V	255.0	-1.6
9456.250000	---	33.17	54.00	20.83	500.0	200.0	H	290.0	-0.3
9575.000000	44.55	---	68.20	23.65	500.0	100.0	V	286.0	-0.8
10575.000000	43.03	---	68.20	25.17	500.0	100.0	V	211.0	-0.8
11970.000000	---	35.18	54.00	18.82	500.0	100.0	V	111.0	0.3
13316.250000	---	34.72	54.00	19.28	500.0	100.0	V	0.0	3.3
13668.750000	46.07	---	68.20	22.13	500.0	100.0	H	207.0	3.7
15147.500000	48.62	---	68.20	19.58	500.0	100.0	H	3.0	5.5
15590.000000	---	37.01	54.00	16.99	500.0	100.0	V	324.0	6.7
17371.250000	51.70	---	68.20	16.50	500.0	100.0	V	186.0	9.5
17713.750000	---	40.06	54.00	13.94	500.0	200.0	V	212.0	10.3

## 802.11ax HE80 CH55



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1262.500000	40.97	---	68.20	27.23	500.0	200.0	V	138.0	-8.3
1368.375000	---	29.95	54.00	24.05	500.0	200.0	V	125.0	-7.6
1719.250000	---	31.06	54.00	22.94	500.0	100.0	H	0.0	-5.8
1925.750000	43.49	---	68.20	24.71	500.0	100.0	H	314.0	-4.8
2646.750000	46.06	---	68.20	22.14	500.0	200.0	V	203.0	-2.0
2775.375000	---	35.34	54.00	18.66	500.0	200.0	V	90.0	-1.5
3538.375000	49.64	---	68.20	18.56	500.0	200.0	V	125.0	1.3
3982.875000	---	39.00	54.00	15.00	500.0	200.0	V	144.0	2.8
4417.750000	51.09	---	68.20	17.11	500.0	100.0	H	53.0	3.8
5370.625000	---	39.93	54.00	14.07	500.0	200.0	V	294.0	5.6
7528.375000	---	40.75	54.00	13.25	500.0	100.0	H	34.0	7.3
7956.250000	53.43	---	68.20	14.77	500.0	100.0	V	355.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8055.000000	---	32.54	54.00	21.46	500.0	200.0	V	144.0	-1.5
8506.250000	44.21	---	68.20	23.99	500.0	200.0	H	249.0	-1.6
9457.500000	---	33.20	54.00	20.80	500.0	100.0	V	359.0	-0.3
10388.750000	43.98	---	68.20	24.22	500.0	200.0	V	2.0	-0.9
10551.250000	43.22	---	68.20	24.98	500.0	200.0	V	251.0	-0.8
11928.750000	---	33.18	54.00	20.82	500.0	100.0	H	319.0	0.4
13310.000000	---	34.63	54.00	19.37	500.0	100.0	V	359.0	3.3
13730.000000	46.74	---	68.20	21.46	500.0	200.0	V	107.0	3.8
15295.000000	48.14	---	68.20	20.06	500.0	200.0	H	334.0	5.9
15571.250000	---	37.09	54.00	16.91	500.0	100.0	H	162.0	6.6
17295.000000	50.96	---	68.20	17.24	500.0	100.0	V	346.0	9.3
17716.250000	---	40.24	54.00	13.76	500.0	200.0	H	174.0	10.3

## 802.11ax HE80 CH87



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.125000	40.21	---	68.20	27.99	500.0	100.0	V	137.0	-8.1
1397.250000	---	29.96	54.00	24.04	500.0	100.0	V	0.0	-7.5
1602.875000	---	31.13	54.00	22.87	500.0	100.0	H	86.0	-6.3
1989.625000	43.72	---	68.20	24.48	500.0	100.0	V	195.0	-4.5
2638.000000	45.98	---	68.20	22.22	500.0	100.0	H	269.0	-2.0
2747.375000	---	35.42	54.00	18.58	500.0	100.0	V	325.0	-1.6
3574.250000	50.22	---	68.20	17.98	500.0	200.0	V	26.0	1.5
3986.375000	---	38.77	54.00	15.23	500.0	200.0	H	20.0	2.9
4458.875000	50.39	---	68.20	17.81	500.0	200.0	V	174.0	4.0
5417.875000	---	39.74	54.00	14.26	500.0	200.0	V	337.0	5.8
7535.375000	---	40.89	54.00	13.11	500.0	200.0	V	205.0	7.4
7961.500000	52.39	---	68.20	15.81	500.0	100.0	V	0.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8482.500000	---	32.39	54.00	21.61	500.0	200.0	V	126.0	-1.6
8503.750000	43.83	---	68.20	24.37	500.0	100.0	V	103.0	-1.6
9451.250000	---	33.18	54.00	20.82	500.0	100.0	V	312.0	-0.4
10138.750000	44.36	---	68.20	23.84	500.0	200.0	H	147.0	-0.8
10500.000000	42.80	---	68.20	25.40	500.0	200.0	V	322.0	-0.9
11935.000000	---	33.09	54.00	20.91	500.0	100.0	V	6.0	0.3
13306.250000	---	34.82	54.00	19.18	500.0	100.0	V	338.0	3.3
13491.250000	46.33	---	68.20	21.87	500.0	200.0	V	81.0	3.5
15182.500000	48.10	---	68.20	20.10	500.0	200.0	V	145.0	5.6
15566.250000	---	37.05	54.00	16.95	500.0	200.0	V	303.0	6.6
17313.750000	51.56	---	68.20	16.64	500.0	100.0	H	273.0	9.3
17715.000000	---	40.23	54.00	13.77	500.0	200.0	V	100.0	10.3

## 802.11ax HE80 CH103



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	40.99	---	68.20	27.21	500.0	100.0	V	121.0	-8.2
1396.375000	---	30.07	54.00	23.93	500.0	100.0	V	278.0	-7.5
1622.125000	---	31.00	54.00	23.00	500.0	100.0	V	253.0	-6.2
1964.250000	43.74	---	68.20	24.46	500.0	200.0	V	148.0	-4.6
2646.750000	46.14	---	68.20	22.06	500.0	200.0	H	276.0	-2.0
2813.875000	---	35.46	54.00	18.54	500.0	200.0	V	315.0	-1.3
3588.250000	49.59	---	68.20	18.61	500.0	100.0	V	319.0	1.5
3943.500000	---	38.85	54.00	15.15	500.0	100.0	H	4.0	2.6
4497.375000	50.34	---	68.20	17.86	500.0	200.0	V	1.0	4.3
5417.875000	---	39.72	54.00	14.28	500.0	200.0	V	196.0	5.8
7498.625000	---	40.96	54.00	13.04	500.0	100.0	H	307.0	7.2
7952.750000	52.85	---	68.20	15.35	500.0	100.0	H	0.0	8.3



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8497.500000	---	32.54	54.00	21.46	500.0	100.0	H	0.0	-1.6
8563.750000	44.17	---	68.20	24.03	500.0	200.0	V	0.0	-1.7
9466.250000	---	33.09	54.00	20.91	500.0	100.0	H	23.0	-0.3
9647.500000	44.49	---	68.20	23.71	500.0	100.0	V	0.0	-0.8
10570.000000	43.39	---	68.20	24.81	500.0	200.0	V	340.0	-0.8
11931.250000	---	33.13	54.00	20.87	500.0	100.0	V	129.0	0.3
13293.750000	---	34.60	54.00	19.40	500.0	200.0	V	276.0	3.3
13513.750000	46.26	---	68.20	21.94	500.0	200.0	H	70.0	3.5
15298.750000	48.29	---	68.20	19.91	500.0	100.0	H	48.0	5.9
15603.750000	---	37.22	54.00	16.78	500.0	100.0	H	12.0	6.7
16960.000000	51.17	---	68.20	17.03	500.0	100.0	H	23.0	8.7
17720.000000	---	40.06	54.00	13.94	500.0	200.0	V	10.0	10.3