

Appendix A

RF Test Data for BT V4.2 (Conducted Measurement)

Product Name: Cabinet Lock

Trade Mark: Digilock


Test Model: D6ARN-XXS2

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	50%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Li
Supervised by:	Li Huan


A.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




A.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.487	21	PASS
BT LE	MCH	-0.375	21	PASS
BT LE	HCH	-0.403	21	PASS





HCH



A.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-18.431	8	PASS
BT LE	MCH	-18.029	8	PASS
BT LE	HCH	-17.752	8	PASS


Test Graphs



A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6866	≥0.5	PASS
BT LE	MCH	0.6873	≥0.5	PASS
BT LE	HCH	0.6858	≥0.5	PASS



Test Graphs																
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 12:23:55 AM Jan 13, 2021</p> <p style="margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold>1/1 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: right; margin: 0;">Mkr1 2.4019831 GHz -0.59099 dBm</p> </div> <p style="font-size: small; margin: 0;">Center 2.402 GHz #Res BW 100 kHz #VBW 300 kHz Span 3 MHz Sweep 1.067 ms</p> <table style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">5.59 dBm</td> </tr> <tr> <td style="text-align: center;">1.0649 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-7.112 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>686.6 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	5.59 dBm	1.0649 MHz			Transmit Freq Error	-7.112 kHz	OBW Power	x dB Bandwidth	686.6 kHz	x dB			-6.00 dB
Occupied Bandwidth	Total Power	5.59 dBm														
1.0649 MHz																
Transmit Freq Error	-7.112 kHz	OBW Power														
x dB Bandwidth	686.6 kHz	x dB														
		-6.00 dB														
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 12:38:22 AM Jan 13, 2021</p> <p style="margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold>1/1 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: right; margin: 0;">Mkr1 2.4399876 GHz -0.45753 dBm</p> </div> <p style="font-size: small; margin: 0;">Center 2.44 GHz #Res BW 100 kHz #VBW 300 kHz Span 3 MHz Sweep 1.067 ms</p> <table style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">5.79 dBm</td> </tr> <tr> <td style="text-align: center;">1.0637 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-9.165 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>687.3 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	5.79 dBm	1.0637 MHz			Transmit Freq Error	-9.165 kHz	OBW Power	x dB Bandwidth	687.3 kHz	x dB			-6.00 dB
Occupied Bandwidth	Total Power	5.79 dBm														
1.0637 MHz																
Transmit Freq Error	-9.165 kHz	OBW Power														
x dB Bandwidth	687.3 kHz	x dB														
		-6.00 dB														



A.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.537	-37.894	-20.537	PASS
BT LE	MCH	-0.417	-36.756	-20.417	PASS
BT LE	HCH	-0.473	-36.856	-20.473	PASS

BT LE_LCH_Graphs




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH



BT LE_HCH_Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.447	-49.947	-20.45	PASS
BT LE	HCH	-0.343	-49.978	-20.34	PASS


Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.35700000 GHz Ref Offset 8.05 dB, Ref 20.00 dBm Mkr4 2.339 657 GHz -49.947 dBm Start 2.31000 GHz, Stop 2.40400 GHz #Res BW 100 kHz, #VBW 300 kHz, Sweep 9.067 ms (8001 pts)</p> <table border="1" style="font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.401 991 GHz</td><td>-0.447 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-48.048 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-53.039 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.339 657 GHz</td><td>-49.947 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.401 991 GHz	-0.447 dBm				2	N	f		2.400 000 GHz	-48.048 dBm				3	N	f		2.390 000 GHz	-53.039 dBm				4	N	f		2.339 657 GHz	-49.947 dBm				Frequency Auto Tune Center Freq 2.35700000 GHz Start Freq 2.310000000 GHz Stop Freq 2.404000000 GHz CF Step 9.400000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.401 991 GHz	-0.447 dBm																																										
2	N	f		2.400 000 GHz	-48.048 dBm																																										
3	N	f		2.390 000 GHz	-53.039 dBm																																										
4	N	f		2.339 657 GHz	-49.947 dBm																																										
HCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.48900000 GHz Ref Offset 8.05 dB, Ref 20.00 dBm Mkr4 2.484 605 50 GHz -49.978 dBm Start 2.47800 GHz, Stop 2.50000 GHz #Res BW 100 kHz, #VBW 300 kHz, Sweep 2.133 ms (8001 pts)</p> <table border="1" style="font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.479 993 75 GHz</td><td>-0.343 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-51.080 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-52.399 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.484 605 50 GHz</td><td>-49.978 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.479 993 75 GHz	-0.343 dBm				2	N	f		2.483 500 00 GHz	-51.080 dBm				3	N	f		2.500 000 00 GHz	-52.399 dBm				4	N	f		2.484 605 50 GHz	-49.978 dBm				Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.479 993 75 GHz	-0.343 dBm																																										
2	N	f		2.483 500 00 GHz	-51.080 dBm																																										
3	N	f		2.500 000 00 GHz	-52.399 dBm																																										
4	N	f		2.484 605 50 GHz	-49.978 dBm																																										


A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.14	2.0	0	52.12	PEAK	74	PASS
		Ant1	2310.0	-53.55	2.0	0	41.71	AV	54	PASS
		Ant1	2390.0	-43.87	2.0	0	51.39	PEAK	74	PASS
		Ant1	2390.0	-53.19	2.0	0	42.07	AV	54	PASS
	2480	Ant1	2483.5	-39.78	2.0	0	55.47	PEAK	74	PASS
		Ant1	2483.5	-52.72	2.0	0	42.53	AV	54	PASS
		Ant1	2500.0	-41.88	2.0	0	53.38	PEAK	74	PASS
		Ant1	2500.0	-52.60	2.0	0	42.65	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

