



Test Mode:	UNII-1/TX AC20 Mode
------------	---------------------

TX mode CH36



Date: 13.JUN.2015 02:26:28


TX mode CH48



Date: 13.JUN.2015 02:29:11


Test Mode:	UNII-1/TX AC40 Mode
------------	---------------------

TX mode CH38



Date: 13.JUN.2015 02:36:24


TX mode CH46




Date: 13.JUN.2015 02:38:18

Test Mode:	UNII-1/TX AC80 Mode
------------	---------------------

TX mode CH42




Date: 13.JUN.2015 02:55:49



Date: 13.JUN.2015 02:55:57


Test Mode:	UNII-2A/TX AC20 Mode
------------	----------------------

TX mode CH52



Date: 13.JUN.2015 02:30:42


TX mode CH64



Date: 13.JUN.2015 02:34:00


Test Mode:	UNII-2A/TX AC40 Mode
------------	----------------------

TX mode CH54



Date: 13.JUN.2015 02:41:32


TX mode CH62




Date: 13.JUN.2015 02:43:13

Test Mode: UNII-2A/TX AC80 Mode

TX mode CH58




Date: 13.JUN.2015 03:00:18



Date: 13.JUN.2015 03:00:26


Test Mode:	UNII-2C/TX AC20 Mode
------------	----------------------

TX mode CH100



Date: 20.JUN.2015 04:02:10


TX mode CH140



Date: 20.JUN.2015 04:04:55


Test Mode:	UNII-2C/TX AC40 Mode
------------	----------------------

TX mode CH102



Date: 20.JUN.2015 04:20:53


TX mode CH134



Date: 20.JUN.2015 04:24:04


Test Mode:	UNII-2C/TX AC80 Mode
------------	----------------------

TX mode CH106



Date: 20.JUN.2015 04:29:17


TX mode CH122



Date: 20.JUN.2015 04:30:25


Test Mode: UNII-3/TX AC20 Mode

TX AC HT20 mode CH149



Date: 20.JUN.2015 04:06:15


TX AC HT20 mode CH165



Date: 20.JUN.2015 04:08:38


Test Mode: UNII-3/TX AC40 Mode

TX AC HT40 mode CH151



Date: 20.JUN.2015 04:25:26


TX AC HT40 mode CH159




Date: 20.JUN.2015 04:27:06

Test Mode: UNII-3/TX AC80 Mode

TX AC HT80 mode CH155



Date: 20.JUN.2015 04:31:34




Date: 20.JUN.2015 04:31:42

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.73	0.12	2.85	11.00
CH40	5200	2.77	0.12	2.89	11.00
CH48	5240	2.82	0.12	2.94	11.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.85	0.52	3.37	10.00
CH40	5200	2.89	0.52	3.41	10.00
CH48	5240	2.94	0.52	3.46	10.00




Date: 13.JUN.2015 01:40:15

CH40



Date: 13.JUN.2015 01:45:11

CH48




Date: 13.JUN.2015 01:50:43

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.57	0.09	1.66	11.00
CH40	5200	1.38	0.09	1.47	11.00
CH48	5240	1.59	0.09	1.68	11.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	1.66	0.52	2.18	10.00
CH40	5200	1.47	0.52	1.99	10.00
CH48	5240	1.68	0.52	2.20	10.00

CH36




Date: 13.JUN.2015 02:10:43

CH40



Date: 13.JUN.2015 02:13:00

CH48




Date: 13.JUN.2015 02:15:56

Test Mode: UNII-1/TX N40 Mode_CH38/CH46

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.46	0.26	-1.20	11.00
CH46	5230	-1.26	0.26	-1.00	11.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-1.20	0.52	-0.68	10.00
CH46	5230	-1.00	0.52	-0.48	10.00

CH38



Date: 13.JUN.2015 02:47:41


CH46



Date: 13.JUN.2015 02:49:44


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.64	0.12	2.76	11.00
CH60	5300	2.65	0.12	2.77	11.00
CH64	5320	2.71	0.12	2.83	11.00




Date: 13.JUN.2015 01:55:22

CH60



Date: 13.JUN.2015 01:57:40

CH64




Date: 13.JUN.2015 01:59:57

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.52	0.09	1.61	11.00
CH60	5300	1.27	0.09	1.36	11.00
CH64	5320	1.15	0.09	1.24	11.00

CH52




Date: 13.JUN.2015 02:18:04

CH60



Date: 13.JUN.2015 02:19:22

CH64




Date: 13.JUN.2015 02:20:34

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.59	0.26	-1.33	11.00
CH62	5310	-1.46	0.26	-1.20	11.00

CH54



Date: 13.JUN.2015 02:51:41

CH62




Date: 13.JUN.2015 02:53:13

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.00	0.12	3.12	11.00
CH116	5580	3.24	0.12	3.36	11.00
CH140	5700	3.07	0.12	3.19	11.00

CH100




Date: 20.JUN.2015 03:43:30

CH116



Date: 20.JUN.2015 03:46:22

CH140




Date: 20.JUN.2015 03:47:12

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.46	0.09	1.55	11.00
CH116	5580	1.91	0.09	2.00	11.00
CH140	5700	1.82	0.09	1.91	11.00

CH100




Date: 20.JUN.2015 03:53:08

CH116



Date: 20.JUN.2015 03:54:35

CH140




Date: 20.JUN.2015 03:56:15

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.62	0.26	-1.36	11.00
CH110	5550	-1.23	0.26	-0.97	11.00
CH134	5670	-1.10	0.26	-0.84	11.00

CH102




Date: 20.JUN.2015 04:12:17

CH110



Date: 20.JUN.2015 04:13:37

CH134




Date: 20.JUN.2015 04:14:31

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	0.18	0.12	0.30	30.00
CH157	5785	-0.64	0.12	-0.52	30.00
CH165	5825	-0.21	0.12	-0.09	30.00

TX CH149




Date: 20.JUN.2015 03:48:10

TX CH157



Date: 20.JUN.2015 03:49:17

TX CH165




Date: 20.JUN.2015 03:50:10

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-1.02	0.09	-0.93	30.00
CH157	5785	-1.98	0.09	-1.89	30.00
CH165	5825	-1.56	0.09	-1.47	30.00

TX CH149




Date: 20.JUN.2015 03:57:38

TX CH157



Date: 20.JUN.2015 03:59:13

TX CH165




Date: 20.JUN.2015 04:00:11

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.47	0.26	-6.21	30.00
CH159	5795	-5.12	0.26	-4.86	30.00

TX CH151



Date: 20.JUN.2015 04:16:23

TX CH159




Date: 20.JUN.2015 04:18:26

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.31	0.11	0.42	11.00
CH40	5200	0.27	0.11	0.38	11.00
CH48	5240	0.18	0.11	0.29	11.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	0.42	0.25	0.94	10.00
CH40	5200	0.38	0.25	0.90	10.00
CH48	5240	0.29	0.25	0.81	10.00

CH36




Date: 13.JUN.2015 02:26:20

CH40



Date: 13.JUN.2015 02:28:14

CH48




Date: 13.JUN.2015 02:29:03

Test Mode: UNII-1/TX AC40 Mode CH38/CH46

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.69	0.21	-2.48	11.00
CH46	5230	-2.52	0.21	-2.31	11.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-2.48	0.52	-1.96	10.00
CH46	5230	-2.31	0.52	-1.79	10.00

CH38



Date: 13.JUN.2015 02:36:15

CH46




Date: 13.JUN.2015 02:38:11

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.32	0.94	-3.38	11.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.38	0.52	-2.86	11.00




Date: 13.JUN.2015 02:55:32

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.36	0.11	0.47	11.00
CH60	5300	0.13	0.11	0.24	11.00
CH64	5320	-0.02	0.11	0.09	11.00

CH52




Date: 13.JUN.2015 02:30:34

CH60



Date: 13.JUN.2015 02:31:59

CH64




Date: 13.JUN.2015 02:33:52

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.72	0.21	-2.51	11.00
CH62	5310	-2.76	0.21	-2.55	11.00

CH54



Date: 13.JUN.2015 02:41:25


CH62



Date: 13.JUN.2015 02:43:03

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.56	0.94	-3.62	11.00




Date: 13.JUN.2015 03:00:11

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.22	0.11	0.33	11.00
CH116	5580	0.73	0.11	0.84	11.00
CH140	5700	0.54	0.11	0.65	11.00

CH100




Date: 20.JUN.2015 04:02:03

CH116



Date: 20.JUN.2015 04:03:24

CH140




Date: 20.JUN.2015 04:04:47

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.69	0.21	-2.48	11.00
CH110	5550	-2.18	0.21	-1.97	11.00
CH134	5670	-2.26	0.21	-2.05	11.00

CH102




Date: 20.JUN.2015 04:20:45

CH110



Date: 20.JUN.2015 04:22:35

CH134




Date: 20.JUN.2015 04:23:54

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-4.22	0.94	-3.28	11.00
CH122	5610	-3.89	0.94	-2.95	11.00

CH106



Date: 20.JUN.2015 04:29:09

CH122




Date: 20.JUN.2015 04:30:17

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-2.47	0.11	-2.36	30.00
CH157	5785	-3.23	0.11	-3.12	30.00
CH165	5825	-2.56	0.11	-2.45	30.00

TX CH149




Date: 20.JUN.2015 04:06:07

TX CH157



Date: 20.JUN.2015 04:07:30

TX CH165




Date: 20.JUN.2015 04:08:30

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.45	0.21	-6.24	30.00
CH159	5795	-6.34	0.21	-6.13	30.00

TX CH151



Date: 20.JUN.2015 04:25:18

TX CH159




Date: 20.JUN.2015 04:26:57

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-7.76	0.94	-6.82	30.00

TX CH155



Date: 20.JUN.2015 04:31:27

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9960
120	5179.9940
108	5179.9910
Max. Deviation (MHz)	0.0090
Max. Deviation (ppm)	1.7375

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-10	5179.9790
5	5179.9770
15	5179.9740
25	5179.9800
35	5179.9780
45	5179.9750
Max. Deviation (MHz)	0.0260
Max. Deviation (ppm)	5.0193

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9950
120	5259.9910
108	5259.9870
Max. Deviation (MHz)	0.0130
Max. Deviation (ppm)	2.4715

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-10	5259.9870
5	5259.9850
15	5259.9830
25	5259.9880
35	5259.9860
45	5259.9840
Max. Deviation (MHz)	0.0170
Max. Deviation (ppm)	3.2319

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9800
120	5499.9500
108	5499.9600
Max. Deviation (MHz)	0.0500
Max. Deviation (ppm)	9.0909

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-10	5499.9780
5	5499.9760
15	5499.9740
25	5499.9790
35	5499.9770
45	5499.9750
Max. Deviation (MHz)	0.0260
Max. Deviation (ppm)	4.7273

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9800
120	5744.9500
108	5744.9700
Max. Deviation (MHz)	0.0500
Max. Deviation (ppm)	8.7032

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-10	5744.9840
5	5744.9820
15	5744.9800
25	5744.9850
35	5744.9830
45	5744.9810
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.4813