



EN-DC_n41AA												
Combination 60MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
505242	2526.21	40352	2566.2	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.81	20.61	24.86	0.1931
					1	160	1	99	22.38	20.61	24.59	0.1818
					81	40	100	0	22.45	20.65	24.65	0.1842
				QPSK DFT-s-OFDM	1	1	1	0	23.01	20.61	24.98	0.1988
					1	160	1	99	22.47	20.66	24.67	0.1849
					81	40	100	0	22.51	20.66	24.69	0.1859
516582	2582.91	40919	2622.9	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.21	20.56	24.47	0.1767
					1	160	1	99	21.76	20.57	24.22	0.1666
					81	40	100	0	22.79	20.48	24.80	0.1904
				QPSK DFT-s-OFDM	1	1	1	0	22.1	20.56	24.41	0.1741
					1	160	1	99	21.8	20.53	24.22	0.1668
					81	40	100	0	22.74	20.48	24.77	0.1890
531978	2659.89	40889	2619.9	PI/2 BPSK DFT-s-OFDM	1	1	1	0	20.88	20.66	23.78	0.1507
					1	160	1	99	20.33	20.6	23.48	0.1405
					81	40	100	0	20.79	20.59	23.70	0.1480
				QPSK DFT-s-OFDM	1	1	1	0	20.72	20.56	23.65	0.1463
					1	160	1	99	20.23	20.56	23.41	0.1383
					81	40	100	0	20.56	20.62	23.60	0.1446



EN-DC_n41AA												
Combination 20MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
501258	2506.29	39953	2526.3	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.84	20.73	24.92	0.1960
					1	49	1	99	22.45	20.74	24.69	0.1857
					25	12	100	0	22.79	20.71	24.88	0.1943
				QPSK DFT-s-OFDM	1	1	1	0	22.76	20.81	24.90	0.1952
					1	49	1	99	22.53	20.85	24.78	0.1897
					25	12	100	0	22.88	20.79	24.97	0.1981
516618	2583.09	40721	2603.1	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.47	20.54	24.62	0.1829
					1	49	1	99	22.74	20.61	24.81	0.1912
					25	12	100	0	22.69	20.57	24.77	0.1892
				QPSK DFT-s-OFDM	1	1	1	0	22.38	20.59	24.59	0.1814
					1	49	1	99	22.92	20.61	24.93	0.1962
					25	12	100	0	22.71	20.61	24.80	0.1904
535962	2679.81	41288	2659.8	PI/2 BPSK DFT-s-OFDM	1	1	1	0	20	20.42	23.23	0.1326
					1	49	1	99	20.35	20.44	23.41	0.1382
					25	12	100	0	20.49	20.43	23.47	0.1403
				QPSK DFT-s-OFDM	1	1	1	0	20.06	20.55	23.32	0.1356
					1	49	1	99	20.21	20.43	23.33	0.1359
					25	12	100	0	20.18	20.43	23.32	0.1354



EN-DC_66A_n41A												
Combination 100MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
509202	2546.01	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.57	12.05	22.94	0.1241
					1	271	1	99	22.56	12.06	22.93	0.1239
					135	67	100	0	22.55	12.06	22.92	0.1236
				QPSK DFT-s-OFDM	1	1	1	0	22.56	12.14	22.94	0.1241
					1	271	1	99	22.65	12.09	23.02	0.1264
					135	67	100	0	22.58	12.07	22.95	0.1245
518598	2592.99	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.83	12.19	23.19	0.1315
					1	271	1	99	23.34	12.17	23.66	0.1465
					135	67	100	0	23.12	12.18	23.46	0.1398
				QPSK DFT-s-OFDM	1	1	1	0	22.92	12.16	23.27	0.1340
					1	271	1	99	23.37	12.21	23.69	0.1476
					135	67	100	0	23.24	12.19	23.57	0.1435
528000	2640	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	23.18	12.23	23.52	0.1418
					1	271	1	99	22.49	12.25	22.88	0.1225
					135	67	100	0	23.33	12.19	23.65	0.1463
				QPSK DFT-s-OFDM	1	1	1	0	23.25	12.01	23.56	0.1434
					1	271	1	99	22.59	12.05	22.96	0.1247
					135	67	100	0	23.4	12.05	23.71	0.1482



EN-DC_66A_n41A												
Combination 60MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
505200	2526	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.16	11.97	22.56	0.1137
					1	160	1	99	22.1	11.97	22.50	0.1123
					81	40	100	0	22.01	11.98	22.42	0.1102
				QPSK DFT-s-OFDM	1	1	1	0	22.18	12.05	22.58	0.1143
					1	160	1	99	22.06	11.97	22.47	0.1113
					81	40	100	0	21.95	11.99	22.37	0.1088
518598	2592.99	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.3	12.05	22.69	0.1173
					1	160	1	99	22.97	12.07	23.31	0.1352
					81	40	100	0	22.64	12.07	23.01	0.1260
				QPSK DFT-s-OFDM	1	1	1	0	22.31	12.03	22.70	0.1175
					1	160	1	99	23.06	11.99	23.39	0.1376
					81	40	100	0	22.69	12.04	23.05	0.1273
531996	2659.98	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.75	11.97	23.10	0.1288
					1	160	1	99	21.88	11.95	22.30	0.1072
					81	40	100	0	22.57	12	22.94	0.1240
				QPSK DFT-s-OFDM	1	1	1	0	22.9	12.03	23.24	0.1331
					1	160	1	99	22.16	12.01	22.56	0.1138
					81	40	100	0	22.66	11.93	23.01	0.1263



EN-DC_66A_n41A												
Combination 20MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
501204	2506.02	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.07	11.84	22.46	0.1113
					1	49	1	99	21.97	11.81	22.37	0.1089
					25	12	100	0	21.99	11.87	22.39	0.1095
				QPSK DFT-s-OFDM	1	1	1	0	22.09	11.83	22.48	0.1117
					1	49	1	99	22.07	11.88	22.47	0.1114
					25	12	100	0	22.01	11.77	22.40	0.1097
518598	2592.99	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.65	11.87	23.00	0.1258
					1	49	1	99	22.5	11.76	22.85	0.1217
					25	12	100	0	22.61	11.77	22.95	0.1246
				QPSK DFT-s-OFDM	1	1	1	0	22.63	11.93	22.98	0.1255
					1	49	1	99	22.62	11.77	22.96	0.1248
					25	12	100	0	22.5	11.91	22.86	0.1220
535998	2679.99	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.3	11.78	22.67	0.1167
					1	49	1	99	21.89	11.83	22.30	0.1071
					25	12	100	0	22.34	11.84	22.71	0.1178
				QPSK DFT-s-OFDM	1	1	1	0	22.45	11.87	22.81	0.1206
					1	49	1	99	21.88	11.76	22.28	0.1067
					25	12	100	0	22.11	11.84	22.50	0.1122



EN-DC_5A_n66A												
Combination 20MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
344000	1720	20450	829	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.35	12.55	22.78	0.1197
					1	104	1	49	22.23	12.53	22.67	0.1167
					50	25	50	0	22.22	12.59	22.67	0.1167
				QPSK DFT-s-OFDM	1	1	1	0	22.46	12.53	22.88	0.1225
					1	104	1	49	22.26	12.52	22.70	0.1174
					50	25	50	0	22.35	12.55	22.78	0.1197
349000	1745	20525	836.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.26	12.59	22.70	0.1176
					1	104	1	49	22.11	12.61	22.57	0.1141
					50	25	50	0	22.14	12.44	22.58	0.1143
				QPSK DFT-s-OFDM	1	1	1	0	22.28	12.52	22.72	0.1179
					1	104	1	49	22.12	12.58	22.58	0.1142
					50	25	50	0	22.16	12.54	22.61	0.1151
354000	1770	20600	844	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.55	12.49	22.96	0.1247
					1	104	1	49	22.39	12.5	22.81	0.1206
					50	25	50	0	22.44	12.51	22.86	0.1219
				QPSK DFT-s-OFDM	1	1	1	0	22.73	12.58	23.13	0.1297
					1	104	1	49	22.54	12.47	22.95	0.1244
					50	25	50	0	22.47	12.44	22.88	0.1225



EN-DC_5A_n66A												
Combination 10MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
343000	1715	20450	829	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.65	12.13	23.02	0.1264
					1	50	1	49	22.63	12.07	23.00	0.1258
					25	12	50	0	22.68	12.06	23.04	0.1271
				QPSK DFT-s-OFDM	1	1	1	0	22.66	12.08	23.02	0.1266
					1	50	1	49	22.65	12.06	23.01	0.1263
					25	12	50	0	22.72	12.04	23.08	0.1281
349000	1745	20525	836.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.38	11.98	22.76	0.1191
					1	50	1	49	22.28	12	22.67	0.1167
					25	12	50	0	22.45	12.04	22.83	0.1210
				QPSK DFT-s-OFDM	1	1	1	0	22.52	12.01	22.89	0.1227
					1	50	1	49	22.55	11.98	22.92	0.1235
					25	12	50	0	22.46	12.05	22.84	0.1213
355000	1775	20600	844	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.21	12.02	22.61	0.1150
					1	50	1	49	22.22	11.93	22.61	0.1150
					25	12	50	0	22.25	11.99	22.64	0.1159
				QPSK DFT-s-OFDM	1	1	1	0	22.45	12.01	22.83	0.1209
					1	50	1	49	22.15	11.99	22.55	0.1135
					25	12	50	0	22.24	11.96	22.63	0.1156



EN-DC_5A_n66A												
Combination 5MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
342500	1712.5	20450	829	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.02	12.61	22.49	0.1120
					1	49	1	49	22.05	12.54	22.51	0.1125
					25	12	50	0	22.03	12.58	22.50	0.1121
				QPSK DFT-s-OFDM	1	1	1	0	21.99	12.47	22.45	0.1109
					1	49	1	49	22.02	12.7	22.50	0.1122
					25	12	50	0	22	12.58	22.47	0.1114
349000	1745	20525	836.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.91	12.61	22.39	0.1095
					1	49	1	49	21.86	12.55	22.34	0.1082
					25	12	50	0	21.93	12.48	22.40	0.1096
				QPSK DFT-s-OFDM	1	1	1	0	21.9	12.7	22.39	0.1095
					1	49	1	49	21.88	12.53	22.36	0.1086
					25	12	50	0	21.82	12.66	22.32	0.1076
355500	1777.5	20600	844	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.74	12.4	22.22	0.1052
					1	49	1	49	21.69	12.38	22.17	0.1040
					25	12	50	0	21.71	12.44	22.20	0.1046
				QPSK DFT-s-OFDM	1	1	1	0	21.69	12.44	22.18	0.1042
					1	49	1	49	21.67	12.47	22.16	0.1038
					25	12	50	0	21.7	12.49	22.19	0.1045



EN-DC_12A_n66A												
Combination 20MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
344000	1720	23060	704	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.88	12.81	23.29	0.1345
					1	104	1	49	22.69	12.8	23.11	0.1292
					50	25	50	0	22.82	12.86	23.24	0.1330
				QPSK DFT-s-OFDM	1	1	1	0	22.89	12.81	23.30	0.1348
					1	104	1	49	22.91	12.81	23.31	0.1354
					50	25	50	0	22.82	12.89	23.24	0.1331
349000	1745	23095	707.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.73	12.76	23.15	0.1302
					1	104	1	49	22.49	12.79	22.93	0.1239
					50	25	50	0	22.5	12.82	22.94	0.1243
				QPSK DFT-s-OFDM	1	1	1	0	22.67	12.81	23.10	0.1287
					1	104	1	49	22.53	12.78	22.97	0.1249
					50	25	50	0	22.57	12.72	23.00	0.1258
354000	1770	23130	711	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.26	12.74	22.72	0.1180
					1	104	1	49	22.05	12.75	22.53	0.1130
					50	25	50	0	22.13	12.79	22.61	0.1150
				QPSK DFT-s-OFDM	1	1	1	0	22.41	12.78	22.86	0.1219
					1	104	1	49	22.09	12.76	22.57	0.1140
					50	25	50	0	22.14	12.7	22.61	0.1150



EN-DC_12A_n66A												
Combination 10MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
343000	1715	23060	704	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.71	12.28	23.09	0.1284
					1	50	1	49	22.7	12.29	23.08	0.1282
					25	12	50	0	22.71	12.28	23.09	0.1284
				QPSK DFT-s-OFDM	1	1	1	0	22.68	12.21	23.05	0.1274
					1	50	1	49	22.78	12.27	23.15	0.1303
					25	12	50	0	22.7	12.25	23.07	0.1281
349000	1745	23095	707.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.4	12.21	22.80	0.1201
					1	50	1	49	22.41	12.21	22.81	0.1204
					25	12	50	0	22.42	12.18	22.81	0.1206
				QPSK DFT-s-OFDM	1	1	1	0	22.68	12.16	23.05	0.1273
					1	50	1	49	22.59	12.23	22.97	0.1251
					25	12	50	0	22.53	12.19	22.91	0.1234
355000	1775	23130	711	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.28	12.18	22.68	0.1171
					1	50	1	49	22.21	12.18	22.62	0.1154
					25	12	50	0	22.29	12.24	22.70	0.1175
				QPSK DFT-s-OFDM	1	1	1	0	22.46	12.18	22.85	0.1216
					1	50	1	49	22.26	12.25	22.67	0.1168
					25	12	50	0	22.33	12.22	22.73	0.1184



EN-DC_12A_n66A												
Combination 5MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
342500	1712.5	23060	704	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.1	12.64	22.57	0.1139
					1	49	1	49	22.07	12.41	22.52	0.1126
					25	12	50	0	22.16	12.59	22.61	0.1152
				QPSK DFT-s-OFDM	1	1	1	0	22.12	12.6	22.58	0.1143
					1	49	1	49	22.12	12.63	22.58	0.1144
					25	12	50	0	22.13	12.59	22.59	0.1145
349000	1745	23095	707.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.89	12.51	22.36	0.1087
					1	49	1	49	21.98	12.68	22.46	0.1112
					25	12	50	0	21.92	12.51	22.39	0.1094
				QPSK DFT-s-OFDM	1	1	1	0	21.88	12.44	22.35	0.1083
					1	49	1	49	21.98	12.44	22.44	0.1106
					25	12	50	0	21.93	12.48	22.40	0.1096
355500	1777.5	23130	711	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.53	12.51	22.04	0.1010
					1	49	1	49	21.62	12.51	22.12	0.1029
					25	12	50	0	21.65	12.59	22.16	0.1037
				QPSK DFT-s-OFDM	1	1	1	0	21.61	12.6	22.12	0.1029
					1	49	1	49	21.62	12.42	22.11	0.1026
					25	12	50	0	21.65	12.49	22.15	0.1035



EN-DC_13A_n66A												
Combination 20MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
344000	1720	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.44	12.79	22.89	0.1227
					1	104	1	49	22.2	12.88	22.68	0.1170
					50	25	50	0	22.25	12.82	22.72	0.1180
				QPSK DFT-s-OFDM	1	1	1	0	22.82	12.89	23.24	0.1331
					1	104	1	49	22.35	12.87	22.81	0.1206
					50	25	50	0	22.38	12.7	22.82	0.1209
349000	1745	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.68	12.78	23.10	0.1289
					1	104	1	49	22.57	12.83	23.01	0.1261
					50	25	50	0	22.62	12.8	23.05	0.1274
				QPSK DFT-s-OFDM	1	1	1	0	22.72	12.8	23.14	0.1301
					1	104	1	49	22.53	12.73	22.96	0.1248
					50	25	50	0	22.59	12.92	23.03	0.1269
354000	1770	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.48	12.83	22.93	0.1238
					1	104	1	49	22.42	12.85	22.87	0.1223
					50	25	50	0	22.5	12.74	22.94	0.1241
				QPSK DFT-s-OFDM	1	1	1	0	22.77	12.72	23.18	0.1312
					1	104	1	49	22.4	12.71	22.84	0.1214
					50	25	50	0	22.5	12.78	22.94	0.1242



EN-DC_13A_n66A												
Combination 10MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
344000	1720	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.69	12.81	23.11	0.1293
					1	50	1	49	22.69	12.94	23.13	0.1296
					25	12	50	0	22.76	12.95	23.19	0.1316
				QPSK DFT-s-OFDM	1	1	1	0	22.86	12.85	23.27	0.1341
					1	50	1	49	22.72	13.02	23.16	0.1307
					25	12	50	0	22.74	12.99	23.18	0.1311
349000	1745	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.51	12.86	22.96	0.1247
					1	50	1	49	22.54	12.99	23.00	0.1258
					25	12	50	0	22.54	12.84	22.98	0.1254
				QPSK DFT-s-OFDM	1	1	1	0	22.61	12.86	23.05	0.1273
					1	50	1	49	22.58	12.99	23.03	0.1268
					25	12	50	0	22.6	12.97	23.05	0.1273
354000	1770	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.45	12.92	22.91	0.1233
					1	50	1	49	22.25	12.84	22.72	0.1181
					25	12	50	0	22.45	12.98	22.91	0.1234
				QPSK DFT-s-OFDM	1	1	1	0	22.58	12.87	23.02	0.1265
					1	50	1	49	22.52	12.92	22.97	0.1251
					25	12	50	0	22.43	12.98	22.90	0.1229



EN-DC_13A_n66A												
Combination 5MHz+10MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
342500	1712.5	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.04	12.81	22.53	0.1130
					1	23	1	49	22.05	12.79	22.54	0.1132
					12	6	50	0	22.04	12.75	22.52	0.1128
				QPSK DFT-s-OFDM	1	1	1	0	22.1	12.66	22.57	0.1140
					1	23	1	49	22.1	12.74	22.58	0.1142
					12	6	50	0	22.11	12.75	22.59	0.1145
349000	1745	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.92	12.58	22.40	0.1096
					1	23	1	49	21.87	12.63	22.36	0.1086
					12	6	50	0	21.92	12.61	22.40	0.1097
				QPSK DFT-s-OFDM	1	1	1	0	21.9	12.68	22.39	0.1094
					1	23	1	49	21.87	12.54	22.35	0.1084
					12	6	50	0	21.88	12.73	22.38	0.1091
355500	1777.5	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.72	12.61	22.22	0.1053
					1	23	1	49	21.75	12.58	22.25	0.1058
					12	6	50	0	21.67	12.63	22.18	0.1042
				QPSK DFT-s-OFDM	1	1	1	0	21.67	12.63	22.18	0.1042
					1	23	1	49	21.74	12.6	22.24	0.1057
					12	6	50	0	21.66	12.54	22.16	0.1038



EN-DC_2A_n71A												
Combination 20MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
134600	673	18700	1860	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.91	13.1	23.34	0.1362
					1	104	1	99	22.93	13.03	23.35	0.1366
					50	25	100	0	22.84	13.03	23.27	0.1340
				QPSK DFT-s-OFDM	1	1	1	0	22.97	13.04	23.39	0.1377
					1	104	1	99	23.03	12.91	23.43	0.1391
					50	25	100	0	23.04	13.07	23.46	0.1399
136100	680.5	18900	1880	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.34	13.12	22.83	0.1211
					1	104	1	99	22.26	13.06	22.75	0.1189
					50	25	100	0	22.52	13.14	22.99	0.1257
				QPSK DFT-s-OFDM	1	1	1	0	22.47	13.09	22.94	0.1243
					1	104	1	99	22.55	13.06	23.01	0.1263
					50	25	100	0	22.25	13.1	22.75	0.1188
137600	688	19100	1900	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.45	13.23	22.94	0.1242
					1	104	1	99	22.19	13.27	22.71	0.1179
					50	25	100	0	22.45	13.27	22.95	0.1243
				QPSK DFT-s-OFDM	1	1	1	0	22.52	13.32	23.01	0.1263
					1	104	1	99	22.4	13.27	22.90	0.1230
					50	25	100	0	22.61	13.23	23.08	0.1284



EN-DC_2A_n71A												
Combination 10MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
133600	668	18700	1860	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.63	12.74	23.05	0.1275
					1	50	1	99	22.67	12.77	23.09	0.1286
					25	12	100	0	22.62	12.75	23.05	0.1272
				QPSK DFT-s-OFDM	1	1	1	0	22.92	12.79	23.32	0.1356
					1	50	1	99	22.7	12.79	23.12	0.1295
					25	12	100	0	22.72	12.85	23.15	0.1302
136100	680.5	18900	1880	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.53	12.91	22.98	0.1253
					1	50	1	99	22.7	12.83	23.13	0.1296
					25	12	100	0	22.74	12.73	23.15	0.1304
				QPSK DFT-s-OFDM	1	1	1	0	22.77	12.86	23.19	0.1316
					1	50	1	99	22.7	12.83	23.13	0.1296
					25	12	100	0	22.58	12.91	23.02	0.1266
138600	693	19100	1900	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.77	12.97	23.20	0.1319
					1	50	1	99	22.5	12.86	22.95	0.1244
					25	12	100	0	22.64	12.95	23.08	0.1283
				QPSK DFT-s-OFDM	1	1	1	0	22.77	12.87	23.19	0.1316
					1	50	1	99	22.38	12.95	22.85	0.1216
					25	12	100	0	22.6	12.78	23.03	0.1268



EN-DC_2A_n71A												
Combination 5MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)		
133100	665.5	18700	1860	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.14	12.91	22.63	0.1156
					1	49	1	99	22.09	12.8	22.57	0.1141
					25	12	100	0	22.16	12.86	22.64	0.1159
				QPSK DFT-s-OFDM	1	1	1	0	22.14	12.76	22.61	0.1152
					1	49	1	99	22.28	12.78	22.74	0.1186
					25	12	100	0	22.06	12.86	22.55	0.1136
136100	680.5	18900	1880	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.29	12.88	22.76	0.1192
					1	49	1	99	22.15	12.78	22.63	0.1155
					25	12	100	0	22.25	13.01	22.74	0.1185
				QPSK DFT-s-OFDM	1	1	1	0	22.16	13	22.66	0.1163
					1	49	1	99	22.15	12.79	22.63	0.1155
					25	12	100	0	22.11	12.96	22.61	0.1150
139100	695.5	19100	1900	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.03	12.9	22.53	0.1130
					1	49	1	99	22.08	12.86	22.57	0.1140
					25	12	100	0	21.87	13	22.40	0.1096
				QPSK DFT-s-OFDM	1	1	1	0	22.12	13.01	22.62	0.1154
					1	49	1	99	21.93	12.89	22.44	0.1107
					25	12	100	0	22	13.15	22.53	0.1130



EN-DC_66A_n71A												
Combination 20MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
134600	673	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.41	12.78	22.86	0.1219
					1	104	1	99	22.44	12.82	22.89	0.1227
					50	25	100	0	22.25	12.81	22.72	0.1180
				QPSK DFT-s-OFDM	1	1	1	0	22.47	12.85	22.92	0.1236
					1	104	1	99	22.55	12.82	22.99	0.1256
					50	25	100	0	22.51	12.9	22.96	0.1248
136100	680.5	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.84	12.83	23.25	0.1334
					1	104	1	99	22.93	12.76	23.33	0.1358
					50	25	100	0	22.96	12.82	23.36	0.1368
				QPSK DFT-s-OFDM	1	1	1	0	22.93	12.81	23.33	0.1359
					1	104	1	99	22.84	12.78	23.25	0.1333
					50	25	100	0	22.85	12.84	23.26	0.1338
137600	688	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.51	12.7	22.94	0.1242
					1	104	1	99	22.27	12.73	22.73	0.1182
					50	25	100	0	22.42	12.7	22.86	0.1219
				QPSK DFT-s-OFDM	1	1	1	0	22.51	12.76	22.95	0.1244
					1	104	1	99	22.47	12.74	22.91	0.1233
					50	25	100	0	22.44	12.68	22.88	0.1224



EN-DC_66A_n71A												
Combination 10MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
133600	668	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.87	12.57	23.26	0.1336
					1	50	1	99	22.45	12.6	22.88	0.1224
					25	12	100	0	22.62	12.59	23.03	0.1268
				QPSK DFT-s-OFDM	1	1	1	0	22.97	12.61	23.35	0.1365
					1	50	1	99	22.61	12.59	23.02	0.1265
					25	12	100	0	22.71	12.66	23.12	0.1294
136100	680.5	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.74	12.52	23.13	0.1298
					1	50	1	99	22.74	12.58	23.14	0.1300
					25	12	100	0	22.63	12.55	23.04	0.1270
				QPSK DFT-s-OFDM	1	1	1	0	22.81	12.61	23.21	0.1320
					1	50	1	99	22.54	12.6	22.96	0.1247
					25	12	100	0	22.8	12.53	23.19	0.1315
138600	693	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.82	12.61	23.22	0.1323
					1	50	1	99	22.51	12.56	22.93	0.1238
					25	12	100	0	22.62	12.52	23.02	0.1266
				QPSK DFT-s-OFDM	1	1	1	0	22.62	12.57	23.03	0.1267
					1	50	1	99	22.46	12.54	22.88	0.1225
					25	12	100	0	22.58	12.5	22.99	0.1255





EN-DC_66A_n71A												
Combination 5MHz+20MHz(LTE)												
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total	EIRP (W)
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)	Measured Power (dBm)	
133100	665.5	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.05	12.56	22.51	0.1125
					1	49	1	99	22.3	12.62	22.74	0.1187
					25	12	100	0	22.06	12.52	22.52	0.1127
				QPSK DFT-s-OFDM	1	1	1	0	22.34	12.53	22.77	0.1194
					1	49	1	99	22.14	12.52	22.59	0.1145
					25	12	100	0	22.17	12.58	22.62	0.1154
136100	680.5	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.24	12.49	22.68	0.1169
					1	49	1	99	22.2	12.49	22.64	0.1159
					25	12	100	0	22.1	12.43	22.54	0.1134
				QPSK DFT-s-OFDM	1	1	1	0	22.15	12.5	22.60	0.1147
					1	49	1	99	22.14	12.5	22.59	0.1145
					25	12	100	0	22.27	12.6	22.71	0.1179
139100	695.5	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.85	12.42	22.32	0.1076
					1	49	1	99	22.01	12.33	22.45	0.1110
					25	12	100	0	21.87	12.44	22.34	0.1081
				QPSK DFT-s-OFDM	1	1	1	0	21.96	12.52	22.43	0.1104
					1	49	1	99	21.98	12.42	22.44	0.1106
					25	12	100	0	22.08	12.49	22.53	0.1131



5G NR n2

Peak-to-Average Ratio









EN-DC_12A_n2A / LTE 10MHz + NR 20MHz / BPSK


Lowest Channel / 1RB0




Lowest Channel / 100RB0




Middle Channel / 1RB0




Middle Channel / 100RB0



Highest Channel / 1RB0




Highest Channel / 100RB0





EN-DC_12A_n2A / LTE 10MHz + NR 20MHz / QPSK


Lowest Channel / 1RB0




Lowest Channel / 100RB0



Middle Channel / 1RB0



Middle Channel / 100RB0









Highest Channel / 1RB0



Highest Channel / 100RB0




**26dB Bandwidth****EN-DC_5A_n2A****Combination LTE 10MHz + NR 5MHz****Lowest Channel / BPSK****Lowest Channel / QPSK****Middle Channel / BPSK****Middle Channel / QPSK****Highest Channel / BPSK****Highest Channel / QPSK**




EN-DC_5A_n2A

Combination LTE 10MHz + NR 10MHz


Lowest Channel / BPSK




Lowest Channel / QPSK




Middle Channel / BPSK




Middle Channel / QPSK



Highest Channel / BPSK



Highest Channel / QPSK







EN-DC_5A_n2A

Combination LTE 10MHz + NR 20MHz


Lowest Channel / BPSK




Lowest Channel / QPSK




Middle Channel / BPSK




Middle Channel / QPSK



Highest Channel / BPSK



Highest Channel / QPSK







EN-DC_12A_n2A

Combination LTE 10MHz + NR 5MHz


Lowest Channel / BPSK




Lowest Channel / QPSK




Middle Channel / BPSK



Middle Channel / QPSK



Highest Channel / BPSK



Highest Channel / QPSK

