











		72																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																																																																																	
ANT		SISO 1/0																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5015.95</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>40.41</td><td>36.19</td><td>8.29</td><td>32.70</td><td>300</td><td>210 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5015.95	52.19	74.00	-21.81	40.41	36.19	8.29	32.70	300	210 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>96.78</td><td>-----</td><td>-----</td><td>84.46</td><td>36.04</td><td>8.93</td><td>32.65</td><td>300</td><td>210 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	96.78	-----	-----	84.46	36.04	8.93	32.65	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5015.95	52.19	74.00	-21.81	40.41	36.19	8.29	32.70	300	210 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5290.00	96.78	-----	-----	84.46	36.04	8.93	32.65	300	210 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5128.47</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>33.06</td><td>36.12</td><td>8.50</td><td>32.67</td><td>300</td><td>210 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5128.47	45.01	54.00	-8.99	33.06	36.12	8.50	32.67	300	210 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>89.17</td><td>-----</td><td>-----</td><td>76.76</td><td>36.03</td><td>9.02</td><td>32.64</td><td>300</td><td>210 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	89.17	-----	-----	76.76	36.03	9.02	32.64	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5128.47	45.01	54.00	-8.99	33.06	36.12	8.50	32.67	300	210 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5290.00	89.17	-----	-----	76.76	36.03	9.02	32.64	300	210 AVERAGE																																																																																										



Mode	72																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																																																																															
ANT	SISO 1/0																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	 Date: 2024-09-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5068.73</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>40.30</td><td>36.16</td><td>8.39</td><td>32.69</td><td>303</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5068.73	52.16	74.00	-21.84	40.30	36.16	8.39	32.69	303	111	PEAK	 Date: 2024-09-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.75</td><td>-----</td><td>-----</td><td>86.28</td><td>36.02</td><td>9.09</td><td>32.64</td><td>303</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.75	-----	-----	86.28	36.02	9.09	32.64	303	111	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5068.73	52.16	74.00	-21.84	40.30	36.16	8.39	32.69	303	111	PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	98.75	-----	-----	86.28	36.02	9.09	32.64	303	111	PEAK																																																																																					
Avg	 Date: 2024-09-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.36</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>32.71</td><td>36.12</td><td>8.52</td><td>32.67</td><td>303</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5140.36	44.68	54.00	-9.32	32.71	36.12	8.52	32.67	303	111	AVERAGE	 Date: 2024-09-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>90.01</td><td>-----</td><td>-----</td><td>77.60</td><td>36.03</td><td>9.02</td><td>32.64</td><td>303</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.01	-----	-----	77.60	36.03	9.02	32.64	303	111	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5140.36	44.68	54.00	-9.32	32.71	36.12	8.52	32.67	303	111	AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	90.01	-----	-----	77.60	36.03	9.02	32.64	303	111	AVERAGE																																																																																					



Mode	72																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																													
ANT	SISO 1/0																																													
Pol.	Vertical	Fundamental																																												
Peak	Date: 2024-09-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.01</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>41.94</td><td>35.99</td><td>9.36</td><td>32.63</td><td>303</td><td>111</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5350.01	54.66	74.00	-19.34	41.94	35.99	9.36	32.63	303	111	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																				
1	5350.01	54.66	74.00	-19.34	41.94	35.99	9.36	32.63	303	111	PEAK																																			
Avg	Date: 2024-09-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.18</td><td>46.76</td><td>54.00</td><td>-7.24</td><td>34.03</td><td>35.99</td><td>9.37</td><td>32.63</td><td>303</td><td>111</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5350.18	46.76	54.00	-7.24	34.03	35.99	9.37	32.63	303	111	AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																				
1	5350.18	46.76	54.00	-7.24	34.03	35.99	9.37	32.63	303	111	AVERAGE																																			



Mode	72	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11_CO_TX	
ANT	SISO 1/0	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-09-20 1 2483.62 55.45 74.00 -18.55 52.88 30.70 5.46 33.59 118 135 PEAK	Level (dBuV/m) Date: 2024-09-20 1 2462.00 106.01 ----- 103.44 30.71 5.43 33.57 118 135 PEAK
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg
Avg	Level (dBuV/m) Date: 2024-09-20 1 2483.51 46.63 54.00 -7.37 44.06 30.70 5.46 33.59 118 135 AVERAGE	Level (dBuV/m) Date: 2024-09-20 1 2462.00 97.80 ----- 95.24 30.71 5.43 33.58 118 135 AVERAGE
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg



Mode	72																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																																																																	
ANT	SISO 1/0																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-09-20 PEAK_BE_74 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.66</td><td>58.16</td><td>74.00</td><td>-15.84</td><td>55.59</td><td>30.70</td><td>5.46</td><td>33.59</td><td>227</td><td>188</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2483.66	58.16	74.00	-15.84	55.59	30.70	5.46	33.59	227	188	PEAK	Level (dBuV/m) Date: 2024-09-20 PEAK_74 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.68</td><td>-----</td><td>-----</td><td>99.11</td><td>30.71</td><td>5.44</td><td>33.58</td><td>227</td><td>188</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	101.68	-----	-----	99.11	30.71	5.44	33.58	227	188	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.66	58.16	74.00	-15.84	55.59	30.70	5.46	33.59	227	188	PEAK																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	101.68	-----	-----	99.11	30.71	5.44	33.58	227	188	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2024-09-20 AVG_BE_54 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>42.43</td><td>30.70</td><td>5.46</td><td>33.59</td><td>227</td><td>188</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2483.51	45.00	54.00	-9.00	42.43	30.70	5.46	33.59	227	188	AVERAGE	Level (dBuV/m) Date: 2024-09-20 AVG_54 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.20</td><td>-----</td><td>-----</td><td>91.63</td><td>30.71</td><td>5.44</td><td>33.58</td><td>227</td><td>188</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	94.20	-----	-----	91.63	30.71	5.44	33.58	227	188	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	45.00	54.00	-9.00	42.43	30.70	5.46	33.59	227	188	AVERAGE																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	94.20	-----	-----	91.63	30.71	5.44	33.58	227	188	AVERAGE																																																																							



Mode	72											
	Harmonic											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX											
ANT	SISO 1/0											
Pol.	Horizontal						Vertical					
Peak Avg	<											



Mode	73																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-09-25						Level (dBuV/m) Date: 2024-09-25																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>45.97</td><td>68.30</td><td>-22.33</td><td>46.65</td><td>38.74</td><td>12.06</td><td>51.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>44.46</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10360.00	45.97	68.30	-22.33	46.65	38.74	12.06	51.48	---	---	Peak	2	15540.00	47.29	74.00	-26.71	44.46	40.73	14.58	52.48	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>52.18</td><td>68.30</td><td>-16.12</td><td>52.86</td><td>38.74</td><td>12.06</td><td>51.48</td><td>204</td><td>108</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>44.83</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10360.00	52.18	68.30	-16.12	52.86	38.74	12.06	51.48	204	108	Peak	2	15540.00	47.66	74.00	-26.34	44.83	40.73	14.58	52.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10360.00	45.97	68.30	-22.33	46.65	38.74	12.06	51.48	---	---	Peak																																																																																																												
2	15540.00	47.29	74.00	-26.71	44.46	40.73	14.58	52.48	---	---	Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10360.00	52.18	68.30	-16.12	52.86	38.74	12.06	51.48	204	108	Peak																																																																																																												
2	15540.00	47.66	74.00	-26.34	44.83	40.73	14.58	52.48	---	---	Peak																																																																																																												



Mode	74																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 10440.00 15660.00 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.14</td><td>68.30</td><td>-22.16</td><td>46.56</td><td>38.78</td><td>12.12</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>44.93</td><td>40.83</td><td>14.64</td><td>52.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.14	68.30	-22.16	46.56	38.78	12.12	51.32	---	---	Peak	2	15660.00	47.84	74.00	-26.16	44.93	40.83	14.64	52.56	---	---	Peak	Level (dBuV/m) Date: 2024-09-25 10440.00 15660.00 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>60.50</td><td>68.30</td><td>-7.80</td><td>60.92</td><td>38.78</td><td>12.12</td><td>51.32</td><td>204</td><td>108</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>43.87</td><td>40.83</td><td>14.64</td><td>52.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	60.50	68.30	-7.80	60.92	38.78	12.12	51.32	204	108	Peak	2	15660.00	46.78	74.00	-27.22	43.87	40.83	14.64	52.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	46.14	68.30	-22.16	46.56	38.78	12.12	51.32	---	---	Peak																																																																																																													
2	15660.00	47.84	74.00	-26.16	44.93	40.83	14.64	52.56	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	60.50	68.30	-7.80	60.92	38.78	12.12	51.32	204	108	Peak																																																																																																													
2	15660.00	46.78	74.00	-27.22	43.87	40.83	14.64	52.56	---	---	Peak																																																																																																													



Mode	75																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>46.12</td><td>68.30</td><td>-22.18</td><td>46.42</td><td>38.79</td><td>12.15</td><td>51.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>42.97</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	46.12	68.30	-22.18	46.42	38.79	12.15	51.24	---	---	Peak	2	15720.00	45.91	74.00	-28.09	42.97	40.88	14.66	52.60	---	---	Peak	Level (dBuV/m) Date: 2024-09-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>61.84</td><td>68.30</td><td>-6.46</td><td>62.14</td><td>38.79</td><td>12.15</td><td>51.24</td><td>204</td><td>109</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>43.90</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	61.84	68.30	-6.46	62.14	38.79	12.15	51.24	204	109	Peak	2	15720.00	46.84	74.00	-27.16	43.90	40.88	14.66	52.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10480.00	46.12	68.30	-22.18	46.42	38.79	12.15	51.24	---	---	Peak																																																																																																													
2	15720.00	45.91	74.00	-28.09	42.97	40.88	14.66	52.60	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10480.00	61.84	68.30	-6.46	62.14	38.79	12.15	51.24	204	109	Peak																																																																																																													
2	15720.00	46.84	74.00	-27.16	43.90	40.88	14.66	52.60	---	---	Peak																																																																																																													





Mode	76																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>45.72</td><td>68.30</td><td>-22.58</td><td>45.89</td><td>38.81</td><td>12.18</td><td>51.16</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>43.06</td><td>40.92</td><td>14.69</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	45.72	68.30	-22.58	45.89	38.81	12.18	51.16	---	---	Peak	2	15780.00	46.02	74.00	-27.98	43.06	40.92	14.69	52.65	---	---	Peak	Level (dBuV/m) Date: 2024-09-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>56.69</td><td>68.30</td><td>-11.61</td><td>56.86</td><td>38.81</td><td>12.18</td><td>51.16</td><td>218</td><td>146</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>43.89</td><td>40.92</td><td>14.69</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	56.69	68.30	-11.61	56.86	38.81	12.18	51.16	218	146	Peak	2	15780.00	46.85	74.00	-27.15	43.89	40.92	14.69	52.65	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10520.00	45.72	68.30	-22.58	45.89	38.81	12.18	51.16	---	---	Peak																																																																																																													
2	15780.00	46.02	74.00	-27.98	43.06	40.92	14.69	52.65	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10520.00	56.69	68.30	-11.61	56.86	38.81	12.18	51.16	218	146	Peak																																																																																																													
2	15780.00	46.85	74.00	-27.15	43.89	40.92	14.69	52.65	---	---	Peak																																																																																																													



Mode	77																																																																																																						
	Harmonic																																																																																																						
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal							Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-09-25 10600.00 46.15 74.00 -27.85 46.08 38.84 12.23 51.00 --- --- Peak 15900.00 45.24 74.00 -28.76 42.20 41.02 14.75 52.73 --- --- Peak							Level (dBuV/m) Date: 2024-09-25 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 10600.00</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>55.40</td><td>38.84</td><td>12.23</td><td>51.00</td><td>234</td><td>147</td><td>Peak</td><td></td><td></td><td></td><td></td></tr><tr><td>2 10600.00</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>47.30</td><td>38.84</td><td>12.23</td><td>51.00</td><td>234</td><td>147</td><td>Average</td><td></td><td></td><td></td><td></td></tr><tr><td>3 15900.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.83</td><td>41.02</td><td>14.75</td><td>52.73</td><td>---</td><td>---</td><td>Peak</td><td></td><td></td><td></td><td></td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1 10600.00	55.47	74.00	-18.53	55.40	38.84	12.23	51.00	234	147	Peak					2 10600.00	47.37	54.00	-6.63	47.30	38.84	12.23	51.00	234	147	Average					3 15900.00	46.87	74.00	-27.13	43.83	41.02	14.75	52.73	---	---	Peak				
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1 10600.00	55.47	74.00	-18.53	55.40	38.84	12.23	51.00	234	147	Peak																																																																																													
2 10600.00	47.37	54.00	-6.63	47.30	38.84	12.23	51.00	234	147	Average																																																																																													
3 15900.00	46.87	74.00	-27.13	43.83	41.02	14.75	52.73	---	---	Peak																																																																																													



Mode	78																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th><th colspan="2"></th><th colspan="3"></th></tr><tr><td>1</td><td>10640.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>46.66</td><td>38.86</td><td>12.26</td><td>50.92</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>43.50</td><td>41.07</td><td>14.77</td><td>52.77</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	10640.00	46.86	74.00	-27.14	46.66	38.86	12.26	50.92	---	---	---	---	---	---	---	Peak	2	15960.00	46.57	74.00	-27.43	43.50	41.07	14.77	52.77	---	---	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th><th colspan="2"></th><th colspan="3"></th></tr><tr><td>1</td><td>10640.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>52.88</td><td>38.86</td><td>12.26</td><td>50.92</td><td>238</td><td>149</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>45.87</td><td>38.86</td><td>12.26</td><td>50.92</td><td>238</td><td>149</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>15960.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>44.21</td><td>41.07</td><td>14.77</td><td>52.77</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	10640.00	53.08	74.00	-20.92	52.88	38.86	12.26	50.92	238	149	---	---	---	---	---	Peak	2	10640.00	46.07	54.00	-7.93	45.87	38.86	12.26	50.92	238	149	---	---	---	---	---	Average	3	15960.00	47.28	74.00	-26.72	44.21	41.07	14.77	52.77	---	---	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	10640.00	46.86	74.00	-27.14	46.66	38.86	12.26	50.92	---	---	---	---	---	---	---	Peak																																																																																																																																																																																											
2	15960.00	46.57	74.00	-27.43	43.50	41.07	14.77	52.77	---	---	---	---	---	---	---	Peak																																																																																																																																																																																											
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	10640.00	53.08	74.00	-20.92	52.88	38.86	12.26	50.92	238	149	---	---	---	---	---	Peak																																																																																																																																																																																											
2	10640.00	46.07	54.00	-7.93	45.87	38.86	12.26	50.92	238	149	---	---	---	---	---	Average																																																																																																																																																																																											
3	15960.00	47.28	74.00	-26.72	44.21	41.07	14.77	52.77	---	---	---	---	---	---	---	Peak																																																																																																																																																																																											



Mode	79																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 1100016500 Frequency (MHz)						Level (dBuV/m) Date: 2024-09-25 1100016500 Frequency (MHz)																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>46.66</td><td>39.00</td><td>12.52</td><td>50.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>43.72</td><td>41.35</td><td>15.17</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.98	74.00	-26.02	46.66	39.00	12.52	50.20	---	---	Peak	2	16500.00	47.44	68.30	-20.86	43.72	41.35	15.17	52.80	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>44.74</td><td>39.00</td><td>12.52</td><td>50.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.27</td><td>68.30</td><td>-21.03</td><td>43.55</td><td>41.35</td><td>15.17</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	46.06	74.00	-27.94	44.74	39.00	12.52	50.20	---	---	Peak	2	16500.00	47.27	68.30	-21.03	43.55	41.35	15.17	52.80	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	47.98	74.00	-26.02	46.66	39.00	12.52	50.20	---	---	Peak																																																																																																													
2	16500.00	47.44	68.30	-20.86	43.72	41.35	15.17	52.80	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	46.06	74.00	-27.94	44.74	39.00	12.52	50.20	---	---	Peak																																																																																																													
2	16500.00	47.27	68.30	-21.03	43.55	41.35	15.17	52.80	---	---	Peak																																																																																																													







Mode	80																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>46.50</td><td>39.06</td><td>12.64</td><td>50.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.18</td><td>68.30</td><td>-21.12</td><td>43.16</td><td>41.47</td><td>15.35</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.86	74.00	-26.14	46.50	39.06	12.64	50.34	---	---	Peak	2	16740.00	47.18	68.30	-21.12	43.16	41.47	15.35	52.80	---	---	Peak	Level (dBuV/m) Date: 2024-09-25 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>46.10</td><td>39.06</td><td>12.64</td><td>50.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.73</td><td>68.30</td><td>-20.57</td><td>43.71</td><td>41.47</td><td>15.35</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.46	74.00	-26.54	46.10	39.06	12.64	50.34	---	---	Peak	2	16740.00	47.73	68.30	-20.57	43.71	41.47	15.35	52.80	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	47.86	74.00	-26.14	46.50	39.06	12.64	50.34	---	---	Peak																																																																																																													
2	16740.00	47.18	68.30	-21.12	43.16	41.47	15.35	52.80	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	47.46	74.00	-26.54	46.10	39.06	12.64	50.34	---	---	Peak																																																																																																													
2	16740.00	47.73	68.30	-20.57	43.71	41.47	15.35	52.80	---	---	Peak																																																																																																													



Mode	81																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 11400.0017100.00						Level (dBuV/m) Date: 2024-09-25 11400.0017100.00																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>44.30</td><td>39.16</td><td>12.81</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>42.86</td><td>41.71</td><td>15.62</td><td>52.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	45.71	74.00	-28.29	44.30	39.16	12.81	50.56	---	---	Peak	2	17100.00	47.37	68.30	-20.93	42.86	41.71	15.62	52.82	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>43.55</td><td>39.16</td><td>12.81</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>46.30</td><td>68.30</td><td>-22.00</td><td>41.79</td><td>41.71</td><td>15.62</td><td>52.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	44.96	74.00	-29.04	43.55	39.16	12.81	50.56	---	---	Peak	2	17100.00	46.30	68.30	-22.00	41.79	41.71	15.62	52.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11400.00	45.71	74.00	-28.29	44.30	39.16	12.81	50.56	---	---	Peak																																																																																																													
2	17100.00	47.37	68.30	-20.93	42.86	41.71	15.62	52.82	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11400.00	44.96	74.00	-29.04	43.55	39.16	12.81	50.56	---	---	Peak																																																																																																													
2	17100.00	46.30	68.30	-22.00	41.79	41.71	15.62	52.82	---	---	Peak																																																																																																													



Mode	82																																																																																								
	Band Edge																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH40_Full_5200MHz																																																																																								
ANT	CDD 0+1																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5060.80</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>40.27</td><td>36.16</td><td>8.37</td><td>32.69</td><td>100</td><td>162 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5060.80	52.11	74.00	-21.89	40.27	36.16	8.37	32.69	100	162 PEAK	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5200.00</td><td>98.18</td><td>-----</td><td>-----</td><td>86.13</td><td>36.08</td><td>8.63</td><td>32.66</td><td>100</td><td>162 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5200.00	98.18	-----	-----	86.13	36.08	8.63	32.66	100	162 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5060.80	52.11	74.00	-21.89	40.27	36.16	8.37	32.69	100	162 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5200.00	98.18	-----	-----	86.13	36.08	8.63	32.66	100	162 PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5028.20</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>30.45</td><td>36.18</td><td>8.31</td><td>32.69</td><td>100</td><td>162 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5028.20	42.25	54.00	-11.75	30.45	36.18	8.31	32.69	100	162 AVERAGE	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5200.00</td><td>91.72</td><td>-----</td><td>-----</td><td>79.67</td><td>36.08</td><td>8.63</td><td>32.66</td><td>100</td><td>162 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5200.00	91.72	-----	-----	79.67	36.08	8.63	32.66	100	162 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5028.20	42.25	54.00	-11.75	30.45	36.18	8.31	32.69	100	162 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5200.00	91.72	-----	-----	79.67	36.08	8.63	32.66	100	162 AVERAGE																																																																															



Mode	82	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH40_Full_5200MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-09-27 1 5143.60 53.47 74.00 -20.53 41.51 36.11 8.52 32.67 100 64 PEAK	Level (dBuV/m) Date: 2024-09-27 1 5200.00 105.52 ----- 93.47 36.08 8.63 32.66 100 64 PEAK
	Level (dBuV/m) Date: 2024-09-27 1 5148.40 43.59 54.00 -10.41 31.62 36.11 8.53 32.67 100 64 AVERAGE	Level (dBuV/m) Date: 2024-09-27 1 5200.00 99.11 ----- 87.06 36.08 8.63 32.66 100 64 AVERAGE



Mode	83																																																																																							
	Band Edge																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH40_Full_5200MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5091.80</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>41.04</td><td>36.14</td><td>8.43</td><td>32.68</td><td>363</td><td>172 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5091.80	52.93	74.00	-21.07	41.04	36.14	8.43	32.68	363	172 PEAK	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>108.80</td><td>-----</td><td>-----</td><td>96.75</td><td>36.08</td><td>8.63</td><td>32.66</td><td>363</td><td>172 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	108.80	-----	-----	96.75	36.08	8.63	32.66	363	172 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5091.80	52.93	74.00	-21.07	41.04	36.14	8.43	32.68	363	172 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5200.00	108.80	-----	-----	96.75	36.08	8.63	32.66	363	172 PEAK																																																																														
Avg	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.40</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>31.27</td><td>36.11</td><td>8.53</td><td>32.67</td><td>363</td><td>172 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.40	43.24	54.00	-10.76	31.27	36.11	8.53	32.67	363	172 AVERAGE	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>98.52</td><td>-----</td><td>-----</td><td>86.47</td><td>36.08</td><td>8.63</td><td>32.66</td><td>363</td><td>172 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	98.52	-----	-----	86.47	36.08	8.63	32.66	363	172 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5148.40	43.24	54.00	-10.76	31.27	36.11	8.53	32.67	363	172 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5200.00	98.52	-----	-----	86.47	36.08	8.63	32.66	363	172 AVERAGE																																																																														







Mode	83	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ax HE20_CH40_Full_5200MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-09-27 1 5123.40 52.97 74.00 -21.03 41.03 36.13 8.49 32.68 300 111 PEAK	Level (dBuV/m) Date: 2024-09-27 1 5200.00 105.13 ----- 93.09 36.08 8.62 32.66 300 111 PEAK
	Level (dBuV/m) Date: 2024-09-27 1 5146.40 43.42 54.00 -10.58 31.45 36.11 8.53 32.67 300 111 AVERAGE	Level (dBuV/m) Date: 2024-09-27 1 5200.00 98.57 ----- 86.52 36.08 8.63 32.66 300 111 AVERAGE







Mode	84																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																								
ANT	CDD 0+1																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.60</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>38.45</td><td>35.93</td><td>9.68</td><td>32.61</td><td>303</td><td>199</td><td>PEAK</td></tr><tr><td>2</td><td>5469.80</td><td>51.71</td><td>68.30</td><td>-16.59</td><td>38.71</td><td>35.92</td><td>9.69</td><td>32.61</td><td>303</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	51.45	74.00	-22.55	38.45	35.93	9.68	32.61	303	199	PEAK	2	5469.80	51.71	68.30	-16.59	38.71	35.92	9.69	32.61	303	199	PEAK	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>100.26</td><td>-----</td><td>-----</td><td>87.18</td><td>35.97</td><td>9.73</td><td>32.62</td><td>303</td><td>199</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.26	-----	-----	87.18	35.97	9.73	32.62	303	199	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5455.60	51.45	74.00	-22.55	38.45	35.93	9.68	32.61	303	199	PEAK																																																																																														
2	5469.80	51.71	68.30	-16.59	38.71	35.92	9.69	32.61	303	199	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5550.00	100.26	-----	-----	87.18	35.97	9.73	32.62	303	199	PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.60</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>30.52</td><td>35.93</td><td>9.68</td><td>32.61</td><td>303</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.60	43.52	54.00	-10.48	30.52	35.93	9.68	32.61	303	199	AVERAGE	Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>94.13</td><td>-----</td><td>-----</td><td>81.05</td><td>35.97</td><td>9.73</td><td>32.62</td><td>303</td><td>199</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	94.13	-----	-----	81.05	35.97	9.73	32.62	303	199	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5453.60	43.52	54.00	-10.48	30.52	35.93	9.68	32.61	303	199	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5550.00	94.13	-----	-----	81.05	35.97	9.73	32.62	303	199	AVERAGE																																																																																														



		84																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																							
ANT		CDD 0+1																																																																																																							
Pol.		Vertical					Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-09-27 					Level (dBuV/m) Date: 2024-09-27 																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5450.80</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>39.50</td><td>35.93</td><td>9.68</td><td>32.61</td><td>300</td><td></td><td>239 PEAK</td></tr><tr><td>2</td><td>5468.60</td><td>52.99</td><td>68.30</td><td>-15.31</td><td>39.99</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td></td><td>239 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5450.80	52.50	74.00	-21.50	39.50	35.93	9.68	32.61	300		239 PEAK	2	5468.60	52.99	68.30	-15.31	39.99	35.92	9.69	32.61	300		239 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.80</td><td>-----</td><td>-----</td><td>89.70</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td></td><td>239 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	102.80	-----	-----	89.70	35.98	9.74	32.62	300	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5450.80	52.50	74.00	-21.50	39.50	35.93	9.68	32.61	300		239 PEAK																																																																																														
2	5468.60	52.99	68.30	-15.31	39.99	35.92	9.69	32.61	300		239 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5550.00	102.80	-----	-----	89.70	35.98	9.74	32.62	300		239 PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2024-09-27 					Level (dBuV/m) Date: 2024-09-27 																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>31.82</td><td>35.93</td><td>9.69</td><td>32.61</td><td>300</td><td></td><td>239 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.00	44.83	54.00	-9.17	31.82	35.93	9.69	32.61	300		239 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>96.58</td><td>-----</td><td>-----</td><td>83.48</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td></td><td>239 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	96.58	-----	-----	83.48	35.98	9.74	32.62	300		239 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5458.00	44.83	54.00	-9.17	31.82	35.93	9.69	32.61	300		239 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5550.00	96.58	-----	-----	83.48	35.98	9.74	32.62	300		239 AVERAGE																																																																																														



Mode	85																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																							
ANT	CDD 0+1																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-09-27  Frequency (MHz)						Level (dBuV/m) Date: 2024-09-27  Frequency (MHz)																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.40</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>38.97</td><td>35.93</td><td>9.68</td><td>32.61</td><td>342</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>51.12</td><td>68.30</td><td>-17.18</td><td>38.12</td><td>35.92</td><td>9.69</td><td>32.61</td><td>342</td><td>174</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.40	51.97	74.00	-22.03	38.97	35.93	9.68	32.61	342	174	PEAK	2	5464.40	51.12	68.30	-17.18	38.12	35.92	9.69	32.61	342	174	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.79</td><td>-----</td><td>-----</td><td>89.71</td><td>35.97</td><td>9.73</td><td>32.62</td><td>342</td><td>174</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.79	-----	-----	89.71	35.97	9.73	32.62	342	174
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5451.40	51.97	74.00	-22.03	38.97	35.93	9.68	32.61	342	174	PEAK																																																																																													
2	5464.40	51.12	68.30	-17.18	38.12	35.92	9.69	32.61	342	174	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5550.00	102.79	-----	-----	89.71	35.97	9.73	32.62	342	174	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-09-27  Frequency (MHz)						Level (dBuV/m) Date: 2024-09-27  Frequency (MHz)																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.00</td><td>44.20</td><td>54.00</td><td>-9.80</td><td>31.20</td><td>35.93</td><td>9.68</td><td>32.61</td><td>342</td><td>174</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.00	44.20	54.00	-9.80	31.20	35.93	9.68	32.61	342	174	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>95.50</td><td>-----</td><td>-----</td><td>82.40</td><td>35.98</td><td>9.74</td><td>32.62</td><td>342</td><td>174</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	95.50	-----	-----	82.40	35.98	9.74	32.62	342	174	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5455.00	44.20	54.00	-9.80	31.20	35.93	9.68	32.61	342	174	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5550.00	95.50	-----	-----	82.40	35.98	9.74	32.62	342	174	AVERAGE																																																																																													



Mode	85																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																										
ANT	CDD 0+1																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5433.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>39.73</td><td>35.94</td><td>9.67</td><td>32.61</td><td>300</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5464.20</td><td>53.30</td><td>68.30</td><td>-15.00</td><td>40.30</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>240</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5433.00	52.73	74.00	-21.27	39.73	35.94	9.67	32.61	300	240	PEAK	2	5464.20	53.30	68.30	-15.00	40.30	35.92	9.69	32.61	300	240	PEAK	Level (dBuV/m) Date: 2024-09-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>105.95</td><td>-----</td><td>-----</td><td>92.85</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td>240</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	105.95	-----	-----	92.85	35.98	9.74	32.62	300	240	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5433.00	52.73	74.00	-21.27	39.73	35.94	9.67	32.61	300	240	PEAK																																																																																																
2	5464.20	53.30	68.30	-15.00	40.30	35.92	9.69	32.61	300	240	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5550.00	105.95	-----	-----	92.85	35.98	9.74	32.62	300	240	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2024-09-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.60</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>31.99</td><td>35.93</td><td>9.69</td><td>32.61</td><td>300</td><td>240</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.60	45.00	54.00	-9.00	31.99	35.93	9.69	32.61	300	240	AVERAGE	Level (dBuV/m) Date: 2024-09-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>97.27</td><td>-----</td><td>-----</td><td>84.17</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td>240</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	97.27	-----	-----	84.17	35.98	9.74	32.62	300	240	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5456.60	45.00	54.00	-9.00	31.99	35.93	9.69	32.61	300	240	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5550.00	97.27	-----	-----	84.17	35.98	9.74	32.62	300	240	AVERAGE																																																																																																




Mode	85																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHZ																																																	
ANT	CDD 0+1																																																	
Pol.	Vertical					Fundamental																																												
Peak	Date: 2024-09-27 <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.25</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>39.02</td><td>36.22</td><td>10.03</td><td>32.69</td><td>300</td><td>240 PEAK</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.25	52.58	68.30	-15.72	39.02	36.22	10.03	32.69	300	240 PEAK	Blank				
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5731.25	52.58	68.30	-15.72	39.02	36.22	10.03	32.69	300	240 PEAK																																								



Appendix D. Duty Cycle Plots

Antenna Label	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0	802.11a	96.82	1.388	0.721	1KHz
1	802.11a	96.83	1.395	0.717	1KHz
0+1	802.11ac VHT20	94.06	0.654	1.528	3KHz
	802.11ac VHT40	96.82	1.388	0.721	1KHz
	802.11ac VHT80	88.17	0.324	3.087	10KHZ
	802.11ac VHT160	80.83	0.183	5.455	10KHZ
	802.11ax HE20	95.68	1.011	0.989	1KHz
	802.11ax HE40	92.11	0.533	1.878	3KHz
	802.11ax HE80	86.84	0.287	3.485	10KHZ
	802.11ax HE160	79.66	0.170	5.872	10KHZ


802.11a - ANT0



Date: 8.SEP.2024 17:54:29




802.11a - ANT1



Date: 8.SEP.2024 17:55:06


ANT0+1:

802.11ac VHT20






802.11ac VHT40




802.11ac VHT80






802.11ac VHT160




Date: 8 SEP 2024 18:47:54


802.11ax HE20



802.11ax HE40



802.11ax HE80





802.11ax HE160

