





Mode	39																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-22 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.28</td><td>55.54</td><td>68.30</td><td>-12.76</td><td>40.02</td><td>36.66</td><td>11.65</td><td>32.79</td><td>194</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5728.28	55.54	68.30	-12.76	40.02	36.66	11.65	32.79	194	177 PEAK	Level (dBuV/m) Date: 2025-02-22 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.05</td><td>-----</td><td>-----</td><td>93.56</td><td>36.61</td><td>11.66</td><td>32.78</td><td>194</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.05	-----	-----	93.56	36.61	11.66	32.78	194	177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5728.28	55.54	68.30	-12.76	40.02	36.66	11.65	32.79	194	177 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	109.05	-----	-----	93.56	36.61	11.66	32.78	194	177 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-02-22 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.96</td><td>-----</td><td>-----</td><td>84.47</td><td>36.61</td><td>11.66</td><td>32.78</td><td>194</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.96	-----	-----	84.47	36.61	11.66	32.78	194	177 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	99.96	-----	-----	84.47	36.61	11.66	32.78	194	177 AVERAGE																																																																										



Mode	39																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>45.39</td><td>38.20</td><td>14.78</td><td>50.42 --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.81</td><td>68.30</td><td>-19.49</td><td>41.00</td><td>43.00</td><td>17.53</td><td>52.72 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11400.00	47.95	74.00	-26.05	45.39	38.20	14.78	50.42 --- Peak	2	17100.00	48.81	68.30	-19.49	41.00	43.00	17.53	52.72 --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>45.24</td><td>38.20</td><td>14.78</td><td>50.42 --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.89</td><td>68.30</td><td>-19.41</td><td>41.08</td><td>43.00</td><td>17.53</td><td>52.72 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11400.00	47.80	74.00	-26.20	45.24	38.20	14.78	50.42 --- Peak	2	17100.00	48.89	68.30	-19.41	41.08	43.00	17.53	52.72 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11400.00	47.95	74.00	-26.05	45.39	38.20	14.78	50.42 --- Peak																																																																																
2	17100.00	48.81	68.30	-19.49	41.00	43.00	17.53	52.72 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11400.00	47.80	74.00	-26.20	45.24	38.20	14.78	50.42 --- Peak																																																																																
2	17100.00	48.89	68.30	-19.41	41.08	43.00	17.53	52.72 --- Peak																																																																																
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>45.39</td><td>38.20</td><td>14.78</td><td>50.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.81</td><td>68.30</td><td>-19.49</td><td>41.00</td><td>43.00</td><td>17.53</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.95	74.00	-26.05	45.39	38.20	14.78	50.42	---	---	Peak	2	17100.00	48.81	68.30	-19.49	41.00	43.00	17.53	52.72	---	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>45.24</td><td>38.20</td><td>14.78</td><td>50.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.89</td><td>68.30</td><td>-19.41</td><td>41.08</td><td>43.00</td><td>17.53</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.80	74.00	-26.20	45.24	38.20	14.78	50.42	---	---	Peak	2	17100.00	48.89	68.30	-19.41	41.08	43.00	17.53	52.72	---	---	Peak	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	11400.00	47.95	74.00	-26.05	45.39	38.20	14.78	50.42	---	---	Peak																																																																													
2	17100.00	48.81	68.30	-19.49	41.00	43.00	17.53	52.72	---	---	Peak																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	11400.00	47.80	74.00	-26.20	45.24	38.20	14.78	50.42	---	---	Peak																																																																													
2	17100.00	48.89	68.30	-19.41	41.08	43.00	17.53	52.72	---	---	Peak																																																																													







Mode	40																																																																											
	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.88</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>39.55</td><td>35.71</td><td>11.09</td><td>32.63</td><td>156 133 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5142.88	53.72	74.00	-20.28	39.55	35.71	11.09	32.63	156 133 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>98.65</td><td>-----</td><td>-----</td><td>84.44</td><td>35.79</td><td>11.06</td><td>32.64</td><td>156 133 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.65	-----	-----	84.44	35.79	11.06	32.64	156 133 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5142.88	53.72	74.00	-20.28	39.55	35.71	11.09	32.63	156 133 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5190.00	98.65	-----	-----	84.44	35.79	11.06	32.64	156 133 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.40</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>29.39</td><td>35.71</td><td>11.09</td><td>32.63</td><td>156 133 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.40	43.56	54.00	-10.44	29.39	35.71	11.09	32.63	156 133 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>90.20</td><td>-----</td><td>-----</td><td>75.99</td><td>35.79</td><td>11.06</td><td>32.64</td><td>156 133 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	90.20	-----	-----	75.99	35.79	11.06	32.64	156 133 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5144.40	43.56	54.00	-10.44	29.39	35.71	11.09	32.63	156 133 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5190.00	90.20	-----	-----	75.99	35.79	11.06	32.64	156 133 AVERAGE																																																																			



Mode	40																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.22</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>38.32</td><td>36.05</td><td>10.92</td><td>32.68</td><td>156</td><td>133 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5375.22	52.61	74.00	-21.39	38.32	36.05	10.92	32.68	156	133 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5375.22	52.61	74.00	-21.39	38.32	36.05	10.92	32.68	156	133 PEAK																																									
Avg	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>28.26</td><td>36.10</td><td>10.94</td><td>32.67</td><td>156</td><td>133 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	42.63	54.00	-11.37	28.26	36.10	10.94	32.67	156	133 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5352.00	42.63	54.00	-11.37	28.26	36.10	10.94	32.67	156	133 AVERAGE																																									



Mode	40																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-22  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.06</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>42.23</td><td>35.71</td><td>11.09</td><td>32.63</td><td>182</td><td>175 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.06	56.40	74.00	-17.60	42.23	35.71	11.09	32.63	182	175 PEAK	Level (dBuV/m) Date: 2025-02-22  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>105.99</td><td>-----</td><td>-----</td><td>91.78</td><td>35.79</td><td>11.06</td><td>32.64</td><td>182</td><td>175 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	105.99	-----	-----	91.78	35.79	11.06	32.64	182	175 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5147.06	56.40	74.00	-17.60	42.23	35.71	11.09	32.63	182	175 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	105.99	-----	-----	91.78	35.79	11.06	32.64	182	175 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-22  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.53</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>32.47</td><td>35.70</td><td>11.09</td><td>32.63</td><td>182</td><td>175 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	46.63	54.00	-7.37	32.47	35.70	11.09	32.63	182	175 AVERAGE	Level (dBuV/m) Date: 2025-02-22  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.16</td><td>-----</td><td>-----</td><td>82.96</td><td>35.78</td><td>11.06</td><td>32.64</td><td>182</td><td>175 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.16	-----	-----	82.96	35.78	11.06	32.64	182	175 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.53	46.63	54.00	-7.37	32.47	35.70	11.09	32.63	182	175 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	97.16	-----	-----	82.96	35.78	11.06	32.64	182	175 AVERAGE																																																																										



Mode	40																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.77</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>39.48</td><td>36.01</td><td>10.91</td><td>32.68</td><td>182</td><td>175 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5392.77	53.72	74.00	-20.28	39.48	36.01	10.91	32.68	182	175 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5392.77	53.72	74.00	-20.28	39.48	36.01	10.91	32.68	182	175 PEAK																																	
Avg	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.02</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>29.11</td><td>36.08</td><td>10.94</td><td>32.67</td><td>182</td><td>175 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5359.02	43.46	54.00	-10.54	29.11	36.08	10.94	32.67	182	175 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5359.02	43.46	54.00	-10.54	29.11	36.08	10.94	32.67	182	175 AVERAGE																																	



Mode	41																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.09</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>39.11</td><td>35.71</td><td>11.09</td><td>32.63</td><td>150</td><td>132</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5147.09	53.28	74.00	-20.72	39.11	35.71	11.09	32.63	150	132	PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>99.49</td><td>-----</td><td>-----</td><td>85.28</td><td>35.80</td><td>11.05</td><td>32.64</td><td>150</td><td>132</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	99.49	-----	-----	85.28	35.80	11.05	32.64	150	132	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5147.09	53.28	74.00	-20.72	39.11	35.71	11.09	32.63	150	132	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5230.00	99.49	-----	-----	85.28	35.80	11.05	32.64	150	132	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.84</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>28.95</td><td>35.74</td><td>11.10</td><td>32.63</td><td>150</td><td>132</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5129.84	43.16	54.00	-10.84	28.95	35.74	11.10	32.63	150	132	AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>90.79</td><td>-----</td><td>-----</td><td>76.61</td><td>35.80</td><td>11.03</td><td>32.65</td><td>150</td><td>132</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	90.79	-----	-----	76.61	35.80	11.03	32.65	150	132	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5129.84	43.16	54.00	-10.84	28.95	35.74	11.10	32.63	150	132	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5230.00	90.79	-----	-----	76.61	35.80	11.03	32.65	150	132	AVERAGE																																																																							



Mode	41									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak										







Mode	41	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	</	





Mode	41																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.65</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>39.18</td><td>36.01</td><td>10.91</td><td>32.68</td><td>161 176 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5393.65	53.42	74.00	-20.58	39.18	36.01	10.91	32.68	161 176 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5393.65	53.42	74.00	-20.58	39.18	36.01	10.91	32.68	161 176 PEAK																																	
Avg	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.09</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>29.16</td><td>36.09</td><td>10.94</td><td>32.67</td><td>161 176 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.09	43.52	54.00	-10.48	29.16	36.09	10.94	32.67	161 176 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.09	43.52	54.00	-10.48	29.16	36.09	10.94	32.67	161 176 AVERAGE																																	







Mode	42																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2025-02-22 5000 5054 5108 5162 5216 5270 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5080.89</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>38.71</td><td>35.80</td><td>11.12</td><td>32.62</td><td>145</td><td>133</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5080.89	53.01	74.00	-20.99	38.71	35.80	11.12	32.62	145	133	PEAK	 Level (dBuV/m) Date: 2025-02-22 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>99.94</td><td>-----</td><td>-----</td><td>85.77</td><td>35.80</td><td>11.02</td><td>32.65</td><td>145</td><td>133</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	99.94	-----	-----	85.77	35.80	11.02	32.65	145	133	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5080.89	53.01	74.00	-20.99	38.71	35.80	11.12	32.62	145	133	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5270.00	99.94	-----	-----	85.77	35.80	11.02	32.65	145	133	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2025-02-22 5000 5054 5108 5162 5216 5270 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5037.69</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>28.69</td><td>35.80</td><td>11.15</td><td>32.61</td><td>145</td><td>133</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5037.69	43.03	54.00	-10.97	28.69	35.80	11.15	32.61	145	133	AVERAGE	 Level (dBuV/m) Date: 2025-02-22 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>90.92</td><td>-----</td><td>-----</td><td>76.78</td><td>35.80</td><td>11.00</td><td>32.66</td><td>145</td><td>133</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	90.92	-----	-----	76.78	35.80	11.00	32.66	145	133	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5037.69	43.03	54.00	-10.97	28.69	35.80	11.15	32.61	145	133	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5270.00	90.92	-----	-----	76.78	35.80	11.00	32.66	145	133	AVERAGE																																																																															







Mode	42																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.77</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>38.84</td><td>36.07</td><td>10.93</td><td>32.67</td><td>145</td><td>133 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5363.77	53.17	74.00	-20.83	38.84	36.07	10.93	32.67	145	133 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5363.77	53.17	74.00	-20.83	38.84	36.07	10.93	32.67	145	133 PEAK																																									
Avg	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.13</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>28.53</td><td>36.09</td><td>10.94</td><td>32.67</td><td>145</td><td>133 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5353.13	42.89	54.00	-11.11	28.53	36.09	10.94	32.67	145	133 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5353.13	42.89	54.00	-11.11	28.53	36.09	10.94	32.67	145	133 AVERAGE																																									



Mode	42																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5124.09</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>40.18</td><td>35.75</td><td>11.10</td><td>32.62</td><td>156</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5124.09	54.41	74.00	-19.59	40.18	35.75	11.10	32.62	156	174 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>105.66</td><td>-----</td><td>-----</td><td>91.50</td><td>35.80</td><td>11.01</td><td>32.65</td><td>156</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5270.00	105.66	-----	-----	91.50	35.80	11.01	32.65	156	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5124.09	54.41	74.00	-19.59	40.18	35.75	11.10	32.62	156	174 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5270.00	105.66	-----	-----	91.50	35.80	11.01	32.65	156	174 PEAK																																																																																		
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5126.23</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>29.43</td><td>35.75</td><td>11.10</td><td>32.63</td><td>156</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5126.23	43.65	54.00	-10.35	29.43	35.75	11.10	32.63	156	174 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>96.66</td><td>-----</td><td>-----</td><td>82.50</td><td>35.80</td><td>11.01</td><td>32.65</td><td>156</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5270.00	96.66	-----	-----	82.50	35.80	11.01	32.65	156	174 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5126.23	43.65	54.00	-10.35	29.43	35.75	11.10	32.63	156	174 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5270.00	96.66	-----	-----	82.50	35.80	11.01	32.65	156	174 AVERAGE																																																																																		



Mode	43																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-02-22 5000 5062. 5124. 5186. 5248. 5310 Frequency (MHz) 15407						 Level (dBuV/m) Date: 2025-02-22 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) 15407																																																																																				
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5067.43</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>38.44</td><td>35.80</td><td>11.13</td><td>32.61</td><td>151 109 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5067.43	52.76	74.00	-21.24	38.44	35.80	11.13	32.61	151 109 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>99.63</td><td>-----</td><td>-----</td><td>85.48</td><td>35.83</td><td>10.98</td><td>32.66</td><td>151 109 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	99.63	-----	-----	85.48	35.83	10.98	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5067.43	52.76	74.00	-21.24	38.44	35.80	11.13	32.61	151 109 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	99.63	-----	-----	85.48	35.83	10.98	32.66	151 109 PEAK																																																																																		
Avg	 Level (dBuV/m) Date: 2025-02-22 5000 5062. 5124. 5186. 5248. 5310 Frequency (MHz) 15407 AVG						 Level (dBuV/m) Date: 2025-02-22 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) 15407 AVG																																																																																				
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.56</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>28.80</td><td>35.79</td><td>11.11</td><td>32.62</td><td>151 109 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5105.56	43.08	54.00	-10.92	28.80	35.79	11.11	32.62	151 109 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>89.97</td><td>-----</td><td>-----</td><td>75.84</td><td>35.80</td><td>10.99</td><td>32.66</td><td>151 109 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.97	-----	-----	75.84	35.80	10.99	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5105.56	43.08	54.00	-10.92	28.80	35.79	11.11	32.62	151 109 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	89.97	-----	-----	75.84	35.80	10.99	32.66	151 109 AVERAGE																																																																																		





Mode	43																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																	
ANT	1+2																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.84</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>39.06</td><td>36.09</td><td>10.94</td><td>32.67</td><td>151 109 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.84	53.42	74.00	-20.58	39.06	36.09	10.94	32.67	151 109 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5352.84	53.42	74.00	-20.58	39.06	36.09	10.94	32.67	151 109 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.18</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>28.98</td><td>36.10</td><td>10.94</td><td>32.67</td><td>151 109 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.18	43.35	54.00	-10.65	28.98	36.10	10.94	32.67	151 109 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5351.18	43.35	54.00	-10.65	28.98	36.10	10.94	32.67	151 109 AVERAGE																																									







Mode	43																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																											
ANT	1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.27</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>38.75</td><td>35.71</td><td>11.09</td><td>32.63</td><td>160 173 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.27	52.92	74.00	-21.08	38.75	35.71	11.09	32.63	160 173 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.67</td><td>-----</td><td>-----</td><td>90.46</td><td>35.90</td><td>10.97</td><td>32.66</td><td>160 173 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.67	-----	-----	90.46	35.90	10.97	32.66	160 173 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5145.27	52.92	74.00	-21.08	38.75	35.71	11.09	32.63	160 173 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5310.00	104.67	-----	-----	90.46	35.90	10.97	32.66	160 173 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.01</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>29.01</td><td>35.79</td><td>11.11</td><td>32.62</td><td>160 173 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5103.01	43.29	54.00	-10.71	29.01	35.79	11.11	32.62	160 173 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>94.90</td><td>-----</td><td>-----</td><td>80.75</td><td>35.83</td><td>10.98</td><td>32.66</td><td>160 173 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.90	-----	-----	80.75	35.83	10.98	32.66	160 173 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5103.01	43.29	54.00	-10.71	29.01	35.79	11.11	32.62	160 173 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5310.00	94.90	-----	-----	80.75	35.83	10.98	32.66	160 173 AVERAGE																																																																			



Mode	43																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.13</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>40.16</td><td>36.09</td><td>10.94</td><td>32.67</td><td>160</td><td>173 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5356.13	54.52	74.00	-19.48	40.16	36.09	10.94	32.67	160	173 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5356.13	54.52	74.00	-19.48	40.16	36.09	10.94	32.67	160	173 PEAK																																	
Avg	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.18</td><td>44.77</td><td>54.00</td><td>-9.23</td><td>30.40</td><td>36.10</td><td>10.94</td><td>32.67</td><td>160</td><td>173 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.18	44.77	54.00	-9.23	30.40	36.10	10.94	32.67	160	173 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.18	44.77	54.00	-9.23	30.40	36.10	10.94	32.67	160	173 AVERAGE																																	



		44																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																												
ANT		1+2																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407					 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5404.80	53.31	74.00	-20.69	39.10	35.99	10.90	32.68	400 138 PEAK	2	5468.80	52.54	68.30	-15.76	38.09	35.98	11.16	32.69	400 138 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.22</td><td>-----</td><td>-----</td><td>83.42</td><td>36.14</td><td>11.37</td><td>32.71</td><td>400 138 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.22	-----	-----	83.42	36.14	11.37	32.71
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5404.80	53.31	74.00	-20.69	39.10	35.99	10.90	32.68	400 138 PEAK																																																																																					
2	5468.80	52.54	68.30	-15.76	38.09	35.98	11.16	32.69	400 138 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5510.00	98.22	-----	-----	83.42	36.14	11.37	32.71	400 138 PEAK																																																																																					
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407 AVG					 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407 AVG																																																																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5380.50	42.65	54.00	-11.35	28.37	36.04	10.92	32.68	400 138 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>89.94</td><td>-----</td><td>-----</td><td>75.14</td><td>36.14</td><td>11.37</td><td>32.71</td><td>400 138 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5510.00	89.94	-----	-----	75.14	36.14	11.37	32.71	400 138 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5380.50	42.65	54.00	-11.35	28.37	36.04	10.92	32.68	400 138 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5510.00	89.94	-----	-----	75.14	36.14	11.37	32.71	400 138 AVERAGE																																																																																					







Mode	44																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5411.52</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>40.78</td><td>35.98</td><td>10.92</td><td>32.68</td><td>136</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>55.30</td><td>68.30</td><td>-13.00</td><td>40.85</td><td>35.98</td><td>11.16</td><td>32.69</td><td>136</td><td>170</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5411.52	55.00	74.00	-19.00	40.78	35.98	10.92	32.68	136	170	PEAK	2	5468.80	55.30	68.30	-13.00	40.85	35.98	11.16	32.69	136	170	PEAK	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>106.97</td><td>-----</td><td>-----</td><td>92.20</td><td>36.13</td><td>11.35</td><td>32.71</td><td>136</td><td>170</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.97	-----	-----	92.20	36.13	11.35	32.71	136	170	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5411.52	55.00	74.00	-19.00	40.78	35.98	10.92	32.68	136	170	PEAK																																																																																							
2	5468.80	55.30	68.30	-13.00	40.85	35.98	11.16	32.69	136	170	PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5510.00	106.97	-----	-----	92.20	36.13	11.35	32.71	136	170	PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.42</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>30.21</td><td>35.93</td><td>11.11</td><td>32.69</td><td>136</td><td>170</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.42	44.56	54.00	-9.44	30.21	35.93	11.11	32.69	136	170	AVERAGE	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.97</td><td>-----</td><td>-----</td><td>82.17</td><td>36.14</td><td>11.37</td><td>32.71</td><td>136</td><td>170</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.97	-----	-----	82.17	36.14	11.37	32.71	136	170	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5458.42	44.56	54.00	-9.44	30.21	35.93	11.11	32.69	136	170	AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5510.00	96.97	-----	-----	82.17	36.14	11.37	32.71	136	170	AVERAGE																																																																																							







Mode	44																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																								
ANT	1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.20</td><td>54.06</td><td>68.30</td><td>-14.24</td><td>38.53</td><td>36.69</td><td>11.64</td><td>32.80</td><td>136</td><td>170° PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5743.20	54.06	68.30	-14.24	38.53	36.69	11.64	32.80	136	170° PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5743.20	54.06	68.30	-14.24	38.53	36.69	11.64	32.80	136	170° PEAK																															



Mode	45																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>52.27</td><td>74.00</td><td>-21.73</td><td>37.90</td><td>35.94</td><td>11.12</td><td>32.69</td><td>400</td><td>100 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>51.34</td><td>68.30</td><td>-16.96</td><td>36.92</td><td>35.96</td><td>11.15</td><td>32.69</td><td>400</td><td>100 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.60	52.27	74.00	-21.73	37.90	35.94	11.12	32.69	400	100 PEAK	2	5466.00	51.34	68.30	-16.96	36.92	35.96	11.15	32.69	400	100 PEAK	 Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.02</td><td>-----</td><td>-----</td><td>79.58</td><td>36.53</td><td>11.68</td><td>32.77</td><td>400</td><td>100 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.02	-----	-----	79.58	36.53	11.68	32.77	400	100 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.60	52.27	74.00	-21.73	37.90	35.94	11.12	32.69	400	100 PEAK																																																																																													
2	5466.00	51.34	68.30	-16.96	36.92	35.96	11.15	32.69	400	100 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5670.00	95.02	-----	-----	79.58	36.53	11.68	32.77	400	100 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.07</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>28.05</td><td>36.09</td><td>10.94</td><td>32.67</td><td>400</td><td>100 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5353.07	42.41	54.00	-11.59	28.05	36.09	10.94	32.67	400	100 AVERAGE	 Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>85.76</td><td>-----</td><td>-----</td><td>70.31</td><td>36.54</td><td>11.68</td><td>32.77</td><td>400</td><td>100 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	85.76	-----	-----	70.31	36.54	11.68	32.77	400	100 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5353.07	42.41	54.00	-11.59	28.05	36.09	10.94	32.67	400	100 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5670.00	85.76	-----	-----	70.31	36.54	11.68	32.77	400	100 AVERAGE																																																																																													



Mode	45																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) Limit Line: PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5392.11</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>38.82</td><td>36.02</td><td>10.91</td><td>32.68</td><td>201</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5468.27</td><td>52.43</td><td>68.30</td><td>-15.87</td><td>38.00</td><td>35.97</td><td>11.15</td><td>32.69</td><td>201</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5392.11	53.07	74.00	-20.93	38.82	36.02	10.91	32.68	201	183	PEAK	2	5468.27	52.43	68.30	-15.87	38.00	35.97	11.15	32.69	201	183	PEAK	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) Limit Line: PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.40</td><td>-----</td><td>-----</td><td>88.96</td><td>36.52</td><td>11.68</td><td>32.76</td><td>201</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	104.40	-----	-----	88.96	36.52	11.68	32.76	201	183	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5392.11	53.07	74.00	-20.93	38.82	36.02	10.91	32.68	201	183	PEAK																																																																																																	
2	5468.27	52.43	68.30	-15.87	38.00	35.97	11.15	32.69	201	183	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	104.40	-----	-----	88.96	36.52	11.68	32.76	201	183	PEAK																																																																																																	
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) Limit Line: PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>28.42</td><td>35.94</td><td>11.12</td><td>32.69</td><td>201</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5459.92	42.79	54.00	-11.21	28.42	35.94	11.12	32.69	201	183	AVERAGE	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) Limit Line: PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.46</td><td>-----</td><td>-----</td><td>80.01</td><td>36.54</td><td>11.68</td><td>32.77</td><td>201</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	95.46	-----	-----	80.01	36.54	11.68	32.77	201	183	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.92	42.79	54.00	-11.21	28.42	35.94	11.12	32.69	201	183	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	95.46	-----	-----	80.01	36.54	11.68	32.77	201	183	AVERAGE																																																																																																	



Mode	45																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																	
ANT	1+2																																																	
Pol.	Vertical					Fundamental																																												
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.65</td><td>55.68</td><td>68.30</td><td>-12.62</td><td>40.15</td><td>36.67</td><td>11.65</td><td>32.79</td><td>201 183 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5736.65	55.68	68.30	-12.62	40.15	36.67	11.65	32.79	201 183 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5736.65	55.68	68.30	-12.62	40.15	36.67	11.65	32.79	201 183 PEAK																																									



Mode	46																																																		
	Band Edge - L																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal																																																		
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5087.05</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>38.89</td><td>35.80</td><td>11.12</td><td>32.62</td><td>400</td><td>103</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5087.05	53.19	74.00	-20.81	38.89	35.80	11.12	32.62	400	103	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5087.05	53.19	74.00	-20.81	38.89	35.80	11.12	32.62	400	103	PEAK																																								
Fundamental	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.64</td><td>-----</td><td>-----</td><td>81.47</td><td>35.80</td><td>11.02</td><td>32.65</td><td>400</td><td>103</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	95.64	-----	-----	81.47	35.80	11.02	32.65	400	103	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5210.00	95.64	-----	-----	81.47	35.80	11.02	32.65	400	103	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.73</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>28.87</td><td>35.76</td><td>11.10</td><td>32.62</td><td>400</td><td>103</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5118.73	43.11	54.00	-10.89	28.87	35.76	11.10	32.62	400	103	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5118.73	43.11	54.00	-10.89	28.87	35.76	11.10	32.62	400	103	AVERAGE																																								
Fundamental	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>85.95</td><td>-----</td><td>-----</td><td>71.77</td><td>35.80</td><td>11.03</td><td>32.65</td><td>400</td><td>103</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	85.95	-----	-----	71.77	35.80	11.03	32.65	400	103	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5210.00	85.95	-----	-----	71.77	35.80	11.03	32.65	400	103	AVERAGE																																								



Mode	46									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak										



		46																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																		
ANT		1+2																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.40</td><td>54.33</td><td>74.00</td><td>-19.67</td><td>40.14</td><td>35.73</td><td>11.09</td><td>32.63</td><td>164 176 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5136.40	54.33	74.00	-19.67	40.14	35.73	11.09	32.63	164 176 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>103.78</td><td>-----</td><td>-----</td><td>89.57</td><td>35.80</td><td>11.05</td><td>32.64</td><td>164 176 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.78	-----	-----	89.57	35.80	11.05	32.64	164 176 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5136.40	54.33	74.00	-19.67	40.14	35.73	11.09	32.63	164 176 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5210.00	103.78	-----	-----	89.57	35.80	11.05	32.64	164 176 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.84</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>30.47</td><td>35.70</td><td>11.09</td><td>32.63</td><td>164 176 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.84	44.63	54.00	-9.37	30.47	35.70	11.09	32.63	164 176 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.54</td><td>-----</td><td>-----</td><td>79.33</td><td>35.79</td><td>11.06</td><td>32.64</td><td>164 176 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.54	-----	-----	79.33	35.79	11.06	32.64	164 176 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5149.84	44.63	54.00	-9.37	30.47	35.70	11.09	32.63	164 176 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5210.00	93.54	-----	-----	79.33	35.79	11.06	32.64	164 176 AVERAGE																																																																											



Mode	46																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.38</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>38.70</td><td>36.06</td><td>10.93</td><td>32.67</td><td>164 176 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5372.38	53.02	74.00	-20.98	38.70	36.06	10.93	32.67	164 176 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5372.38	53.02	74.00	-20.98	38.70	36.06	10.93	32.67	164 176 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.65</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>28.92</td><td>36.08</td><td>10.94</td><td>32.67</td><td>164 176 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.65	43.27	54.00	-10.73	28.92	36.08	10.94	32.67	164 176 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5357.65	43.27	54.00	-10.73	28.92	36.08	10.94	32.67	164 176 AVERAGE																																	



Mode	47																																																																									
	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5090.34</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>38.28</td><td>35.80</td><td>11.12</td><td>32.62</td><td>397 118 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5090.34	52.58	74.00	-21.42	38.28	35.80	11.12	32.62	397 118 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>97.22</td><td>-----</td><td>-----</td><td>83.08</td><td>35.80</td><td>11.00</td><td>32.66</td><td>397 118 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	97.22	-----	-----	83.08	35.80	11.00	32.66	397 118 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5090.34	52.58	74.00	-21.42	38.28	35.80	11.12	32.62	397 118 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5290.00	97.22	-----	-----	83.08	35.80	11.00	32.66	397 118 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5127.48</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>28.63</td><td>35.75</td><td>11.10</td><td>32.63</td><td>397 118 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5127.48	42.85	54.00	-11.15	28.63	35.75	11.10	32.63	397 118 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>86.65</td><td>-----</td><td>-----</td><td>72.51</td><td>35.80</td><td>11.00</td><td>32.66</td><td>397 118 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	86.65	-----	-----	72.51	35.80	11.00	32.66	397 118 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5127.48	42.85	54.00	-11.15	28.63	35.75	11.10	32.63	397 118 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5290.00	86.65	-----	-----	72.51	35.80	11.00	32.66	397 118 AVERAGE																																																																		



Mode	47																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.83</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>39.12</td><td>36.06</td><td>10.93</td><td>32.67</td><td>397</td><td>118 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5369.83	53.44	74.00	-20.56	39.12	36.06	10.93	32.67	397	118 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5369.83	53.44	74.00	-20.56	39.12	36.06	10.93	32.67	397	118 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.13</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>28.70</td><td>36.03</td><td>10.92</td><td>32.68</td><td>397</td><td>118 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5385.13	42.97	54.00	-11.03	28.70	36.03	10.92	32.68	397	118 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5385.13	42.97	54.00	-11.03	28.70	36.03	10.92	32.68	397	118 AVERAGE																																									



Mode	47																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5006.84</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>38.51</td><td>35.80</td><td>11.16</td><td>32.60</td><td>145</td><td>170 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5006.84	52.87	74.00	-21.13	38.51	35.80	11.16	32.60	145	170 PEAK	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5290.00</td><td>100.01</td><td>-----</td><td>-----</td><td>85.83</td><td>35.87</td><td>10.97</td><td>32.66</td><td>145</td><td>170 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5290.00	100.01	-----	-----	85.83	35.87	10.97	32.66	145	170 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5006.84	52.87	74.00	-21.13	38.51	35.80	11.16	32.60	145	170 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5290.00	100.01	-----	-----	85.83	35.87	10.97	32.66	145	170 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5108.90</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>28.75</td><td>35.78</td><td>11.11</td><td>32.62</td><td>145</td><td>170 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5108.90	43.02	54.00	-10.98	28.75	35.78	11.11	32.62	145	170 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5290.00</td><td>90.91</td><td>-----</td><td>-----</td><td>76.73</td><td>35.87</td><td>10.97</td><td>32.66</td><td>145</td><td>170 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5290.00	90.91	-----	-----	76.73	35.87	10.97	32.66	145	170 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5108.90	43.02	54.00	-10.98	28.75	35.78	11.11	32.62	145	170 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5290.00	90.91	-----	-----	76.73	35.87	10.97	32.66	145	170 AVERAGE																																	



Mode	47									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak										



Mode	48																																																									
	Band Edge - L																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																									
ANT	1+2																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5391.51</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>39.14</td><td>36.02</td><td>10.91</td><td>32.68</td><td>379</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>5469.09</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>38.00</td><td>35.98</td><td>11.16</td><td>32.69</td><td>379</td><td>140</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5391.51	53.39	74.00	-20.61	39.14	36.02	10.91	32.68	379	140	PEAK	2	5469.09	52.45	68.30	-15.85	38.00	35.98	11.16	32.69	379	140	PEAK	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5530.00</td><td>96.14</td><td>-----</td><td>-----</td><td>81.37</td><td>36.13</td><td>11.35</td><td>32.71</td><td>379</td><td>140</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5530.00	96.14	-----	-----	81.37	36.13	11.35	32.71	379	140	PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																
1	5391.51	53.39	74.00	-20.61	39.14	36.02	10.91	32.68	379	140	PEAK																																															
2	5469.09	52.45	68.30	-15.85	38.00	35.98	11.16	32.69	379	140	PEAK																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1	5530.00	96.14	-----	-----	81.37	36.13	11.35	32.71	379	140	PEAK																																															
Avg	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5402.13</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>28.45</td><td>36.00</td><td>10.90</td><td>32.68</td><td>379</td><td>140</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5402.13	42.67	54.00	-11.33	28.45	36.00	10.90	32.68	379	140	AVERAGE	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5530.00</td><td>87.29</td><td>-----</td><td>-----</td><td>72.52</td><td>36.13</td><td>11.35</td><td>32.71</td><td>379</td><td>140</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5530.00	87.29	-----	-----	72.52	36.13	11.35	32.71	379	140	AVERAGE												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1	5402.13	42.67	54.00	-11.33	28.45	36.00	10.90	32.68	379	140	AVERAGE																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1	5530.00	87.29	-----	-----	72.52	36.13	11.35	32.71	379	140	AVERAGE																																															



Mode	48																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.86</td><td>53.86</td><td>68.30</td><td>-14.44</td><td>38.33</td><td>36.69</td><td>11.64</td><td>32.80</td><td>379</td><td>140</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5753.86	53.86	68.30	-14.44	38.33	36.69	11.64	32.80	379	140	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5753.86	53.86	68.30	-14.44	38.33	36.69	11.64	32.80	379	140	PEAK																															







Mode	48																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5404.81</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>39.74</td><td>35.99</td><td>10.90</td><td>32.68</td><td>136 171 PEAK</td></tr><tr><td>2</td><td>5465.31</td><td>54.69</td><td>68.30</td><td>-13.61</td><td>40.28</td><td>35.96</td><td>11.14</td><td>32.69</td><td>136 171 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5404.81	53.95	74.00	-20.05	39.74	35.99	10.90	32.68	136 171 PEAK	2	5465.31	54.69	68.30	-13.61	40.28	35.96	11.14	32.69	136 171 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.30</td><td>-----</td><td>-----</td><td>87.42</td><td>36.17</td><td>11.42</td><td>32.71</td><td>136 171 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.30	-----	-----	87.42	36.17	11.42	32.71	136 171 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5404.81	53.95	74.00	-20.05	39.74	35.99	10.90	32.68	136 171 PEAK																																																																																											
2	5465.31	54.69	68.30	-13.61	40.28	35.96	11.14	32.69	136 171 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	102.30	-----	-----	87.42	36.17	11.42	32.71	136 171 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.13</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>29.85</td><td>35.92</td><td>11.10</td><td>32.69</td><td>136 171 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.13	44.18	54.00	-9.82	29.85	35.92	11.10	32.69	136 171 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.58</td><td>-----</td><td>-----</td><td>78.78</td><td>36.14</td><td>11.37</td><td>32.71</td><td>136 171 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.58	-----	-----	78.78	36.14	11.37	32.71	136 171 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5454.13	44.18	54.00	-9.82	29.85	35.92	11.10	32.69	136 171 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	93.58	-----	-----	78.78	36.14	11.37	32.71	136 171 AVERAGE																																																																																											



Mode	48																							
	Band Edge - R																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																							
ANT	1+2																							
Pol.	Vertical	Fundamental																						
Peak	Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5753.16</td><td>54.68</td><td>68.30</td><td>-13.62</td><td>39.15</td><td>36.69</td><td>11.64</td><td>32.80</td><td>136</td><td>171 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5753.16	54.68	68.30	-13.62	39.15	36.69	11.64	32.80	136	171 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg															
1	5753.16	54.68	68.30	-13.62	39.15	36.69	11.64	32.80	136	171 PEAK														



		49																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.31</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>38.81</td><td>36.08</td><td>10.94</td><td>32.67</td><td>400</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5462.71</td><td>52.96</td><td>68.30</td><td>-15.34</td><td>38.57</td><td>35.95</td><td>11.13</td><td>32.69</td><td>400</td><td>127</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.31	53.16	74.00	-20.84	38.81	36.08	10.94	32.67	400	127	PEAK	2	5462.71	52.96	68.30	-15.34	38.57	35.95	11.13	32.69	400	127	PEAK	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>101.37</td><td>-----</td><td>-----</td><td>86.03</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>127</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.37	-----	-----	86.03	36.39	11.70	32.75	400	127	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5361.31	53.16	74.00	-20.84	38.81	36.08	10.94	32.67	400	127	PEAK																																																																																									
2	5462.71	52.96	68.30	-15.34	38.57	35.95	11.13	32.69	400	127	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5610.00	101.37	-----	-----	86.03	36.39	11.70	32.75	400	127	PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5402.94</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>28.34</td><td>35.99</td><td>10.90</td><td>32.68</td><td>400</td><td>127</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5402.94	42.55	54.00	-11.45	28.34	35.99	10.90	32.68	400	127	AVERAGE	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>90.64</td><td>-----</td><td>-----</td><td>75.30</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>127</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.64	-----	-----	75.30	36.39	11.70	32.75	400	127	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5402.94	42.55	54.00	-11.45	28.34	35.99	10.90	32.68	400	127	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5610.00	90.64	-----	-----	75.30	36.39	11.70	32.75	400	127	AVERAGE																																																																																									



Mode	49																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.14</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>38.96</td><td>35.91</td><td>11.07</td><td>32.69</td><td>149</td><td>157 PEAK</td></tr><tr><td>2</td><td>5469.76</td><td>53.30</td><td>68.30</td><td>-15.00</td><td>38.85</td><td>35.98</td><td>11.16</td><td>32.69</td><td>149</td><td>157 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5447.14	53.25	74.00	-20.75	38.96	35.91	11.07	32.69	149	157 PEAK	2	5469.76	53.30	68.30	-15.00	38.85	35.98	11.16	32.69	149	157 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.73</td><td>-----</td><td>-----</td><td>88.61</td><td>36.25</td><td>11.60</td><td>32.73</td><td>149</td><td>157 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.73	-----	-----	88.61	36.25	11.60	32.73	149	157 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5447.14	53.25	74.00	-20.75	38.96	35.91	11.07	32.69	149	157 PEAK																																																																																					
2	5469.76	53.30	68.30	-15.00	38.85	35.98	11.16	32.69	149	157 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5610.00	103.73	-----	-----	88.61	36.25	11.60	32.73	149	157 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.81</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>29.07</td><td>35.94</td><td>11.12</td><td>32.69</td><td>149</td><td>157 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.81	43.44	54.00	-10.56	29.07	35.94	11.12	32.69	149	157 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.41</td><td>-----</td><td>-----</td><td>79.15</td><td>36.30</td><td>11.70</td><td>32.74</td><td>149</td><td>157 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.41	-----	-----	79.15	36.30	11.70	32.74	149	157 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5458.81	43.44	54.00	-10.56	29.07	35.94	11.12	32.69	149	157 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5610.00	94.41	-----	-----	79.15	36.30	11.70	32.74	149	157 AVERAGE																																																																																					



Mode	49																							
	Band Edge - R																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																							
ANT	1+2																							
Pol.	Vertical	Fundamental																						
Peak	Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5734.70</td><td>54.60</td><td>68.30</td><td>-13.70</td><td>39.07</td><td>36.67</td><td>11.65</td><td>32.79</td><td>149</td><td>157 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5734.70	54.60	68.30	-13.70	39.07	36.67	11.65	32.79	149	157 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg															
1	5734.70	54.60	68.30	-13.70	39.07	36.67	11.65	32.79	149	157 PEAK														



Mode	50																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5095.88</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>38.59</td><td>35.80</td><td>11.12</td><td>32.62</td><td>400</td><td>115</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5095.88	52.89	74.00	-21.11	38.59	35.80	11.12	32.62	400	115	PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.86</td><td>-----</td><td>-----</td><td>79.70</td><td>35.80</td><td>11.01</td><td>32.65</td><td>400</td><td>115</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.86	-----	-----	79.70	35.80	11.01	32.65	400	115	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5095.88	52.89	74.00	-21.11	38.59	35.80	11.12	32.62	400	115	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	93.86	-----	-----	79.70	35.80	11.01	32.65	400	115	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.65</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>29.19</td><td>35.74</td><td>11.10</td><td>32.63</td><td>400</td><td>115</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5131.65	43.40	54.00	-10.60	29.19	35.74	11.10	32.63	400	115	AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>84.82</td><td>-----</td><td>-----</td><td>70.65</td><td>35.80</td><td>11.02</td><td>32.65</td><td>400</td><td>115</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5250.00	84.82	-----	-----	70.65	35.80	11.02	32.65	400	115	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5131.65	43.40	54.00	-10.60	29.19	35.74	11.10	32.63	400	115	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	84.82	-----	-----	70.65	35.80	11.02	32.65	400	115	AVERAGE																																																																																	





Mode	50																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.22</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>38.83</td><td>36.04</td><td>10.92</td><td>32.68</td><td>400</td><td>115 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5382.22	53.11	74.00	-20.89	38.83	36.04	10.92	32.68	400	115 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5382.22	53.11	74.00	-20.89	38.83	36.04	10.92	32.68	400	115 PEAK																																									
Avg	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.01</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>28.77</td><td>36.08</td><td>10.94</td><td>32.67</td><td>400</td><td>115 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5361.01	43.12	54.00	-10.88	28.77	36.08	10.94	32.67	400	115 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5361.01	43.12	54.00	-10.88	28.77	36.08	10.94	32.67	400	115 AVERAGE																																									





Mode	50																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																								
ANT	1+2																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Frequency (MHz)					Level (dBuV/m) Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.38</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>39.89</td><td>35.75</td><td>11.10</td><td>32.63</td><td>175 177 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5127.38	54.11	74.00	-19.89	39.89	35.75	11.10	32.63	175 177 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>97.86</td><td>-----</td><td>-----</td><td>83.70</td><td>35.80</td><td>11.01</td><td>32.65</td><td>175 177 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.86	-----	-----	83.70	35.80	11.01	32.65
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5127.38	54.11	74.00	-19.89	39.89	35.75	11.10	32.63	175 177 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	97.86	-----	-----	83.70	35.80	11.01	32.65	175 177 PEAK																																																																																
Avg	Level (dBuV/m) Frequency (MHz)					Level (dBuV/m) Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.38</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>30.27</td><td>35.75</td><td>11.10</td><td>32.63</td><td>175 177 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5127.38	44.49	54.00	-9.51	30.27	35.75	11.10	32.63	175 177 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.24</td><td>-----</td><td>-----</td><td>75.07</td><td>35.80</td><td>11.02</td><td>32.65</td><td>175 177 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.24	-----	-----	75.07	35.80	11.02	32.65
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5127.38	44.49	54.00	-9.51	30.27	35.75	11.10	32.63	175 177 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	89.24	-----	-----	75.07	35.80	11.02	32.65	175 177 AVERAGE																																																																																







Mode	50																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.01</td><td>55.71</td><td>74.00</td><td>-18.29</td><td>41.47</td><td>36.01</td><td>10.91</td><td>32.68</td><td>175</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5395.01	55.71	74.00	-18.29	41.47	36.01	10.91	32.68	175	177 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5395.01	55.71	74.00	-18.29	41.47	36.01	10.91	32.68	175	177 PEAK																																	
Avg	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.01</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>31.59</td><td>36.01</td><td>10.91</td><td>32.68</td><td>175</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5395.01	45.83	54.00	-8.17	31.59	36.01	10.91	32.68	175	177 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5395.01	45.83	54.00	-8.17	31.59	36.01	10.91	32.68	175	177 AVERAGE																																	



Mode	50																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.00</td><td>47.76</td><td>68.30</td><td>-20.54</td><td>46.72</td><td>38.20</td><td>14.24</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>42.62</td><td>40.65</td><td>17.02</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.76	68.30	-20.54	46.72	38.20	14.24	51.40	---	---	Peak	2	15750.00	47.64	74.00	-26.36	42.62	40.65	17.02	52.65	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.00</td><td>47.95</td><td>68.30</td><td>-20.35</td><td>46.91</td><td>38.20</td><td>14.24</td><td>51.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>42.29</td><td>40.65</td><td>17.02</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.95	68.30	-20.35	46.91	38.20	14.24	51.40	---	---	Peak	2	15750.00	47.31	74.00	-26.69	42.29	40.65	17.02	52.65	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10500.00	47.76	68.30	-20.54	46.72	38.20	14.24	51.40	---	---	Peak																																																																																																									
2	15750.00	47.64	74.00	-26.36	42.62	40.65	17.02	52.65	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10500.00	47.95	68.30	-20.35	46.91	38.20	14.24	51.40	---	---	Peak																																																																																																									
2	15750.00	47.31	74.00	-26.69	42.29	40.65	17.02	52.65	---	---	Peak																																																																																																									



		51																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																											
ANT		1+2																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.63</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>39.43</td><td>36.05</td><td>10.92</td><td>32.68</td><td>400</td><td>127 PEAK</td></tr><tr><td>2</td><td>5464.75</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>37.85</td><td>35.96</td><td>11.14</td><td>32.69</td><td>400</td><td>127 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5375.63	53.72	74.00	-20.28	39.43	36.05	10.92	32.68	400	127 PEAK	2	5464.75	52.26	68.30	-16.04	37.85	35.96	11.14	32.69	400	127 PEAK	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.74</td><td>-----</td><td>-----</td><td>78.40</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>127 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.74	-----	-----	78.40	36.39	11.70	32.75	400	127 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5375.63	53.72	74.00	-20.28	39.43	36.05	10.92	32.68	400	127 PEAK																																																																																																			
2	5464.75	52.26	68.30	-16.04	37.85	35.96	11.14	32.69	400	127 PEAK																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	93.74	-----	-----	78.40	36.39	11.70	32.75	400	127 PEAK																																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.13</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>28.86</td><td>35.97</td><td>10.94</td><td>32.68</td><td>400</td><td>127 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5416.13	43.09	54.00	-10.91	28.86	35.97	10.94	32.68	400	127 AVERAGE	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>83.80</td><td>-----</td><td>-----</td><td>68.46</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>127 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	83.80	-----	-----	68.46	36.39	11.70	32.75	400	127 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5416.13	43.09	54.00	-10.91	28.86	35.97	10.94	32.68	400	127 AVERAGE																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	83.80	-----	-----	68.46	36.39	11.70	32.75	400	127 AVERAGE																																																																																																			





Mode	51																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																											
ANT	1+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.53</td><td>54.30</td><td>68.30</td><td>-14.00</td><td>38.79</td><td>36.65</td><td>11.65</td><td>32.79</td><td>400</td><td>127 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5725.53	54.30	68.30	-14.00	38.79	36.65	11.65	32.79	400	127 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5725.53	54.30	68.30	-14.00	38.79	36.65	11.65	32.79	400	127 PEAK																																		







Mode	51																																																																																		
	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5442.31</td><td>57.99</td><td>74.00</td><td>-16.01</td><td>43.71</td><td>35.92</td><td>11.05</td><td>32.69</td><td>146 171 PEAK</td></tr><tr><td>2 5462.09</td><td>55.59</td><td>68.30</td><td>-12.71</td><td>41.20</td><td>35.95</td><td>11.13</td><td>32.69</td><td>146 171 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5442.31	57.99	74.00	-16.01	43.71	35.92	11.05	32.69	146 171 PEAK	2 5462.09	55.59	68.30	-12.71	41.20	35.95	11.13	32.69	146 171 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>98.23</td><td>-----</td><td>-----</td><td>83.18</td><td>36.23</td><td>11.55</td><td>32.73</td><td>146 171 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	98.23	-----	-----	83.18	36.23	11.55	32.73	146 171 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5442.31	57.99	74.00	-16.01	43.71	35.92	11.05	32.69	146 171 PEAK																																																																											
2 5462.09	55.59	68.30	-12.71	41.20	35.95	11.13	32.69	146 171 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5570.00	98.23	-----	-----	83.18	36.23	11.55	32.73	146 171 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5447.35</td><td>47.20</td><td>54.00</td><td>-6.80</td><td>32.91</td><td>35.91</td><td>11.07</td><td>32.69</td><td>146 171 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5447.35	47.20	54.00	-6.80	32.91	35.91	11.07	32.69	146 171 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>89.71</td><td>-----</td><td>-----</td><td>74.63</td><td>36.24</td><td>11.57</td><td>32.73</td><td>146 171 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	89.71	-----	-----	74.63	36.24	11.57	32.73	146 171 AVERAGE									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5447.35	47.20	54.00	-6.80	32.91	35.91	11.07	32.69	146 171 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5570.00	89.71	-----	-----	74.63	36.24	11.57	32.73	146 171 AVERAGE																																																																											



Mode	51																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>45.63</td><td>38.04</td><td>14.62</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>47.83</td><td>68.30</td><td>-20.47</td><td>41.85</td><td>41.41</td><td>17.42</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11140.00	47.56	74.00	-26.44	45.63	38.04	14.62	50.73	---	---	Peak	2	16710.00	47.83	68.30	-20.47	41.85	41.41	17.42	52.85	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>45.86</td><td>38.04</td><td>14.62</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>48.06</td><td>68.30</td><td>-20.24</td><td>42.08</td><td>41.41</td><td>17.42</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11140.00	47.79	74.00	-26.21	45.86	38.04	14.62	50.73	---	---	Peak	2	16710.00	48.06	68.30	-20.24	42.08	41.41	17.42	52.85	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11140.00	47.56	74.00	-26.44	45.63	38.04	14.62	50.73	---	---	Peak																																																																																																									
2	16710.00	47.83	68.30	-20.47	41.85	41.41	17.42	52.85	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11140.00	47.79	74.00	-26.21	45.86	38.04	14.62	50.73	---	---	Peak																																																																																																									
2	16710.00	48.06	68.30	-20.24	42.08	41.41	17.42	52.85	---	---	Peak																																																																																																									



Mode	52																																																																																														
	Band Edge																																																																																														
	U-NII-1_5.25-5.35_802.11ax HE20_CH36_Partial RU 52RU37_5180MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5121.68</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>38.65</td><td>35.76</td><td>11.10</td><td>32.62</td><td>168</td><td>110 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5121.68	52.89	74.00	-21.11	38.65	35.76	11.10	32.62	168	110 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>104.19</td><td>-----</td><td>-----</td><td>90.01</td><td>35.75</td><td>11.07</td><td>32.64</td><td>168</td><td>110 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	104.19	-----	-----	90.01	35.75	11.07	32.64	168
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5121.68	52.89	74.00	-21.11	38.65	35.76	11.10	32.62	168	110 PEAK																																																																																					
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	104.19	-----	-----	90.01	35.75	11.07	32.64	168	110 PEAK																																																																																					
Avg																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5140.76</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>28.70</td><td>35.72</td><td>11.09</td><td>32.63</td><td>168</td><td>110 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5140.76	42.88	54.00	-11.12	28.70	35.72	11.09	32.63	168	110 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>95.23</td><td>-----</td><td>-----</td><td>81.05</td><td>35.74</td><td>11.07</td><td>32.63</td><td>168</td><td>110 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	95.23	-----	-----	81.05	35.74	11.07	32.63	168
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5140.76	42.88	54.00	-11.12	28.70	35.72	11.09	32.63	168	110 AVERAGE																																																																																					
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	95.23	-----	-----	81.05	35.74	11.07	32.63	168	110 AVERAGE																																																																																					



Mode	52																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.25-5.35_802.11ax HE20_CH36_Partial RU 52RU37_5180MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5090.72</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>39.20</td><td>35.80</td><td>11.12</td><td>32.62</td><td>100</td><td>169</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5090.72	53.50	74.00	-20.50	39.20	35.80	11.12	32.62	100	169	PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.27</td><td>-----</td><td>-----</td><td>94.09</td><td>35.74</td><td>11.07</td><td>32.63</td><td>100</td><td>169</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.27	-----	-----	94.09	35.74	11.07	32.63	100	169	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5090.72	53.50	74.00	-20.50	39.20	35.80	11.12	32.62	100	169	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	108.27	-----	-----	94.09	35.74	11.07	32.63	100	169	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.82</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>28.99</td><td>35.73</td><td>11.09</td><td>32.63</td><td>100</td><td>169</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5134.82	43.18	54.00	-10.82	28.99	35.73	11.09	32.63	100	169	AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.41</td><td>-----</td><td>-----</td><td>86.23</td><td>35.74</td><td>11.07</td><td>32.63</td><td>100</td><td>169</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.41	-----	-----	86.23	35.74	11.07	32.63	100	169	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5134.82	43.18	54.00	-10.82	28.99	35.73	11.09	32.63	100	169	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5180.00	100.41	-----	-----	86.23	35.74	11.07	32.63	100	169	AVERAGE																																																																							



Mode	53																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU 52RU40_5320MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.66</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>38.27</td><td>35.90</td><td>11.07</td><td>32.69</td><td>161</td><td>111</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5448.66	52.55	74.00	-21.45	38.27	35.90	11.07	32.69	161	111	PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.38</td><td>-----</td><td>-----</td><td>88.13</td><td>35.96</td><td>10.96</td><td>32.67</td><td>161</td><td>111</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.38	-----	-----	88.13	35.96	10.96	32.67	161	111	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5448.66	52.55	74.00	-21.45	38.27	35.90	11.07	32.69	161	111	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5320.00	102.38	-----	-----	88.13	35.96	10.96	32.67	161	111	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.84</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>28.04</td><td>36.07</td><td>10.93</td><td>32.67</td><td>161</td><td>111</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.84	42.37	54.00	-11.63	28.04	36.07	10.93	32.67	161	111	AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.17</td><td>-----</td><td>-----</td><td>78.92</td><td>35.96</td><td>10.96</td><td>32.67</td><td>161</td><td>111</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.17	-----	-----	78.92	35.96	10.96	32.67	161	111	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5362.84	42.37	54.00	-11.63	28.04	36.07	10.93	32.67	161	111	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5320.00	93.17	-----	-----	78.92	35.96	10.96	32.67	161	111	AVERAGE																																																																															







		53																																																																																
Mode		Band Edge																																																																																
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU 52RU40_5320MHz																																																																																
ANT		1+2																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2025-03-03 1 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5384.40</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>39.09</td><td>36.03</td><td>10.92</td><td>32.68</td><td>108 167 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5384.40	53.36	74.00	-20.64	39.09	36.03	10.92	32.68	108 167 PEAK	Level (dBuV/m) Date: 2025-03-03 1 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>107.58</td><td>-----</td><td>-----</td><td>93.33</td><td>35.96</td><td>10.96</td><td>32.67</td><td>108 167 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	107.58	-----	-----	93.33	35.96	10.96	32.67	108 167 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5384.40	53.36	74.00	-20.64	39.09	36.03	10.92	32.68	108 167 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	107.58	-----	-----	93.33	35.96	10.96	32.67	108 167 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-03 1 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5373.76</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>28.86</td><td>36.05</td><td>10.93</td><td>32.67</td><td>108 167 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5373.76	43.17	54.00	-10.83	28.86	36.05	10.93	32.67	108 167 AVERAGE	Level (dBuV/m) Date: 2025-03-03 1 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>100.23</td><td>-----</td><td>-----</td><td>85.98</td><td>35.96</td><td>10.96</td><td>32.67</td><td>108 167 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.23	-----	-----	85.98	35.96	10.96	32.67	108 167 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5373.76	43.17	54.00	-10.83	28.86	36.05	10.93	32.67	108 167 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	100.23	-----	-----	85.98	35.96	10.96	32.67	108 167 AVERAGE																																																																										



Mode	54																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU 106RU53_5500MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5369.80</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>38.53</td><td>36.06</td><td>10.93</td><td>32.67</td><td>160 245 PEAK</td></tr><tr><td>2</td><td>5460.25</td><td>52.04</td><td>68.30</td><td>-16.26</td><td>37.67</td><td>35.94</td><td>11.12</td><td>32.69</td><td>160 245 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5369.80	52.85	74.00	-21.15	38.53	36.06	10.93	32.67	160 245 PEAK	2	5460.25	52.04	68.30	-16.26	37.67	35.94	11.12	32.69	160 245 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.73</td><td>-----</td><td>-----</td><td>84.09</td><td>36.08</td><td>11.26</td><td>32.70</td><td>160 245 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.73	-----	-----	84.09	36.08	11.26	32.70	160 245 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5369.80	52.85	74.00	-21.15	38.53	36.06	10.93	32.67	160 245 PEAK																																																																																			
2	5460.25	52.04	68.30	-16.26	37.67	35.94	11.12	32.69	160 245 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	98.73	-----	-----	84.09	36.08	11.26	32.70	160 245 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>28.26</td><td>35.93</td><td>11.11</td><td>32.69</td><td>160 245 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.00	42.61	54.00	-11.39	28.26	35.93	11.11	32.69	160 245 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>90.52</td><td>-----</td><td>-----</td><td>75.88</td><td>36.08</td><td>11.26</td><td>32.70</td><td>160 245 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	90.52	-----	-----	75.88	36.08	11.26	32.70	160 245 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5458.00	42.61	54.00	-11.39	28.26	35.93	11.11	32.69	160 245 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	90.52	-----	-----	75.88	36.08	11.26	32.70	160 245 AVERAGE																																																																																			



		54																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU 106RU53_5500MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-03  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.15</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>39.36</td><td>35.92</td><td>11.04</td><td>32.69</td><td>100 172 PEAK</td></tr><tr><td>2</td><td>5464.30</td><td>52.43</td><td>68.30</td><td>-15.87</td><td>38.02</td><td>35.96</td><td>11.14</td><td>32.69</td><td>100 172 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-03-03  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.35</td><td>-----</td><td>-----</td><td>92.71</td><td>36.08</td><td>11.26</td><td>32.70</td><td>100 172 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5440.15	53.63	74.00	-20.37	39.36	35.92	11.04	32.69	100 172 PEAK	2	5464.30	52.43	68.30	-15.87	38.02	35.96	11.14	32.69	100 172 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.35	-----	-----	92.71	36.08	11.26	32.70	100 172 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5440.15	53.63	74.00	-20.37	39.36	35.92	11.04	32.69	100 172 PEAK																																																																																											
2	5464.30	52.43	68.30	-15.87	38.02	35.96	11.14	32.69	100 172 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	107.35	-----	-----	92.71	36.08	11.26	32.70	100 172 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-03  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.40</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>28.54</td><td>35.93</td><td>11.11</td><td>32.69</td><td>100 172 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-03-03  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.96</td><td>-----</td><td>-----</td><td>85.32</td><td>36.08</td><td>11.26</td><td>32.70</td><td>100 172 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.40	42.89	54.00	-11.11	28.54	35.93	11.11	32.69	100 172 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.96	-----	-----	85.32	36.08	11.26	32.70	100 172 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5457.40	42.89	54.00	-11.11	28.54	35.93	11.11	32.69	100 172 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	99.96	-----	-----	85.32	36.08	11.26	32.70	100 172 AVERAGE																																																																																											



Mode	55																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU 52RU40_5700MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5746.87</td><td>54.72</td><td>68.30</td><td>-13.58</td><td>39.19</td><td>36.69</td><td>11.64</td><td>32.80</td><td>146</td><td>109 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5746.87	54.72	68.30	-13.58	39.19	36.69	11.64	32.80	146	109 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.63</td><td>-----</td><td>-----</td><td>86.13</td><td>36.62</td><td>11.66</td><td>32.78</td><td>146</td><td>109 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.63	-----	-----	86.13	36.62	11.66	32.78	146	109 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5746.87	54.72	68.30	-13.58	39.19	36.69	11.64	32.80	146	109 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	101.63	-----	-----	86.13	36.62	11.66	32.78	146	109 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>92.21</td><td>-----</td><td>-----</td><td>76.71</td><td>36.62</td><td>11.66</td><td>32.78</td><td>146</td><td>109 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	92.21	-----	-----	76.71	36.62	11.66	32.78	146	109 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	92.21	-----	-----	76.71	36.62	11.66	32.78	146	109 AVERAGE																																																																										



Mode	55																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU 52RU40_5700MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.13</td><td>53.84</td><td>68.30</td><td>-14.46</td><td>38.31</td><td>36.68</td><td>11.65</td><td>32.80</td><td>107</td><td>152 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5739.13	53.84	68.30	-14.46	38.31	36.68	11.65	32.80	107	152 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.88</td><td>-----</td><td>-----</td><td>90.38</td><td>36.62</td><td>11.66</td><td>32.78</td><td>107</td><td>152 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.88	-----	-----	90.38	36.62	11.66	32.78	107	152 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5739.13	53.84	68.30	-14.46	38.31	36.68	11.65	32.80	107	152 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	105.88	-----	-----	90.38	36.62	11.66	32.78	107	152 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.20</td><td>-----</td><td>-----</td><td>82.70</td><td>36.62</td><td>11.66</td><td>32.78</td><td>107</td><td>152 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.20	-----	-----	82.70	36.62	11.66	32.78	107	152 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	98.20	-----	-----	82.70	36.62	11.66	32.78	107	152 AVERAGE																																																																										





Mode	56																																																																									
	Band Edge																																																																									
	U-NII-1_5.25-5.35_802.11be EHT20_CH36_5180MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5074.43</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>39.44</td><td>35.80</td><td>11.13</td><td>32.61</td><td>159 109 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5074.43	53.76	74.00	-20.24	39.44	35.80	11.13	32.61	159 109 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>105.49</td><td>-----</td><td>-----</td><td>91.29</td><td>35.77</td><td>11.07</td><td>32.64</td><td>159 109 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	105.49	-----	-----	91.29	35.77	11.07	32.64	159 109 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5074.43	53.76	74.00	-20.24	39.44	35.80	11.13	32.61	159 109 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	105.49	-----	-----	91.29	35.77	11.07	32.64	159 109 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5148.97</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>29.25</td><td>35.70</td><td>11.09</td><td>32.63</td><td>159 109 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5148.97	43.41	54.00	-10.59	29.25	35.70	11.09	32.63	159 109 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>95.62</td><td>-----</td><td>-----</td><td>81.42</td><td>35.77</td><td>11.07</td><td>32.64</td><td>159 109 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	95.62	-----	-----	81.42	35.77	11.07	32.64	159 109 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5148.97	43.41	54.00	-10.59	29.25	35.70	11.09	32.63	159 109 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	95.62	-----	-----	81.42	35.77	11.07	32.64	159 109 AVERAGE																																																																		



		56																																																																																									
Mode	Band Edge																																																																																										
	U-NII-1_5.25-5.35_802.11be EHT20_CH36_5180MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.67</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>40.48</td><td>35.74</td><td>11.10</td><td>32.63</td><td>181</td><td>175</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5131.67	54.69	74.00	-19.31	40.48	35.74	11.10	32.63	181	175	PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.89</td><td>-----</td><td>-----</td><td>94.70</td><td>35.75</td><td>11.07</td><td>32.63</td><td>181</td><td>175</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.89	-----	-----	94.70	35.75	11.07	32.63	181	175	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5131.67	54.69	74.00	-19.31	40.48	35.74	11.10	32.63	181	175	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	108.89	-----	-----	94.70	35.75	11.07	32.63	181	175	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>30.84</td><td>35.70</td><td>11.09</td><td>32.63</td><td>181</td><td>175</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.85	45.00	54.00	-9.00	30.84	35.70	11.09	32.63	181	175	AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.31</td><td>-----</td><td>-----</td><td>86.12</td><td>35.76</td><td>11.07</td><td>32.64</td><td>181</td><td>175</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.31	-----	-----	86.12	35.76	11.07	32.64	181	175	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.85	45.00	54.00	-9.00	30.84	35.70	11.09	32.63	181	175	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	100.31	-----	-----	86.12	35.76	11.07	32.64	181	175	AVERAGE																																																																																





Mode	56																																																															
	Harmonic																																																															
	U-NII-1_5.25-5.35_802.11be EHT20_CH36_5180MHz																																																															
ANT	1+2																																																															
Pol.	Horizontal						Vertical																																																									
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>48.45</td><td>68.30</td><td>-19.85</td><td>47.63</td><td>38.10</td><td>14.15</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>42.58</td><td>40.60</td><td>16.85</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	48.45	68.30	-19.85	47.63	38.10	14.15	51.43	---	---	Peak	2	15540.00	47.84	74.00	-26.16	42.58	40.60	16.85	52.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10360.00	48.45	68.30	-19.85	47.63	38.10	14.15	51.43	---	---	Peak																																																					
2	15540.00	47.84	74.00	-26.16	42.58	40.60	16.85	52.19	---	---	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.71</td><td>68.30</td><td>-20.59</td><td>46.89</td><td>38.10</td><td>14.15</td><td>51.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>42.10</td><td>40.60</td><td>16.85</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.71	68.30	-20.59	46.89	38.10	14.15	51.43	---	---	Peak	2	15540.00	47.36	74.00	-26.64	42.10	40.60	16.85	52.19	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10360.00	47.71	68.30	-20.59	46.89	38.10	14.15	51.43	---	---	Peak																																																					
2	15540.00	47.36	74.00	-26.64	42.10	40.60	16.85	52.19	---	---	Peak																																																					



Mode	57																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.25-5.35_802.11be EHT20_CH44_5220MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg	Date: 2025-02-24						Date: 2025-02-24																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>48.43</td><td>68.30</td><td>-19.87</td><td>47.50</td><td>38.14</td><td>14.20</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>41.99</td><td>40.60</td><td>16.94</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	48.43	68.30	-19.87	47.50	38.14	14.20	51.41	---	---	Peak	2	15660.00	47.08	74.00	-26.92	41.99	40.60	16.94	52.45	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>48.42</td><td>68.30</td><td>-19.88</td><td>47.49</td><td>38.14</td><td>14.20</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>42.86</td><td>40.60</td><td>16.94</td><td>52.45</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	48.42	68.30	-19.88	47.49	38.14	14.20	51.41	---	---	Peak	2	15660.00	47.95	74.00	-26.05	42.86	40.60	16.94	52.45	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	10440.00	48.43	68.30	-19.87	47.50	38.14	14.20	51.41	---	---	Peak																																																																																																	
2	15660.00	47.08	74.00	-26.92	41.99	40.60	16.94	52.45	---	---	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1	10440.00	48.42	68.30	-19.88	47.49	38.14	14.20	51.41	---	---	Peak																																																																																																	
2	15660.00	47.95	74.00	-26.05	42.86	40.60	16.94	52.45	---	---	Peak																																																																																																	





Mode	58																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.25-5.35_802.11be EHT20_CH48_5240MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>46.97</td><td>38.18</td><td>14.23</td><td>51.40 --- --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>42.33</td><td>40.62</td><td>16.99</td><td>52.58 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	47.98	68.30	-20.32	46.97	38.18	14.23	51.40 --- --- Peak	2	15720.00	47.36	74.00	-26.64	42.33	40.62	16.99	52.58 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>48.50</td><td>68.30</td><td>-19.80</td><td>47.49</td><td>38.18</td><td>14.23</td><td>51.40 --- --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>42.43</td><td>40.62</td><td>16.99</td><td>52.58 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	48.50	68.30	-19.80	47.49	38.18	14.23	51.40 --- --- Peak	2	15720.00	47.46	74.00	-26.54	42.43	40.62	16.99	52.58 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	10480.00	47.98	68.30	-20.32	46.97	38.18	14.23	51.40 --- --- Peak																																																																																														
2	15720.00	47.36	74.00	-26.64	42.33	40.62	16.99	52.58 --- --- Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	10480.00	48.50	68.30	-19.80	47.49	38.18	14.23	51.40 --- --- Peak																																																																																														
2	15720.00	47.46	74.00	-26.54	42.43	40.62	16.99	52.58 --- --- Peak																																																																																														







Mode	59																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_5260MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10520.00</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>47.08</td><td>38.20</td><td>14.25</td></tr><tr><td>2</td><td>15780.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>42.88</td><td>40.68</td><td>17.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10520.00	48.15	68.30	-20.15	47.08	38.20	14.25	2	15780.00	47.88	74.00	-26.12	42.88	40.68	17.04	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10520.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.69</td><td>38.20</td><td>14.25</td></tr><tr><td>2</td><td>15780.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>42.02</td><td>40.68</td><td>17.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10520.00	48.76	68.30	-19.54	47.69	38.20	14.25	2	15780.00	47.02	74.00	-26.98	42.02	40.68	17.04
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1	10520.00	48.15	68.30	-20.15	47.08	38.20	14.25																																																																									
2	15780.00	47.88	74.00	-26.12	42.88	40.68	17.04																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10520.00	48.76	68.30	-19.54	47.69	38.20	14.25																																																																									
2	15780.00	47.02	74.00	-26.98	42.02	40.68	17.04																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10520.00</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>47.08</td><td>38.20</td><td>14.25</td></tr><tr><td>2</td><td>15780.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>42.88</td><td>40.68</td><td>17.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10520.00	48.15	68.30	-20.15	47.08	38.20	14.25	2	15780.00	47.88	74.00	-26.12	42.88	40.68	17.04	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10520.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.69</td><td>38.20</td><td>14.25</td></tr><tr><td>2</td><td>15780.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>42.02</td><td>40.68</td><td>17.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10520.00	48.76	68.30	-19.54	47.69	38.20	14.25	2	15780.00	47.02	74.00	-26.98	42.02	40.68	17.04
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10520.00	48.15	68.30	-20.15	47.08	38.20	14.25																																																																									
2	15780.00	47.88	74.00	-26.12	42.88	40.68	17.04																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10520.00	48.76	68.30	-19.54	47.69	38.20	14.25																																																																									
2	15780.00	47.02	74.00	-26.98	42.02	40.68	17.04																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10520.00</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>47.08</td><td>38.20</td><td>14.25</td></tr><tr><td>2</td><td>15780.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>42.88</td><td>40.68</td><td>17.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10520.00	48.15	68.30	-20.15	47.08	38.20	14.25	2	15780.00	47.88	74.00	-26.12	42.88	40.68	17.04	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10520.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.69</td><td>38.20</td><td>14.25</td></tr><tr><td>2</td><td>15780.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>42.02</td><td>40.68</td><td>17.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10520.00	48.76	68.30	-19.54	47.69	38.20	14.25	2	15780.00	47.02	74.00	-26.98	42.02	40.68	17.04
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10520.00	48.15	68.30	-20.15	47.08	38.20	14.25																																																																									
2	15780.00	47.88	74.00	-26.12	42.88	40.68	17.04																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10520.00	48.76	68.30	-19.54	47.69	38.20	14.25																																																																									
2	15780.00	47.02	74.00	-26.98	42.02	40.68	17.04																																																																									







Mode	60																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_5300MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal												Vertical																																																																											
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>10600.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>46.43</td><td>38.20</td><td>14.30</td><td>51.30</td></tr><tr><td>2</td><td>15900.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>42.04</td><td>40.90</td><td>17.14</td><td>52.98</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1	10600.00	47.63	74.00	-26.37	46.43	38.20	14.30	51.30	2	15900.00	47.10	74.00	-26.90	42.04	40.90	17.14	52.98	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>10600.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>46.01</td><td>38.20</td><td>14.30</td><td>51.30</td></tr><tr><td>2</td><td>15900.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>42.54</td><td>40.90</td><td>17.14</td><td>52.98</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1	10600.00	47.21	74.00	-26.79	46.01	38.20	14.30	51.30	2	15900.00	47.60	74.00	-26.40	42.54	40.90	17.14	52.98
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
1	10600.00	47.63	74.00	-26.37	46.43	38.20	14.30	51.30																																																																																
2	15900.00	47.10	74.00	-26.90	42.04	40.90	17.14	52.98																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
1	10600.00	47.21	74.00	-26.79	46.01	38.20	14.30	51.30																																																																																
2	15900.00	47.60	74.00	-26.40	42.54	40.90	17.14	52.98																																																																																
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>46.43</td><td>38.20</td><td>14.30</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>42.04</td><td>40.90</td><td>17.14</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10600.00	47.63	74.00	-26.37	46.43	38.20	14.30	51.30	---	---	Peak	2	15900.00	47.10	74.00	-26.90	42.04	40.90	17.14	52.98	---	---	Peak	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>46.01</td><td>38.20</td><td>14.30</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>42.54</td><td>40.90</td><td>17.14</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10600.00	47.21	74.00	-26.79	46.01	38.20	14.30	51.30	---	---	Peak	2	15900.00	47.60	74.00	-26.40	42.54	40.90	17.14	52.98	---	---	Peak			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10600.00	47.63	74.00	-26.37	46.43	38.20	14.30	51.30	---	---	Peak																																																																													
2	15900.00	47.10	74.00	-26.90	42.04	40.90	17.14	52.98	---	---	Peak																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10600.00	47.21	74.00	-26.79	46.01	38.20	14.30	51.30	---	---	Peak																																																																													
2	15900.00	47.60	74.00	-26.40	42.54	40.90	17.14	52.98	---	---	Peak																																																																													



		61																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-22  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5357.46</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>39.00</td><td>36.09</td><td>10.94</td><td>32.67</td><td>161</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5357.46	53.36	74.00	-20.64	39.00	36.09	10.94	32.67	161	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>106.12</td><td>-----</td><td>-----</td><td>91.94</td><td>35.87</td><td>10.97</td><td>32.66</td><td>161</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	106.12	-----	-----	91.94	35.87	10.97	32.66	161
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5357.46	53.36	74.00	-20.64	39.00	36.09	10.94	32.67	161	109 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	106.12	-----	-----	91.94	35.87	10.97	32.66	161	109 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-22  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5355.35</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>28.74</td><td>36.09</td><td>10.94</td><td>32.67</td><td>161</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5355.35	43.10	54.00	-10.90	28.74	36.09	10.94	32.67	161	109 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>95.52</td><td>-----</td><td>-----</td><td>81.28</td><td>35.94</td><td>10.96</td><td>32.66</td><td>161</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	95.52	-----	-----	81.28	35.94	10.96	32.66	161
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5355.35	43.10	54.00	-10.90	28.74	36.09	10.94	32.67	161	109 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	95.52	-----	-----	81.28	35.94	10.96	32.66	161	109 AVERAGE																																																																																



		61																																																																																										
Mode		Band Edge																																																																																										
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																										
ANT		1+2																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5356.34</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>40.91</td><td>36.09</td><td>10.94</td><td>32.67</td><td>165 175 PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5356.34	55.27	74.00	-18.73	40.91	36.09	10.94	32.67	165 175 PEAK	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>108.33</td><td>-----</td><td>-----</td><td>94.12</td><td>35.90</td><td>10.97</td><td>32.66</td><td>165 175 PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	108.33	-----	-----	94.12	35.90	10.97	32.66	165 175 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5356.34	55.27	74.00	-18.73	40.91	36.09	10.94	32.67	165 175 PEAK																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5320.00	108.33	-----	-----	94.12	35.90	10.97	32.66	165 175 PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.31</td><td>44.94</td><td>54.00</td><td>-9.06</td><td>30.57</td><td>36.10</td><td>10.94</td><td>32.67</td><td>165 175 AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.31	44.94	54.00	-9.06	30.57	36.10	10.94	32.67	165 175 AVERAGE	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>100.20</td><td>-----</td><td>-----</td><td>85.96</td><td>35.94</td><td>10.96</td><td>32.66</td><td>165 175 AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.20	-----	-----	85.96	35.94	10.96	32.66	165 175 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5350.31	44.94	54.00	-9.06	30.57	36.10	10.94	32.67	165 175 AVERAGE																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5320.00	100.20	-----	-----	85.96	35.94	10.96	32.66	165 175 AVERAGE																																																																																				



Mode	61																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-24 Frequency (MHz)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10640.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>46.46</td><td>38.16</td><td>14.32</td><td>51.26 --- Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>42.82</td><td>41.02</td><td>17.19</td><td>53.11 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10640.00	47.68	74.00	-26.32	46.46	38.16	14.32	51.26 --- Peak	2	15960.00	47.92	74.00	-26.08	42.82	41.02	17.19	53.11 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10640.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>46.66</td><td>38.16</td><td>14.32</td><td>51.26 --- Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>42.88</td><td>41.02</td><td>17.19</td><td>53.11 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10640.00	47.88	74.00	-26.12	46.66	38.16	14.32	51.26 --- Peak	2	15960.00	47.98	74.00	-26.02	42.88	41.02	17.19	53.11 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	10640.00	47.68	74.00	-26.32	46.46	38.16	14.32	51.26 --- Peak																																																																																
2	15960.00	47.92	74.00	-26.08	42.82	41.02	17.19	53.11 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10640.00	47.88	74.00	-26.12	46.66	38.16	14.32	51.26 --- Peak																																																																																
2	15960.00	47.98	74.00	-26.02	42.88	41.02	17.19	53.11 --- Peak																																																																																





Mode	62																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.34</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>39.09</td><td>35.93</td><td>11.11</td><td>32.69</td><td>400</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>5462.43</td><td>52.61</td><td>68.30</td><td>-15.69</td><td>38.22</td><td>35.95</td><td>11.13</td><td>32.69</td><td>400</td><td>130</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.34	53.44	74.00	-20.56	39.09	35.93	11.11	32.69	400	130	PEAK	2	5462.43	52.61	68.30	-15.69	38.22	35.95	11.13	32.69	400	130	PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.36</td><td>-----</td><td>-----</td><td>89.70</td><td>36.09</td><td>11.27</td><td>32.70</td><td>400</td><td>130</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.36	-----	-----	89.70	36.09	11.27	32.70	400	130	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5457.34	53.44	74.00	-20.56	39.09	35.93	11.11	32.69	400	130	PEAK																																																																																	
2	5462.43	52.61	68.30	-15.69	38.22	35.95	11.13	32.69	400	130	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	104.36	-----	-----	89.70	36.09	11.27	32.70	400	130	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.98</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>28.37</td><td>36.09</td><td>10.94</td><td>32.67</td><td>400</td><td>130</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.98	42.73	54.00	-11.27	28.37	36.09	10.94	32.67	400	130	AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.96</td><td>-----</td><td>-----</td><td>80.31</td><td>36.08</td><td>11.27</td><td>32.70</td><td>400</td><td>130</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.96	-----	-----	80.31	36.08	11.27	32.70	400	130	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5353.98	42.73	54.00	-11.27	28.37	36.09	10.94	32.67	400	130	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	94.96	-----	-----	80.31	36.08	11.27	32.70	400	130	AVERAGE																																																																																	



Mode	62																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																														
ANT	1+2																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.63</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>40.63</td><td>36.00</td><td>10.90</td><td>32.68</td><td>166</td><td>173 PEAK</td></tr><tr><td>2</td><td>5468.13</td><td>55.35</td><td>68.30</td><td>-12.95</td><td>40.92</td><td>35.97</td><td>11.15</td><td>32.69</td><td>166</td><td>173 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5400.63	54.85	74.00	-19.15	40.63	36.00	10.90	32.68	166	173 PEAK	2	5468.13	55.35	68.30	-12.95	40.92	35.97	11.15	32.69	166	173 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.63</td><td>-----</td><td>-----</td><td>94.92</td><td>36.11</td><td>11.30</td><td>32.70</td><td>166</td><td>173 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.63	-----	-----	94.92	36.11	11.30	32.70	166	173 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5400.63	54.85	74.00	-19.15	40.63	36.00	10.90	32.68	166	173 PEAK																																																																																					
2	5468.13	55.35	68.30	-12.95	40.92	35.97	11.15	32.69	166	173 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	109.63	-----	-----	94.92	36.11	11.30	32.70	166	173 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>30.32</td><td>35.94</td><td>11.12</td><td>32.69</td><td>166</td><td>173 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5460.00	44.69	54.00	-9.31	30.32	35.94	11.12	32.69	166	173 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.17</td><td>-----</td><td>-----</td><td>85.55</td><td>36.07</td><td>11.25</td><td>32.70</td><td>166</td><td>173 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.17	-----	-----	85.55	36.07	11.25	32.70	166	173 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5460.00	44.69	54.00	-9.31	30.32	35.94	11.12	32.69	166	173 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	100.17	-----	-----	85.55	36.07	11.25	32.70	166	173 AVERAGE																																																																																					



Mode	62																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>46.35</td><td>38.00</td><td>14.54</td><td>50.90 --- Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.08</td><td>68.30</td><td>-20.22</td><td>42.62</td><td>41.20</td><td>17.36</td><td>53.10 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11000.00	47.99	74.00	-26.01	46.35	38.00	14.54	50.90 --- Peak	2	16500.00	48.08	68.30	-20.22	42.62	41.20	17.36	53.10 --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>45.42</td><td>38.00</td><td>14.54</td><td>50.90 --- Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.59</td><td>68.30</td><td>-19.71</td><td>43.13</td><td>41.20</td><td>17.36</td><td>53.10 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11000.00	47.06	74.00	-26.94	45.42	38.00	14.54	50.90 --- Peak	2	16500.00	48.59	68.30	-19.71	43.13	41.20	17.36	53.10 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11000.00	47.99	74.00	-26.01	46.35	38.00	14.54	50.90 --- Peak																																																																																
2	16500.00	48.08	68.30	-20.22	42.62	41.20	17.36	53.10 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	11000.00	47.06	74.00	-26.94	45.42	38.00	14.54	50.90 --- Peak																																																																																
2	16500.00	48.59	68.30	-19.71	43.13	41.20	17.36	53.10 --- Peak																																																																																






Mode	63																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal					Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz)					Level (dBuV/m) Date: 2025-02-24 Frequency (MHz)																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11160.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>46.00</td><td>38.06</td><td>14.64</td><td>50.71</td></tr><tr><td>2</td><td>16740.00</td><td>48.69</td><td>68.30</td><td>-19.61</td><td>42.63</td><td>41.44</td><td>17.43</td><td>52.81</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11160.00	47.99	74.00	-26.01	46.00	38.06	14.64	50.71	2	16740.00	48.69	68.30	-19.61	42.63	41.44	17.43	52.81	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11160.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>45.26</td><td>38.06</td><td>14.64</td><td>50.71</td></tr><tr><td>2</td><td>16740.00</td><td>48.12</td><td>68.30</td><td>-20.18</td><td>42.06</td><td>41.44</td><td>17.43</td><td>52.81</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11160.00	47.25	74.00	-26.75	45.26	38.06	14.64	50.71	2	16740.00	48.12	68.30	-20.18	42.06	41.44	17.43	52.81
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	11160.00	47.99	74.00	-26.01	46.00	38.06	14.64	50.71																																																																																												
2	16740.00	48.69	68.30	-19.61	42.63	41.44	17.43	52.81																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	11160.00	47.25	74.00	-26.75	45.26	38.06	14.64	50.71																																																																																												
2	16740.00	48.12	68.30	-20.18	42.06	41.44	17.43	52.81																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>46.00</td><td>38.06</td><td>14.64</td><td>50.71</td></tr><tr><td>2</td><td>16740.00</td><td>48.69</td><td>68.30</td><td>-19.61</td><td>42.63</td><td>41.44</td><td>17.43</td><td>52.81</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11160.00	47.99	74.00	-26.01	46.00	38.06	14.64	50.71	2	16740.00	48.69	68.30	-19.61	42.63	41.44	17.43	52.81	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>45.26</td><td>38.06</td><td>14.64</td><td>50.71</td></tr><tr><td>2</td><td>16740.00</td><td>48.12</td><td>68.30</td><td>-20.18</td><td>42.06</td><td>41.44</td><td>17.43</td><td>52.81</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11160.00	47.25	74.00	-26.75	45.26	38.06	14.64	50.71	2	16740.00	48.12	68.30	-20.18	42.06	41.44	17.43	52.81	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																																												
1	11160.00	47.99	74.00	-26.01	46.00	38.06	14.64	50.71																																																																																												
2	16740.00	48.69	68.30	-19.61	42.63	41.44	17.43	52.81																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																																												
1	11160.00	47.25	74.00	-26.75	45.26	38.06	14.64	50.71																																																																																												
2	16740.00	48.12	68.30	-20.18	42.06	41.44	17.43	52.81																																																																																												





Mode	64																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.44</td><td>54.86</td><td>68.30</td><td>-13.44</td><td>39.33</td><td>36.69</td><td>11.64</td><td>32.80</td><td>388</td><td>127 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5754.44	54.86	68.30	-13.44	39.33	36.69	11.64	32.80	388	127 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>108.71</td><td>-----</td><td>-----</td><td>93.23</td><td>36.59</td><td>11.67</td><td>32.78</td><td>388</td><td>127 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.71	-----	-----	93.23	36.59	11.67	32.78	388	127 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5754.44	54.86	68.30	-13.44	39.33	36.69	11.64	32.80	388	127 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	108.71	-----	-----	93.23	36.59	11.67	32.78	388	127 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.51</td><td>-----</td><td>-----</td><td>82.04</td><td>36.58</td><td>11.67</td><td>32.78</td><td>388</td><td>127 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.51	-----	-----	82.04	36.58	11.67	32.78	388	127 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	97.51	-----	-----	82.04	36.58	11.67	32.78	388	127 AVERAGE																																																																										



Mode	64																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.51</td><td>56.06</td><td>68.30</td><td>-12.24</td><td>40.53</td><td>36.68</td><td>11.65</td><td>32.80</td><td>141</td><td>154</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5738.51	56.06	68.30	-12.24	40.53	36.68	11.65	32.80	141	154	PEAK	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.15</td><td>-----</td><td>-----</td><td>93.67</td><td>36.60</td><td>11.66</td><td>32.78</td><td>141</td><td>154</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.15	-----	-----	93.67	36.60	11.66	32.78	141	154	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5738.51	56.06	68.30	-12.24	40.53	36.68	11.65	32.80	141	154	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	109.15	-----	-----	93.67	36.60	11.66	32.78	141	154	PEAK																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.82</td><td>-----</td><td>-----</td><td>85.34</td><td>36.59</td><td>11.67</td><td>32.78</td><td>141</td><td>154</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.82	-----	-----	85.34	36.59	11.67	32.78	141	154	AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	100.82	-----	-----	85.34	36.59	11.67	32.78	141	154	AVERAGE																																																																																	



Mode	64																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11400.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>45.23</td><td>38.20</td><td>14.78</td><td>50.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.55</td><td>68.30</td><td>-19.75</td><td>40.74</td><td>43.00</td><td>17.53</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	47.79	74.00	-26.21	45.23	38.20	14.78	50.42	---	---	Peak	2	17100.00	48.55	68.30	-19.75	40.74	43.00	17.53	52.72	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11400.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>45.00</td><td>38.20</td><td>14.78</td><td>50.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.46</td><td>68.30</td><td>-19.84</td><td>40.65</td><td>43.00</td><td>17.53</td><td>52.72</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	47.56	74.00	-26.44	45.00	38.20	14.78	50.42	---	---	Peak	2	17100.00	48.46	68.30	-19.84	40.65	43.00	17.53	52.72	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11400.00	47.79	74.00	-26.21	45.23	38.20	14.78	50.42	---	---	Peak																																																																																																									
2	17100.00	48.55	68.30	-19.75	40.74	43.00	17.53	52.72	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11400.00	47.56	74.00	-26.44	45.00	38.20	14.78	50.42	---	---	Peak																																																																																																									
2	17100.00	48.46	68.30	-19.84	40.65	43.00	17.53	52.72	---	---	Peak																																																																																																									







Mode	65																																																																																							
	Band Edge - L																																																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.84</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>40.46</td><td>35.71</td><td>11.09</td><td>32.63</td><td>157</td><td>109 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5145.84	54.63	74.00	-19.37	40.46	35.71	11.09	32.63	157	109 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.28</td><td>-----</td><td>-----</td><td>88.08</td><td>35.77</td><td>11.07</td><td>32.64</td><td>157</td><td>109 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.28	-----	-----	88.08	35.77	11.07	32.64	157	109 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5145.84	54.63	74.00	-19.37	40.46	35.71	11.09	32.63	157	109 PEAK																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5190.00	102.28	-----	-----	88.08	35.77	11.07	32.64	157	109 PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.06</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>30.62</td><td>35.70</td><td>11.09</td><td>32.63</td><td>157</td><td>109 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.06	44.78	54.00	-9.22	30.62	35.70	11.09	32.63	157	109 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.36</td><td>-----</td><td>-----</td><td>79.16</td><td>35.78</td><td>11.06</td><td>32.64</td><td>157</td><td>109 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.36	-----	-----	79.16	35.78	11.06	32.64	157	109 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5149.06	44.78	54.00	-9.22	30.62	35.70	11.09	32.63	157	109 AVERAGE																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5190.00	93.36	-----	-----	79.16	35.78	11.06	32.64	157	109 AVERAGE																																																																														



Mode	65																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.48</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>38.52</td><td>35.98</td><td>10.91</td><td>32.68</td><td>157</td><td>109 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5410.48	52.73	74.00	-21.27	38.52	35.98	10.91	32.68	157	109 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5410.48	52.73	74.00	-21.27	38.52	35.98	10.91	32.68	157	109 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.51</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>28.57</td><td>36.09</td><td>10.94</td><td>32.67</td><td>157</td><td>109 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.51	42.93	54.00	-11.07	28.57	36.09	10.94	32.67	157	109 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5353.51	42.93	54.00	-11.07	28.57	36.09	10.94	32.67	157	109 AVERAGE																																									







Mode	65																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.73</td><td>55.52</td><td>74.00</td><td>-18.48</td><td>41.36</td><td>35.70</td><td>11.09</td><td>32.63</td><td>129 158 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5147.73	55.52	74.00	-18.48	41.36	35.70	11.09	32.63	129 158 PEAK	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>104.16</td><td>-----</td><td>-----</td><td>89.95</td><td>35.79</td><td>11.06</td><td>32.64</td><td>129 158 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	104.16	-----	-----	89.95	35.79	11.06	32.64	129 158 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5147.73	55.52	74.00	-18.48	41.36	35.70	11.09	32.63	129 158 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5190.00	104.16	-----	-----	89.95	35.79	11.06	32.64	129 158 PEAK																																																																										
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.26</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>31.30</td><td>35.70</td><td>11.09</td><td>32.63</td><td>129 158 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.26	45.46	54.00	-8.54	31.30	35.70	11.09	32.63	129 158 AVERAGE	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>95.51</td><td>-----</td><td>-----</td><td>81.32</td><td>35.76</td><td>11.07</td><td>32.64</td><td>129 158 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	95.51	-----	-----	81.32	35.76	11.07	32.64	129 158 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5149.26	45.46	54.00	-8.54	31.30	35.70	11.09	32.63	129 158 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5190.00	95.51	-----	-----	81.32	35.76	11.07	32.64	129 158 AVERAGE																																																																										



Mode	65																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																	
ANT	1+2																																																	
Pol.	Vertical					Fundamental																																												
Peak	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.77</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>38.81</td><td>35.91</td><td>11.06</td><td>32.69</td><td>129 158 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5444.77	53.09	74.00	-20.91	38.81	35.91	11.06	32.69	129 158 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5444.77	53.09	74.00	-20.91	38.81	35.91	11.06	32.69	129 158 PEAK																																									
Avg	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.81</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>28.50</td><td>36.10</td><td>10.94</td><td>32.67</td><td>129 158 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.81	42.87	54.00	-11.13	28.50	36.10	10.94	32.67	129 158 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5350.81	42.87	54.00	-11.13	28.50	36.10	10.94	32.67	129 158 AVERAGE																																									



		66																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz																																																																																																			
ANT		1+2																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5069.14</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>39.20</td><td>35.80</td><td>11.13</td><td>32.61</td><td>155</td><td>109 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5069.14	53.52	74.00	-20.48	39.20	35.80	11.13	32.61	155	109 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>101.79</td><td>-----</td><td>-----</td><td>87.61</td><td>35.80</td><td>11.03</td><td>32.65</td><td>155</td><td>109 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	101.79	-----	-----	87.61	35.80	11.03	32.65	155
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5069.14	53.52	74.00	-20.48	39.20	35.80	11.13	32.61	155	109 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5230.00	101.79	-----	-----	87.61	35.80	11.03	32.65	155	109 PEAK																																																																																											
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.23</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>29.11</td><td>35.74</td><td>11.10</td><td>32.63</td><td>155</td><td>109 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5128.23	43.32	54.00	-10.68	29.11	35.74	11.10	32.63	155	109 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>93.12</td><td>-----</td><td>-----</td><td>78.94</td><td>35.80</td><td>11.03</td><td>32.65</td><td>155</td><td>109 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.12	-----	-----	78.94	35.80	11.03	32.65	155
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5128.23	43.32	54.00	-10.68	29.11	35.74	11.10	32.63	155	109 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5230.00	93.12	-----	-----	78.94	35.80	11.03	32.65	155	109 AVERAGE																																																																																											



Mode	66																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz																																										
ANT	1+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2025-02-22 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.80</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>38.24</td><td>36.09</td><td>10.94</td><td>32.67</td><td>155</td><td>109 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.80	52.60	74.00	-21.40	38.24	36.09	10.94	32.67	155	109 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5354.80	52.60	74.00	-21.40	38.24	36.09	10.94	32.67	155	109 PEAK																																	
Avg	Date: 2025-02-22 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.69</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>28.42</td><td>36.08</td><td>10.94</td><td>32.67</td><td>155</td><td>109 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.69	42.77	54.00	-11.23	28.42	36.08	10.94	32.67	155	109 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5358.69	42.77	54.00	-11.23	28.42	36.08	10.94	32.67	155	109 AVERAGE																																	







		66									
Mode		Band Edge - L									
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz									
ANT		1+2									
Pol.		Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-22										



Mode	66									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_5230MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak	<									







		67																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																																																																																
ANT		1+2																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.56</td><td>53.18</td><td>74.00</td><td>-20.82</td><td>38.92</td><td>35.77</td><td>11.11</td><td>32.62</td><td>160</td><td>110</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5113.56	53.18	74.00	-20.82	38.92	35.77	11.11	32.62	160	110	PEAK	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>102.95</td><td>-----</td><td>-----</td><td>88.81</td><td>35.80</td><td>11.00</td><td>32.66</td><td>160</td><td>110</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	102.95	-----	-----	88.81	35.80	11.00	32.66	160	110	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5113.56	53.18	74.00	-20.82	38.92	35.77	11.11	32.62	160	110	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5270.00	102.95	-----	-----	88.81	35.80	11.00	32.66	160	110	PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.19</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>29.03</td><td>35.78</td><td>11.11</td><td>32.62</td><td>160</td><td>110</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5112.19	43.30	54.00	-10.70	29.03	35.78	11.11	32.62	160	110	AVERAGE	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>92.80</td><td>-----</td><td>-----</td><td>78.65</td><td>35.80</td><td>11.00</td><td>32.65</td><td>160</td><td>110</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	92.80	-----	-----	78.65	35.80	11.00	32.65	160	110	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5112.19	43.30	54.00	-10.70	29.03	35.78	11.11	32.62	160	110	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5270.00	92.80	-----	-----	78.65	35.80	11.00	32.65	160	110	AVERAGE																																																																																							





Mode	67																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																										
ANT	1+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.65</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>38.83</td><td>35.94</td><td>11.00</td><td>32.69</td><td>160</td><td>110 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5430.65	53.08	74.00	-20.92	38.83	35.94	11.00	32.69	160	110 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5430.65	53.08	74.00	-20.92	38.83	35.94	11.00	32.69	160	110 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.85</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>28.81</td><td>36.06</td><td>10.93</td><td>32.67</td><td>160</td><td>110 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5369.85	43.13	54.00	-10.87	28.81	36.06	10.93	32.67	160	110 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5369.85	43.13	54.00	-10.87	28.81	36.06	10.93	32.67	160	110 AVERAGE																																	



Mode	67	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-02-22  1 5145.40 54.14 74.00 -19.86 39.97 35.71 11.09 32.63 171 176 PEAK	Level (dBuV/m) Date: 2025-02-22  1 5270.00 106.82 ----- 92.66 35.80 11.01 32.65 171 176 PEAK
	Level (dBuV/m) Date: 2025-02-22  1 5146.23 43.79 54.00 -10.21 29.62 35.71 11.09 32.63 171 176 AVERAGE	Level (dBuV/m) Date: 2025-02-22  1 5270.00 97.72 ----- 83.56 35.80 11.01 32.65 171 176 AVERAGE



Mode	67																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_5270MHz																																																	
ANT	1+2																																																	
Pol.	Vertical					Fundamental																																												
Peak	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.13</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>40.78</td><td>36.09</td><td>10.94</td><td>32.67</td><td>171 176 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.13	55.14	74.00	-18.86	40.78	36.09	10.94	32.67	171 176 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5353.13	55.14	74.00	-18.86	40.78	36.09	10.94	32.67	171 176 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-02-22  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.23</td><td>44.79</td><td>54.00</td><td>-9.21</td><td>30.42</td><td>36.10</td><td>10.94</td><td>32.67</td><td>171 176 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.23	44.79	54.00	-9.21	30.42	36.10	10.94	32.67	171 176 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5351.23	44.79	54.00	-9.21	30.42	36.10	10.94	32.67	171 176 AVERAGE																																									







		68																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_5310MHz																																																																																		
ANT		1+2																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5073.35</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>38.92</td><td>35.80</td><td>11.13</td><td>32.61</td><td>156 109 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>100.88</td><td>-----</td><td>-----</td><td>86.75</td><td>35.80</td><td>10.99</td><td>32.66</td><td>156 109 PEAK</td></tr></tbody></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5073.35	53.24	74.00	-20.76	38.92	35.80	11.13	32.61	156 109 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.88	-----	-----	86.75	35.80	10.99	32.66	156 109 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5073.35	53.24	74.00	-20.76	38.92	35.80	11.13	32.61	156 109 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5310.00	100.88	-----	-----	86.75	35.80	10.99	32.66	156 109 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5044.52</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>28.56</td><td>35.80</td><td>11.14</td><td>32.61</td><td>156 109 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>90.91</td><td>-----</td><td>-----</td><td>76.79</td><td>35.80</td><td>10.98</td><td>32.66</td><td>156 109 AVERAGE</td></tr></tbody></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5044.52	42.89	54.00	-11.11	28.56	35.80	11.14	32.61	156 109 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.91	-----	-----	76.79	35.80	10.98	32.66	156 109 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5044.52	42.89	54.00	-11.11	28.56	35.80	11.14	32.61	156 109 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5310.00	90.91	-----	-----	76.79	35.80	10.98	32.66	156 109 AVERAGE																																																																											







Mode	68																																																
	Band Edge - L																																																
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_5310MHz																																																
ANT	1+2																																																
Pol.	Vertical					Fundamental																																											
Peak	Level (dBuV/m) Date: 2025-02-22 1 5045.14 53.32 74.00 -20.68 38.99 35.80 11.14 32.61 158 172 PEAK					Level (dBuV/m) Date: 2025-02-22 1 5310.00 105.04 ----- 90.86 35.87 10.97 32.66 158 172 PEAK																																											
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5045.14</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>38.99</td><td>35.80</td><td>11.14</td><td>32.61</td><td>158 172 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5045.14	53.32	74.00	-20.68	38.99	35.80	11.14	32.61	158 172 PEAK	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5310.00</td><td>105.04</td><td>-----</td><td>-----</td><td>90.86</td><td>35.87</td><td>10.97</td><td>32.66</td><td>158 172 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5310.00	105.04	-----	-----	90.86	35.87	10.97	32.66
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1	5045.14	53.32	74.00	-20.68	38.99	35.80	11.14	32.61	158 172 PEAK																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1	5310.00	105.04	-----	-----	90.86	35.87	10.97	32.66	158 172 PEAK																																								
Avg	Level (dBuV/m) Date: 2025-02-22 1 5117.34 43.07 54.00 -10.93 28.82 35.77 11.10 32.62 158 172 AVERAGE					Level (dBuV/m) Date: 2025-02-22 1 5310.00 96.09 ----- 81.91 35.87 10.97 32.66 158 172 AVERAGE																																											
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5117.34</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>28.82</td><td>35.77</td><td>11.10</td><td>32.62</td><td>158 172 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5117.34	43.07	54.00	-10.93	28.82	35.77	11.10	32.62	158 172 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5310.00</td><td>96.09</td><td>-----</td><td>-----</td><td>81.91</td><td>35.87</td><td>10.97</td><td>32.66</td><td>158 172 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5310.00	96.09	-----	-----	81.91	35.87	10.97	32.66
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1	5117.34	43.07	54.00	-10.93	28.82	35.77	11.10	32.62	158 172 AVERAGE																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																								
1	5310.00	96.09	-----	-----	81.91	35.87	10.97	32.66	158 172 AVERAGE																																								



Mode	69																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_5510MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2025-02-22 5350 5382 5414 5446 5478 5510 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5368.02</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>38.51</td><td>36.06</td><td>10.93</td><td>32.67</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5461.60</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>38.06</td><td>35.95</td><td>11.13</td><td>32.69</td><td>400</td><td>135</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5368.02	52.83	74.00	-21.17	38.51	36.06	10.93	32.67	400	135	PEAK	2	5461.60	52.45	68.30	-15.85	38.06	35.95	11.13	32.69	400	135	PEAK	 Level (dBuV/m) Date: 2025-02-22 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.99</td><td>-----</td><td>-----</td><td>86.22</td><td>36.13</td><td>11.35</td><td>32.71</td><td>400</td><td>135</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.99	-----	-----	86.22	36.13	11.35	32.71	400	135	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5368.02	52.83	74.00	-21.17	38.51	36.06	10.93	32.67	400	135	PEAK																																																																																											
2	5461.60	52.45	68.30	-15.85	38.06	35.95	11.13	32.69	400	135	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5510.00	100.99	-----	-----	86.22	36.13	11.35	32.71	400	135	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-02-22 5350 5382 5414 5446 5478 5510 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5406.56</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>28.49</td><td>35.99</td><td>10.90</td><td>32.68</td><td>400</td><td>135</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5406.56	42.70	54.00	-11.30	28.49	35.99	10.90	32.68	400	135	AVERAGE	 Level (dBuV/m) Date: 2025-02-22 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.15</td><td>-----</td><td>-----</td><td>76.41</td><td>36.12</td><td>11.32</td><td>32.70</td><td>400</td><td>135</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.15	-----	-----	76.41	36.12	11.32	32.70	400	135	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5406.56	42.70	54.00	-11.30	28.49	35.99	10.90	32.68	400	135	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5510.00	91.15	-----	-----	76.41	36.12	11.32	32.70	400	135	AVERAGE																																																																																											




Mode	69																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_5510MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.76</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>40.84</td><td>35.93</td><td>11.11</td><td>32.69</td><td>158 172 PEAK</td></tr><tr><td>2</td><td>5465.46</td><td>56.10</td><td>68.30</td><td>-12.20</td><td>41.69</td><td>35.96</td><td>11.14</td><td>32.69</td><td>158 172 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.76	55.19	74.00	-18.81	40.84	35.93	11.11	32.69	158 172 PEAK	2	5465.46	56.10	68.30	-12.20	41.69	35.96	11.14	32.69	158 172 PEAK	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.92</td><td>-----</td><td>-----</td><td>91.26</td><td>36.09</td><td>11.27</td><td>32.70</td><td>158 172 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.92	-----	-----	91.26	36.09	11.27	32.70	158 172 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5457.76	55.19	74.00	-18.81	40.84	35.93	11.11	32.69	158 172 PEAK																																																																																											
2	5465.46	56.10	68.30	-12.20	41.69	35.96	11.14	32.69	158 172 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	105.92	-----	-----	91.26	36.09	11.27	32.70	158 172 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.68</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>30.90</td><td>35.94</td><td>11.12</td><td>32.69</td><td>158 172 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	45.27	54.00	-8.73	30.90	35.94	11.12	32.69	158 172 AVERAGE	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.66</td><td>-----</td><td>-----</td><td>82.86</td><td>36.14</td><td>11.37</td><td>32.71</td><td>158 172 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.66	-----	-----	82.86	36.14	11.37	32.71	158 172 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.68	45.27	54.00	-8.73	30.90	35.94	11.12	32.69	158 172 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	97.66	-----	-----	82.86	36.14	11.37	32.71	158 172 AVERAGE																																																																																											



Mode	70																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5400.43</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>38.44</td><td>36.00</td><td>10.91</td><td>32.68</td><td>395 126 PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>51.79</td><td>68.30</td><td>-16.51</td><td>37.36</td><td>35.97</td><td>11.15</td><td>32.69</td><td>395 126 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5400.43	52.67	74.00	-21.33	38.44	36.00	10.91	32.68	395 126 PEAK	2	5466.96	51.79	68.30	-16.51	37.36	35.97	11.15	32.69	395 126 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.25</td><td>-----</td><td>-----</td><td>88.81</td><td>36.53</td><td>11.68</td><td>32.77</td><td>395 126 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.25	-----	-----	88.81	36.53	11.68	32.77	395 126 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5400.43	52.67	74.00	-21.33	38.44	36.00	10.91	32.68	395 126 PEAK																																																																																			
2	5466.96	51.79	68.30	-16.51	37.36	35.97	11.15	32.69	395 126 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5670.00	104.25	-----	-----	88.81	36.53	11.68	32.77	395 126 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.27</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>28.24</td><td>35.91</td><td>11.05</td><td>32.69</td><td>395 126 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5444.27	42.51	54.00	-11.49	28.24	35.91	11.05	32.69	395 126 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>93.88</td><td>-----</td><td>-----</td><td>78.44</td><td>36.52</td><td>11.68</td><td>32.76</td><td>395 126 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.88	-----	-----	78.44	36.52	11.68	32.76	395 126 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5444.27	42.51	54.00	-11.49	28.24	35.91	11.05	32.69	395 126 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5670.00	93.88	-----	-----	78.44	36.52	11.68	32.76	395 126 AVERAGE																																																																																			



Mode	70																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz																																												
ANT	1+2																																												
Pol.	Horizontal					Fundamental																																							
Peak	Date: 2025-02-22  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.51</td><td>54.36</td><td>68.30</td><td>-13.94</td><td>38.83</td><td>36.69</td><td>11.64</td><td>32.80</td><td>395 126 PEAK</td></tr></table> Blank						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5754.51	54.36	68.30	-13.94	38.83	36.69	11.64	32.80	395 126 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																				
1	5754.51	54.36	68.30	-13.94	38.83	36.69	11.64	32.80	395 126 PEAK																																				







Mode	70																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_5670MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.19</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>38.52</td><td>35.92</td><td>11.10</td><td>32.69</td><td>139 155 PEAK</td></tr><tr><td>2</td><td>5467.31</td><td>51.99</td><td>68.30</td><td>-16.31</td><td>37.56</td><td>35.97</td><td>11.15</td><td>32.69</td><td>139 155 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.19	52.85	74.00	-21.15	38.52	35.92	11.10	32.69	139 155 PEAK	2	5467.31	51.99	68.30	-16.31	37.56	35.97	11.15	32.69	139 155 PEAK	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.87</td><td>-----</td><td>-----</td><td>90.43</td><td>36.51</td><td>11.69</td><td>32.76</td><td>139 155 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.87	-----	-----	90.43	36.51	11.69	32.76	139 155 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5454.19	52.85	74.00	-21.15	38.52	35.92	11.10	32.69	139 155 PEAK																																																																																			
2	5467.31	51.99	68.30	-16.31	37.56	35.97	11.15	32.69	139 155 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5670.00	105.87	-----	-----	90.43	36.51	11.69	32.76	139 155 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>28.46</td><td>35.94</td><td>11.12</td><td>32.69</td><td>139 155 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	42.83	54.00	-11.17	28.46	35.94	11.12	32.69	139 155 AVERAGE	Level (dBuV/m) Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.51</td><td>-----</td><td>-----</td><td>82.07</td><td>36.52</td><td>11.68</td><td>32.76</td><td>139 155 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.51	-----	-----	82.07	36.52	11.68	32.76	139 155 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.60	42.83	54.00	-11.17	28.46	35.94	11.12	32.69	139 155 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5670.00	97.51	-----	-----	82.07	36.52	11.68	32.76	139 155 AVERAGE																																																																																			



Mode	71																																																		
	Band Edge - L																																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																		
ANT	1+2																																																		
Pol.	Horizontal																																																		
Peak	Fundamental																																																		
	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5085.81</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>39.56</td><td>35.80</td><td>11.12</td><td>32.62</td><td>162 108 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5085.81	53.86	74.00	-20.14	39.56	35.80	11.12	32.62	162 108 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5085.81	53.86	74.00	-20.14	39.56	35.80	11.12	32.62	162 108 PEAK																																										
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.84</td><td>43.60</td><td>54.00</td><td>-10.40</td><td>29.44</td><td>35.70</td><td>11.09</td><td>32.63</td><td>162 108 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.84	43.60	54.00	-10.40	29.44	35.70	11.09	32.63	162 108 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5149.84	43.60	54.00	-10.40	29.44	35.70	11.09	32.63	162 108 AVERAGE																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.54</td><td>-----</td><td>-----</td><td>85.33</td><td>35.80</td><td>11.05</td><td>32.64</td><td>162 108 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.54	-----	-----	85.33	35.80	11.05	32.64	162 108 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5210.00	99.54	-----	-----	85.33	35.80	11.05	32.64	162 108 PEAK																																										
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz)																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>89.36</td><td>-----</td><td>-----</td><td>75.15</td><td>35.79</td><td>11.06</td><td>32.64</td><td>162 108 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.36	-----	-----	75.15	35.79	11.06	32.64	162 108 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5210.00	89.36	-----	-----	75.15	35.79	11.06	32.64	162 108 AVERAGE																																										







		71																																																																																									
Mode		Band Edge - L																																																																																									
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																																																																									
ANT		1+2																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.43</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>40.09</td><td>35.71</td><td>11.09</td><td>32.63</td><td>129</td><td>154 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5145.43	54.26	74.00	-19.74	40.09	35.71	11.09	32.63	129	154 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>101.24</td><td>-----</td><td>-----</td><td>87.05</td><td>35.76</td><td>11.07</td><td>32.64</td><td>129</td><td>154 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	101.24	-----	-----	87.05	35.76	11.07	32.64	129
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5145.43	54.26	74.00	-19.74	40.09	35.71	11.09	32.63	129	154 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	101.24	-----	-----	87.05	35.76	11.07	32.64	129	154 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.65</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>30.42</td><td>35.70</td><td>11.09</td><td>32.63</td><td>129</td><td>154 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.65	44.58	54.00	-9.42	30.42	35.70	11.09	32.63	129	154 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>92.05</td><td>-----</td><td>-----</td><td>77.86</td><td>35.76</td><td>11.07</td><td>32.64</td><td>129</td><td>154 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.05	-----	-----	77.86	35.76	11.07	32.64	129
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.65	44.58	54.00	-9.42	30.42	35.70	11.09	32.63	129	154 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5210.00	92.05	-----	-----	77.86	35.76	11.07	32.64	129	154 AVERAGE																																																																																	



Mode	71																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_5210MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5386.38</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>38.73</td><td>36.03</td><td>10.92</td><td>32.68</td><td>129</td><td>154 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5386.38	53.00	74.00	-21.00	38.73	36.03	10.92	32.68	129	154 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5386.38	53.00	74.00	-21.00	38.73	36.03	10.92	32.68	129	154 PEAK																																	
Avg	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.38</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>28.44</td><td>36.06</td><td>10.93</td><td>32.67</td><td>129</td><td>154 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5372.38	42.76	54.00	-11.24	28.44	36.06	10.93	32.67	129	154 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5372.38	42.76	54.00	-11.24	28.44	36.06	10.93	32.67	129	154 AVERAGE																																	



Mode	72																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5103.68</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>39.91</td><td>35.79</td><td>11.11</td><td>32.62</td><td>394 116 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5103.68	54.19	74.00	-19.81	39.91	35.79	11.11	32.62	394 116 PEAK	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.12</td><td>-----</td><td>83.97</td><td>35.83</td><td>10.98</td><td>32.66</td><td>394</td><td>116 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	98.12	-----	83.97	35.83	10.98	32.66	394	116 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5103.68	54.19	74.00	-19.81	39.91	35.79	11.11	32.62	394 116 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	98.12	-----	83.97	35.83	10.98	32.66	394	116 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5062.23</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>28.50</td><td>35.80</td><td>11.13</td><td>32.61</td><td>394 116 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5062.23	42.82	54.00	-11.18	28.50	35.80	11.13	32.61	394 116 AVERAGE	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>87.56</td><td>-----</td><td>73.44</td><td>35.80</td><td>10.98</td><td>32.66</td><td>394</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	87.56	-----	73.44	35.80	10.98	32.66	394	116 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5062.23	42.82	54.00	-11.18	28.50	35.80	11.13	32.61	394 116 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	87.56	-----	73.44	35.80	10.98	32.66	394	116 AVERAGE																																																																																	





Mode	72									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak										



Mode	72																																																																													
	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																																													
ANT	1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5103.68</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>39.30</td><td>35.79</td><td>11.11</td><td>32.62</td><td>152</td><td>172 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5103.68	53.58	74.00	-20.42	39.30	35.79	11.11	32.62	152	172 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>102.26</td><td>-----</td><td>-----</td><td>88.14</td><td>35.80</td><td>10.98</td><td>32.66</td><td>152</td><td>172 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	102.26	-----	-----	88.14	35.80	10.98	32.66	152	172 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5103.68	53.58	74.00	-20.42	39.30	35.79	11.11	32.62	152	172 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5290.00	102.26	-----	-----	88.14	35.80	10.98	32.66	152	172 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5103.68</td><td>43.41</td><td>54.00</td><td>-10.59</td><td>29.13</td><td>35.79</td><td>11.11</td><td>32.62</td><td>152</td><td>172 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5103.68	43.41	54.00	-10.59	29.13	35.79	11.11	32.62	152	172 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>92.61</td><td>-----</td><td>-----</td><td>78.43</td><td>35.87</td><td>10.97</td><td>32.66</td><td>152</td><td>172 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	92.61	-----	-----	78.43	35.87	10.97	32.66	152	172 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5103.68	43.41	54.00	-10.59	29.13	35.79	11.11	32.62	152	172 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5290.00	92.61	-----	-----	78.43	35.87	10.97	32.66	152	172 AVERAGE																																																																					



Mode	72																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_5290MHz																																																		
ANT	1+2																																																		
Pol.	Vertical					Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.26</td><td>57.19</td><td>74.00</td><td>-16.81</td><td>42.84</td><td>36.08</td><td>10.94</td><td>32.67</td><td>152</td><td>171 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.26	57.19	74.00	-16.81	42.84	36.08	10.94	32.67	152	171 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5358.26	57.19	74.00	-16.81	42.84	36.08	10.94	32.67	152	171 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.09</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>33.83</td><td>36.08</td><td>10.94</td><td>32.67</td><td>152</td><td>171 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.09	48.18	54.00	-5.82	33.83	36.08	10.94	32.67	152	171 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5358.09	48.18	54.00	-5.82	33.83	36.08	10.94	32.67	152	171 AVERAGE																																									



Mode	73																																																						
	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_5530MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal	Fundamental																																																					
Peak	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5395.81</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>39.16</td><td>36.01</td><td>10.91</td><td>32.68</td><td>394</td><td>122 PEAK</td></tr><tr><td>2</td><td>5461.17</td><td>52.86</td><td>68.30</td><td>-15.44</td><td>38.48</td><td>35.94</td><td>11.13</td><td>32.69</td><td>394</td><td>122 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5395.81	53.40	74.00	-20.60	39.16	36.01	10.91	32.68	394	122 PEAK	2	5461.17	52.86	68.30	-15.44	38.48	35.94	11.13	32.69	394	122 PEAK	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5530.00</td><td>97.51</td><td>-----</td><td>-----</td><td>82.60</td><td>36.18</td><td>11.45</td><td>32.72</td><td>394</td><td>122 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5530.00	97.51	-----	-----	82.60	36.18	11.45	32.72	394	122 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																													
1	5395.81	53.40	74.00	-20.60	39.16	36.01	10.91	32.68	394	122 PEAK																																													
2	5461.17	52.86	68.30	-15.44	38.48	35.94	11.13	32.69	394	122 PEAK																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	5530.00	97.51	-----	-----	82.60	36.18	11.45	32.72	394	122 PEAK																																													
Avg	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5410.93</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>28.87</td><td>35.98</td><td>10.92</td><td>32.68</td><td>394</td><td>122 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5410.93	43.09	54.00	-10.91	28.87	35.98	10.92	32.68	394	122 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5530.00</td><td>88.67</td><td>-----</td><td>-----</td><td>73.73</td><td>36.19</td><td>11.47</td><td>32.72</td><td>394</td><td>122 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5530.00	88.67	-----	-----	73.73	36.19	11.47	32.72	394	122 AVERAGE											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	5410.93	43.09	54.00	-10.91	28.87	35.98	10.92	32.68	394	122 AVERAGE																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	5530.00	88.67	-----	-----	73.73	36.19	11.47	32.72	394	122 AVERAGE																																													

