


































































In-Band Emissions

Test Result


TestMode	Antenna	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20MIMO	Ant1	5955	Small RU 52+26	1	See test graph	See test graph	PASS
			Small RU 106+26	1	See test graph	See test graph	PASS
	Ant2	5955	Small RU 52+26	1	See test graph	See test graph	PASS
			Small RU 106+26	1	See test graph	See test graph	PASS
	Ant1	6435	Small RU 52+26	1	See test graph	See test graph	PASS
			Small RU 106+26	1	See test graph	See test graph	PASS
	Ant2	6435	Small RU 52+26	1	See test graph	See test graph	PASS
			Small RU 106+26	1	See test graph	See test graph	PASS
	Ant1	6535	Small RU 52+26	1	See test graph	See test graph	PASS
			Small RU 106+26	1	See test graph	See test graph	PASS
	Ant2	6535	Small RU 52+26	1	See test graph	See test graph	PASS
			Small RU 106+26	1	See test graph	See test graph	PASS
	Ant1	7095	Small RU 52+26	3	See test graph	See test graph	PASS
			Small RU 106+26	2	See test graph	See test graph	PASS
	Ant2	7095	Small RU 52+26	3	See test graph	See test graph	PASS
			Small RU 106+26	2	See test graph	See test graph	PASS
	Ant1	7115	Small RU 52+26	3	See test graph	See test graph	PASS
			Small RU 106+26	2	See test graph	See test graph	PASS
	Ant2	7115	Small RU 52+26	3	See test graph	See test graph	PASS
			Small RU 106+26	2	See test graph	See test graph	PASS
11BE80MIMO	Ant1	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant2	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant1	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160MIMO	Ant1	6025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant2	6025	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS






	Ant1	6985	Puncturing 20M	8	See test graph	See test graph	PASS
			Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant2	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE320MIMO	Ant1	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant2	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant1	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant2	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS






Test Graphs



















11BE20MIMO_Ant2_6535_Small RU 106+26_1



Date: 27.FEB.2025 04:44:28


11BE20MIMO_Ant1_7095_Small RU 52+26_3



Date: 27.FEB.2025 04:46:13




11BE20MIMO_Ant1_7095_Small RU 106+26_2





Date: 27.FEB.2025 04:47:35

11BE20MIMO_Ant2_7095_Small RU 52+26_3




Date: 27.FEB.2025 04:46:52






11BE20MIMO_Ant1_7115_Small RU 106+26_2



Date: 27.FEB.2025 04:50:28


11BE20MIMO_Ant2_7115_Small RU 52+26_3



Date: 27.FEB.2025 04:49:54




11BE20MIMO_Ant2_7115_Small RU 106+26_2





Date: 27.FEB.2025 04:51:02

11BE80MIMO_Ant1_5985_Large RU 484+242_4




Date: 27.FEB.2025 02:28:02






11BE80MIMO_Ant2_5985_Puncturing 20M_4





Date: 26.FEB.2025 05:58:52

11BE80MIMO_Ant1_7025_Large RU 484+242_1




Date: 27.FEB.2025 02:33:54






11BE80MIMO_Ant2_7025_Puncturing 20M_1




11BE160MIMO_Ant1_6025_Large RU 996+484_4






11BE160MIMO_Ant1_6025_Puncturing 40M_4





Date: 26.FEB.2025 06:02:23

11BE160MIMO_Ant1_6025_Puncturing 20M_8




Date: 26.FEB.2025 06:04:49










11BE160MIMO_Ant2_6025_Puncturing 20M_8






11BE160MIMO_Ant1_6985_Large RU 996+484_1















11BE320MIMO_Ant1_6105_Puncturing 80M+40M_6




11BE320MIMO_Ant1_6105_Puncturing 80M_4






11BE320MIMO_Ant1_6105_Puncturing 40M_8



Date: 26.FEB.2025 06:24:19


11BE320MIMO_Ant2_6105_Large RU 996*2+484_6



Date: 27.FEB.2025 02:49:09




11BE320MIMO_Ant2_6105_Large RU 996*3_4





Date: 27.FEB.2025 02:51:19

11BE320MIMO_Ant2_6105_Large RU 996*3+484_8




Date: 27.FEB.2025 02:53:57






11BE320MIMO_Ant2_6105_Puncturing 40M_8







Date: 26.FEB.2025 06:25:16



11BE320MIMO_Ant1_6905_Large RU 996*2+484_7





Date: 27.FEB.2025 02:55:43













11BE320MIMO_Ant2_6905_Puncturing 80M+40M_7




Date: 26.FEB.2025 06:28:10

11BE320MIMO_Ant2_6905_Puncturing 80M_1




Date: 27.FEB.2025 02:12:17





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	37.55	-18.32	55.87	17.70	9.66	10.19	Average
2 *	0.15	48.75	-17.12	65.87	28.90	9.66	10.19	QP
3	0.22	29.60	-23.28	52.88	9.70	9.71	10.19	Average
4	0.22	42.90	-19.98	62.88	23.00	9.71	10.19	QP
5	0.29	24.65	-25.98	50.63	4.70	9.75	10.20	Average
6	0.29	35.25	-25.38	60.63	15.30	9.75	10.20	QP
7	0.52	25.11	-20.89	46.00	5.20	9.67	10.24	Average
8	0.52	35.31	-20.69	56.00	15.40	9.67	10.24	QP
9	0.59	27.00	-19.00	46.00	7.10	9.66	10.24	Average
10	0.59	37.50	-18.50	56.00	17.60	9.66	10.24	QP
11	0.88	20.50	-25.50	46.00	0.61	9.66	10.23	Average
12	0.88	30.60	-25.40	56.00	10.71	9.66	10.23	QP



Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	36.92	-18.68	55.60	17.10	9.63	10.19	Average
2 *	0.16	48.12	-17.48	65.60	28.30	9.63	10.19	QP
3	0.20	27.73	-26.03	53.76	7.70	9.85	10.18	Average
4	0.20	41.23	-22.53	63.76	21.20	9.85	10.18	QP
5	0.28	24.48	-26.28	50.76	4.50	9.78	10.20	Average
6	0.28	34.58	-26.18	60.76	14.60	9.78	10.20	QP
7	0.49	27.31	-18.79	46.10	7.00	10.07	10.24	Average
8	0.49	36.51	-19.59	56.10	16.20	10.07	10.24	QP
9	0.62	26.80	-19.20	46.00	6.90	9.66	10.24	Average
10	0.62	35.50	-20.50	56.00	15.60	9.66	10.24	QP
11	0.91	18.95	-27.05	46.00	-1.00	9.72	10.23	Average
12	0.91	27.95	-28.05	56.00	8.00	9.72	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	HuaCong Liang	Relative Humidity :	50%
		Temperature :	20-22℃

Radiated Spurious Emission Test Modes

Mode	Band	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	1+2	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	1+2	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	1+2	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	1+2	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	1+2	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	1+2	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	1+2	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	1+2	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	1+2	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	1+2	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	1+2	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	1+2	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	1+2	802.11ax HE20	93	6415	MCS0	-	-
Mode 16	U-NII-5	1+2	802.11ax HE20	97	6435	MCS0	-	-
Mode 17	U-NII-6	1+2	802.11ax HE20	105	6475	MCS0	-	-
Mode 18	U-NII-6	1+2	802.11ax HE20	113	6515	MCS0	-	-
Mode 19	U-NII-7	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	1+2	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	1+2	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	1+2	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	1+2	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	1+2	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	1+2	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	1+2	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	1+2	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	1+2	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	1+2	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	1+2	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	1+2	802.11ax HE80	39	6145	MCS0	Full RU	-



Mode 38	U-NII-5	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	1+2	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 40	U-NII-7	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	1+2	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	1+2	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	1+2	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 49	U-NII-8	1+2	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-7	1+2	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	U-NII-7	1+2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	U-NII-7	1+2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	U-NII-7	1+2	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 54	U-NII-6	1+2	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 55	U-NII-6	1+2	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 56	U-NII-6	1+2	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 59	U-NII-5	1+2	802.11be EHT20	1	5955	MCS0	-	-
Mode 60	U-NII-5	1+2	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	1+2	802.11be EHT20	93	6415	MCS0	-	-
Mode 62	U-NII-5	1+2	802.11be EHT20	97	6435	MCS0	-	-
Mode 63	U-NII-6	1+2	802.11be EHT20	105	6475	MCS0	-	-
Mode 64	U-NII-6	1+2	802.11be EHT20	113	6515	MCS0	-	-
Mode 65	U-NII-7	1+2	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	1+2	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	1+2	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 68	U-NII-8	1+2	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 69	U-NII-8	1+2	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 70	U-NII-8	1+2	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 71	U-NII-5	1+2	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	1+2	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	1+2	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 74	U-NII-6	1+2	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 75	U-NII-6	1+2	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 76	U-NII-7	1+2	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	1+2	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	1+2	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 79	U-NII-8	1+2	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 80	U-NII-8	1+2	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 81	U-NII-8	1+2	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 82	U-NII-5	1+2	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	1+2	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	1+2	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 85	U-NII-6	1+2	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 86	U-NII-7	1+2	802.11be EHT80	135	6625	MCS0	Full RU	-



Mode 87	U-NII-7	1+2	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	1+2	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 89	U-NII-8	1+2	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 90	U-NII-8	1+2	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 91	U-NII-5	1+2	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	1+2	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	1+2	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	1+2	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 95	U-NII-8	1+2	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 96	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	1+2	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 98	U-NII-7	1+2	802.11a	185	6525	MCS0	Full RU	-
Mode 99	U-NII-7	1+2	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 100	U-NII-7	1+2	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 101	U-NII-7	1+2	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 102	U-NII-7	1+2	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 103	U-NII-7	1+2	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 104	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 105	U-NII-6	1+2	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 106	U-NII-6	1+2	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 107	U-NII-6	1+2	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 108	U-NII-6	1+2	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 109	U-NII-7	1+2	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 136	U-NII-8	1+2	802.11be EHT20	233	7115	MCS0	Full RU	LF
Mode 137	U-NII-8	1+2	802.11a	233	7115	6Mbps	-	-
Mode 138	U-NII-8	1+2	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 140	U-NII-8	1+2	802.11be EHT20	233	7115	MCS0	Full RU	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	47.31	74.00	-26.69	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.49	74.00	-27.51	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.92	88.20	-41.28	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.89	88.20	-41.31	V	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	47.89	88.20	-40.31	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.23	88.20	-41.97	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.61	88.20	-41.59	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	45.53	74.00	-28.47	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13712.00	46.78	88.20	-41.42	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	46.86	88.20	-41.34	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	46.35	88.20	-41.85	V	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	46.94	88.20	-41.26	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	5922.58	43.40	68.20	-24.80	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	46.97	74.00	-27.03	V	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	47.26	74.00	-26.74	H	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	48.01	88.20	-40.19	V	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	46.89	88.20	-41.31	V	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	46.39	88.20	-41.81	V	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	113	13030.00	47.63	88.20	-40.57	H	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	46.33	88.20	-41.87	V	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	45.54	74.00	-28.46	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.49	88.20	-40.71	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge



22	802.11ax HE20	189	13790.00	47.15	88.20	-41.05	H	Peak	Pass	Harmonic
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	47.29	88.20	-40.91	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7305.06	44.63	54.00	-9.37	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	229	14190.00	47.32	88.20	-40.88	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5917.16	43.54	68.20	-24.66	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	47.90	74.00	-26.10	H	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.22	74.00	-26.78	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	47.69	88.20	-40.51	V	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	47.91	88.20	-40.29	V	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	46.91	88.20	-41.29	H	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.47	88.20	-40.73	H	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	47.02	74.00	-26.98	H	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.96	88.20	-40.24	H	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	47.73	88.20	-40.47	V	Peak	Pass	Harmonic
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	47.22	88.20	-40.98	H	Peak	Pass	Harmonic
35	802.11ax HE40	227	7293.00	44.59	54.00	-9.41	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	227	14170.00	46.56	88.20	-41.64	H	Peak	Pass	Harmonic
36	802.11ax HE80	7	5910.44	43.48	68.20	-24.72	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	11970.00	49.17	74.00	-24.83	H	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	47.89	74.00	-26.11	H	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	47.07	88.20	-41.13	H	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	46.88	88.20	-41.32	H	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	46.50	74.00	-27.50	H	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	45.97	88.20	-42.23	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	46.59	88.20	-41.61	H	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	47.90	88.20	-40.30	H	Peak	Pass	Harmonic
44	802.11ax HE80	215	7313.50	44.60	54.00	-9.40	H	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	47.67	88.20	-40.53	V	Peak	Pass	Harmonic
45	802.11ax HE160	15	5906.76	43.41	68.20	-24.79	H	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	47.67	74.00	-26.33	V	Peak	Pass	Harmonic



46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	46.67	74.00	-27.33	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	47.32	74.00	-26.68	H	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.56	74.00	-26.44	H	Peak	Pass	Harmonic
49	802.11ax HE160	207	7281.25	44.56	54.00	-9.44	H	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	48.22	88.20	-39.98	H	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750.00	47.15	88.20	-41.05	V	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	47.88	88.20	-40.32	V	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	47.28	88.20	-40.92	V	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE160	175	13650.00	47.24	88.20	-40.96	H	Peak	Pass	Harmonic
54	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	115	13050.00	47.34	88.20	-40.86	H	Peak	Pass	Harmonic
55	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	119	13090.00	48.09	88.20	-40.11	H	Peak	Pass	Harmonic
56	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE160	111	13010.00	48.15	88.20	-40.05	H	Peak	Pass	Harmonic
59	802.11be EHT20	1	5917.68	43.45	68.20	-24.75	V	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	11910.00	48.75	74.00	-25.25	H	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	48.00	74.00	-26.00	H	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	47.53	88.20	-40.67	H	Peak	Pass	Harmonic
62	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	97	12870.00	47.59	88.20	-40.61	H	Peak	Pass	Harmonic
63	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	105	12950.00	48.05	88.20	-40.15	H	Peak	Pass	Harmonic
64	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	113	13030.00	47.36	88.20	-40.84	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	47.73	88.20	-40.47	V	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	46.94	74.00	-27.06	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	47.55	88.20	-40.65	H	Peak	Pass	Harmonic
68	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
68	802.11be EHT20	189	13790.00	48.64	88.20	-39.56	V	Peak	Pass	Harmonic
69	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
69	802.11be EHT20	209	13990.00	48.66	88.20	-39.54	H	Peak	Pass	Harmonic
70	802.11be EHT20	229	7295.27	44.60	54.00	-9.40	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	229	14190.00	48.36	88.20	-39.84	V	Peak	Pass	Harmonic
71	802.11be EHT40	3	5903.72	43.48	68.20	-24.72	V	AVERAGE	Pass	Band Edge



71	802.11be EHT40	3	11930.00	48.68	74.00	-25.32	V	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	48.08	74.00	-25.92	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.23	88.20	-40.97	H	Peak	Pass	Harmonic
74	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
74	802.11be EHT40	99	12890.00	48.06	88.20	-40.14	H	Peak	Pass	Harmonic
75	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
75	802.11be EHT40	107	12970.00	48.28	88.20	-39.92	H	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	48.25	88.20	-39.95	H	Peak	Pass	Harmonic
77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	47.16	74.00	-26.84	H	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	48.22	88.20	-39.98	V	Peak	Pass	Harmonic
79	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
79	802.11be EHT40	195	13850.00	46.97	88.20	-41.23	V	Peak	Pass	Harmonic
80	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
80	802.11be EHT40	203	13930.00	48.45	88.20	-39.75	H	Peak	Pass	Harmonic
81	802.11be EHT40	227	7260.80	44.67	54.00	-9.33	H	AVERAGE	Pass	Band Edge
81	802.11be EHT40	227	14170.00	48.62	88.20	-39.58	V	Peak	Pass	Harmonic
82	802.11be EHT80	7	5924.84	43.46	68.20	-24.74	V	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	11970.00	47.80	74.00	-26.20	V	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	47.94	74.00	-26.06	V	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.99	88.20	-40.21	V	Peak	Pass	Harmonic
85	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	103	12930.00	47.18	88.20	-41.02	V	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	47.35	74.00	-26.65	V	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	47.40	88.20	-40.80	V	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	47.95	88.20	-40.25	V	Peak	Pass	Harmonic
89	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
89	802.11be EHT80	199	13890.00	47.81	88.20	-40.39	H	Peak	Pass	Harmonic
90	802.11be EHT80	215	7284.67	44.64	54.00	-9.36	H	AVERAGE	Pass	Band Edge
90	802.11be EHT80	215	14050.00	47.51	88.20	-40.69	H	Peak	Pass	Harmonic
91	802.11be EHT160	15	5913.76	43.29	68.20	-24.91	H	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	47.65	74.00	-26.35	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	47.95	74.00	-26.05	H	Peak	Pass	Harmonic
93	802.11be	79	-	-	-	-	-	-	-	Band Edge





	EHT160									
93	802.11be EHT160	79	12690.00	47.78	74.00	-26.22	V	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	47.45	74.00	-26.55	V	Peak	Pass	Harmonic
95	802.11be EHT160	207	7280.63	44.55	54.00	-9.45	H	AVERAGE	Pass	Band Edge
95	802.11be EHT160	207	13970.00	47.82	88.20	-40.38	V	Peak	Pass	Harmonic
96	802.11be EHT320	31	5653.00	44.16	68.20	-24.04	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	31	12210.00	47.84	74.00	-26.16	V	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	47.90	74.00	-26.10	H	Peak	Pass	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	Band Edge
98	802.11a	185	13750.00	47.57	88.20	-40.63	H	Peak	Pass	Harmonic
99	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
99	802.11be EHT20	185	13750.00	47.54	88.20	-40.66	V	Peak	Pass	Harmonic
100	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT40	187	13770.00	47.52	88.20	-40.68	H	Peak	Pass	Harmonic
101	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT80	183	13730.00	46.95	88.20	-41.25	H	Peak	Pass	Harmonic
102	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT160	175	13650.00	47.24	88.20	-40.96	V	Peak	Pass	Harmonic
103	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT320	159	13490.00	46.58	88.20	-41.62	H	Peak	Pass	Harmonic
104	802.11be EHT320	191	7313.70	44.53	54.00	-9.47	H	AVERAGE	Pass	Band Edge
104	802.11be EHT320	191	13810.00	47.45	88.20	-40.75	V	Peak	Pass	Harmonic
105	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
105	802.11be EHT40	115	13050.00	47.34	88.20	-40.86	V	Peak	Pass	Harmonic
106	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
106	802.11be EHT80	119	13090.00	47.14	88.20	-41.06	V	Peak	Pass	Harmonic
107	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
107	802.11be EHT160	111	13010.00	47.82	88.20	-40.38	V	Peak	Pass	Harmonic
108	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
108	802.11be EHT320	95	12850.00	47.80	88.20	-40.40	V	Peak	Pass	Harmonic
109	802.11be	127	-	-	-	-	-	-	-	Band Edge



	EHT320									
109	802.11be EHT320	127	13170.00	47.51	88.20	-40.69	V	Peak	Pass	Harmonic
136	802.11be EHT20	233	43.58	28.56	40.00	-11.44	H	Peak	Pass	LF
137	802.11a	233	7125.28	62.40	68.20	-5.80	H	AVERAGE	Pass	Band Edge
137	802.11a	233	14230.00	47.90	88.20	-40.30	V	Peak	Pass	Harmonic
138	802.11ax HE20	233	7125.28	62.88	68.20	-5.32	H	AVERAGE	Pass	Band Edge
138	802.11ax HE20	233	14230.00	48.97	88.20	-39.23	V	Peak	Pass	Harmonic
140	802.11be EHT20	233	7125.28	63.10	68.20	-5.10	H	AVERAGE	Pass	Band Edge
140	802.11be EHT20	233	14230.00	48.83	88.20	-39.37	V	Peak	Pass	Harmonic





Mode	1																																																																					
	Harmonic																																																																					
	U-NII-5_802.11a_CH1_5955MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-11 																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>43.30</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>41.14</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	46.74	74.00	-27.26	43.30	38.32	15.09	49.97	---	---	Peak	2	17865.00	47.31	74.00	-26.69	41.14	42.47	17.74	54.04	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11910.00	46.74	74.00	-27.26	43.30	38.32	15.09	49.97	---	---	Peak																																																											
2	17865.00	47.31	74.00	-26.69	41.14	42.47	17.74	54.04	---	---	Peak																																																											
Level (dBuV/m) Date: 2025-03-11 																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11910.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.43</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>40.83</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11910.00	46.87	74.00	-27.13	43.43	38.32	15.09	49.97	---	---	Peak	2	17865.00	47.00	74.00	-27.00	40.83	42.47	17.74	54.04	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11910.00	46.87	74.00	-27.13	43.43	38.32	15.09	49.97	---	---	Peak																																																											
2	17865.00	47.00	74.00	-27.00	40.83	42.47	17.74	54.04	---	---	Peak																																																											





Mode	2																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11a_CH45_6175MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>43.05</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.25	74.00	-27.75	43.05	38.65	15.15	50.60	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>43.29</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.49	74.00	-27.51	43.29	38.65	15.15	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	46.25	74.00	-27.75	43.05	38.65	15.15	50.60	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	46.49	74.00	-27.51	43.29	38.65	15.15	50.60	---	---	Peak																																																																																			





Mode	3																																																																																	
	Harmonic																																																																																	
	U-NII-5_802.11a_CH93_6415MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12830.00</td><td>45.73</td><td>88.20</td><td>-42.47</td><td>42.80</td><td>38.80</td><td>15.16</td><td>51.03</td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 12830.00	45.73	88.20	-42.47	42.80	38.80	15.16	51.03	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12830.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>43.99</td><td>38.80</td><td>15.16</td><td>51.03</td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 12830.00	46.92	88.20	-41.28	43.99	38.80	15.16	51.03	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 12830.00	45.73	88.20	-42.47	42.80	38.80	15.16	51.03	--- --- Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 12830.00	46.92	88.20	-41.28	43.99	38.80	15.16	51.03	--- --- Peak																																																																										





Mode	4																																																						
	Harmonic																																																						
	U-NII-5_802.11a_CH97_6435MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal										Vertical																																												
Peak Avg	Level (dBuV/m) Date: 2025-02-27  Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 12870.00</td><td>46.27</td><td>88.20</td><td>-41.93</td><td>43.35</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>										MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1 12870.00	46.27	88.20	-41.93	43.35	38.80	15.17	51.05	---	---	Peak	Level (dBuV/m) Date: 2025-02-27  Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 12870.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>43.97</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1 12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																												
	1 12870.00	46.27	88.20	-41.93	43.35	38.80	15.17	51.05	---	---	Peak																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																													
1 12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak																																													



Mode	5																																																																																															
	Harmonic																																																																																															
	U-NII-6_802.11a_CH105_6475MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>45.68</td><td>88.20</td><td>-42.52</td><td>42.69</td><td>38.90</td><td>15.17</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	45.68	88.20	-42.52	42.69	38.90	15.17	51.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>44.90</td><td>38.90</td><td>15.17</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	47.89	88.20	-40.31	44.90	38.90	15.17	51.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12950.00	45.68	88.20	-42.52	42.69	38.90	15.17	51.08	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12950.00	47.89	88.20	-40.31	44.90	38.90	15.17	51.08	---	---	Peak																																																																																					



Mode	6																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_802.11a_CH113_6515MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>42.93</td><td>39.00</td><td>15.19</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	45.95	88.20	-42.25	42.93	39.00	15.19	51.17	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.23</td><td>88.20</td><td>-41.97</td><td>43.21</td><td>39.00</td><td>15.19</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.23	88.20	-41.97	43.21	39.00	15.19	51.17	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13030.00	45.95	88.20	-42.25	42.93	39.00	15.19	51.17	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13030.00	46.23	88.20	-41.97	43.21	39.00	15.19	51.17	---	---	Peak																																																																																															



Mode	7																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11a_CH117_6535MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.61</td><td>88.20</td><td>-41.59</td><td>43.64</td><td>39.00</td><td>15.24</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.61	88.20	-41.59	43.64	39.00	15.24	51.27	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>45.63</td><td>88.20</td><td>-42.57</td><td>42.66</td><td>39.00</td><td>15.24</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	45.63	88.20	-42.57	42.66	39.00	15.24	51.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13070.00	46.61	88.20	-41.59	43.64	39.00	15.24	51.27	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13070.00	45.63	88.20	-42.57	42.66	39.00	15.24	51.27	---	---	Peak																																																																																		



Mode	8																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11a_CH149_6695MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>42.04</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.11	74.00	-28.89	42.04	39.50	15.61	52.04	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>42.46</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.53	74.00	-28.47	42.46	39.50	15.61	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.11	74.00	-28.89	42.04	39.50	15.61	52.04	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.53	74.00	-28.47	42.46	39.50	15.61	52.04	---	---	Peak																																																																																			





Mode	9																																																			
	Harmonic																																																			
	U-NII-7_802.11a_CH181_6855MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13712.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>43.32</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13712.00	46.78	88.20	-41.42	43.32	39.70	15.98	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13712.00	46.78	88.20	-41.42	43.32	39.70	15.98	52.22	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13712.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.83</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13712.00	46.29	88.20	-41.91	42.83	39.70	15.98	52.22	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13712.00	46.29	88.20	-41.91	42.83	39.70	15.98	52.22	---	---	Peak																																									





Mode	10																																																							
	Harmonic																																																							
	U-NII-8_802.11a_CH189_6895MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>46.64</td><td>88.20</td><td>-41.56</td><td>43.05</td><td>39.70</td><td>16.07</td><td>52.18</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13790.00	46.64	88.20	-41.56	43.05	39.70	16.07	52.18						---	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	13790.00	46.64	88.20	-41.56	43.05	39.70	16.07	52.18																																																
					---	---	---	Peak																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>46.86</td><td>88.20</td><td>-41.34</td><td>43.27</td><td>39.70</td><td>16.07</td><td>52.18</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13790.00	46.86	88.20	-41.34	43.27	39.70	16.07	52.18						---	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	13790.00	46.86	88.20	-41.34	43.27	39.70	16.07	52.18																																																
					---	---	---	Peak																																																



Mode	11																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_802.11a_CH209_6995MHz																																																																																																								
ANT	1+2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-02-27  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>46.24</td><td>88.20</td><td>-41.96</td><td>42.25</td><td>39.79</td><td>16.30</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	46.24	88.20	-41.96	42.25	39.79	16.30	52.10	---	---	Peak	Level (dBuV/m) Date: 2025-02-27  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>42.36</td><td>39.79</td><td>16.30</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	46.35	88.20	-41.85	42.36	39.79	16.30	52.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13990.00	46.24	88.20	-41.96	42.25	39.79	16.30	52.10	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13990.00	46.35	88.20	-41.85	42.36	39.79	16.30	52.10	---	---	Peak																																																																																														



Mode	12																																																																																		
	Harmonic																																																																																		
	U-NII-8_802.11a_CH229_7095MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14190.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>42.72</td><td>39.89</td><td>16.32</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	46.94	88.20	-41.26	42.72	39.89	16.32	51.99	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14190.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>42.29</td><td>39.89</td><td>16.32</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	46.51	88.20	-41.69	42.29	39.89	16.32	51.99	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 14190.00	46.94	88.20	-41.26	42.72	39.89	16.32	51.99	---	---	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 14190.00	46.51	88.20	-41.69	42.29	39.89	16.32	51.99	---	---	Peak																																																																									



Mode	13																																																																									
	Band Edge																																																																									
	U-NII-5_802.11ax HE20_CH1_5955MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5829.76</td><td>53.86</td><td>88.20</td><td>-34.34</td><td>38.59</td><td>36.54</td><td>11.56</td><td>32.83</td><td>100 176 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5829.76	53.86	88.20	-34.34	38.59	36.54	11.56	32.83	100 176 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>93.12</td><td>-----</td><td>-----</td><td>77.93</td><td>36.70</td><td>11.37</td><td>32.88</td><td>100 176 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	93.12	-----	-----	77.93	36.70	11.37	32.88	100 176 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5829.76	53.86	88.20	-34.34	38.59	36.54	11.56	32.83	100 176 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	93.12	-----	-----	77.93	36.70	11.37	32.88	100 176 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5860.70</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>28.20</td><td>36.52</td><td>11.51</td><td>32.84</td><td>100 176 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5860.70	43.39	68.20	-24.81	28.20	36.52	11.51	32.84	100 176 AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>83.45</td><td>-----</td><td>-----</td><td>68.29</td><td>36.70</td><td>11.34</td><td>32.88</td><td>100 176 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	83.45	-----	-----	68.29	36.70	11.34	32.88	100 176 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5860.70	43.39	68.20	-24.81	28.20	36.52	11.51	32.84	100 176 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	83.45	-----	-----	68.29	36.70	11.34	32.88	100 176 AVERAGE																																																																		



Mode	13																																																																											
	Band Edge																																																																											
	U-NII-5_802.11ax HE20_CH1_5955MHz																																																																											
ANT	1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.24</td><td>53.90</td><td>88.20</td><td>-34.30</td><td>38.72</td><td>36.64</td><td>11.41</td><td>32.87</td><td>386 175 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.24	53.90	88.20	-34.30	38.72	36.64	11.41	32.87	386 175 PEAK	Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.58</td><td>-----</td><td>-----</td><td>74.42</td><td>36.70</td><td>11.34</td><td>32.88</td><td>386 175 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.58	-----	-----	74.42	36.70	11.34	32.88	386 175 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5918.24	53.90	88.20	-34.30	38.72	36.64	11.41	32.87	386 175 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5955.00	89.58	-----	-----	74.42	36.70	11.34	32.88	386 175 PEAK																																																																			
Avg	Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.58</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.21</td><td>36.65</td><td>11.41</td><td>32.87</td><td>386 175 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.58	43.40	68.20	-24.80	28.21	36.65	11.41	32.87	386 175 AVERAGE	Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>81.03</td><td>-----</td><td>-----</td><td>65.86</td><td>36.70</td><td>11.35</td><td>32.88</td><td>386 175 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	81.03	-----	-----	65.86	36.70	11.35	32.88	386 175 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5922.58	43.40	68.20	-24.80	28.21	36.65	11.41	32.87	386 175 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5955.00	81.03	-----	-----	65.86	36.70	11.35	32.88	386 175 AVERAGE																																																																			



Mode	13																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_802.11ax HE20_CH1_5955MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)								Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>42.79</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>39.62</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.23	74.00	-27.77	42.79	38.32	15.09	49.97	---	---	Peak	2 17865.00	45.79	74.00	-28.21	39.62	42.47	17.74	54.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>43.53</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>40.32</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.97	74.00	-27.03	43.53	38.32	15.09	49.97	---	---	Peak	2 17865.00	46.49	74.00	-27.51	40.32	42.47	17.74	54.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11910.00	46.23	74.00	-27.77	42.79	38.32	15.09	49.97	---	---	Peak																																																																																																										
2 17865.00	45.79	74.00	-28.21	39.62	42.47	17.74	54.04	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11910.00	46.97	74.00	-27.03	43.53	38.32	15.09	49.97	---	---	Peak																																																																																																										
2 17865.00	46.49	74.00	-27.51	40.32	42.47	17.74	54.04	---	---	Peak																																																																																																										





Mode	14																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11ax HE20_CH45_6175MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.06</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.26	74.00	-26.74	44.06	38.65	15.15	50.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>42.31</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.51	74.00	-28.49	42.31	38.65	15.15	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	47.26	74.00	-26.74	44.06	38.65	15.15	50.60	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	45.51	74.00	-28.49	42.31	38.65	15.15	50.60	---	---	Peak																																																																																			





Mode	15																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11ax HE20_CH93_6415MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>44.60</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>45.08</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.01	88.20	-40.19	45.08	38.80	15.16	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	48.01	88.20	-40.19	45.08	38.80	15.16	51.03	---	---	Peak																																																																																			



Mode	16																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11ax HE20_CH97_6435MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>43.41</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.33	88.20	-41.87	43.41	38.80	15.17	51.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>43.97</td><td>38.80</td><td>15.17</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12870.00	46.33	88.20	-41.87	43.41	38.80	15.17	51.05	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12870.00	46.89	88.20	-41.31	43.97	38.80	15.17	51.05	---	---	Peak																																																																																			





Mode	17																																																																																												
	Harmonic																																																																																												
	U-NII-6_802.11ax HE20_CH105_6475MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.65</td><td>88.20</td><td>-42.55</td><td>42.66</td><td>38.90</td><td>15.17</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	45.65	88.20	-42.55	42.66	38.90	15.17	51.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>43.40</td><td>38.90</td><td>15.17</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.39	88.20	-41.81	43.40	38.90	15.17	51.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	45.65	88.20	-42.55	42.66	38.90	15.17	51.08	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	46.39	88.20	-41.81	43.40	38.90	15.17	51.08	---	---	Peak																																																																																		



Mode	18																																																																																												
	Harmonic																																																																																												
	U-NII-6_802.11ax HE20_CH113_6515MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13030.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>44.61</td><td>39.00</td><td>15.19</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.63	88.20	-40.57	44.61	39.00	15.19	51.17	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13030.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>43.76</td><td>39.00</td><td>15.19</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.78	88.20	-41.42	43.76	39.00	15.19	51.17	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	47.63	88.20	-40.57	44.61	39.00	15.19	51.17	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	46.78	88.20	-41.42	43.76	39.00	15.19	51.17	---	---	Peak																																																																																		





Mode	19																																																																																			
	Harmonic																																																																																			
	U-NII-7_802.11ax HE20_CH117_Full RU_6535MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><td></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td></td></tr><tr><td>1 13070.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>43.21</td><td>39.00</td><td>15.24</td><td>51.27</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 13070.00	46.18	88.20	-42.02	43.21	39.00	15.24	51.27	--- --- Peak	<table><tr><td></td><td>Limit</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Margin</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td></td></tr><tr><td>1 13070.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>43.36</td><td>39.00</td><td>15.24</td><td>51.27</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 13070.00	46.33	88.20	-41.87	43.36	39.00	15.24	51.27	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1 13070.00	46.18	88.20	-42.02	43.21	39.00	15.24	51.27	--- --- Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1 13070.00	46.33	88.20	-41.87	43.36	39.00	15.24	51.27	--- --- Peak																																																																												





Mode	20																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11ax HE20_CH149_Full RU_6695MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>41.70</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	44.77	74.00	-29.23	41.70	39.50	15.61	52.04	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>42.47</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.54	74.00	-28.46	42.47	39.50	15.61	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	44.77	74.00	-29.23	41.70	39.50	15.61	52.04	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.54	74.00	-28.46	42.47	39.50	15.61	52.04	---	---	Peak																																																																																			



Mode	21																																																																																															
	Harmonic																																																																																															
	U-NII-7_802.11ax HE20_CH181_Full RU_6855MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>44.03</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13710.00	47.49	88.20	-40.71	44.03	39.70	15.98	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13710.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>43.61</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13710.00	47.07	88.20	-41.13	43.61	39.70	15.98	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13710.00	47.49	88.20	-40.71	44.03	39.70	15.98	52.22	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13710.00	47.07	88.20	-41.13	43.61	39.70	15.98	52.22	---	---	Peak																																																																																					



Mode	22																																																										
	Harmonic																																																										
	U-NII-8_802.11ax HE20_CH189_Full RU_6895MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13790.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.56</td><td>39.70</td><td>16.07</td><td>52.18</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13790.00	47.15	88.20	-41.05	43.56	39.70	16.07	52.18	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13790.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.26</td><td>39.70</td><td>16.07</td><td>52.18</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13790.00	46.85	88.20	-41.35	43.26	39.70	16.07	52.18
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 13790.00	47.15	88.20	-41.05	43.56	39.70	16.07	52.18																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 13790.00	46.85	88.20	-41.35	43.26	39.70	16.07	52.18																																																				
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.56</td><td>39.70</td><td>16.07</td><td>52.18</td><td>---</td><td>---</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.15	88.20	-41.05	43.56	39.70	16.07	52.18	---	---	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.26</td><td>39.70</td><td>16.07</td><td>52.18</td><td>---</td><td>---</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	46.85	88.20	-41.35	43.26	39.70	16.07	52.18	---	---					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	13790.00	47.15	88.20	-41.05	43.56	39.70	16.07	52.18	---	---																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	13790.00	46.85	88.20	-41.35	43.26	39.70	16.07	52.18	---	---																																																	



Mode	23																																																																																												
	Harmonic																																																																																												
	U-NII-8_802.11ax HE20_CH209_Full RU_6995MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>43.30</td><td>39.79</td><td>16.30</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.29	88.20	-40.91	43.30	39.79	16.30	52.10	---	---	Peak	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.84</td><td>88.20</td><td>-41.36</td><td>42.85</td><td>39.79</td><td>16.30</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.84	88.20	-41.36	42.85	39.79	16.30	52.10	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	47.29	88.20	-40.91	43.30	39.79	16.30	52.10	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	46.84	88.20	-41.36	42.85	39.79	16.30	52.10	---	---	Peak																																																																																		





Mode	24																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11ax HE20_CH229_Full RU_7095MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7191.14</td><td>54.61</td><td>88.20</td><td>-33.59</td><td>38.30</td><td>36.48</td><td>12.97</td><td>33.14</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>7326.42</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>38.71</td><td>36.55</td><td>13.09</td><td>33.17</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7191.14	54.61	88.20	-33.59	38.30	36.48	12.97	33.14	100	110	PEAK	2	7326.42	55.18	74.00	-18.82	38.71	36.55	13.09	33.17	100	110	PEAK	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>96.79</td><td>-----</td><td>-----</td><td>80.83</td><td>36.48</td><td>12.60</td><td>33.12</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.79	-----	-----	80.83	36.48	12.60	33.12	100	110	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7191.14	54.61	88.20	-33.59	38.30	36.48	12.97	33.14	100	110	PEAK																																																																																	
2	7326.42	55.18	74.00	-18.82	38.71	36.55	13.09	33.17	100	110	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	96.79	-----	-----	80.83	36.48	12.60	33.12	100	110	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.52</td><td>44.63</td><td>68.20</td><td>-23.57</td><td>28.19</td><td>36.57</td><td>13.02</td><td>33.15</td><td>100</td><td>110</td><td>AVERAGE</td></tr><tr><td>2</td><td>7289.48</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>28.07</td><td>36.60</td><td>13.06</td><td>33.16</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7232.52	44.63	68.20	-23.57	28.19	36.57	13.02	33.15	100	110	AVERAGE	2	7289.48	44.57	54.00	-9.43	28.07	36.60	13.06	33.16	100	110	AVERAGE	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.27</td><td>-----</td><td>-----</td><td>72.31</td><td>36.48</td><td>12.60</td><td>33.12</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.27	-----	-----	72.31	36.48	12.60	33.12	100	110	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7232.52	44.63	68.20	-23.57	28.19	36.57	13.02	33.15	100	110	AVERAGE																																																																																	
2	7289.48	44.57	54.00	-9.43	28.07	36.60	13.06	33.16	100	110	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	88.27	-----	-----	72.31	36.48	12.60	33.12	100	110	AVERAGE																																																																																	



Mode	24																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11ax HE20_CH229_Full RU_7095MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7226.29</td><td>53.92</td><td>88.20</td><td>-34.28</td><td>37.50</td><td>36.55</td><td>13.02</td><td>33.15</td><td>194 136 PEAK</td></tr><tr><td>2</td><td>7310.84</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>38.04</td><td>36.58</td><td>13.08</td><td>33.16</td><td>194 136 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB		1	7226.29	53.92	88.20	-34.28	37.50	36.55	13.02	33.15	194 136 PEAK	2	7310.84	54.54	74.00	-19.46	38.04	36.58	13.08	33.16	194 136 PEAK	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.11</td><td>-----</td><td>-----</td><td>72.08</td><td>36.50</td><td>12.65</td><td>33.12</td><td>194 136 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB		1	7095.00	88.11	-----	-----	72.08	36.50	12.65	33.12	194 136 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																				
1	7226.29	53.92	88.20	-34.28	37.50	36.55	13.02	33.15	194 136 PEAK																																																																																			
2	7310.84	54.54	74.00	-19.46	38.04	36.58	13.08	33.16	194 136 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																				
1	7095.00	88.11	-----	-----	72.08	36.50	12.65	33.12	194 136 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7219.62</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>28.08</td><td>36.54</td><td>13.01</td><td>33.14</td><td>194 136 AVERAGE</td></tr><tr><td>2</td><td>7305.06</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>28.13</td><td>36.59</td><td>13.07</td><td>33.16</td><td>194 136 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB		1	7219.62	44.49	68.20	-23.71	28.08	36.54	13.01	33.14	194 136 AVERAGE	2	7305.06	44.63	54.00	-9.37	28.13	36.59	13.07	33.16	194 136 AVERAGE	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.34</td><td>-----</td><td>-----</td><td>63.31</td><td>36.50</td><td>12.65</td><td>33.12</td><td>194 136 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB		1	7095.00	79.34	-----	-----	63.31	36.50	12.65	33.12	194 136 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																				
1	7219.62	44.49	68.20	-23.71	28.08	36.54	13.01	33.14	194 136 AVERAGE																																																																																			
2	7305.06	44.63	54.00	-9.37	28.13	36.59	13.07	33.16	194 136 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																																				
1	7095.00	79.34	-----	-----	63.31	36.50	12.65	33.12	194 136 AVERAGE																																																																																			







Mode	24																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg	 Date: 2025-02-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>47.32</td><td>88.20</td><td>-40.88</td><td>43.10</td><td>39.89</td><td>16.32</td><td>51.99</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14190.00	47.32	88.20	-40.88	43.10	39.89	16.32	51.99							---	---	Peak	 Date: 2025-02-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>46.66</td><td>88.20</td><td>-41.54</td><td>42.44</td><td>39.89</td><td>16.32</td><td>51.99</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14190.00	46.66	88.20	-41.54	42.44	39.89	16.32	51.99							---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																													
1	14190.00	47.32	88.20	-40.88	43.10	39.89	16.32	51.99																																																																																													
						---	---	Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																													
1	14190.00	46.66	88.20	-41.54	42.44	39.89	16.32	51.99																																																																																													
						---	---	Peak																																																																																													



Mode	25																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11ax HE40_CH3_Full RU_5965MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.88</td><td>54.38</td><td>88.20</td><td>-33.82</td><td>39.19</td><td>36.62</td><td>11.43</td><td>32.86</td><td>108</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.88	54.38	88.20	-33.82	39.19	36.62	11.43	32.86	108	117 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>90.35</td><td>-----</td><td>-----</td><td>75.16</td><td>36.70</td><td>11.37</td><td>32.88</td><td>108</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.35	-----	-----	75.16	36.70	11.37	32.88	108	117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5907.88	54.38	88.20	-33.82	39.19	36.62	11.43	32.86	108	117 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	90.35	-----	-----	75.16	36.70	11.37	32.88	108	117 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.16</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>28.36</td><td>36.63</td><td>11.42</td><td>32.87</td><td>108</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.16	43.54	68.20	-24.66	28.36	36.63	11.42	32.87	108	117 AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>81.68</td><td>-----</td><td>-----</td><td>66.51</td><td>36.70</td><td>11.35</td><td>32.88</td><td>108</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	81.68	-----	-----	66.51	36.70	11.35	32.88	108	117 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5917.16	43.54	68.20	-24.66	28.36	36.63	11.42	32.87	108	117 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	81.68	-----	-----	66.51	36.70	11.35	32.88	108	117 AVERAGE																																																																										



Mode	25																																																																																									
	Band Edge																																																																																									
	U-NII-5_802.11ax HE40_CH3_Full RU_5965MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.16</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>39.28</td><td>36.61</td><td>11.44</td><td>32.86</td><td>204 150 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5905.16	54.47	88.20	-33.73	39.28	36.61	11.44	32.86	204 150 PEAK	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.16</td><td>-----</td><td>-----</td><td>72.00</td><td>36.70</td><td>11.34</td><td>32.88</td><td>204 150 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.16	-----	-----	72.00	36.70	11.34	32.88	204 150 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5905.16	54.47	88.20	-33.73	39.28	36.61	11.44	32.86	204 150 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	87.16	-----	-----	72.00	36.70	11.34	32.88	204 150 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5837.64</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>28.28</td><td>36.52</td><td>11.55</td><td>32.84</td><td>204 150 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5837.64	43.51	68.20	-24.69	28.28	36.52	11.55	32.84	204 150 AVERAGE	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>78.57</td><td>-----</td><td>-----</td><td>63.41</td><td>36.70</td><td>11.34</td><td>32.88</td><td>204 150 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	78.57	-----	-----	63.41	36.70	11.34	32.88	204 150 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5837.64	43.51	68.20	-24.69	28.28	36.52	11.55	32.84	204 150 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	78.57	-----	-----	63.41	36.70	11.34	32.88	204 150 AVERAGE																																																																																	







Mode	25																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.37</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>41.73</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.87	74.00	-27.13	43.37	38.36	15.10	49.96	---	Peak	2 17895.00	47.90	74.00	-26.10	41.73	42.49	17.75	54.07	---	Peak	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>43.86</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>41.55</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.36	74.00	-26.64	43.86	38.36	15.10	49.96	---	Peak	2 17895.00	47.72	74.00	-26.28	41.55	42.49	17.75	54.07	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	46.87	74.00	-27.13	43.37	38.36	15.10	49.96	---	Peak																																																																																									
2 17895.00	47.90	74.00	-26.10	41.73	42.49	17.75	54.07	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	47.36	74.00	-26.64	43.86	38.36	15.10	49.96	---	Peak																																																																																									
2 17895.00	47.72	74.00	-26.28	41.55	42.49	17.75	54.07	---	Peak																																																																																									



Mode	26																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11ax HE40_CH43_Full RU_6165MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>43.60</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	46.82	74.00	-27.18	43.60	38.63	15.15	50.56	---	---	Peak	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>44.00</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	47.22	74.00	-26.78	44.00	38.63	15.15	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	46.82	74.00	-27.18	43.60	38.63	15.15	50.56	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	47.22	74.00	-26.78	44.00	38.63	15.15	50.56	---	---	Peak																																																																																			





Mode	27																																																																																					
	Harmonic																																																																																					
	U-NII-5_802.11ax HE40_CH91_Full RU_6405MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg	 Date: 2025-02-28 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>44.14</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.08	88.20	-41.12	44.14	38.80	15.16	51.02	---	---	Peak	 Date: 2025-02-28 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>44.14</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.08	88.20	-41.12	44.14	38.80	15.16	51.02	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12810.00	47.08	88.20	-41.12	44.14	38.80	15.16	51.02	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12810.00	47.08	88.20	-41.12	44.14	38.80	15.16	51.02	---	---	Peak																																																																												
 Date: 2025-02-28 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>44.75</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.69	88.20	-40.51	44.75	38.80	15.16	51.02	---	---	Peak	 Date: 2025-02-28 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>44.75</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.69	88.20	-40.51	44.75	38.80	15.16	51.02	---	---	Peak	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12810.00	47.69	88.20	-40.51	44.75	38.80	15.16	51.02	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12810.00	47.69	88.20	-40.51	44.75	38.80	15.16	51.02	---	---	Peak																																																																												





Mode	28																																																																																			
	Harmonic																																																																																			
	U-NII-6_802.11ax HE40_CH99_Full RU_6445MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-02-28 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																														
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12890.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>44.82</td><td>38.80</td><td>15.17</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12890.00	47.73	88.20	-40.47	44.82	38.80	15.17	51.06	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12890.00</td><td>47.91</td><td>88.20</td><td>-40.29</td><td>45.00</td><td>38.80</td><td>15.17</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12890.00	47.91	88.20	-40.29	45.00	38.80	15.17	51.06	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12890.00	47.73	88.20	-40.47	44.82	38.80	15.17	51.06	---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12890.00	47.91	88.20	-40.29	45.00	38.80	15.17	51.06	---	---	Peak																																																																										





Mode	29																																																																																												
	Harmonic																																																																																												
	U-NII-6_802.11ax HE40_CH107_Full RU_6485MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-02-28  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.91</td><td>88.20</td><td>-41.29</td><td>43.89</td><td>38.94</td><td>15.17</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	46.91	88.20	-41.29	43.89	38.94	15.17	51.09	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.67</td><td>88.20</td><td>-41.53</td><td>43.65</td><td>38.94</td><td>15.17</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	46.67	88.20	-41.53	43.65	38.94	15.17	51.09	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12970.00	46.91	88.20	-41.29	43.89	38.94	15.17	51.09	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12970.00	46.67	88.20	-41.53	43.65	38.94	15.17	51.09	---	---	Peak																																																																																		





Mode	30																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11ax HE40_CH123_Full RU_6565MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>44.54</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.47	88.20	-40.73	44.54	39.03	15.31	51.41	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>44.48</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.41	88.20	-40.79	44.48	39.03	15.31	51.41	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13130.00	47.47	88.20	-40.73	44.54	39.03	15.31	51.41	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13130.00	47.41	88.20	-40.79	44.48	39.03	15.31	51.41	---	---	Peak																																																																																			





Mode	31																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11ax HE40_CH147_Full RU_6685MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>43.93</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.02	74.00	-26.98	43.93	39.50	15.58	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>43.32</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.41	74.00	-27.59	43.32	39.50	15.58	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	47.02	74.00	-26.98	43.93	39.50	15.58	51.99	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	46.41	74.00	-27.59	43.32	39.50	15.58	51.99	---	---	Peak																																																																																		





Mode	32																																																																																															
	Harmonic																																																																																															
	U-NII-7_802.11ax HE40_CH179_Full RU_6845MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13690.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>44.53</td><td>39.69</td><td>15.96</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13690.00	47.96	88.20	-40.24	44.53	39.69	15.96	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13690.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>44.27</td><td>39.69</td><td>15.96</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13690.00	47.70	88.20	-40.50	44.27	39.69	15.96	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13690.00	47.96	88.20	-40.24	44.53	39.69	15.96	52.22	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13690.00	47.70	88.20	-40.50	44.27	39.69	15.96	52.22	---	---	Peak																																																																																					







Mode	33																																																																																											
	Harmonic																																																																																											
	U-NII-8_802.11ax HE40_CH195_Full RU_6925MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>43.70</td><td>39.70</td><td>16.14</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13850.00	47.38	88.20	-40.82	43.70	39.70	16.14	52.16	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>44.05</td><td>39.70</td><td>16.14</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13850.00	47.73	88.20	-40.47	44.05	39.70	16.14	52.16	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13850.00	47.38	88.20	-40.82	43.70	39.70	16.14	52.16	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13850.00	47.73	88.20	-40.47	44.05	39.70	16.14	52.16	---	---	Peak																																																																																	



Mode	34	
	Harmonic	
	U-NII-8_802.11ax HE40_CH203_Full RU_6965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13930.00 47.22 88.20 -40.98 43.39 39.73 16.23 52.13 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13930.00 47.09 88.20 -41.11 43.26 39.73 16.23 52.13 --- --- Peak





Mode	35																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_6E																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7136.25</td><td>55.04</td><td>88.20</td><td>-33.16</td><td>38.97</td><td>36.43</td><td>12.77</td><td>33.13</td><td>116</td><td>109 PEAK</td></tr><tr><td>2</td><td>7312.10</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>38.32</td><td>36.58</td><td>13.08</td><td>33.16</td><td>116</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7136.25	55.04	88.20	-33.16	38.97	36.43	12.77	33.13	116	109 PEAK	2	7312.10	54.82	74.00	-19.18	38.32	36.58	13.08	33.16	116	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>95.24</td><td>-----</td><td>-----</td><td>79.25</td><td>36.49</td><td>12.62</td><td>33.12</td><td>116</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	95.24	-----	-----	79.25	36.49	12.62	33.12	116
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7136.25	55.04	88.20	-33.16	38.97	36.43	12.77	33.13	116	109 PEAK																																																																																												
2	7312.10	54.82	74.00	-19.18	38.32	36.58	13.08	33.16	116	109 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7085.00	95.24	-----	-----	79.25	36.49	12.62	33.12	116	109 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_6E																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7207.79</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>28.26</td><td>36.52</td><td>13.00</td><td>33.14</td><td>116</td><td>109 AVERAGE</td></tr><tr><td>2</td><td>7293.00</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>28.08</td><td>36.60</td><td>13.07</td><td>33.16</td><td>116</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7207.79	44.64	68.20	-23.56	28.26	36.52	13.00	33.14	116	109 AVERAGE	2	7293.00	44.59	54.00	-9.41	28.08	36.60	13.07	33.16	116	109 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>86.64</td><td>-----</td><td>-----</td><td>70.65</td><td>36.49</td><td>12.62</td><td>33.12</td><td>116</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	86.64	-----	-----	70.65	36.49	12.62	33.12	116
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7207.79	44.64	68.20	-23.56	28.26	36.52	13.00	33.14	116	109 AVERAGE																																																																																												
2	7293.00	44.59	54.00	-9.41	28.08	36.60	13.07	33.16	116	109 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7085.00	86.64	-----	-----	70.65	36.49	12.62	33.12	116	109 AVERAGE																																																																																												







Mode	35																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7208.07</td><td>54.04</td><td>88.20</td><td>-34.16</td><td>37.65</td><td>36.52</td><td>13.01</td><td>33.14</td><td>119</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>7262.22</td><td>54.09</td><td>74.00</td><td>-19.91</td><td>37.60</td><td>36.60</td><td>13.04</td><td>33.15</td><td>119</td><td>149</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7208.07	54.04	88.20	-34.16	37.65	36.52	13.01	33.14	119	149	PEAK	2	7262.22	54.09	74.00	-19.91	37.60	36.60	13.04	33.15	119	149	PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>86.26</td><td>-----</td><td>-----</td><td>70.23</td><td>36.50</td><td>12.65</td><td>33.12</td><td>119</td><td>149</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	86.26	-----	-----	70.23	36.50	12.65	33.12	119	149	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7208.07	54.04	88.20	-34.16	37.65	36.52	13.01	33.14	119	149	PEAK																																																																																											
2	7262.22	54.09	74.00	-19.91	37.60	36.60	13.04	33.15	119	149	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7085.00	86.26	-----	-----	70.23	36.50	12.65	33.12	119	149	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7224.89</td><td>44.54</td><td>68.20</td><td>-23.66</td><td>28.11</td><td>36.55</td><td>13.02</td><td>33.14</td><td>119</td><td>149</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.91</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>28.07</td><td>36.60</td><td>13.05</td><td>33.15</td><td>119</td><td>149</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7224.89	44.54	68.20	-23.66	28.11	36.55	13.02	33.14	119	149	AVERAGE	2	7273.91	44.57	54.00	-9.43	28.07	36.60	13.05	33.15	119	149	AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>77.42</td><td>-----</td><td>-----</td><td>61.39</td><td>36.50</td><td>12.65</td><td>33.12</td><td>119</td><td>149</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	77.42	-----	-----	61.39	36.50	12.65	33.12	119	149	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7224.89	44.54	68.20	-23.66	28.11	36.55	13.02	33.14	119	149	AVERAGE																																																																																											
2	7273.91	44.57	54.00	-9.43	28.07	36.60	13.05	33.15	119	149	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7085.00	77.42	-----	-----	61.39	36.50	12.65	33.12	119	149	AVERAGE																																																																																											



Mode	35																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14170.00</td><td>46.56</td><td>88.20</td><td>-41.64</td><td>42.37</td><td>39.87</td><td>16.32</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14170.00	46.56	88.20	-41.64	42.37	39.87	16.32	52.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14170.00</td><td>46.30</td><td>88.20</td><td>-41.90</td><td>42.11</td><td>39.87</td><td>16.32</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14170.00	46.30	88.20	-41.90	42.11	39.87	16.32	52.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	14170.00	46.56	88.20	-41.64	42.37	39.87	16.32	52.00	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	14170.00	46.30	88.20	-41.90	42.11	39.87	16.32	52.00	---	---	Peak																																																																																															



Mode	36																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11ax HE80_CH7_Full RU_5985MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.12</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>38.09</td><td>36.60</td><td>11.44</td><td>32.86</td><td>116</td><td>114 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5902.12	53.27	88.20	-34.93	38.09	36.60	11.44	32.86	116	114 PEAK	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>87.32</td><td>-----</td><td>-----</td><td>72.15</td><td>36.70</td><td>11.35</td><td>32.88</td><td>116</td><td>114 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.32	-----	-----	72.15	36.70	11.35	32.88	116	114 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5902.12	53.27	88.20	-34.93	38.09	36.60	11.44	32.86	116	114 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	87.32	-----	-----	72.15	36.70	11.35	32.88	116	114 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.44</td><td>43.48</td><td>68.20</td><td>-24.72</td><td>28.29</td><td>36.62</td><td>11.43</td><td>32.86</td><td>116</td><td>114 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.44	43.48	68.20	-24.72	28.29	36.62	11.43	32.86	116	114 AVERAGE	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>78.84</td><td>-----</td><td>-----</td><td>63.75</td><td>36.70</td><td>11.29</td><td>32.90</td><td>116</td><td>114 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	78.84	-----	-----	63.75	36.70	11.29	32.90	116	114 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5910.44	43.48	68.20	-24.72	28.29	36.62	11.43	32.86	116	114 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	78.84	-----	-----	63.75	36.70	11.29	32.90	116	114 AVERAGE																																																																										

