





Mode	36																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11970.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>45.53</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>41.11</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	49.17	74.00	-24.83	45.53	38.44	15.12	49.92	---	Peak	2 17955.00	47.40	74.00	-26.60	41.11	42.67	17.77	54.15	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11970.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.43</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>40.52</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	47.07	74.00	-26.93	43.43	38.44	15.12	49.92	---	Peak	2 17955.00	46.81	74.00	-27.19	40.52	42.67	17.77	54.15	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11970.00	49.17	74.00	-24.83	45.53	38.44	15.12	49.92	---	Peak																																																																																									
2 17955.00	47.40	74.00	-26.60	41.11	42.67	17.77	54.15	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11970.00	47.07	74.00	-26.93	43.43	38.44	15.12	49.92	---	Peak																																																																																									
2 17955.00	46.81	74.00	-27.19	40.52	42.67	17.77	54.15	---	Peak																																																																																									





Mode	37																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11ax HE80_CH39_Full RU_6145MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>44.62</td><td>38.60</td><td>15.15</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.89	74.00	-26.11	44.62	38.60	15.15	50.48	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>44.38</td><td>38.60</td><td>15.15</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.65	74.00	-26.35	44.38	38.60	15.15	50.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12290.00	47.89	74.00	-26.11	44.62	38.60	15.15	50.48	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12290.00	47.65	74.00	-26.35	44.38	38.60	15.15	50.48	---	---	Peak																																																																																		





Mode	38																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11ax HE80_CH87_Full RU_6385MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>44.15</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.07	88.20	-41.13	44.15	38.77	15.16	51.01	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.05</td><td>88.20</td><td>-41.15</td><td>44.13</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.05	88.20	-41.15	44.13	38.77	15.16	51.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12770.00	47.07	88.20	-41.13	44.15	38.77	15.16	51.01	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12770.00	47.05	88.20	-41.15	44.13	38.77	15.16	51.01	---	---	Peak																																																																																			



Mode	39																																																																																	
	Harmonic																																																																																	
	U-NII-6_802.11ax HE80_CH103_Full RU_6465MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg																																																																																		
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12930.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>43.92</td><td>38.86</td><td>15.17</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12930.00	46.88	88.20	-41.32	43.92	38.86	15.17	51.07	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12930.00</td><td>46.06</td><td>88.20</td><td>-42.14</td><td>43.10</td><td>38.86</td><td>15.17</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12930.00	46.06	88.20	-42.14	43.10	38.86	15.17	51.07	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 12930.00	46.88	88.20	-41.32	43.92	38.86	15.17	51.07	---	---	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 12930.00	46.06	88.20	-42.14	43.10	38.86	15.17	51.07	---	---	Peak																																																																								



Mode	40																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11ax HE80_CH135_Full RU_6625MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>43.45</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	46.50	74.00	-27.50	43.45	39.30	15.45	51.70	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>43.37</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	46.42	74.00	-27.58	43.37	39.30	15.45	51.70	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	46.50	74.00	-27.50	43.45	39.30	15.45	51.70	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	46.42	74.00	-27.58	43.37	39.30	15.45	51.70	---	---	Peak																																																																																		





Mode	41																																																																																									
	Harmonic																																																																																									
	U-NII-7_802.11ax HE80_CH151_Full RU_6705MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13410.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>42.91</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13410.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>42.48</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 13410.00	45.97	88.20	-42.23	42.91	39.51	15.63	52.08	---	---	Peak																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 13410.00	45.54	88.20	-42.66	42.48	39.51	15.63	52.08	---	---	Peak																																																																																







Mode	42																																																																																											
	Harmonic																																																																																											
	U-NII-7_802.11ax HE80_CH167_Full RU_6785MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.59</td><td>88.20</td><td>-41.61</td><td>43.44</td><td>39.60</td><td>15.82</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.59	88.20	-41.61	43.44	39.60	15.82	52.27	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.02</td><td>88.20</td><td>-42.18</td><td>42.87</td><td>39.60</td><td>15.82</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	46.02	88.20	-42.18	42.87	39.60	15.82	52.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	46.59	88.20	-41.61	43.44	39.60	15.82	52.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	46.02	88.20	-42.18	42.87	39.60	15.82	52.27	---	---	Peak																																																																																	



Mode	43																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_802.11ax HE80_CH199_Full RU_6945MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13890.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>44.15</td><td>39.70</td><td>16.19</td><td>52.14</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13890.00	47.90	88.20	-40.30	44.15	39.70	16.19	52.14						dB	cm	deg							---	---								Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13890.00</td><td>46.56</td><td>88.20</td><td>-41.64</td><td>42.81</td><td>39.70</td><td>16.19</td><td>52.14</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13890.00	46.56	88.20	-41.64	42.81	39.70	16.19	52.14						dB	cm	deg							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																			
1 13890.00	47.90	88.20	-40.30	44.15	39.70	16.19	52.14																																																																																																			
					dB	cm	deg																																																																																																			
						---	---																																																																																																			
							Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																			
1 13890.00	46.56	88.20	-41.64	42.81	39.70	16.19	52.14																																																																																																			
					dB	cm	deg																																																																																																			
						---	---																																																																																																			
							Peak																																																																																																			



Mode	44																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_GE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7157.65</td><td>54.73</td><td>88.20</td><td>-33.47</td><td>38.59</td><td>36.42</td><td>12.85</td><td>33.13</td><td>105</td><td>111 PEAK</td></tr><tr><td>2</td><td>7347.81</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>38.03</td><td>36.50</td><td>13.11</td><td>33.17</td><td>105</td><td>111 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7157.65	54.73	88.20	-33.47	38.59	36.42	12.85	33.13	105	111 PEAK	2	7347.81	54.47	74.00	-19.53	38.03	36.50	13.11	33.17	105	111 PEAK	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_SE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.45</td><td>-----</td><td>-----</td><td>75.75</td><td>36.38</td><td>12.43</td><td>33.11</td><td>105</td><td>111 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	91.45	-----	-----	75.75	36.38	12.43	33.11	105	111 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7157.65	54.73	88.20	-33.47	38.59	36.42	12.85	33.13	105	111 PEAK																																																																																																				
2	7347.81	54.47	74.00	-19.53	38.03	36.50	13.11	33.17	105	111 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	91.45	-----	-----	75.75	36.38	12.43	33.11	105	111 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_GE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7222.62</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>28.19</td><td>36.55</td><td>13.02</td><td>33.14</td><td>105</td><td>111 AVERAGE</td></tr><tr><td>2</td><td>7313.50</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>28.11</td><td>36.57</td><td>13.08</td><td>33.16</td><td>105</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7222.62	44.62	68.20	-23.58	28.19	36.55	13.02	33.14	105	111 AVERAGE	2	7313.50	44.60	54.00	-9.40	28.11	36.57	13.08	33.16	105	111 AVERAGE	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_SE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>81.61</td><td>-----</td><td>-----</td><td>65.91</td><td>36.38</td><td>12.43</td><td>33.11</td><td>105</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	81.61	-----	-----	65.91	36.38	12.43	33.11	105	111 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7222.62	44.62	68.20	-23.58	28.19	36.55	13.02	33.14	105	111 AVERAGE																																																																																																				
2	7313.50	44.60	54.00	-9.40	28.11	36.57	13.08	33.16	105	111 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	81.61	-----	-----	65.91	36.38	12.43	33.11	105	111 AVERAGE																																																																																																				



Mode	44																																																																																																				
	Band Edge																																																																																																				
	U-NII-8_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7228.09</td><td>55.24</td><td>88.20</td><td>-32.96</td><td>38.81</td><td>36.56</td><td>13.02</td><td>33.15</td><td>230 147 PEAK</td></tr><tr><td>2</td><td>7350.00</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>37.75</td><td>36.50</td><td>13.11</td><td>33.17</td><td>230 147 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7228.09	55.24	88.20	-32.96	38.81	36.56	13.02	33.15	230 147 PEAK	2	7350.00	54.19	74.00	-19.81	37.75	36.50	13.11	33.17	230 147 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>82.19</td><td>-----</td><td>-----</td><td>66.69</td><td>36.30</td><td>12.30</td><td>33.10</td><td>230 147 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	82.19	-----	-----	66.69	36.30	12.30	33.10	230 147 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7228.09	55.24	88.20	-32.96	38.81	36.56	13.02	33.15	230 147 PEAK																																																																																												
2	7350.00	54.19	74.00	-19.81	37.75	36.50	13.11	33.17	230 147 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7025.00	82.19	-----	-----	66.69	36.30	12.30	33.10	230 147 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7230.28</td><td>44.46</td><td>68.20</td><td>-23.74</td><td>28.03</td><td>36.56</td><td>13.02</td><td>33.15</td><td>230 147 AVERAGE</td></tr><tr><td>2</td><td>7274.08</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>28.06</td><td>36.60</td><td>13.05</td><td>33.15</td><td>230 147 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7230.28	44.46	68.20	-23.74	28.03	36.56	13.02	33.15	230 147 AVERAGE	2	7274.08	44.56	54.00	-9.44	28.06	36.60	13.05	33.15	230 147 AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>73.31</td><td>-----</td><td>-----</td><td>57.74</td><td>36.33</td><td>12.34</td><td>33.10</td><td>230 147 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	73.31	-----	-----	57.74	36.33	12.34	33.10	230 147 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7230.28	44.46	68.20	-23.74	28.03	36.56	13.02	33.15	230 147 AVERAGE																																																																																												
2	7274.08	44.56	54.00	-9.44	28.06	36.60	13.05	33.15	230 147 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7025.00	73.31	-----	-----	57.74	36.33	12.34	33.10	230 147 AVERAGE																																																																																												



Mode	44																																																																																												
	Harmonic																																																																																												
	U-NII-8_802.11ax HE80_CH215_Full RU_7025MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>42.46</td><td>39.80</td><td>16.31</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	46.50	88.20	-41.70	42.46	39.80	16.31	52.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.67</td><td>88.20</td><td>-40.53</td><td>43.63</td><td>39.80</td><td>16.31</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	47.67	88.20	-40.53	43.63	39.80	16.31	52.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14050.00	46.50	88.20	-41.70	42.46	39.80	16.31	52.07	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14050.00	47.67	88.20	-40.53	43.63	39.80	16.31	52.07	---	---	Peak																																																																																		





Mode	45																																																																									
	Band Edge																																																																									
	U-NII-5_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5885.48</td><td>54.07</td><td>88.20</td><td>-34.13</td><td>38.88</td><td>36.57</td><td>11.47</td><td>32.85</td><td>104 115 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5885.48	54.07	88.20	-34.13	38.88	36.57	11.47	32.85	104 115 PEAK	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>84.73</td><td>-----</td><td>-----</td><td>69.61</td><td>36.59</td><td>11.44</td><td>32.91</td><td>104 115 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	84.73	-----	-----	69.61	36.59	11.44	32.91	104 115 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5885.48	54.07	88.20	-34.13	38.88	36.57	11.47	32.85	104 115 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	84.73	-----	-----	69.61	36.59	11.44	32.91	104 115 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5906.76</td><td>43.41</td><td>68.20</td><td>-24.79</td><td>28.23</td><td>36.61</td><td>11.43</td><td>32.86</td><td>104 115 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5906.76	43.41	68.20	-24.79	28.23	36.61	11.43	32.86	104 115 AVERAGE	Level (dBuV/m) Date: 2025-02-26 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>76.09</td><td>-----</td><td>-----</td><td>60.97</td><td>36.59</td><td>11.44</td><td>32.91</td><td>104 115 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	76.09	-----	-----	60.97	36.59	11.44	32.91	104 115 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5906.76	43.41	68.20	-24.79	28.23	36.61	11.43	32.86	104 115 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	76.09	-----	-----	60.97	36.59	11.44	32.91	104 115 AVERAGE																																																																		





Mode	45	
	Band Edge	
	U-NII-5_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-02-26 <	



Mode	45																																																																																																
	Harmonic																																																																																																
	U-NII-5_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>43.48</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12050.00	47.12	74.00	-26.88	43.48	38.50	15.14	50.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>44.03</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12050.00	47.67	74.00	-26.33	44.03	38.50	15.14	50.00	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12050.00	47.12	74.00	-26.88	43.48	38.50	15.14	50.00	---	---	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 12050.00	47.67	74.00	-26.33	44.03	38.50	15.14	50.00	---	---	Peak																																																																																							





Mode	46																																																																																			
	Harmonic																																																																																			
	U-NII-5_802.11ax HE160_CH47_Full RU_6185MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg	 Date: 2025-03-01 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>42.79</td><td>38.67</td><td>15.15</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	45.97	74.00	-28.03	42.79	38.67	15.15	50.64	---	---	Peak	 Date: 2025-03-01 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12370.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>43.49</td><td>38.67</td><td>15.15</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	46.67	74.00	-27.33	43.49	38.67	15.15	50.64	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12370.00	45.97	74.00	-28.03	42.79	38.67	15.15	50.64	---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 12370.00	46.67	74.00	-27.33	43.49	38.67	15.15	50.64	---	---	Peak																																																																										



Mode	47																																																																																			
	Harmonic																																																																																			
	U-NII-5_802.11ax HE160_CH79_Full RU_6345MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>44.44</td><td>38.70</td><td>15.16</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.32	74.00	-26.68	44.44	38.70	15.16	50.98	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>44.06</td><td>38.70</td><td>15.16</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	46.94	74.00	-27.06	44.06	38.70	15.16	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	12690.00	47.32	74.00	-26.68	44.44	38.70	15.16	50.98	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	12690.00	46.94	74.00	-27.06	44.06	38.70	15.16	50.98	---	---	Peak																																																																									



Mode	48																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>44.41</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.56	74.00	-26.44	44.41	39.50	15.54	51.89	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>44.03</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.18	74.00	-26.82	44.03	39.50	15.54	51.89	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13330.00	47.56	74.00	-26.44	44.41	39.50	15.54	51.89	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13330.00	47.18	74.00	-26.82	44.03	39.50	15.54	51.89	---	---	Peak																																																																																															





Mode	49																																																			
	Band Edge																																																			
	U-NII-8_802.11ax HE160_CH207_Full RU_6985MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-02-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7180.63</td><td>55.13</td><td>88.20</td><td>-33.07</td><td>38.88</td><td>36.46</td><td>12.93</td><td>33.14</td><td>100</td><td>108 PEAK</td></tr><tr><td>2 7296.25</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>37.98</td><td>36.60</td><td>13.07</td><td>33.16</td><td>100</td><td>108 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7180.63	55.13	88.20	-33.07	38.88	36.46	12.93	33.14	100	108 PEAK	2 7296.25	54.49	74.00	-19.51	37.98	36.60	13.07	33.16	100	108 PEAK	Level (dBuV/m) Date: 2025-02-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6985.00</td><td>89.75</td><td>-----</td><td>-----</td><td>74.28</td><td>36.30</td><td>12.27</td><td>33.10</td><td>100</td><td>108 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6985.00	89.75	-----	-----	74.28	36.30	12.27	33.10	100	108 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 7180.63	55.13	88.20	-33.07	38.88	36.46	12.93	33.14	100	108 PEAK																																											
2 7296.25	54.49	74.00	-19.51	37.98	36.60	13.07	33.16	100	108 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 6985.00	89.75	-----	-----	74.28	36.30	12.27	33.10	100	108 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-02-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7228.75</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>28.21</td><td>36.56</td><td>13.02</td><td>33.15</td><td>100</td><td>108 AVERAGE</td></tr><tr><td>2 7281.25</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>28.06</td><td>36.60</td><td>13.06</td><td>33.16</td><td>100</td><td>108 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7228.75	44.64	68.20	-23.56	28.21	36.56	13.02	33.15	100	108 AVERAGE	2 7281.25	44.56	54.00	-9.44	28.06	36.60	13.06	33.16	100	108 AVERAGE	Level (dBuV/m) Date: 2025-02-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6985.00</td><td>80.42</td><td>-----</td><td>-----</td><td>64.94</td><td>36.30</td><td>12.28</td><td>33.10</td><td>100</td><td>108 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6985.00	80.42	-----	-----	64.94	36.30	12.28	33.10	100	108 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7228.75	44.64	68.20	-23.56	28.21	36.56	13.02	33.15	100	108 AVERAGE																																											
2 7281.25	44.56	54.00	-9.44	28.06	36.60	13.06	33.16	100	108 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 6985.00	80.42	-----	-----	64.94	36.30	12.28	33.10	100	108 AVERAGE																																											



Mode	49																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7158.13</td><td>55.06</td><td>88.20</td><td>-33.14</td><td>38.92</td><td>36.42</td><td>12.85</td><td>33.13</td><td>231</td><td>146</td></tr><tr><td>2</td><td>7257.50</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>37.92</td><td>36.60</td><td>13.04</td><td>33.15</td><td>231</td><td>146</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB				1	7158.13	55.06	88.20	-33.14	38.92	36.42	12.85	33.13	231	146	2	7257.50	54.41	74.00	-19.59	37.92	36.60	13.04	33.15	231	146	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>81.28</td><td>-----</td><td>-----</td><td>65.81</td><td>36.30</td><td>12.27</td><td>33.10</td><td>231</td><td>146</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB				1	6985.00	81.28	-----	-----	65.81	36.30	12.27	33.10	231	146
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB																																																																																																							
1	7158.13	55.06	88.20	-33.14	38.92	36.42	12.85	33.13	231	146																																																																																																				
2	7257.50	54.41	74.00	-19.59	37.92	36.60	13.04	33.15	231	146																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB																																																																																																							
1	6985.00	81.28	-----	-----	65.81	36.30	12.27	33.10	231	146																																																																																																				
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7131.25</td><td>44.41</td><td>68.20</td><td>-23.79</td><td>28.35</td><td>36.44</td><td>12.75</td><td>33.13</td><td>231</td><td>146</td></tr><tr><td>2</td><td>7257.50</td><td>44.51</td><td>54.00</td><td>-9.49</td><td>28.02</td><td>36.60</td><td>13.04</td><td>33.15</td><td>231</td><td>146</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB				1	7131.25	44.41	68.20	-23.79	28.35	36.44	12.75	33.13	231	146	2	7257.50	44.51	54.00	-9.49	28.02	36.60	13.04	33.15	231	146	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>72.23</td><td>-----</td><td>-----</td><td>56.76</td><td>36.30</td><td>12.27</td><td>33.10</td><td>231</td><td>146</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB				1	6985.00	72.23	-----	-----	56.76	36.30	12.27	33.10	231	146
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB																																																																																																							
1	7131.25	44.41	68.20	-23.79	28.35	36.44	12.75	33.13	231	146																																																																																																				
2	7257.50	44.51	54.00	-9.49	28.02	36.60	13.04	33.15	231	146																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		cm	deg																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB																																																																																																							
1	6985.00	72.23	-----	-----	56.76	36.30	12.27	33.10	231	146																																																																																																				



Mode	49																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>48.22</td><td>88.20</td><td>-39.98</td><td>44.28</td><td>39.77</td><td>16.28</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	48.22	88.20	-39.98	44.28	39.77	16.28	52.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.98</td><td>88.20</td><td>-40.22</td><td>44.04</td><td>39.77</td><td>16.28</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	47.98	88.20	-40.22	44.04	39.77	16.28	52.11	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13970.00	48.22	88.20	-39.98	44.28	39.77	16.28	52.11	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13970.00	47.98	88.20	-40.22	44.04	39.77	16.28	52.11	---	---	Peak																																																																																															





Mode	50																																																																															
	Harmonic																																																																															
	U-NII-7_6525-7125_802.11ax HE20_CH185_Full RU_6525MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>42.78</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.62</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20																																																																									
<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>42.78</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.62</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20																																																																									
<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>42.78</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13750.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.62</td><td>39.70</td><td>16.03</td><td>52.20</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	46.31	88.20	-41.89	42.78	39.70	16.03	52.20																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13750.00	47.15	88.20	-41.05	43.62	39.70	16.03	52.20																																																																									





Mode	51																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-7125_802.11ax HE40_CH187_Full RU_6885MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>43.32</td><td>39.70</td><td>16.05</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	46.88	88.20	-41.32	43.32	39.70	16.05	52.19	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>44.32</td><td>39.70</td><td>16.05</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	47.88	88.20	-40.32	44.32	39.70	16.05	52.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13770.00	46.88	88.20	-41.32	43.32	39.70	16.05	52.19	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13770.00	47.88	88.20	-40.32	44.32	39.70	16.05	52.19	---	---	Peak																																																																																	





Mode	52																																																																																															
	Harmonic																																																																																															
	U-NII-7_6525-7125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	 Date: 2025-03-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>43.32</td><td>39.70</td><td>16.00</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	46.81	88.20	-41.39	43.32	39.70	16.00	52.21	---	---	Peak	 Date: 2025-03-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>43.79</td><td>39.70</td><td>16.00</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	47.28	88.20	-40.92	43.79	39.70	16.00	52.21	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13730.00	46.81	88.20	-41.39	43.32	39.70	16.00	52.21	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13730.00	47.28	88.20	-40.92	43.79	39.70	16.00	52.21	---	---	Peak																																																																																					



Mode	53																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-7125_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>43.92</td><td>39.65</td><td>15.91</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13650.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>43.18</td><td>39.65</td><td>15.91</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13650.00	46.50	88.20	-41.70	43.18	39.65	15.91	52.24	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13650.00	46.50	88.20	-41.70	43.18	39.65	15.91	52.24	---	---	Peak																																																																																															





Mode	54																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6875_802.11ax HE40_CH115_Full RU_6525MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>44.35</td><td>39.00</td><td>15.21</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.34	88.20	-40.86	44.35	39.00	15.21	51.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.19</td><td>88.20</td><td>-41.01</td><td>44.20</td><td>39.00</td><td>15.21</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.19	88.20	-41.01	44.20	39.00	15.21	51.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.34	88.20	-40.86	44.35	39.00	15.21	51.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.19	88.20	-41.01	44.20	39.00	15.21	51.22	---	---	Peak																																																																																	







Mode	55																																																																																												
	Harmonic																																																																																												
	U-NII-6_6425-6875_802.11ax HE80_CH119_Full RU_6545MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>48.09</td><td>88.20</td><td>-40.11</td><td>45.15</td><td>39.00</td><td>15.26</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	48.09	88.20	-40.11	45.15	39.00	15.26	51.32	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>43.99</td><td>39.00</td><td>15.26</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	46.93	88.20	-41.27	43.99	39.00	15.26	51.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13090.00	48.09	88.20	-40.11	45.15	39.00	15.26	51.32	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13090.00	46.93	88.20	-41.27	43.99	39.00	15.26	51.32	---	---	Peak																																																																																		







Mode	56	
	Harmonic	
	U-NII-6_6425-6875_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBm dBm/m dB dBm dB/m dB dB cm deg 1 13010.00 48.15 88.20 -40.05 45.10 39.00 15.17 51.12 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBm dBm/m dB dBm dB/m dB dB cm deg 1 13010.00 47.32 88.20 -40.88 44.27 39.00 15.17 51.12 --- --- Peak





Mode	59																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT20_CH1_5955MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.76</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>38.44</td><td>36.59</td><td>11.46</td><td>32.86</td><td>397</td><td>118 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5892.76	53.63	88.20	-34.57	38.44	36.59	11.46	32.86	397	118 PEAK	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.60</td><td>-----</td><td>-----</td><td>81.44</td><td>36.70</td><td>11.34</td><td>32.88</td><td>397</td><td>118 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.60	-----	-----	81.44	36.70	11.34	32.88	397	118 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5892.76	53.63	88.20	-34.57	38.44	36.59	11.46	32.86	397	118 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	96.60	-----	-----	81.44	36.70	11.34	32.88	397	118 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.30</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>28.25</td><td>36.62</td><td>11.43</td><td>32.86</td><td>397</td><td>118 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.30	43.44	68.20	-24.76	28.25	36.62	11.43	32.86	397	118 AVERAGE	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.38</td><td>-----</td><td>-----</td><td>72.21</td><td>36.70</td><td>11.35</td><td>32.88</td><td>397</td><td>118 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.38	-----	-----	72.21	36.70	11.35	32.88	397	118 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5908.30	43.44	68.20	-24.76	28.25	36.62	11.43	32.86	397	118 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	87.38	-----	-----	72.21	36.70	11.35	32.88	397	118 AVERAGE																																																																										



		59																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_802.11be EHT20_CH1_5955MHz																																																																																		
ANT		1+2																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	 Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5893.74</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>38.35</td><td>36.59</td><td>11.46</td><td>32.86</td><td>200 151 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.74	53.54	88.20	-34.66	38.35	36.59	11.46	32.86	200 151 PEAK	 Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.92</td><td>-----</td><td>-----</td><td>74.75</td><td>36.70</td><td>11.35</td><td>32.88</td><td>200 151 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.92	-----	-----	74.75	36.70	11.35	32.88	200 151 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5893.74	53.54	88.20	-34.66	38.35	36.59	11.46	32.86	200 151 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5955.00	89.92	-----	-----	74.75	36.70	11.35	32.88	200 151 PEAK																																																																											
Avg	 Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.68</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>28.26</td><td>36.64</td><td>11.42</td><td>32.87</td><td>200 151 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.68	43.45	68.20	-24.75	28.26	36.64	11.42	32.87	200 151 AVERAGE	 Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>82.76</td><td>-----</td><td>-----</td><td>67.59</td><td>36.70</td><td>11.35</td><td>32.88</td><td>200 151 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	82.76	-----	-----	67.59	36.70	11.35	32.88	200 151 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5917.68	43.45	68.20	-24.75	28.26	36.64	11.42	32.87	200 151 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5955.00	82.76	-----	-----	67.59	36.70	11.35	32.88	200 151 AVERAGE																																																																											





Mode	59																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_802.11be EHT20_CH1_5955MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-03-01  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>45.31</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17865.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>41.12</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	48.75	74.00	-25.25	45.31	38.32	15.09	49.97	---	--- Peak	2 17865.00	47.29	74.00	-26.71	41.12	42.47	17.74	54.04	---	--- Peak	Level (dBuV/m) Date: 2025-03-01  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>44.20</td><td>38.32</td><td>15.09</td><td>49.97</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17865.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>41.65</td><td>42.47</td><td>17.74</td><td>54.04</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.64	74.00	-26.36	44.20	38.32	15.09	49.97	---	--- Peak	2 17865.00	47.82	74.00	-26.18	41.65	42.47	17.74	54.04	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	48.75	74.00	-25.25	45.31	38.32	15.09	49.97	---	--- Peak																																																																																									
2 17865.00	47.29	74.00	-26.71	41.12	42.47	17.74	54.04	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.64	74.00	-26.36	44.20	38.32	15.09	49.97	---	--- Peak																																																																																									
2 17865.00	47.82	74.00	-26.18	41.65	42.47	17.74	54.04	---	--- Peak																																																																																									





Mode	60																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT20_CH45_6175MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>44.80</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	48.00	74.00	-26.00	44.80	38.65	15.15	50.60	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>44.42</td><td>38.65</td><td>15.15</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.62	74.00	-26.38	44.42	38.65	15.15	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	48.00	74.00	-26.00	44.80	38.65	15.15	50.60	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	47.62	74.00	-26.38	44.42	38.65	15.15	50.60	---	---	Peak																																																																																			





Mode	61																																																																																									
	Harmonic																																																																																									
	U-NII-5_802.11be EHT20_CH93_6415MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>44.60</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>43.95</td><td>38.80</td><td>15.16</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	46.88	88.20	-41.32	43.95	38.80	15.16	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 12830.00	47.53	88.20	-40.67	44.60	38.80	15.16	51.03	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 12830.00	46.88	88.20	-41.32	43.95	38.80	15.16	51.03	---	---	Peak																																																																																



Mode	62																																																																																			
	Harmonic																																																																																			
	U-NII-5_802.11be EHT20_CH97_6435MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12870.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>44.67</td><td>38.80</td><td>15.17</td><td>51.05</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 12870.00	47.59	88.20	-40.61	44.67	38.80	15.17	51.05	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 12870.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>44.65</td><td>38.80</td><td>15.17</td><td>51.05</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 12870.00	47.57	88.20	-40.63	44.65	38.80	15.17	51.05	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1 12870.00	47.59	88.20	-40.61	44.67	38.80	15.17	51.05	--- --- Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1 12870.00	47.57	88.20	-40.63	44.65	38.80	15.17	51.05	--- --- Peak																																																																												





Mode	63																																																																			
	Harmonic																																																																			
	U-NII-6_802.11be EHT20_CH105_6475MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12950.00</td><td>48.05</td><td>88.20</td><td>-40.15</td><td>45.06</td><td>38.90</td><td>15.17 51.08</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12950.00	48.05	88.20	-40.15	45.06	38.90	15.17 51.08	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12950.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>44.41</td><td>38.90</td><td>15.17 51.08</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12950.00	47.40	88.20	-40.80	44.41	38.90	15.17 51.08
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12950.00	48.05	88.20	-40.15	45.06	38.90	15.17 51.08																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12950.00	47.40	88.20	-40.80	44.41	38.90	15.17 51.08																																																														
Peak						Peak																																																														





Mode	64																																																																																													
	Harmonic																																																																																													
	U-NII-6_802.11be EHT20_CH113_6515MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>44.34</td><td>39.00</td><td>15.19</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.36	88.20	-40.84	44.34	39.00	15.19	51.17	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>43.88</td><td>39.00</td><td>15.19</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.90	88.20	-41.30	43.88	39.00	15.19	51.17	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13030.00	47.36	88.20	-40.84	44.34	39.00	15.19	51.17	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13030.00	46.90	88.20	-41.30	43.88	39.00	15.19	51.17	---	---	Peak																																																																																			





Mode	65																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal					Vertical																																																																																												
Peak Avg																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1 13070.00</td><td>46.58</td><td>88.20</td><td>-41.62</td><td>43.61</td><td>39.00</td><td>15.24</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13070.00	46.58	88.20	-41.62	43.61	39.00	15.24	51.27	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1 13070.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>44.76</td><td>39.00</td><td>15.24</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13070.00	47.73	88.20	-40.47	44.76	39.00	15.24	51.27	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13070.00	46.58	88.20	-41.62	43.61	39.00	15.24	51.27	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13070.00	47.73	88.20	-40.47	44.76	39.00	15.24	51.27	---	---	Peak																																																																																								





Mode	66																																																																																													
	Harmonic																																																																																													
	U-NII-7_802.11be EHT20_CH149_Full RU_6695MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>43.87</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.94	74.00	-27.06	43.87	39.50	15.61	52.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>42.59</td><td>39.50</td><td>15.61</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.66	74.00	-28.34	42.59	39.50	15.61	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	46.94	74.00	-27.06	43.87	39.50	15.61	52.04	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	45.66	74.00	-28.34	42.59	39.50	15.61	52.04	---	---	Peak																																																																																			





Mode	67																																																																																			
	Harmonic																																																																																			
	U-NII-7_802.11be EHT20_CH181_Full RU_6855MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg																																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>44.09</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	47.55	88.20	-40.65	44.09	39.70	15.98	52.22	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>43.90</td><td>39.70</td><td>15.98</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	47.36	88.20	-40.84	43.90	39.70	15.98	52.22	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 13710.00	47.55	88.20	-40.65	44.09	39.70	15.98	52.22	---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 13710.00	47.36	88.20	-40.84	43.90	39.70	15.98	52.22	---	---	Peak																																																																										







Mode	68																																																																																																						
	Harmonic																																																																																																						
	U-NII-8_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th></th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>44.24</td><td>39.70</td><td>16.07</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.83	88.20	-40.37	44.24	39.70	16.07	52.18	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th></th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.64</td><td>88.20</td><td>-39.56</td><td>45.05</td><td>39.70</td><td>16.07</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.64	88.20	-39.56	45.05	39.70	16.07	52.18	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13790.00	47.83	88.20	-40.37	44.24	39.70	16.07	52.18	---	---	Peak																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13790.00	48.64	88.20	-39.56	45.05	39.70	16.07	52.18	---	---	Peak																																																																																												



Mode	69																																																																									
	Harmonic																																																																									
	U-NII-8_802.11be EHT20_CH209_Full RU_6995MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13990.00</td><td>48.66</td><td>88.20</td><td>-39.54</td><td>44.67</td><td>39.79</td><td>16.30</td><td>52.10</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13990.00	48.66	88.20	-39.54	44.67	39.79	16.30	52.10								--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13990.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>43.51</td><td>39.79</td><td>16.30</td><td>52.10</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 13990.00	47.50	88.20	-40.70	43.51	39.79	16.30	52.10								--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
1 13990.00	48.66	88.20	-39.54	44.67	39.79	16.30	52.10																																																																			
							--- --- Peak																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
1 13990.00	47.50	88.20	-40.70	43.51	39.79	16.30	52.10																																																																			
							--- --- Peak																																																																			
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13990.00</td><td>48.66</td><td>88.20</td><td>-39.54</td><td>44.67</td><td>39.79</td><td>16.30</td><td>52.10</td><td>---</td><td>---</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	48.66	88.20	-39.54	44.67	39.79	16.30	52.10	---	---	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13990.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>43.51</td><td>39.79</td><td>16.30</td><td>52.10</td><td>---</td><td>---</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	47.50	88.20	-40.70	43.51	39.79	16.30	52.10	---	---																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13990.00	48.66	88.20	-39.54	44.67	39.79	16.30	52.10	---	---																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13990.00	47.50	88.20	-40.70	43.51	39.79	16.30	52.10	---	---																																																																	



Mode	70																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7235.19</td><td>55.00</td><td>88.20</td><td>-33.20</td><td>38.56</td><td>36.57</td><td>13.02</td><td>33.15</td><td>100</td><td>107 PEAK</td></tr><tr><td>2</td><td>7250.77</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>38.26</td><td>36.60</td><td>13.04</td><td>33.15</td><td>100</td><td>107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7235.19	55.00	88.20	-33.20	38.56	36.57	13.02	33.15	100	107 PEAK	2	7250.77	54.75	74.00	-19.25	38.26	36.60	13.04	33.15	100	107 PEAK	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.14</td><td>-----</td><td>-----</td><td>81.18</td><td>36.48</td><td>12.60</td><td>33.12</td><td>100</td><td>107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.14	-----	-----	81.18	36.48	12.60	33.12	100	107 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7235.19	55.00	88.20	-33.20	38.56	36.57	13.02	33.15	100	107 PEAK																																																																																													
2	7250.77	54.75	74.00	-19.25	38.26	36.60	13.04	33.15	100	107 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	97.14	-----	-----	81.18	36.48	12.60	33.12	100	107 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.06</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>28.55</td><td>36.45</td><td>12.74</td><td>33.13</td><td>100</td><td>107 AVERAGE</td></tr><tr><td>2</td><td>7295.27</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>28.09</td><td>36.60</td><td>13.07</td><td>33.16</td><td>100</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.06	44.61	68.20	-23.59	28.55	36.45	12.74	33.13	100	107 AVERAGE	2	7295.27	44.60	54.00	-9.40	28.09	36.60	13.07	33.16	100	107 AVERAGE	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.61</td><td>-----</td><td>-----</td><td>72.65</td><td>36.48</td><td>12.60</td><td>33.12</td><td>100</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.61	-----	-----	72.65	36.48	12.60	33.12	100	107 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7127.06	44.61	68.20	-23.59	28.55	36.45	12.74	33.13	100	107 AVERAGE																																																																																													
2	7295.27	44.60	54.00	-9.40	28.09	36.60	13.07	33.16	100	107 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	88.61	-----	-----	72.65	36.48	12.60	33.12	100	107 AVERAGE																																																																																													







Mode	70																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7152.87</td><td>54.32</td><td>88.20</td><td>-33.88</td><td>38.21</td><td>36.41</td><td>12.83</td><td>33.13</td><td>241</td><td>139 PEAK</td></tr><tr><td>2</td><td>7317.52</td><td>54.60</td><td>74.00</td><td>-19.40</td><td>38.12</td><td>36.56</td><td>13.08</td><td>33.16</td><td>241</td><td>139 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7152.87	54.32	88.20	-33.88	38.21	36.41	12.83	33.13	241	139 PEAK	2	7317.52	54.60	74.00	-19.40	38.12	36.56	13.08	33.16	241	139 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.17</td><td>-----</td><td>-----</td><td>72.14</td><td>36.50</td><td>12.65</td><td>33.12</td><td>241</td><td>139 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.17	-----	-----	72.14	36.50	12.65	33.12	241	139 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7152.87	54.32	88.20	-33.88	38.21	36.41	12.83	33.13	241	139 PEAK																																																																																													
2	7317.52	54.60	74.00	-19.40	38.12	36.56	13.08	33.16	241	139 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	88.17	-----	-----	72.14	36.50	12.65	33.12	241	139 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7200.93</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>28.14</td><td>36.50</td><td>13.00</td><td>33.14</td><td>241</td><td>139 AVERAGE</td></tr><tr><td>2</td><td>7270.35</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.03</td><td>36.60</td><td>13.05</td><td>33.15</td><td>241</td><td>139 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7200.93	44.50	68.20	-23.70	28.14	36.50	13.00	33.14	241	139 AVERAGE	2	7270.35	44.53	54.00	-9.47	28.03	36.60	13.05	33.15	241	139 AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.61</td><td>-----</td><td>-----</td><td>63.58</td><td>36.50</td><td>12.65</td><td>33.12</td><td>241</td><td>139 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	79.61	-----	-----	63.58	36.50	12.65	33.12	241	139 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7200.93	44.50	68.20	-23.70	28.14	36.50	13.00	33.14	241	139 AVERAGE																																																																																													
2	7270.35	44.53	54.00	-9.47	28.03	36.60	13.05	33.15	241	139 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	79.61	-----	-----	63.58	36.50	12.65	33.12	241	139 AVERAGE																																																																																													







Mode	70																																																																																												
	Harmonic																																																																																												
	U-NII-8_802.11be EHT20_CH229_Full RU_7095MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>43.65</td><td>39.89</td><td>16.32</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.87	88.20	-40.33	43.65	39.89	16.32	51.99	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.36</td><td>88.20</td><td>-39.84</td><td>44.14</td><td>39.89</td><td>16.32</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.36	88.20	-39.84	44.14	39.89	16.32	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	47.87	88.20	-40.33	43.65	39.89	16.32	51.99	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	48.36	88.20	-39.84	44.14	39.89	16.32	51.99	---	---	Peak																																																																																		





Mode	71																																																																																	
	Band Edge																																																																																	
	U-NII-5_802.11be EHT40_CH3_Full RU_5965MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-02-26  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5848.68</td><td>53.70</td><td>88.20</td><td>-34.50</td><td>38.51</td><td>36.50</td><td>11.53</td><td>32.84</td><td>100</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5848.68	53.70	88.20	-34.50	38.51	36.50	11.53	32.84	100	117 PEAK	Level (dBuV/m) Date: 2025-02-26  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>90.11</td><td>-----</td><td>-----</td><td>74.94</td><td>36.70</td><td>11.35</td><td>32.88</td><td>100</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5965.00	90.11	-----	-----	74.94	36.70	11.35	32.88	100	117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5848.68	53.70	88.20	-34.50	38.51	36.50	11.53	32.84	100	117 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	90.11	-----	-----	74.94	36.70	11.35	32.88	100	117 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-02-26  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5827.24</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.11</td><td>36.55</td><td>11.57</td><td>32.83</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5827.24	43.40	68.20	-24.80	28.11	36.55	11.57	32.83	100	117 AVERAGE	Level (dBuV/m) Date: 2025-02-26  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>81.45</td><td>-----</td><td>-----</td><td>66.28</td><td>36.70</td><td>11.35</td><td>32.88</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5965.00	81.45	-----	-----	66.28	36.70	11.35	32.88	100	117 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5827.24	43.40	68.20	-24.80	28.11	36.55	11.57	32.83	100	117 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	81.45	-----	-----	66.28	36.70	11.35	32.88	100	117 AVERAGE																																																																									



Mode	71																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT40_CH3_Full RU_5965MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5859.40</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>38.37</td><td>36.52</td><td>11.51</td><td>32.84</td><td>240</td><td>150 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5859.40	53.56	88.20	-34.64	38.37	36.52	11.51	32.84	240	150 PEAK	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.58</td><td>-----</td><td>-----</td><td>72.41</td><td>36.70</td><td>11.35</td><td>32.88</td><td>240</td><td>150 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.58	-----	-----	72.41	36.70	11.35	32.88	240	150 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5859.40	53.56	88.20	-34.64	38.37	36.52	11.51	32.84	240	150 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	87.58	-----	-----	72.41	36.70	11.35	32.88	240	150 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.72</td><td>43.48</td><td>68.20</td><td>-24.72</td><td>28.29</td><td>36.61</td><td>11.44</td><td>32.86</td><td>240</td><td>150 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.72	43.48	68.20	-24.72	28.29	36.61	11.44	32.86	240	150 AVERAGE	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>78.79</td><td>-----</td><td>-----</td><td>63.62</td><td>36.70</td><td>11.35</td><td>32.88</td><td>240</td><td>150 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	78.79	-----	-----	63.62	36.70	11.35	32.88	240	150 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5903.72	43.48	68.20	-24.72	28.29	36.61	11.44	32.86	240	150 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5965.00	78.79	-----	-----	63.62	36.70	11.35	32.88	240	150 AVERAGE																																																																										





Mode	71																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-03-01  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>44.69</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>41.46</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.19	74.00	-25.81	44.69	38.36	15.10	49.96	---	Peak	2 17895.00	47.63	74.00	-26.37	41.46	42.49	17.75	54.07	---	Peak	Level (dBuV/m) Date: 2025-03-01  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>45.18</td><td>38.36</td><td>15.10</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>41.91</td><td>42.49</td><td>17.75</td><td>54.07</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.68	74.00	-25.32	45.18	38.36	15.10	49.96	---	Peak	2 17895.00	48.08	74.00	-25.92	41.91	42.49	17.75	54.07	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	48.19	74.00	-25.81	44.69	38.36	15.10	49.96	---	Peak																																																																																									
2 17895.00	47.63	74.00	-26.37	41.46	42.49	17.75	54.07	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	48.68	74.00	-25.32	45.18	38.36	15.10	49.96	---	Peak																																																																																									
2 17895.00	48.08	74.00	-25.92	41.91	42.49	17.75	54.07	---	Peak																																																																																									



Mode	72																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT40_CH43_Full RU_6165MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>43.99</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	47.21	74.00	-26.79	43.99	38.63	15.15	50.56	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>44.86</td><td>38.63</td><td>15.15</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	48.08	74.00	-25.92	44.86	38.63	15.15	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	47.21	74.00	-26.79	43.99	38.63	15.15	50.56	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12330.00	48.08	74.00	-25.92	44.86	38.63	15.15	50.56	---	---	Peak																																																																																			



Mode	73																																																										
	Harmonic																																																										
	U-NII-5_802.11be EHT40_CH91_Full RU_6405MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>44.29</td><td>38.80</td><td>15.16</td><td>51.02</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 12810.00	47.23	88.20	-40.97	44.29	38.80	15.16	51.02	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>44.19</td><td>38.80</td><td>15.16</td><td>51.02</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 12810.00	47.13	88.20	-41.07	44.19	38.80	15.16	51.02
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 12810.00	47.23	88.20	-40.97	44.29	38.80	15.16	51.02																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 12810.00	47.13	88.20	-41.07	44.19	38.80	15.16	51.02																																																				
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>44.29</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.23	88.20	-40.97	44.29	38.80	15.16	51.02	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>44.19</td><td>38.80</td><td>15.16</td><td>51.02</td><td>---</td><td>Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.13	88.20	-41.07	44.19	38.80	15.16	51.02	---	Peak					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	12810.00	47.23	88.20	-40.97	44.29	38.80	15.16	51.02	---	Peak																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	12810.00	47.13	88.20	-41.07	44.19	38.80	15.16	51.02	---	Peak																																																	



Mode	74																																																																																												
	Harmonic																																																																																												
	U-NII-6_802.11be EHT40_CH99_Full RU_6445MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>48.06</td><td>88.20</td><td>-40.14</td><td>45.15</td><td>38.80</td><td>15.17</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	48.06	88.20	-40.14	45.15	38.80	15.17	51.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>44.37</td><td>38.80</td><td>15.17</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.28	88.20	-40.92	44.37	38.80	15.17	51.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12890.00	48.06	88.20	-40.14	45.15	38.80	15.17	51.06	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12890.00	47.28	88.20	-40.92	44.37	38.80	15.17	51.06	---	---	Peak																																																																																		





Mode	75																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_802.11be EHT40_CH107_Full RU_6485MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12970.00</td><td>48.28</td><td>88.20</td><td>-39.92</td><td>45.26</td><td>38.94</td><td>15.17</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12970.00	48.28	88.20	-39.92	45.26	38.94	15.17	51.09	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12970.00</td><td>47.32</td><td>88.20</td><td>-40.88</td><td>44.30</td><td>38.94</td><td>15.17</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12970.00	47.32	88.20	-40.88	44.30	38.94	15.17	51.09	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12970.00	48.28	88.20	-39.92	45.26	38.94	15.17	51.09	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12970.00	47.32	88.20	-40.88	44.30	38.94	15.17	51.09	---	---	Peak																																																																																															





Mode	76																																																																																				
	Harmonic																																																																																				
	U-NII-7_802.11be EHT40_CH123_Full RU_6565MHz																																																																																				
ANT	1+2																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) 72001376020320268803344040000 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>48.25</td><td>88.20</td><td>-39.95</td><td>45.32</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) 72001376020320268803344040000 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>46.74</td><td>88.20</td><td>-41.46</td><td>43.81</td><td>39.03</td><td>15.31</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13130.00	48.25	88.20	-39.95	45.32	39.03	15.31	51.41	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13130.00	46.74	88.20	-41.46	43.81	39.03	15.31	51.41	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	13130.00	48.25	88.20	-39.95	45.32	39.03	15.31	51.41	---	---	Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	13130.00	46.74	88.20	-41.46	43.81	39.03	15.31	51.41	---	---	Peak																																																																										





Mode	77																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11be EHT40_CH147_Full RU_6685MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>44.07</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.16	74.00	-26.84	44.07	39.50	15.58	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>43.64</td><td>39.50</td><td>15.58</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.73	74.00	-27.27	43.64	39.50	15.58	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	47.16	74.00	-26.84	44.07	39.50	15.58	51.99	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	46.73	74.00	-27.27	43.64	39.50	15.58	51.99	---	---	Peak																																																																																		





Mode	78																																																														
	Harmonic																																																														
	U-NII-7_802.11be EHT40_CH179_Full RU_6845MHz																																																														
ANT	1+2																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13690.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>44.58</td><td>39.69</td><td>15.96</td><td>52.22</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 13690.00	48.01	88.20	-40.19	44.58	39.69	15.96	52.22	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13690.00</td><td>48.22</td><td>88.20</td><td>-39.98</td><td>44.79</td><td>39.69</td><td>15.96</td><td>52.22</td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 13690.00	48.22	88.20	-39.98	44.79	39.69	15.96	52.22	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
1 13690.00	48.01	88.20	-40.19	44.58	39.69	15.96	52.22	--- --- Peak																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
1 13690.00	48.22	88.20	-39.98	44.79	39.69	15.96	52.22	--- --- Peak																																																							







Mode	79																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>43.03</td><td>39.70</td><td>16.14</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	46.71	88.20	-41.49	43.03	39.70	16.14	52.16	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>43.29</td><td>39.70</td><td>16.14</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	46.97	88.20	-41.23	43.29	39.70	16.14	52.16	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13850.00	46.71	88.20	-41.49	43.03	39.70	16.14	52.16	---	---	Peak																																																																																										
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13850.00	46.97	88.20	-41.23	43.29	39.70	16.14	52.16	---	---	Peak																																																																																										



Mode	80																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_802.11be EHT40_CH203_Full RU_6965MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>48.45</td><td>88.20</td><td>-39.75</td><td>44.62</td><td>39.73</td><td>16.23</td><td>52.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	48.45	88.20	-39.75	44.62	39.73	16.23	52.13	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>48.24</td><td>88.20</td><td>-39.96</td><td>44.41</td><td>39.73</td><td>16.23</td><td>52.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	48.24	88.20	-39.96	44.41	39.73	16.23	52.13	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13930.00	48.45	88.20	-39.75	44.62	39.73	16.23	52.13	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13930.00	48.24	88.20	-39.96	44.41	39.73	16.23	52.13	---	---	Peak																																																																																															



Mode	81																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7229.45</td><td>54.49</td><td>88.20</td><td>-33.71</td><td>38.06</td><td>36.56</td><td>13.02</td><td>33.15</td><td>106</td><td>109 PEAK</td></tr><tr><td>2 7306.97</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>38.20</td><td>36.59</td><td>13.08</td><td>33.16</td><td>106</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7229.45	54.49	88.20	-33.71	38.06	36.56	13.02	33.15	106	109 PEAK	2 7306.97	54.71	74.00	-19.29	38.20	36.59	13.08	33.16	106	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>95.51</td><td>-----</td><td>-----</td><td>79.62</td><td>36.45</td><td>12.56</td><td>33.12</td><td>106</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7085.00	95.51	-----	-----	79.62	36.45	12.56	33.12	106
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7229.45	54.49	88.20	-33.71	38.06	36.56	13.02	33.15	106	109 PEAK																																																																																										
2 7306.97	54.71	74.00	-19.29	38.20	36.59	13.08	33.16	106	109 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7085.00	95.51	-----	-----	79.62	36.45	12.56	33.12	106	109 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7228.88</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>28.53</td><td>36.56</td><td>13.02</td><td>33.15</td><td>106</td><td>109 AVERAGE</td></tr><tr><td>2 7260.80</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>28.18</td><td>36.60</td><td>13.04</td><td>33.15</td><td>106</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7228.88	44.96	68.20	-23.24	28.53	36.56	13.02	33.15	106	109 AVERAGE	2 7260.80	44.67	54.00	-9.33	28.18	36.60	13.04	33.15	106	109 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>85.32</td><td>-----</td><td>-----</td><td>69.43</td><td>36.45</td><td>12.56</td><td>33.12</td><td>106</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7085.00	85.32	-----	-----	69.43	36.45	12.56	33.12	106
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7228.88	44.96	68.20	-23.24	28.53	36.56	13.02	33.15	106	109 AVERAGE																																																																																										
2 7260.80	44.67	54.00	-9.33	28.18	36.60	13.04	33.15	106	109 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7085.00	85.32	-----	-----	69.43	36.45	12.56	33.12	106	109 AVERAGE																																																																																										







Mode	81																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																										
ANT	1+2																																																																																																										
Pol.	Vertical					Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-26 <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7146.80</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>37.74</td><td>36.41</td><td>12.81</td><td>33.13</td><td>245</td><td>139 PEAK</td></tr><tr><td>2</td><td>7343.73</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>37.45</td><td>36.51</td><td>13.10</td><td>33.17</td><td>245</td><td>139 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7146.80	53.83	88.20	-34.37	37.74	36.41	12.81	33.13	245	139 PEAK	2	7343.73	53.89	74.00	-20.11	37.45	36.51	13.10	33.17	245	139 PEAK	Level (dBuV/m) Date: 2025-02-26 <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>85.85</td><td>-----</td><td>-----</td><td>69.86</td><td>36.49</td><td>12.62</td><td>33.12</td><td>245</td><td>139 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7085.00	85.85	-----	-----	69.86	36.49	12.62	33.12	245	139 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7146.80	53.83	88.20	-34.37	37.74	36.41	12.81	33.13	245	139 PEAK																																																																																																	
2	7343.73	53.89	74.00	-20.11	37.45	36.51	13.10	33.17	245	139 PEAK																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7085.00	85.85	-----	-----	69.86	36.49	12.62	33.12	245	139 PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-26 <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7128.84</td><td>44.19</td><td>68.20</td><td>-24.01</td><td>28.14</td><td>36.44</td><td>12.74</td><td>33.13</td><td>245</td><td>139 AVERAGE</td></tr><tr><td>2</td><td>7250.25</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>27.65</td><td>36.60</td><td>13.04</td><td>33.15</td><td>245</td><td>139 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7128.84	44.19	68.20	-24.01	28.14	36.44	12.74	33.13	245	139 AVERAGE	2	7250.25	44.14	54.00	-9.86	27.65	36.60	13.04	33.15	245	139 AVERAGE	Level (dBuV/m) Date: 2025-02-26 <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>76.11</td><td>-----</td><td>-----</td><td>60.24</td><td>36.44</td><td>12.54</td><td>33.11</td><td>245</td><td>139 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7085.00	76.11	-----	-----	60.24	36.44	12.54	33.11	245	139 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7128.84	44.19	68.20	-24.01	28.14	36.44	12.74	33.13	245	139 AVERAGE																																																																																																	
2	7250.25	44.14	54.00	-9.86	27.65	36.60	13.04	33.15	245	139 AVERAGE																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7085.00	76.11	-----	-----	60.24	36.44	12.54	33.11	245	139 AVERAGE																																																																																																	



Mode	81																																																																																											
	Harmonic																																																																																											
	U-NII-8_802.11be EHT40_CH227_Full RU_7085MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>48.24</td><td>88.20</td><td>-39.96</td><td>44.05</td><td>39.87</td><td>16.32</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	48.24	88.20	-39.96	44.05	39.87	16.32	52.00	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>48.62</td><td>88.20</td><td>-39.58</td><td>44.43</td><td>39.87</td><td>16.32</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	48.62	88.20	-39.58	44.43	39.87	16.32	52.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14170.00	48.24	88.20	-39.96	44.05	39.87	16.32	52.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14170.00	48.62	88.20	-39.58	44.43	39.87	16.32	52.00	---	---	Peak																																																																																	





		82																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_802.11be EHT80_CH7_Full RU_5985MHz																																																																																									
ANT		1+2																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.80</td><td>53.96</td><td>88.20</td><td>-34.24</td><td>38.78</td><td>36.63</td><td>11.42</td><td>32.87</td><td>111</td><td>160 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.80	53.96	88.20	-34.24	38.78	36.63	11.42	32.87	111	160 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.22</td><td>-----</td><td>-----</td><td>71.09</td><td>36.69</td><td>11.34</td><td>32.90</td><td>111</td><td>160 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.22	-----	-----	71.09	36.69	11.34	32.90	111
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5913.80	53.96	88.20	-34.24	38.78	36.63	11.42	32.87	111	160 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	86.22	-----	-----	71.09	36.69	11.34	32.90	111	160 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.28</td><td>43.43</td><td>68.20</td><td>-24.77</td><td>28.25</td><td>36.64</td><td>11.41</td><td>32.87</td><td>111</td><td>160 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	43.43	68.20	-24.77	28.25	36.64	11.41	32.87	111	160 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>78.15</td><td>-----</td><td>-----</td><td>63.06</td><td>36.70</td><td>11.29</td><td>32.90</td><td>111</td><td>160 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	78.15	-----	-----	63.06	36.70	11.29	32.90	111
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5922.28	43.43	68.20	-24.77	28.25	36.64	11.41	32.87	111	160 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	78.15	-----	-----	63.06	36.70	11.29	32.90	111	160 AVERAGE																																																																																	



Mode	82	
	Band Edge	
	U-NII-5_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	</	





Mode	82																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-5_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																																
ANT	1+2																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11970.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>44.06</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>41.04</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11970.00	47.70	74.00	-26.30	44.06	38.44	15.12	49.92	---	---	Peak	2	17955.00	47.33	74.00	-26.67	41.04	42.67	17.77	54.15	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11970.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>44.16</td><td>38.44</td><td>15.12</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>40.78</td><td>42.67</td><td>17.77</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11970.00	47.80	74.00	-26.20	44.16	38.44	15.12	49.92	---	---	Peak	2	17955.00	47.07	74.00	-26.93	40.78	42.67	17.77	54.15	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11970.00	47.70	74.00	-26.30	44.06	38.44	15.12	49.92	---	---	Peak																																																																																																																						
2	17955.00	47.33	74.00	-26.67	41.04	42.67	17.77	54.15	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11970.00	47.80	74.00	-26.20	44.16	38.44	15.12	49.92	---	---	Peak																																																																																																																						
2	17955.00	47.07	74.00	-26.93	40.78	42.67	17.77	54.15	---	---	Peak																																																																																																																						





Mode	83																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT80_CH39_Full RU_6145MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>43.86</td><td>38.60</td><td>15.15</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.13	74.00	-26.87	43.86	38.60	15.15	50.48	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>44.67</td><td>38.60</td><td>15.15</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.94	74.00	-26.06	44.67	38.60	15.15	50.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12290.00	47.13	74.00	-26.87	43.86	38.60	15.15	50.48	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12290.00	47.94	74.00	-26.06	44.67	38.60	15.15	50.48	---	---	Peak																																																																																			





Mode	84																																																																																												
	Harmonic																																																																																												
	U-NII-5_802.11be EHT80_CH87_Full RU_6385MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-01  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>44.72</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.64	88.20	-40.56	44.72	38.77	15.16	51.01	---	---	Peak	Level (dBuV/m) Date: 2025-03-01  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>45.07</td><td>38.77</td><td>15.16</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.99	88.20	-40.21	45.07	38.77	15.16	51.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	47.64	88.20	-40.56	44.72	38.77	15.16	51.01	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	47.99	88.20	-40.21	45.07	38.77	15.16	51.01	---	---	Peak																																																																																		





Mode	85	
	Harmonic	
	U-NII-6_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 46.97 88.20 -41.23 44.01 38.86 15.17 51.07 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 47.18 88.20 -41.02 44.22 38.86 15.17 51.07 --- --- Peak





Mode	86																																																																																												
	Harmonic																																																																																												
	U-NII-7_802.11be EHT80_CH135_Full RU_6625MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>43.93</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>44.30</td><td>39.30</td><td>15.45</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	46.98	74.00	-27.02	43.93	39.30	15.45	51.70	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	47.35	74.00	-26.65	44.30	39.30	15.45	51.70	---	---	Peak																																																																																		





Mode	87																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>43.97</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.03	88.20	-41.17	43.97	39.51	15.63	52.08	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>44.34</td><td>39.51</td><td>15.63</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.40	88.20	-40.80	44.34	39.51	15.63	52.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13410.00	47.03	88.20	-41.17	43.97	39.51	15.63	52.08	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13410.00	47.40	88.20	-40.80	44.34	39.51	15.63	52.08	---	---	Peak																																																																																															







Mode	88	
	Harmonic	
	U-NII-7_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 47.29 88.20 -40.91 44.14 39.60 15.82 52.27 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 47.95 88.20 -40.25 44.80 39.60 15.82 52.27 --- --- Peak



Mode	89																																																			
	Harmonic																																																			
	U-NII-8_802.11be EHT80_CH199_Full RU_6945MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal																																																			
Peak Avg	Level (dBuV/m) Date: 2025-03-01 																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>44.06</td><td>39.70</td><td>16.19</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	47.81	88.20	-40.39	44.06	39.70	16.19	52.14	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13890.00	47.81	88.20	-40.39	44.06	39.70	16.19	52.14	---	---	Peak																																									
Peak Avg	Level (dBuV/m) Date: 2025-03-01 																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>43.54</td><td>39.70</td><td>16.19</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	47.29	88.20	-40.91	43.54	39.70	16.19	52.14	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	13890.00	47.29	88.20	-40.91	43.54	39.70	16.19	52.14	---	---	Peak																																									



Mode	90																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7149.62</td><td>54.75</td><td>88.20</td><td>-33.45</td><td>38.66</td><td>36.40</td><td>12.82</td><td>33.13</td><td>100</td><td>109 PEAK</td></tr><tr><td>2</td><td>7331.39</td><td>54.33</td><td>74.00</td><td>-19.67</td><td>37.87</td><td>36.54</td><td>13.09</td><td>33.17</td><td>100</td><td>109 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7149.62	54.75	88.20	-33.45	38.66	36.40	12.82	33.13	100	109 PEAK	2	7331.39	54.33	74.00	-19.67	37.87	36.54	13.09	33.17	100	109 PEAK	Level (dBuV/m) Date: 2025-02-26  PEAK_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>90.79</td><td>-----</td><td>-----</td><td>75.19</td><td>36.34</td><td>12.36</td><td>33.10</td><td>100</td><td>109 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	90.79	-----	-----	75.19	36.34	12.36	33.10	100	109 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7149.62	54.75	88.20	-33.45	38.66	36.40	12.82	33.13	100	109 PEAK																																																																																																				
2	7331.39	54.33	74.00	-19.67	37.87	36.54	13.09	33.17	100	109 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	90.79	-----	-----	75.19	36.34	12.36	33.10	100	109 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7199.62</td><td>44.58</td><td>68.20</td><td>-23.62</td><td>28.22</td><td>36.50</td><td>13.00</td><td>33.14</td><td>100</td><td>109 AVERAGE</td></tr><tr><td>2</td><td>7284.67</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>28.14</td><td>36.60</td><td>13.06</td><td>33.16</td><td>100</td><td>109 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7199.62	44.58	68.20	-23.62	28.22	36.50	13.00	33.14	100	109 AVERAGE	2	7284.67	44.64	54.00	-9.36	28.14	36.60	13.06	33.16	100	109 AVERAGE	Level (dBuV/m) Date: 2025-02-26  AVG_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>81.60</td><td>-----</td><td>-----</td><td>66.10</td><td>36.30</td><td>12.30</td><td>33.10</td><td>100</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	81.60	-----	-----	66.10	36.30	12.30	33.10	100	109 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7199.62	44.58	68.20	-23.62	28.22	36.50	13.00	33.14	100	109 AVERAGE																																																																																																				
2	7284.67	44.64	54.00	-9.36	28.14	36.60	13.06	33.16	100	109 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7025.00	81.60	-----	-----	66.10	36.30	12.30	33.10	100	109 AVERAGE																																																																																																				







Mode	90																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11be EHT80_CH215_Full RU_7025MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.21</td><td>55.37</td><td>88.20</td><td>-32.83</td><td>39.30</td><td>36.43</td><td>12.77</td><td>33.13</td><td>198 135 PEAK</td></tr><tr><td>2</td><td>7280.29</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>37.61</td><td>36.60</td><td>13.06</td><td>33.16</td><td>198 135 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7137.21	55.37	88.20	-32.83	39.30	36.43	12.77	33.13	198 135 PEAK	2	7280.29	54.11	74.00	-19.89	37.61	36.60	13.06	33.16	198 135 PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>82.59</td><td>-----</td><td>-----</td><td>66.97</td><td>36.35</td><td>12.38</td><td>33.11</td><td>198 134 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	82.59	-----	-----	66.97	36.35	12.38	33.11	198 134 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7137.21	55.37	88.20	-32.83	39.30	36.43	12.77	33.13	198 135 PEAK																																																																																			
2	7280.29	54.11	74.00	-19.89	37.61	36.60	13.06	33.16	198 135 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	82.59	-----	-----	66.97	36.35	12.38	33.11	198 134 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7201.45</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>28.25</td><td>36.50</td><td>13.00</td><td>33.14</td><td>198 134 AVERAGE</td></tr><tr><td>2</td><td>7314.96</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>28.08</td><td>36.57</td><td>13.08</td><td>33.16</td><td>198 134 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7201.45	44.61	68.20	-23.59	28.25	36.50	13.00	33.14	198 134 AVERAGE	2	7314.96	44.57	54.00	-9.43	28.08	36.57	13.08	33.16	198 134 AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>73.60</td><td>-----</td><td>-----</td><td>58.06</td><td>36.32</td><td>12.32</td><td>33.10</td><td>198 134 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	73.60	-----	-----	58.06	36.32	12.32	33.10	198 134 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7201.45	44.61	68.20	-23.59	28.25	36.50	13.00	33.14	198 134 AVERAGE																																																																																			
2	7314.96	44.57	54.00	-9.43	28.08	36.57	13.08	33.16	198 134 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	73.60	-----	-----	58.06	36.32	12.32	33.10	198 134 AVERAGE																																																																																			







Mode	90																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal										Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>14050.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>43.47</td><td>39.80</td><td>16.31</td><td>52.07</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>14050.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>43.30</td><td>39.80</td><td>16.31</td><td>52.07</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14050.00	47.51	88.20	-40.69	43.47	39.80	16.31	52.07							cm	deg	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14050.00	47.34	88.20	-40.86	43.30	39.80	16.31	52.07							cm	deg	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	14050.00	47.51	88.20	-40.69	43.47	39.80	16.31	52.07																																																																																												
						cm	deg	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																												
1	14050.00	47.34	88.20	-40.86	43.30	39.80	16.31	52.07																																																																																												
						cm	deg	Peak																																																																																												





Mode	91																																																																																								
	Band Edge																																																																																								
	U-NII-5_802.11be EHT160_CH15_Full RU_6025MHz																																																																																								
ANT	1+2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.72</td><td>53.32</td><td>88.20</td><td>-34.88</td><td>38.13</td><td>36.65</td><td>11.41</td><td>32.87</td><td>102 190 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.72	53.32	88.20	-34.88	38.13	36.65	11.41	32.87	102 190 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.87</td><td>-----</td><td>-----</td><td>69.74</td><td>36.64</td><td>11.39</td><td>32.90</td><td>102 190 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.87	-----	-----	69.74	36.64	11.39	32.90
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.72	53.32	88.20	-34.88	38.13	36.65	11.41	32.87	102 190 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	84.87	-----	-----	69.74	36.64	11.39	32.90	102 190 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.76</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>28.11</td><td>36.63</td><td>11.42</td><td>32.87</td><td>102 190 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.76	43.29	68.20	-24.91	28.11	36.63	11.42	32.87	102 190 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>75.59</td><td>-----</td><td>-----</td><td>60.47</td><td>36.59</td><td>11.44</td><td>32.91</td><td>102 190 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	75.59	-----	-----	60.47	36.59	11.44	32.91
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5913.76	43.29	68.20	-24.91	28.11	36.63	11.42	32.87	102 190 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	75.59	-----	-----	60.47	36.59	11.44	32.91	102 190 AVERAGE																																																																																





Mode	91																																																																																																																																																																						
	Band Edge																																																																																																																																																																						
	U-NII-5_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																																																																						
ANT	1+2																																																																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5831.16</td><td>53.14</td><td>88.20</td><td>-35.06</td><td>37.87</td><td>36.54</td><td>11.56</td><td>32.83</td><td>205</td><td>147 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>82.82</td><td>-----</td><td>-----</td><td>67.70</td><td>36.61</td><td>11.41</td><td>32.90</td><td>205</td><td>147 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5831.16	53.14	88.20	-35.06	37.87	36.54	11.56	32.83	205	147 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	82.82	-----	-----	67.70	36.61	11.41	32.90	205	147 PEAK	Avg	Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.20</td><td>43.13</td><td>68.20</td><td>-25.07</td><td>27.94</td><td>36.61</td><td>11.44</td><td>32.86</td><td>205</td><td>147 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-02-26  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>73.93</td><td>-----</td><td>-----</td><td>58.81</td><td>36.61</td><td>11.41</td><td>32.90</td><td>205</td><td>147 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5906.20	43.13	68.20	-25.07	27.94	36.61	11.44	32.86	205	147 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	73.93	-----	-----	58.81	36.61	11.41	32.90	205	147 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5831.16	53.14	88.20	-35.06	37.87	36.54	11.56	32.83	205	147 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	6025.00	82.82	-----	-----	67.70	36.61	11.41	32.90	205	147 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5906.20	43.13	68.20	-25.07	27.94	36.61	11.44	32.86	205	147 AVERAGE																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	6025.00	73.93	-----	-----	58.81	36.61	11.41	32.90	205	147 AVERAGE																																																																																																																																																													



Mode	91																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																								
ANT	1+2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>43.81</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.45	74.00	-26.55	43.81	38.50	15.14	50.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>44.01</td><td>38.50</td><td>15.14</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.65	74.00	-26.35	44.01	38.50	15.14	50.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12050.00	47.45	74.00	-26.55	43.81	38.50	15.14	50.00	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12050.00	47.65	74.00	-26.35	44.01	38.50	15.14	50.00	---	---	Peak																																																																																														







Mode	92																																																																																		
	Harmonic																																																																																		
	U-NII-5_802.11be EHT160_CH47_Full RU_6185MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>44.77</td><td>38.67</td><td>15.15</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12370.00	47.95	74.00	-26.05	44.77	38.67	15.15	50.64	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>43.95</td><td>38.67</td><td>15.15</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12370.00	47.13	74.00	-26.87	43.95	38.67	15.15	50.64	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 12370.00	47.95	74.00	-26.05	44.77	38.67	15.15	50.64	---	---	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 12370.00	47.13	74.00	-26.87	43.95	38.67	15.15	50.64	---	---	Peak																																																																									



Mode	93																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT160_CH79_Full RU_6345MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>44.45</td><td>38.70</td><td>15.16</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.33	74.00	-26.67	44.45	38.70	15.16	50.98	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>44.90</td><td>38.70</td><td>15.16</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.78	74.00	-26.22	44.90	38.70	15.16	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12690.00	47.33	74.00	-26.67	44.45	38.70	15.16	50.98	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12690.00	47.78	74.00	-26.22	44.90	38.70	15.16	50.98	---	---	Peak																																																																																			



Mode	94																																																																																					
	Harmonic																																																																																					
	U-NII-7_802.11be EHT160_CH143_Full RU_6665MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg	 Date: 2025-03-01 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>43.85</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	---	---	Peak	 Date: 2025-03-01 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>43.85</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13330.00	47.00	74.00	-27.00	43.85	39.50	15.54	51.89	---	---	Peak																																																																												
	 Date: 2025-03-01 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>44.30</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89	---	---	Peak	 Date: 2025-03-01 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13330.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>44.30</td><td>39.50</td><td>15.54</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13330.00	47.45	74.00	-26.55	44.30	39.50	15.54	51.89	---	---	Peak																																																																												





Mode	95																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7192.50</td><td>54.41</td><td>88.20</td><td>-33.79</td><td>38.09</td><td>36.49</td><td>12.97</td><td>33.14</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>7275.63</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>39.60</td><td>36.60</td><td>13.05</td><td>33.16</td><td>100</td><td>109</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7192.50	54.41	88.20	-33.79	38.09	36.49	12.97	33.14	100	109	PEAK	2	7275.63	56.09	74.00	-17.91	39.60	36.60	13.05	33.16	100	109	PEAK	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>89.10</td><td>-----</td><td>-----</td><td>73.60</td><td>36.30</td><td>12.30</td><td>33.10</td><td>100</td><td>109</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	89.10	-----	-----	73.60	36.30	12.30	33.10	100	109	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7192.50	54.41	88.20	-33.79	38.09	36.49	12.97	33.14	100	109	PEAK																																																																																												
2	7275.63	56.09	74.00	-17.91	39.60	36.60	13.05	33.16	100	109	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	89.10	-----	-----	73.60	36.30	12.30	33.10	100	109	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.88</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>28.22</td><td>36.53</td><td>13.01</td><td>33.14</td><td>100</td><td>109</td><td>AVERAGE</td></tr><tr><td>2</td><td>7280.63</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>28.05</td><td>36.60</td><td>13.06</td><td>33.16</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.88	44.62	68.20	-23.58	28.22	36.53	13.01	33.14	100	109	AVERAGE	2	7280.63	44.55	54.00	-9.45	28.05	36.60	13.06	33.16	100	109	AVERAGE	Level (dBuV/m) Date: 2025-02-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>80.12</td><td>-----</td><td>-----</td><td>64.65</td><td>36.30</td><td>12.27</td><td>33.10</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.12	-----	-----	64.65	36.30	12.27	33.10	100	109	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7216.88	44.62	68.20	-23.58	28.22	36.53	13.01	33.14	100	109	AVERAGE																																																																																												
2	7280.63	44.55	54.00	-9.45	28.05	36.60	13.06	33.16	100	109	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	80.12	-----	-----	64.65	36.30	12.27	33.10	100	109	AVERAGE																																																																																												







Mode	95																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7155.00</td><td>54.55</td><td>88.20</td><td>-33.65</td><td>38.43</td><td>36.41</td><td>12.84</td><td>33.13</td><td>196</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>7290.63</td><td>54.84</td><td>74.00</td><td>-19.16</td><td>38.34</td><td>36.60</td><td>13.06</td><td>33.16</td><td>196</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	7155.00	54.55	88.20	-33.65	38.43	36.41	12.84	33.13	196	136	PEAK	2	7290.63	54.84	74.00	-19.16	38.34	36.60	13.06	33.16	196	136	PEAK	Level (dBuV/m) Date: 2025-02-26 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.19</td><td>-----</td><td>-----</td><td>63.70</td><td>36.30</td><td>12.29</td><td>33.10</td><td>196</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	79.19	-----	-----	63.70	36.30	12.29	33.10	196	136	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	7155.00	54.55	88.20	-33.65	38.43	36.41	12.84	33.13	196	136	PEAK																																																																																																	
2	7290.63	54.84	74.00	-19.16	38.34	36.60	13.06	33.16	196	136	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	6985.00	79.19	-----	-----	63.70	36.30	12.29	33.10	196	136	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7226.25</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>28.05</td><td>36.55</td><td>13.02</td><td>33.15</td><td>196</td><td>136</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.63</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>28.00</td><td>36.60</td><td>13.04</td><td>33.15</td><td>196</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	7226.25	44.47	68.20	-23.73	28.05	36.55	13.02	33.15	196	136	AVERAGE	2	7250.63	44.49	54.00	-9.51	28.00	36.60	13.04	33.15	196	136	AVERAGE	Level (dBuV/m) Date: 2025-02-26 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>71.41</td><td>-----</td><td>-----</td><td>55.92</td><td>36.30</td><td>12.29</td><td>33.10</td><td>196</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	71.41	-----	-----	55.92	36.30	12.29	33.10	196	136	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	7226.25	44.47	68.20	-23.73	28.05	36.55	13.02	33.15	196	136	AVERAGE																																																																																																	
2	7250.63	44.49	54.00	-9.51	28.00	36.60	13.04	33.15	196	136	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	6985.00	71.41	-----	-----	55.92	36.30	12.29	33.10	196	136	AVERAGE																																																																																																	



Mode	95																																																																																			
	Harmonic																																																																																			
	U-NII-8_802.11be EHT160_CH207_Full RU_6985MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13970.00</td><td>47.20</td><td>88.20</td><td>-41.00</td><td>43.26</td><td>39.77</td><td>16.28</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13970.00	47.20	88.20	-41.00	43.26	39.77	16.28	52.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13970.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.88</td><td>39.77</td><td>16.28</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13970.00	47.82	88.20	-40.38	43.88	39.77	16.28	52.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13970.00	47.20	88.20	-41.00	43.26	39.77	16.28	52.11	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13970.00	47.82	88.20	-40.38	43.88	39.77	16.28	52.11	---	---	Peak																																																																									



Mode	96																																																																																								
	Band Edge																																																																																								
	U-NII-5_802.11be EHT320_CH31_Full RU_6105MHz																																																																																								
ANT	1+2																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5719.56</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>38.96</td><td>36.64</td><td>11.66</td><td>32.79</td><td>100 112 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5719.56	54.47	88.20	-33.73	38.96	36.64	11.66	32.79	100 112 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.90</td><td>-----</td><td>-----</td><td>67.73</td><td>36.32</td><td>11.77</td><td>32.92</td><td>100 112 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.90	-----	-----	67.73	36.32	11.77	32.92
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5719.56	54.47	88.20	-33.73	38.96	36.64	11.66	32.79	100 112 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	82.90	-----	-----	67.73	36.32	11.77	32.92	100 112 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5653.00</td><td>44.16</td><td>68.20</td><td>-24.04</td><td>28.72</td><td>36.51</td><td>11.69</td><td>32.76</td><td>100 112 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5653.00	44.16	68.20	-24.04	28.72	36.51	11.69	32.76	100 112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>73.26</td><td>-----</td><td>-----</td><td>57.87</td><td>36.24</td><td>12.09</td><td>32.94</td><td>100 112 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	73.26	-----	-----	57.87	36.24	12.09	32.94
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5653.00	44.16	68.20	-24.04	28.72	36.51	11.69	32.76	100 112 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	73.26	-----	-----	57.87	36.24	12.09	32.94	100 112 AVERAGE																																																																																





Mode	96																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT320_CH31_Full RU_6105MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 PEAK_BE(UNII)_6E 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.74</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>38.98</td><td>36.56</td><td>11.48</td><td>32.85</td><td>201</td><td>147 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5881.74	54.17	88.20	-34.03	38.98	36.56	11.48	32.85	201	147 PEAK	Level (dBuV/m) Date: 2025-02-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 PEAK_BE(UNII)_6E 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>77.42</td><td>-----</td><td>-----</td><td>62.30</td><td>36.61</td><td>11.41</td><td>32.90</td><td>201</td><td>147 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	77.42	-----	-----	62.30	36.61	11.41	32.90	201	147 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5881.74	54.17	88.20	-34.03	38.98	36.56	11.48	32.85	201	147 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	77.42	-----	-----	62.30	36.61	11.41	32.90	201	147 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 AVG_BE(UNII)_6E 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5706.55</td><td>44.02</td><td>68.20</td><td>-24.18</td><td>28.53</td><td>36.61</td><td>11.66</td><td>32.78</td><td>201</td><td>147 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5706.55	44.02	68.20	-24.18	28.53	36.61	11.66	32.78	201	147 AVERAGE	Level (dBuV/m) Date: 2025-02-26 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 AVG_BE(UNII)_6E 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>68.31</td><td>-----</td><td>-----</td><td>53.19</td><td>36.54</td><td>11.49</td><td>32.91</td><td>201</td><td>147 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	68.31	-----	-----	53.19	36.54	11.49	32.91	201	147 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5706.55	44.02	68.20	-24.18	28.53	36.61	11.66	32.78	201	147 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	68.31	-----	-----	53.19	36.54	11.49	32.91	201	147 AVERAGE																																																																										





Mode	96																																																																																													
	Harmonic																																																																																													
	U-NII-5_802.11be EHT320_CH31_Full RU_6105MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>43.90</td><td>38.60</td><td>15.15</td><td>50.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	47.33	74.00	-26.67	43.90	38.60	15.15	50.32	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>44.41</td><td>38.60</td><td>15.15</td><td>50.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	47.84	74.00	-26.16	44.41	38.60	15.15	50.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12210.00	47.33	74.00	-26.67	43.90	38.60	15.15	50.32	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12210.00	47.84	74.00	-26.16	44.41	38.60	15.15	50.32	---	---	Peak																																																																																			





Mode	97																																																																											
	Harmonic																																																																											
	U-NII-5_802.11be EHT320_CH63_Full RU_6265MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12530.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>44.95</td><td>38.70</td><td>15.16</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12530.00	47.90	74.00	-26.10	44.95	38.70	15.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12530.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>44.17</td><td>38.70</td><td>15.16</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12530.00	47.12	74.00	-26.88	44.17	38.70	15.16
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12530.00	47.90	74.00	-26.10	44.95	38.70	15.16																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12530.00	47.12	74.00	-26.88	44.17	38.70	15.16																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12530.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>44.95</td><td>38.70</td><td>15.16</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12530.00	47.90	74.00	-26.10	44.95	38.70	15.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12530.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>44.17</td><td>38.70</td><td>15.16</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12530.00	47.12	74.00	-26.88	44.17	38.70	15.16	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12530.00	47.90	74.00	-26.10	44.95	38.70	15.16																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12530.00	47.12	74.00	-26.88	44.17	38.70	15.16																																																																					



Mode	98																																																																																									
	Harmonic																																																																																									
	U-NII-7_6525-7125_802.11a_CH185_Full RU_6525MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13750.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>44.04</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13750.00	47.57	88.20	-40.63	44.04	39.70	16.03	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13750.00</td><td>46.91</td><td>88.20</td><td>-41.29</td><td>43.38</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13750.00	46.91	88.20	-41.29	43.38	39.70	16.03	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 13750.00	47.57	88.20	-40.63	44.04	39.70	16.03	52.20	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 13750.00	46.91	88.20	-41.29	43.38	39.70	16.03	52.20	---	---	Peak																																																																																



Mode	99																																																															
	Harmonic																																																															
	U-NII-7_6525-7125_802.11be EHT20_CH185_Full RU_6525MHz																																																															
ANT	1+2																																																															
Pol.	Horizontal								Vertical																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-01  Frequency (MHz)								Level (dBuV/m) Date: 2025-03-01  Frequency (MHz)																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																									
<table><tr><td>1</td><td>13750.00</td><td>46.73</td><td>88.20</td><td>-41.47</td><td>43.20</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	13750.00	46.73	88.20	-41.47	43.20	39.70	16.03	52.20	---	---	Peak	<table><tr><td>1</td><td>13750.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>44.01</td><td>39.70</td><td>16.03</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								1	13750.00	47.54	88.20	-40.66	44.01	39.70	16.03	52.20	---	---	Peak																									
1	13750.00	46.73	88.20	-41.47	43.20	39.70	16.03	52.20	---	---	Peak																																																					
1	13750.00	47.54	88.20	-40.66	44.01	39.70	16.03	52.20	---	---	Peak																																																					



Mode	100																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-7125_802.11be EHT40_CH187_Full RU_6885MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>43.96</td><td>39.70</td><td>16.05</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	47.52	88.20	-40.68	43.96	39.70	16.05	52.19	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>43.31</td><td>39.70</td><td>16.05</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	46.87	88.20	-41.33	43.31	39.70	16.05	52.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13770.00	47.52	88.20	-40.68	43.96	39.70	16.05	52.19	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13770.00	46.87	88.20	-41.33	43.31	39.70	16.05	52.19	---	---	Peak																																																																																		





Mode	101																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-7125_802.11be EHT80_CH183_Full RU_6865MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>43.46</td><td>39.70</td><td>16.00</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	46.95	88.20	-41.25	43.46	39.70	16.00	52.21	---	---	Peak	Level (dBuV/m) Date: 2025-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>46.38</td><td>88.20</td><td>-41.82</td><td>42.89</td><td>39.70</td><td>16.00</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	46.38	88.20	-41.82	42.89	39.70	16.00	52.21	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13730.00	46.95	88.20	-41.25	43.46	39.70	16.00	52.21	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13730.00	46.38	88.20	-41.82	42.89	39.70	16.00	52.21	---	---	Peak																																																																																		



Mode	102																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-7125_802.11be EHT160_CH175_Full RU_6825MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>43.68</td><td>39.65</td><td>15.91</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	47.00	88.20	-41.20	43.68	39.65	15.91	52.24	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>43.92</td><td>39.65</td><td>15.91</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13650.00	47.00	88.20	-41.20	43.68	39.65	15.91	52.24	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13650.00	47.24	88.20	-40.96	43.92	39.65	15.91	52.24	---	---	Peak																																																																																		



Mode	103																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-7125_802.11be EHT320_CH159_Full RU_6745MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>46.58</td><td>88.20</td><td>-41.62</td><td>43.55</td><td>39.59</td><td>15.72</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13490.00	46.58	88.20	-41.62	43.55	39.59	15.72	52.28	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>43.46</td><td>39.59</td><td>15.72</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13490.00	46.49	88.20	-41.71	43.46	39.59	15.72	52.28	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13490.00	46.58	88.20	-41.62	43.55	39.59	15.72	52.28	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13490.00	46.49	88.20	-41.71	43.46	39.59	15.72	52.28	---	---	Peak																																																																																	





Mode	104																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7150.96</td><td>54.59</td><td>88.20</td><td>-33.61</td><td>38.50</td><td>36.40</td><td>12.82</td><td>33.13</td><td>187 112 PEAK</td></tr><tr><td>2</td><td>7259.25</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>37.98</td><td>36.60</td><td>13.04</td><td>33.15</td><td>187 112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7150.96	54.59	88.20	-33.61	38.50	36.40	12.82	33.13	187 112 PEAK	2	7259.25	54.47	74.00	-19.53	37.98	36.60	13.04	33.15	187 112 PEAK	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>84.42</td><td>-----</td><td>-----</td><td>69.15</td><td>36.26</td><td>12.08</td><td>33.07</td><td>187 112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	84.42	-----	-----	69.15	36.26	12.08	33.07	187 112 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7150.96	54.59	88.20	-33.61	38.50	36.40	12.82	33.13	187 112 PEAK																																																																																											
2	7259.25	54.47	74.00	-19.53	37.98	36.60	13.04	33.15	187 112 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	84.42	-----	-----	69.15	36.26	12.08	33.07	187 112 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.26</td><td>44.48</td><td>68.20</td><td>-23.72</td><td>28.03</td><td>36.57</td><td>13.03</td><td>33.15</td><td>187 112 AVERAGE</td></tr><tr><td>2</td><td>7313.70</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.04</td><td>36.57</td><td>13.08</td><td>33.16</td><td>187 112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.26	44.48	68.20	-23.72	28.03	36.57	13.03	33.15	187 112 AVERAGE	2	7313.70	44.53	54.00	-9.47	28.04	36.57	13.08	33.16	187 112 AVERAGE	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>75.11</td><td>-----</td><td>-----</td><td>59.84</td><td>36.26</td><td>12.08</td><td>33.07</td><td>187 112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	75.11	-----	-----	59.84	36.26	12.08	33.07	187 112 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7236.26	44.48	68.20	-23.72	28.03	36.57	13.03	33.15	187 112 AVERAGE																																																																																											
2	7313.70	44.53	54.00	-9.47	28.04	36.57	13.08	33.16	187 112 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	75.11	-----	-----	59.84	36.26	12.08	33.07	187 112 AVERAGE																																																																																											



Mode	104																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7234.45</td><td>55.99</td><td>88.20</td><td>-32.21</td><td>39.55</td><td>36.57</td><td>13.02</td><td>33.15</td><td>194</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>7265.91</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>37.70</td><td>36.60</td><td>13.05</td><td>33.15</td><td>194</td><td>141</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7234.45	55.99	88.20	-32.21	39.55	36.57	13.02	33.15	194	141	PEAK	2	7265.91	54.20	74.00	-19.80	37.70	36.60	13.05	33.15	194	141	PEAK	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.22</td><td>-----</td><td>-----</td><td>61.93</td><td>36.22</td><td>12.15</td><td>33.08</td><td>194</td><td>141</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.22	-----	-----	61.93	36.22	12.15	33.08	194	141	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7234.45	55.99	88.20	-32.21	39.55	36.57	13.02	33.15	194	141	PEAK																																																																																											
2	7265.91	54.20	74.00	-19.80	37.70	36.60	13.05	33.15	194	141	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	77.22	-----	-----	61.93	36.22	12.15	33.08	194	141	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7209.64</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>28.14</td><td>36.52</td><td>13.01</td><td>33.14</td><td>194</td><td>141</td><td>AVERAGE</td></tr><tr><td>2</td><td>7284.66</td><td>44.47</td><td>54.00</td><td>-9.53</td><td>27.97</td><td>36.60</td><td>13.06</td><td>33.16</td><td>194</td><td>141</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7209.64	44.53	68.20	-23.67	28.14	36.52	13.01	33.14	194	141	AVERAGE	2	7284.66	44.47	54.00	-9.53	27.97	36.60	13.06	33.16	194	141	AVERAGE	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>65.70</td><td>-----</td><td>-----</td><td>50.41</td><td>36.22</td><td>12.15</td><td>33.08</td><td>194</td><td>141</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	65.70	-----	-----	50.41	36.22	12.15	33.08	194	141	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7209.64	44.53	68.20	-23.67	28.14	36.52	13.01	33.14	194	141	AVERAGE																																																																																											
2	7284.66	44.47	54.00	-9.53	27.97	36.60	13.06	33.16	194	141	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	65.70	-----	-----	50.41	36.22	12.15	33.08	194	141	AVERAGE																																																																																											





Mode	104																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>43.52</td><td>39.70</td><td>16.09</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	47.13	88.20	-41.07	43.52	39.70	16.09	52.18	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>47.45</td><td>88.20</td><td>-40.75</td><td>43.84</td><td>39.70</td><td>16.09</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	47.45	88.20	-40.75	43.84	39.70	16.09	52.18	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	47.13	88.20	-41.07	43.52	39.70	16.09	52.18	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	47.45	88.20	-40.75	43.84	39.70	16.09	52.18	---	---	Peak																																																																																	





Mode	105																																																																																												
	Harmonic																																																																																												
	U-NII-6_6425-6875_802.11be EHT40_CH115_Full RU_6525MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>44.26</td><td>39.00</td><td>15.21</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	47.25	88.20	-40.95	44.26	39.00	15.21	51.22	---	---	Peak	Level (dBuV/m) Date: 2025-03-01 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>44.35</td><td>39.00</td><td>15.21</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	47.34	88.20	-40.86	44.35	39.00	15.21	51.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	47.25	88.20	-40.95	44.26	39.00	15.21	51.22	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	47.34	88.20	-40.86	44.35	39.00	15.21	51.22	---	---	Peak																																																																																		





Mode	106																																																																																												
	Harmonic																																																																																												
	U-NII-6_6425-6875_802.11be EHT80_CH119_Full RU_6545MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>43.54</td><td>39.00</td><td>15.26</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	46.48	88.20	-41.72	43.54	39.00	15.26	51.32	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>44.20</td><td>39.00</td><td>15.26</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	47.14	88.20	-41.06	44.20	39.00	15.26	51.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13090.00	46.48	88.20	-41.72	43.54	39.00	15.26	51.32	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13090.00	47.14	88.20	-41.06	44.20	39.00	15.26	51.32	---	---	Peak																																																																																		





Mode	107																																																			
	Harmonic																																																			
	U-NII-6_6425-6875_802.11be EHT160_CH111_Full RU_6505MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg	Level (dBuV/m) Date: 2025-03-01  Frequency (MHz)						Level (dBuV/m) Date: 2025-03-01  Frequency (MHz)																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>43.87</td><td>39.00</td><td>15.17</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13010.00	46.92	88.20	-41.28	43.87	39.00	15.17	51.12	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13010.00	46.92	88.20	-41.28	43.87	39.00	15.17	51.12	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>44.77</td><td>39.00</td><td>15.17</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13010.00	47.82	88.20	-40.38	44.77	39.00	15.17	51.12	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13010.00	47.82	88.20	-40.38	44.77	39.00	15.17	51.12	---	---	Peak																																									



Mode	108	
	Harmonic	
	U-NII-6_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12850.00 47.36 88.20 -40.84 44.43 38.80 15.17 51.04 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12850.00 47.80 88.20 -40.40 44.87 38.80 15.17 51.04 --- --- Peak







Mode	109																																																																																												
	Harmonic																																																																																												
	U-NII-7_6425-6875_802.11be EHT320_CH127_Full RU_6585MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-01  PEAK(U-NII_6E) Avg(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13170.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>44.22</td><td>39.07</td><td>15.35</td><td>51.51</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	47.13	88.20	-41.07	44.22	39.07	15.35	51.51	---	---	Peak	Level (dBuV/m) Date: 2025-03-01  PEAK(U-NII_6E) Avg(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13170.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>44.60</td><td>39.07</td><td>15.35</td><td>51.51</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	47.51	88.20	-40.69	44.60	39.07	15.35	51.51	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13170.00	47.13	88.20	-41.07	44.22	39.07	15.35	51.51	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13170.00	47.51	88.20	-40.69	44.60	39.07	15.35	51.51	---	---	Peak																																																																																		



Mode	136																																																																																																																																																																																												
	LF																																																																																																																																																																																												
	U-NII-8_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																																																																																																												
ANT	1+2																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																											
QPI/ Peak	Date: 2025-03-11 Level (dBuV/m) FCC CLASS-B -6dB 1 2 3 4 5 6 80 70.0 60 50.0 40 30 20 10 0 30 224 418 612 806 1000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>43.58</td><td>28.56</td><td>40.00</td><td>-11.44</td><td>47.14</td><td>20.12</td><td>1.22</td><td>39.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>181.32</td><td>27.13</td><td>43.50</td><td>-16.37</td><td>46.82</td><td>17.86</td><td>2.45</td><td>40.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>435.46</td><td>24.27</td><td>46.00</td><td>-21.73</td><td>37.40</td><td>22.84</td><td>3.76</td><td>39.73</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>630.43</td><td>27.81</td><td>46.00</td><td>-18.19</td><td>36.74</td><td>26.16</td><td>4.53</td><td>39.62</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>811.82</td><td>30.84</td><td>46.00</td><td>-15.16</td><td>36.88</td><td>28.30</td><td>5.12</td><td>39.46</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>942.77</td><td>32.92</td><td>46.00</td><td>-13.08</td><td>36.98</td><td>29.73</td><td>5.54</td><td>39.33</td><td>---</td><td>Peak</td></tr></table> Date: 2025-03-11 Level (dBuV/m) FCC CLASS-B -6dB 1 2 3 4 5 6 80 70.0 60 50.0 40 30 20 10 0 30 224 418 612 806 1000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>43.58</td><td>28.31</td><td>40.00</td><td>-11.69</td><td>46.89</td><td>20.12</td><td>1.22</td><td>39.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>181.32</td><td>27.97</td><td>43.50</td><td>-15.53</td><td>47.66</td><td>17.86</td><td>2.45</td><td>40.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>543.13</td><td>25.00</td><td>46.00</td><td>-21.00</td><td>35.91</td><td>24.57</td><td>4.19</td><td>39.67</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>627.52</td><td>28.55</td><td>46.00</td><td>-17.45</td><td>37.51</td><td>26.14</td><td>4.52</td><td>39.62</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>893.30</td><td>31.23</td><td>46.00</td><td>-14.77</td><td>36.24</td><td>29.03</td><td>5.36</td><td>39.40</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>947.62</td><td>31.49</td><td>46.00</td><td>-14.51</td><td>35.49</td><td>29.76</td><td>5.56</td><td>39.32</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	43.58	28.56	40.00	-11.44	47.14	20.12	1.22	39.92	---	Peak	2	181.32	27.13	43.50	-16.37	46.82	17.86	2.45	40.00	---	Peak	3	435.46	24.27	46.00	-21.73	37.40	22.84	3.76	39.73	---	Peak	4	630.43	27.81	46.00	-18.19	36.74	26.16	4.53	39.62	---	Peak	5	811.82	30.84	46.00	-15.16	36.88	28.30	5.12	39.46	---	Peak	6	942.77	32.92	46.00	-13.08	36.98	29.73	5.54	39.33	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	43.58	28.31	40.00	-11.69	46.89	20.12	1.22	39.92	---	Peak	2	181.32	27.97	43.50	-15.53	47.66	17.86	2.45	40.00	---	Peak	3	543.13	25.00	46.00	-21.00	35.91	24.57	4.19	39.67	---	Peak	4	627.52	28.55	46.00	-17.45	37.51	26.14	4.52	39.62	---	Peak	5	893.30	31.23	46.00	-14.77	36.24	29.03	5.36	39.40	---	Peak	6	947.62	31.49	46.00	-14.51	35.49	29.76	5.56	39.32	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	43.58	28.56	40.00	-11.44	47.14	20.12	1.22	39.92	---	Peak																																																																																																																																																																																			
2	181.32	27.13	43.50	-16.37	46.82	17.86	2.45	40.00	---	Peak																																																																																																																																																																																			
3	435.46	24.27	46.00	-21.73	37.40	22.84	3.76	39.73	---	Peak																																																																																																																																																																																			
4	630.43	27.81	46.00	-18.19	36.74	26.16	4.53	39.62	---	Peak																																																																																																																																																																																			
5	811.82	30.84	46.00	-15.16	36.88	28.30	5.12	39.46	---	Peak																																																																																																																																																																																			
6	942.77	32.92	46.00	-13.08	36.98	29.73	5.54	39.33	---	Peak																																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	43.58	28.31	40.00	-11.69	46.89	20.12	1.22	39.92	---	Peak																																																																																																																																																																																			
2	181.32	27.97	43.50	-15.53	47.66	17.86	2.45	40.00	---	Peak																																																																																																																																																																																			
3	543.13	25.00	46.00	-21.00	35.91	24.57	4.19	39.67	---	Peak																																																																																																																																																																																			
4	627.52	28.55	46.00	-17.45	37.51	26.14	4.52	39.62	---	Peak																																																																																																																																																																																			
5	893.30	31.23	46.00	-14.77	36.24	29.03	5.36	39.40	---	Peak																																																																																																																																																																																			
6	947.62	31.49	46.00	-14.51	35.49	29.76	5.56	39.32	---	Peak																																																																																																																																																																																			





Mode	137																																																																																																								
	Band Edge																																																																																																								
	U-NII-8_802.11a_CH233_7115MHz																																																																																																								
ANT	1+2																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																			
Peak	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>74.07</td><td>88.20</td><td>-14.13</td><td>58.02</td><td>36.45</td><td>12.73</td><td>33.13</td><td>111</td><td>107 PEAK</td></tr><tr><td>2</td><td>7332.20</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>37.88</td><td>36.54</td><td>13.09</td><td>33.17</td><td>111</td><td>107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	74.07	88.20	-14.13	58.02	36.45	12.73	33.13	111	107 PEAK	2	7332.20	54.34	74.00	-19.66	37.88	36.54	13.09	33.17	111	107 PEAK	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>94.36</td><td>-----</td><td>-----</td><td>78.31</td><td>36.46</td><td>12.71</td><td>33.12</td><td>111</td><td>107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	94.36	-----	-----	78.31	36.46	12.71	33.12	111	107 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7125.28	74.07	88.20	-14.13	58.02	36.45	12.73	33.13	111	107 PEAK																																																																																															
2	7332.20	54.34	74.00	-19.66	37.88	36.54	13.09	33.17	111	107 PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7115.00	94.36	-----	-----	78.31	36.46	12.71	33.12	111	107 PEAK																																																																																															
Avg	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>62.40</td><td>68.20</td><td>-5.80</td><td>46.35</td><td>36.45</td><td>12.73</td><td>33.13</td><td>111</td><td>107 AVERAGE</td></tr><tr><td>2</td><td>7276.58</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>28.11</td><td>36.60</td><td>13.05</td><td>33.16</td><td>111</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	62.40	68.20	-5.80	46.35	36.45	12.73	33.13	111	107 AVERAGE	2	7276.58	44.60	54.00	-9.40	28.11	36.60	13.05	33.16	111	107 AVERAGE	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>87.20</td><td>-----</td><td>-----</td><td>71.16</td><td>36.47</td><td>12.69</td><td>33.12</td><td>111</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	87.20	-----	-----	71.16	36.47	12.69	33.12	111	107 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7125.28	62.40	68.20	-5.80	46.35	36.45	12.73	33.13	111	107 AVERAGE																																																																																															
2	7276.58	44.60	54.00	-9.40	28.11	36.60	13.05	33.16	111	107 AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7115.00	87.20	-----	-----	71.16	36.47	12.69	33.12	111	107 AVERAGE																																																																																															







Mode	137																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_802.11a_CH233_7115MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII)_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>66.38</td><td>88.20</td><td>-21.82</td><td>50.33</td><td>36.45</td><td>12.73</td><td>33.13</td><td>222</td><td>147 PEAK</td></tr><tr><td>2 7264.56</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>37.90</td><td>36.60</td><td>13.05</td><td>33.15</td><td>222</td><td>147 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	66.38	88.20	-21.82	50.33	36.45	12.73	33.13	222	147 PEAK	2 7264.56	54.40	74.00	-19.60	37.90	36.60	13.05	33.15	222	147 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>84.47</td><td>-----</td><td>-----</td><td>68.42</td><td>36.46</td><td>12.71</td><td>33.12</td><td>222</td><td>147 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	84.47	-----	-----	68.42	36.46	12.71	33.12	222
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.28	66.38	88.20	-21.82	50.33	36.45	12.73	33.13	222	147 PEAK																																																																																										
2 7264.56	54.40	74.00	-19.60	37.90	36.60	13.05	33.15	222	147 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7115.00	84.47	-----	-----	68.42	36.46	12.71	33.12	222	147 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII)_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>53.14</td><td>68.20</td><td>-15.06</td><td>37.09</td><td>36.45</td><td>12.73</td><td>33.13</td><td>222</td><td>147 AVERAGE</td></tr><tr><td>2 7293.93</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>28.13</td><td>36.60</td><td>13.07</td><td>33.16</td><td>222</td><td>147 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	53.14	68.20	-15.06	37.09	36.45	12.73	33.13	222	147 AVERAGE	2 7293.93	44.64	54.00	-9.36	28.13	36.60	13.07	33.16	222	147 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>77.39</td><td>-----</td><td>-----</td><td>61.35</td><td>36.47</td><td>12.69</td><td>33.12</td><td>222</td><td>147 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	77.39	-----	-----	61.35	36.47	12.69	33.12	222
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.28	53.14	68.20	-15.06	37.09	36.45	12.73	33.13	222	147 AVERAGE																																																																																										
2 7293.93	44.64	54.00	-9.36	28.13	36.60	13.07	33.16	222	147 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7115.00	77.39	-----	-----	61.35	36.47	12.69	33.12	222	147 AVERAGE																																																																																										



Mode	137																																																														
	Harmonic																																																														
	U-NII-8_802.11a_CH233_7115MHz																																																														
ANT	1+2																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 14230.00</td><td>47.46</td><td>88.20</td><td>-40.74</td><td>43.19</td><td>39.90</td><td>16.33</td><td>51.96</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 14230.00	47.46	88.20	-40.74	43.19	39.90	16.33	51.96	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 14230.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>43.63</td><td>39.90</td><td>16.33</td><td>51.96</td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 14230.00	47.90	88.20	-40.30	43.63	39.90	16.33	51.96	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
1 14230.00	47.46	88.20	-40.74	43.19	39.90	16.33	51.96	--- --- Peak																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
1 14230.00	47.90	88.20	-40.30	43.63	39.90	16.33	51.96	--- --- Peak																																																							



Mode	138																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>72.69</td><td>88.20</td><td>-15.51</td><td>56.64</td><td>36.45</td><td>12.73</td><td>33.13</td><td>111</td><td>106 PEAK</td></tr><tr><td>2</td><td>7301.94</td><td>56.31</td><td>74.00</td><td>-17.69</td><td>39.80</td><td>36.60</td><td>13.07</td><td>33.16</td><td>111</td><td>106 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	72.69	88.20	-15.51	56.64	36.45	12.73	33.13	111	106 PEAK	2	7301.94	56.31	74.00	-17.69	39.80	36.60	13.07	33.16	111	106 PEAK	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>85.49</td><td>-----</td><td>-----</td><td>69.45</td><td>36.49</td><td>12.67</td><td>33.12</td><td>111</td><td>106 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	85.49	-----	-----	69.45	36.49	12.67	33.12	111	106 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7125.28	72.69	88.20	-15.51	56.64	36.45	12.73	33.13	111	106 PEAK																																																																																													
2	7301.94	56.31	74.00	-17.69	39.80	36.60	13.07	33.16	111	106 PEAK																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7115.00	85.49	-----	-----	69.45	36.49	12.67	33.12	111	106 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>46.83</td><td>36.45</td><td>12.73</td><td>33.13</td><td>111</td><td>106 AVERAGE</td></tr><tr><td>2</td><td>7295.71</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>28.13</td><td>36.60</td><td>13.07</td><td>33.16</td><td>111</td><td>106 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	62.88	68.20	-5.32	46.83	36.45	12.73	33.13	111	106 AVERAGE	2	7295.71	44.64	54.00	-9.36	28.13	36.60	13.07	33.16	111	106 AVERAGE	 Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.51</td><td>-----</td><td>-----</td><td>60.47</td><td>36.49</td><td>12.67</td><td>33.12</td><td>111</td><td>106 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	76.51	-----	-----	60.47	36.49	12.67	33.12	111	106 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7125.28	62.88	68.20	-5.32	46.83	36.45	12.73	33.13	111	106 AVERAGE																																																																																													
2	7295.71	44.64	54.00	-9.36	28.13	36.60	13.07	33.16	111	106 AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7115.00	76.51	-----	-----	60.47	36.49	12.67	33.12	111	106 AVERAGE																																																																																													



Mode	138																																																																																																
	Band Edge																																																																																																
	U-NII-8_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>63.70</td><td>88.20</td><td>-24.50</td><td>47.65</td><td>36.45</td><td>12.73</td><td>33.13</td><td>226</td><td>145 PEAK</td></tr><tr><td>2</td><td>7326.42</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>37.87</td><td>36.55</td><td>13.09</td><td>33.17</td><td>226</td><td>145 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.70	88.20	-24.50	47.65	36.45	12.73	33.13	226	145 PEAK	2	7326.42	54.34	74.00	-19.66	37.87	36.55	13.09	33.17	226	145 PEAK	Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.71</td><td>-----</td><td>-----</td><td>59.67</td><td>36.49</td><td>12.67</td><td>33.12</td><td>226</td><td>145 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.71	-----	-----	59.67	36.49	12.67	33.12	226	145 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.28	63.70	88.20	-24.50	47.65	36.45	12.73	33.13	226	145 PEAK																																																																																							
2	7326.42	54.34	74.00	-19.66	37.87	36.55	13.09	33.17	226	145 PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	75.71	-----	-----	59.67	36.49	12.67	33.12	226	145 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>53.15</td><td>68.20</td><td>-15.05</td><td>37.10</td><td>36.45</td><td>12.73</td><td>33.13</td><td>226</td><td>145 AVERAGE</td></tr><tr><td>2</td><td>7287.26</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>28.00</td><td>36.60</td><td>13.06</td><td>33.16</td><td>226</td><td>145 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	53.15	68.20	-15.05	37.10	36.45	12.73	33.13	226	145 AVERAGE	2	7287.26	44.50	54.00	-9.50	28.00	36.60	13.06	33.16	226	145 AVERAGE	Level (dBuV/m) Date: 2025-02-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>67.05</td><td>-----</td><td>-----</td><td>51.01</td><td>36.49</td><td>12.67</td><td>33.12</td><td>226</td><td>145 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	67.05	-----	-----	51.01	36.49	12.67	33.12	226	145 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.28	53.15	68.20	-15.05	37.10	36.45	12.73	33.13	226	145 AVERAGE																																																																																							
2	7287.26	44.50	54.00	-9.50	28.00	36.60	13.06	33.16	226	145 AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	67.05	-----	-----	51.01	36.49	12.67	33.12	226	145 AVERAGE																																																																																							



Mode	138																																																																																							
	Harmonic																																																																																							
	U-NII-8_802.11ax HE20_CH233_Full RU_7115MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)								Level (dBuV/m) Date: 2025-02-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 14230.00</td><td>48.50</td><td>88.20</td><td>-39.70</td><td>44.23</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 14230.00	48.50	88.20	-39.70	44.23	39.90	16.33	51.96	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 14230.00</td><td>48.97</td><td>88.20</td><td>-39.23</td><td>44.70</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 14230.00	48.97	88.20	-39.23	44.70	39.90	16.33	51.96	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																
1 14230.00	48.50	88.20	-39.70	44.23	39.90	16.33	51.96	---																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																
1 14230.00	48.97	88.20	-39.23	44.70	39.90	16.33	51.96	---																																																																																
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>48.50</td><td>88.20</td><td>-39.70</td><td>44.23</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14230.00	48.50	88.20	-39.70	44.23	39.90	16.33	51.96	---	---	Peak	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>48.97</td><td>88.20</td><td>-39.23</td><td>44.70</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14230.00	48.97	88.20	-39.23	44.70	39.90	16.33	51.96	---	---	Peak																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	14230.00	48.50	88.20	-39.70	44.23	39.90	16.33	51.96	---	---	Peak																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	14230.00	48.97	88.20	-39.23	44.70	39.90	16.33	51.96	---	---	Peak																																																																													





Mode	140																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>76.26</td><td>88.20</td><td>-11.94</td><td>60.21</td><td>36.45</td><td>12.73</td><td>33.13</td><td>106</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>7346.89</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>38.15</td><td>36.51</td><td>13.10</td><td>33.17</td><td>106</td><td>146</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	76.26	88.20	-11.94	60.21	36.45	12.73	33.13	106	146	PEAK	2	7346.89	54.59	74.00	-19.41	38.15	36.51	13.10	33.17	106	146	PEAK	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.73</td><td>-----</td><td>-----</td><td>70.69</td><td>36.49</td><td>12.67</td><td>33.12</td><td>106</td><td>146</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.73	-----	-----	70.69	36.49	12.67	33.12	106	146	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	76.26	88.20	-11.94	60.21	36.45	12.73	33.13	106	146	PEAK																																																																																												
2	7346.89	54.59	74.00	-19.41	38.15	36.51	13.10	33.17	106	146	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	86.73	-----	-----	70.69	36.49	12.67	33.12	106	146	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) Site : 03CH01-SZ Condition: AVG_BE(UNII)_6E 3m HF_ANT(3117) HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 140 Setting : MCS0 power setting -10.5 Plane : Y with Accessories : H621521000015ECA0074 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>63.10</td><td>68.20</td><td>-5.10</td><td>47.05</td><td>36.45</td><td>12.73</td><td>33.13</td><td>106</td><td>146</td><td>AVERAGE</td></tr><tr><td>2</td><td>7312.62</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>27.96</td><td>36.57</td><td>13.08</td><td>33.16</td><td>106</td><td>146</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.10	68.20	-5.10	47.05	36.45	12.73	33.13	106	146	AVERAGE	2	7312.62	44.45	54.00	-9.55	27.96	36.57	13.08	33.16	106	146	AVERAGE	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>76.55</td><td>-----</td><td>-----</td><td>60.51</td><td>36.49</td><td>12.67</td><td>33.12</td><td>106</td><td>146</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.55	-----	-----	60.51	36.49	12.67	33.12	106	146	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	63.10	68.20	-5.10	47.05	36.45	12.73	33.13	106	146	AVERAGE																																																																																												
2	7312.62	44.45	54.00	-9.55	27.96	36.57	13.08	33.16	106	146	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	76.55	-----	-----	60.51	36.49	12.67	33.12	106	146	AVERAGE																																																																																												



Mode	140																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11be EHT20_CH233_Full RU_7115MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>63.42</td><td>88.20</td><td>-24.78</td><td>47.37</td><td>36.45</td><td>12.73</td><td>33.13</td><td>226 147 PEAK</td></tr><tr><td>2</td><td>7251.66</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>38.25</td><td>36.60</td><td>13.04</td><td>33.15</td><td>226 147 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.42	88.20	-24.78	47.37	36.45	12.73	33.13	226 147 PEAK	2	7251.66	54.74	74.00	-19.26	38.25	36.60	13.04	33.15	226 147 PEAK	Level (dBuV/m) Date: 2025-02-27 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.33</td><td>-----</td><td>-----</td><td>59.29</td><td>36.49</td><td>12.67</td><td>33.12</td><td>226 147 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.33	-----	-----	59.29	36.49	12.67	33.12	226 147 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	63.42	88.20	-24.78	47.37	36.45	12.73	33.13	226 147 PEAK																																																																																			
2	7251.66	54.74	74.00	-19.26	38.25	36.60	13.04	33.15	226 147 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	75.33	-----	-----	59.29	36.49	12.67	33.12	226 147 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>37.35</td><td>36.45</td><td>12.73</td><td>33.13</td><td>226 147 AVERAGE</td></tr><tr><td>2</td><td>7266.79</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.03</td><td>36.60</td><td>13.05</td><td>33.15</td><td>226 147 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	53.40	68.20	-14.80	37.35	36.45	12.73	33.13	226 147 AVERAGE	2	7266.79	44.53	54.00	-9.47	28.03	36.60	13.05	33.15	226 147 AVERAGE	Level (dBuV/m) Date: 2025-02-27 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>67.88</td><td>-----</td><td>-----</td><td>51.84</td><td>36.49</td><td>12.67</td><td>33.12</td><td>226 147 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	67.88	-----	-----	51.84	36.49	12.67	33.12	226 147 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	53.40	68.20	-14.80	37.35	36.45	12.73	33.13	226 147 AVERAGE																																																																																			
2	7266.79	44.53	54.00	-9.47	28.03	36.60	13.05	33.15	226 147 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	67.88	-----	-----	51.84	36.49	12.67	33.12	226 147 AVERAGE																																																																																			



Mode	140																																																									
	Harmonic																																																									
	U-NII-8_802.11be EHT20_CH233_Full RU_7115MHz																																																									
ANT	1+2																																																									
Pol.	Horizontal																																																									
Peak Avg	Level (dBuV/m) Date: 2025-02-27  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>43.75</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14230.00	48.02	88.20	-40.18	43.75	39.90	16.33	51.96	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	14230.00	48.02	88.20	-40.18	43.75	39.90	16.33	51.96	---	---	Peak																																															
Level (dBuV/m) Date: 2025-02-27  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>48.83</td><td>88.20</td><td>-39.37</td><td>44.56</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14230.00	48.83	88.20	-39.37	44.56	39.90	16.33	51.96	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14230.00	48.83	88.20	-39.37	44.56	39.90	16.33	51.96	---	---	Peak																																															



<RU>

Radiated Spurious Emission Test Modes

Mode	Band	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 57	U-NII-5	1+2	802.11ax HE20	1	5955	MCS0	Partial RU-26RU0	-
Mode 58	U-NII-8	1+2	802.11ax HE20	229	7095	MCS0	Partial RU-26RU8	-
Mode 110	U-NII-5	1+2	802.11be EHT20	1	5955	MCS0	Single RU-26RU0	-
Mode 111	U-NII-8	1+2	802.11be EHT20	229	7095	MCS0	Single RU-26RU8	-
Mode 112	U-NII-5	1+2	802.11be EHT20	1	5955	MCS0	Small RU-106+26_OFDMA_1	-
Mode 113	U-NII-8	1+2	802.11be EHT20	229	7095	MCS0	Small RU-106+26_OFDMA_2	-
Mode 114	U-NII-5	1+2	802.11be EHT80	7	5985	MCS0	Large RU 484+242_4	-
Mode 115	U-NII-8	1+2	802.11be EHT80	215	7025	MCS0	Large RU 484+242_1	-
Mode 116	U-NII-5	1+2	802.11be EHT160	15	6025	MCS0	Large RU 996+484_4	-
Mode 117	U-NII-8	1+2	802.11be EHT160	207	6985	MCS0	Large RU 996+484_1	-
Mode 118	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484_6	-
Mode 119	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484_7	-
Mode 120	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3_4	-
Mode 121	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3_1	-
Mode 122	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484_8	-
Mode 123	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484_8	-
Mode 124	U-NII-5	1+2	802.11be EHT80	7	5985	MCS0	Puncturing 20M_4	-
Mode 125	U-NII-8	1+2	802.11be EHT80	215	7025	MCS0	Puncturing 20M_1	-
Mode 126	U-NII-5	1+2	802.11be EHT160	15	6025	MCS0	Puncturing 40M_4	-
Mode 127	U-NII-8	1+2	802.11be EHT160	207	6985	MCS0	Puncturing 40M_1	-
Mode 128	U-NII-5	1+2	802.11be EHT160	15	6025	MCS0	Puncturing 20M_8	-
Mode 129	U-NII-8	1+2	802.11be EHT160	207	6985	MCS0	Puncturing 20M_1	-
Mode 130	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M_6	-
Mode 131	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M_7	-
Mode 132	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M_4	-
Mode 133	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M_1	-
Mode 134	U-NII-5	1+2	802.11be EHT320	31	6105	MCS0	Puncturing 40M_8	-
Mode 135	U-NII-8	1+2	802.11be EHT320	191	6905	MCS0	Puncturing 40M_1	-
Mode 139	U-NII-8	1+2	802.11ax HE20	233	7115	MCS0	Partial RU-26RU8	-
Mode 141	U-NII-8	1+2	802.11be EHT20	233	7115	MCS0	Single RU-26RU8	-
Mode 142	U-NII-8	1+2	802.11be EHT20	233	7115	MCS0	Small RU-106+26_OFDMA_2	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11ax HE20	1	5909.00	43.55	68.20	-24.65	H	AVERAGE	Pass	Band Edge
57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	229	7288.15	44.88	54.00	-9.12	H	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
110	802.11be EHT20	1	5825.84	43.28	68.20	-24.92	H	AVERAGE	Pass	Band Edge
110	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	229	7285.48	44.60	54.00	-9.40	H	AVERAGE	Pass	Band Edge
111	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	1	5862.80	43.39	68.20	-24.81	H	AVERAGE	Pass	Band Edge
112	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT20	229	7307.28	44.54	54.00	-9.46	H	AVERAGE	Pass	Band Edge
113	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	7	5897.80	43.35	68.20	-24.85	H	AVERAGE	Pass	Band Edge
114	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT80	215	7275.18	44.67	54.00	-9.33	H	AVERAGE	Pass	Band Edge
115	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT160	15	5860.84	43.47	68.20	-24.73	H	AVERAGE	Pass	Band Edge
116	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	207	7256.88	44.60	54.00	-9.40	V	AVERAGE	Pass	Band Edge
117	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT320	31	5698.14	44.02	68.20	-24.18	H	AVERAGE	Pass	Band Edge
118	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT320	191	7290.11	45.84	54.00	-8.16	H	AVERAGE	Pass	Band Edge
119	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT320	31	5650.71	45.30	68.20	-22.90	V	AVERAGE	Pass	Band Edge
120	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT320	191	7281.64	45.59	54.00	-8.41	H	AVERAGE	Pass	Band Edge
121	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	31	5713.44	44.82	68.20	-23.38	H	AVERAGE	Pass	Band Edge
122	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT320	191	7281.64	45.40	54.00	-8.60	V	AVERAGE	Pass	Band Edge
123	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	7	5920.36	43.19	68.20	-25.01	H	AVERAGE	Pass	Band Edge
124	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	215	7254.37	44.52	54.00	-9.48	H	AVERAGE	Pass	Band Edge
125	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	15	5858.04	44.19	68.20	-24.01	V	AVERAGE	Pass	Band Edge
126	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	207	7281.25	45.45	54.00	-8.55	H	AVERAGE	Pass	Band Edge
127	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT160	15	5833.68	44.04	68.20	-24.16	V	AVERAGE	Pass	Band Edge
128	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
129	802.11be EHT160	207	7305.00	45.23	54.00	-8.77	H	AVERAGE	Pass	Band Edge







129	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT320	31	5634.64	44.68	68.20	-23.52	H	AVERAGE	Pass	Band Edge
130	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT320	191	7313.10	45.29	54.00	-8.71	V	AVERAGE	Pass	Band Edge
131	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	31	5710.38	44.90	68.20	-23.30	V	AVERAGE	Pass	Band Edge
132	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT320	191	7286.48	45.48	54.00	-8.52	V	AVERAGE	Pass	Band Edge
133	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5643.82	45.21	68.20	-22.99	H	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
135	802.11be EHT320	191	7314.91	45.33	54.00	-8.67	V	AVERAGE	Pass	Band Edge
135	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
139	802.11ax HE20	233	7125.28	62.74	68.20	-5.46	H	AVERAGE	Pass	Band Edge
139	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
141	802.11be EHT20	233	7125.28	62.62	68.20	-5.58	H	AVERAGE	Pass	Band Edge
141	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
142	802.11be EHT20	233	7125.28	62.92	68.20	-5.28	H	AVERAGE	Pass	Band Edge
142	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic



Mode	57																																																																									
	Band Edge																																																																									
	U-NII-5_802.11ax HE20_CH1_Partial RU-26RU0_5955MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-01 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.14</td><td>54.12</td><td>88.20</td><td>-34.08</td><td>38.93</td><td>36.62</td><td>11.43</td><td>32.86</td><td>294 113 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5909.14	54.12	88.20	-34.08	38.93	36.62	11.43	32.86	294 113 PEAK	Level (dBuV/m) Date: 2025-03-01 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>91.62</td><td>-----</td><td>-----</td><td>76.43</td><td>36.70</td><td>11.37</td><td>32.88</td><td>294 113 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	91.62	-----	-----	76.43	36.70	11.37	32.88	294 113 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5909.14	54.12	88.20	-34.08	38.93	36.62	11.43	32.86	294 113 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	91.62	-----	-----	76.43	36.70	11.37	32.88	294 113 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-01 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.00</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>28.36</td><td>36.62</td><td>11.43</td><td>32.86</td><td>294 113 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5909.00	43.55	68.20	-24.65	28.36	36.62	11.43	32.86	294 113 AVERAGE	Level (dBuV/m) Date: 2025-03-01 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>84.02</td><td>-----</td><td>-----</td><td>68.83</td><td>36.70</td><td>11.37</td><td>32.88</td><td>294 113 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	84.02	-----	-----	68.83	36.70	11.37	32.88	294 113 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5909.00	43.55	68.20	-24.65	28.36	36.62	11.43	32.86	294 113 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	84.02	-----	-----	68.83	36.70	11.37	32.88	294 113 AVERAGE																																																																		



		57																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_802.11ax HE20_CH1_Partial RU-26RU0_5955MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2025-03-01. The plot shows a blue signal line with a peak at 5912.22 MHz. A red limit line is at 87.5 dBuV/m. The peak is labeled 'PEAK_BE(UNII)_6E'.					 Level (dBuV/m) vs Frequency (MHz). Date: 2025-03-01. The plot shows a blue signal line with a peak at 5955.00 MHz. A red limit line is at 87.81 dBuV/m. The peak is labeled 'PEAK_BE(UNII)_6E'.																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5912.22</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>38.64</td><td>36.62</td><td>11.43</td><td>32.86</td><td>117</td><td>184 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5912.22	53.83	88.20	-34.37	38.64	36.62	11.43	32.86	117	184 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>87.81</td><td>-----</td><td>-----</td><td>72.62</td><td>36.70</td><td>11.37</td><td>32.88</td><td>117</td><td>184 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	87.81	-----	-----	72.62	36.70	11.37	32.88	117
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5912.22	53.83	88.20	-34.37	38.64	36.62	11.43	32.86	117	184 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	87.81	-----	-----	72.62	36.70	11.37	32.88	117	184 PEAK																																																																																
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2025-03-01. The plot shows a blue signal line with a peak at 5906.48 MHz. A red limit line is at 68.20 dBuV/m. The peak is labeled 'AVG_BE(UNII)_6E'.					 Level (dBuV/m) vs Frequency (MHz). Date: 2025-03-01. The plot shows a blue signal line with a peak at 5955.00 MHz. A red limit line is at 80.24 dBuV/m. The peak is labeled 'AVG_BE(UNII)_6E'.																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5906.48</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>28.19</td><td>36.61</td><td>11.43</td><td>32.86</td><td>117</td><td>184 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5906.48	43.37	68.20	-24.83	28.19	36.61	11.43	32.86	117	184 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>80.24</td><td>-----</td><td>-----</td><td>65.05</td><td>36.70</td><td>11.37</td><td>32.88</td><td>117</td><td>184 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	80.24	-----	-----	65.05	36.70	11.37	32.88	117
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5906.48	43.37	68.20	-24.83	28.19	36.61	11.43	32.86	117	184 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	80.24	-----	-----	65.05	36.70	11.37	32.88	117	184 AVERAGE																																																																																



Mode	58																																																																																		
	Band Edge																																																																																		
	U-NII-8_802.11ax HE20_CH229_Partial RU-26RU8_7095MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7238.31</td><td>54.54</td><td>88.20</td><td>-33.66</td><td>38.08</td><td>36.58</td><td>13.03</td><td>33.15</td><td>132 108 PEAK</td></tr><tr><td>2 7315.29</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>38.84</td><td>36.57</td><td>13.08</td><td>33.16</td><td>132 108 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7238.31	54.54	88.20	-33.66	38.08	36.58	13.03	33.15	132 108 PEAK	2 7315.29	55.33	74.00	-18.67	38.84	36.57	13.08	33.16	132 108 PEAK	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>97.11</td><td>-----</td><td>-----</td><td>81.08</td><td>36.50</td><td>12.65</td><td>33.12</td><td>132 108 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	97.11	-----	-----	81.08	36.50	12.65	33.12	132 108 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7238.31	54.54	88.20	-33.66	38.08	36.58	13.03	33.15	132 108 PEAK																																																																											
2 7315.29	55.33	74.00	-18.67	38.84	36.57	13.08	33.16	132 108 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	97.11	-----	-----	81.08	36.50	12.65	33.12	132 108 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7227.18</td><td>44.95</td><td>68.20</td><td>-23.25</td><td>28.53</td><td>36.55</td><td>13.02</td><td>33.15</td><td>132 108 AVERAGE</td></tr><tr><td>2 7288.15</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>28.38</td><td>36.60</td><td>13.06</td><td>33.16</td><td>132 108 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7227.18	44.95	68.20	-23.25	28.53	36.55	13.02	33.15	132 108 AVERAGE	2 7288.15	44.88	54.00	-9.12	28.38	36.60	13.06	33.16	132 108 AVERAGE	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>89.38</td><td>-----</td><td>-----</td><td>73.35</td><td>36.50</td><td>12.65</td><td>33.12</td><td>132 108 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	89.38	-----	-----	73.35	36.50	12.65	33.12	132 108 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7227.18	44.95	68.20	-23.25	28.53	36.55	13.02	33.15	132 108 AVERAGE																																																																											
2 7288.15	44.88	54.00	-9.12	28.38	36.60	13.06	33.16	132 108 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	89.38	-----	-----	73.35	36.50	12.65	33.12	132 108 AVERAGE																																																																											